

Tobacco in Australia

Facts & Issues

Relevant news and research

4.19 Public attitudes to secondhand smoke

Last updated March 2021

Research:

Hassanein, Z, Langley, T, Murray, RL, Bogdanovica, I, & Leonardi-Bee, J. (2020). Experiences and views of women, children, and professionals regarding second-hand smoke exposure prevention in Middle Eastern countries: a qualitative systematic review protocol. *JBI Evid Synth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32868712>

Moan, IS, Bye, EK, Storvoll, EE, & Lund, IO. (2019). Self-reported harm from others' alcohol, cigarette and illegal drug use in Norway. *Nordisk Alkohol Nark*, 36(5), 413-429. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32934576>

Nogueira, SO, Tigova, O, Driezen, P, Fu, M, Kyriakos, CN, Zatonski, M et al. (2020). Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. *Eur J Public Health*, 30(Supplement_3), iii108-iii112. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32918821>

Huml, K. (2019). Puffing Away Parental Rights: A Survey and Analysis of Whether Secondhand Smoke Exposure is Child Abuse. *J Law Health*, 32(1), 89-109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31087831>

Rahman, M, Hasan, SMM, Haque, SE, Haque, N, Rahman, M, Mostofa, G et al. (2019). Secondhand smoking, knowledge/attitudes and socioeconomic status among married Bangladeshi women: a cross-sectional study. *Sao Paulo Med J*, 137(1), 13-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31116265>

Lee, SR, Cho, AR, Lee, SY, Cho, YH, Park, EJ, Kim, YJ, & Lee, JG. Secondhand smoke knowledge, sources of information, and associated factors among hospital staff. *PLoS One*, 2019. 14(1), e0210981. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30668578>

tobaccoinaustralia.org.au

Walia, H, Miller, R, Tumin, D, Tobias, JD, & Sebastian, R. A pilot study on secondhand tobacco exposure: parental knowledge about health impact and feasibility of cessation. *Drug Health Patient Saf*, 2018. 10, 89-94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30410406>

Diez-Izquierdo, A, Cassanello, P, Cartanya, A, Matilla-Santander, N, Balaguer Santamaria, A, Martinez-Sanchez, J M. Knowledge and attitudes toward thirdhand smoke among parents with children under 3 years in Spain. *Pediatr Res*. 2018 Sep 7. pii: 10.1038/s41390-018-0153-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30194415>

Pascal Iloh, GU, Collins, PI. Awareness of health effects of exposure to secondhand smoke from cigarettes: A cross-sectional study of never-smoked adult primary care patients in Eastern Nigeria. *Avicenna J Med*. 2017 Oct-Dec;7(4):164-170. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29119083>

Rosen, LJ, Lev, E, Guttman, N, Tillinger, E, Rosenblat, S, Zucker, DM, Myers, V. Parental Perceptions and Misconceptions of Child Tobacco Smoke Exposure. *Nicotine Tob Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059387>

Clawson, AH, McQuaid, EL, Borrelli, B. Smokers who have children with asthma: Perceptions about child secondhand smoke exposure and tobacco use initiation and parental willingness to participate in child-focused tobacco interventions. *J Asthma*. 2017 Jul 31:1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28759279>

Mansour, AY. Determinants of Willingness to Accept Secondhand Smoke Exposure. *Am J Health Behav*. 2017 Sep 1;41(5):571-578. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28760179>

Cheng, KW, Chiang, WL, Chiang, TL. In utero and early childhood exposure to secondhand smoke in Taiwan: a population-based birth cohort study. *BMJ Open*. 2017 Jul 3;7(6):e014016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28674129>

Huang, J, Wen, G, Yang, W, Yao, Z, Wu, C, Ye, X. The association between second-hand smoke exposure and depressive symptoms among pregnant women. *Psychiatry Res*. 2017 Jun 29;256:469-474. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28711818>

Kawasaki, Y, Miyake, Y, Tanaka, K, Furukawa, S, Arakawa, M. Smoking and secondhand smoke exposure and prevalence of depressive symptoms during pregnancy in Japan: baseline data from the Kyushu Okinawa Maternal and Child Health Study. *Tob Induc Dis*. 2017 Jul 24;15:34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28747858>

Polanska, K, Krol, A, Merecz-Kot, D, Ligocka, D, Mikolajewska, K, Mirabella, F, Chiarotti, F, Calamandrei, G, Hanke, W. Environmental Tobacco Smoke Exposure during Pregnancy and Child Neurodevelopment. *Int J Environ Res Public Health*. 2017 Jul 17;14(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28714930>

Singh, SP, Chand, HS, Langley, RJ, Mishra, N, Barrett, T, Rudolph, K, Tellez, C, Filipczak, PT, Belinsky, S, Saeed, AI, Sheybani, A, Exil, V, Agarwal, H, Sidhaye, VK, Sussan, T, Biswal, S, Sopori, M. Gestational Exposure to Sidestream (Secondhand) Cigarette Smoke Promotes Transgenerational Epigenetic Transmission of Exacerbated Allergic Asthma and Bronchopulmonary Dysplasia. *J Immunol*. 2017 May 15;198(10):3815-3822. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28381639>

Yi, Chang, Yeh, CC, Wang, PH. Voluntary and involuntary smoking during pregnancy. J Chin Med Assoc. 2017 May 18. pii: S1726-4901(17)30107-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28529024>

Yang, S, Xu, L, He, Y, Jiang, C, Jin, Y, Cheng, KK, Zhang, W, Lam, TH. Childhood secondhand smoke exposure and pregnancy loss in never smokers: the Guangzhou Biobank Cohort Study. Tob Control, Dec 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28011924>

Roberts, C, Wagler, G, Carr, MM. Environmental tobacco smoke: public perception of risks of exposing children to second- and third-hand tobacco smoke. J Pediatr Health Care. 2016 Sep 27. pii: S0891-5245(16)30219-X. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27692507>

Brown-Johnson, CG, Opezzo, M, Benowitz, NL, Prochaska, JJ. "You have the right to protect your health": Perceptions of secondhand smoke and exposure mitigation strategies in low-income patients with heart disease, San Francisco, 2011-2012. Prev Chronic Dis. 2016 Aug 25;13:E116. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27560724>

Hasniah, AL, Tan, YP, Nur Buhairah, MA, Chan, TW, Muhammad Nabil, TI, Syed Zulkifli, SZ. Parental awareness and attitude towards environmental tobacco smoke exposure in children with respiratory illnesses. Public Health, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26976490>

Kruger, J et al. Perceptions of harm from secondhand smoke exposure among U.S. adults, 2009-2010. Tob Induc Dis, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26839528>

White, AH et al. Oklahoma "Tobacco Stops with Me" Media campaign effects on attitudes toward secondhand smoke. J Okla State Med Assoc, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26817061>

Farber, HJ et al. Protecting children from tobacco, nicotine, and tobacco smoke. Pediatrics, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26504135>

Mansour, AY, Bakhsh, Z. Measuring willingness to accept second-hand smoke exposure. Am J Health Behav, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26450552>

Goldstein, AO. Is exposure to secondhand smoke child abuse? Yes. Annals of Family Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25755029>

Lindhorst, T. Is exposure to secondhand smoke child abuse? No. Annals of Family Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25755030>

Kegler MC, Bundy L, Haardorfer R, Escoffery C, Berg C, et al. A minimal intervention to promote smoke-free homes among 2-1-1 callers: a randomized controlled trial. Am J Public Health, 2015; 105(3):530-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25602863>

Safdar N, Zahid R, Shah S, Fatima R, Cameron I, et al. Tuberculosis patients learning about second-hand smoke (TBLASS): results of a pilot randomised controlled trial. Int J Tuberc Lung Dis, 2015; 19(2):237-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25574925>

Hilliard ME, Riekert KA, Hovell MF, Rand CS, Welkom JS, et al. Family Beliefs and Behaviors About Smoking and Young Children's Secondhand Smoke Exposure. Nicotine Tob Res, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25480933>

Tarnoki DL, Tarnoki AD, Littvay L, Lazar Z, Karlinger K, et al. Within family transmission of secondhand smoke sensitivity and smoking attitude. *Ann Agric Environ Med*, 2014; 21(4):771-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25528918>

Ballbe M, Sureda X, Martinez-Sanchez JM, Fu M, Salto E, et al. Secondhand smoke in psychiatric units: patient and staff misperceptions. *Tob Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25239470>

4.19.1 General perception that secondhand smoke is harmful to health

Arcury, TA, Trejo, G, Moore, D, Howard, TD, Quandt, SA, Ip, EH, & Sandberg, JC. (2020). "It's Worse to Breathe It Than to Smoke It": Secondhand Smoke Beliefs in a Group of Mexican and Central American Immigrants in the United States. *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33233697>

4.19.2 Knowledge of specific health effects

Alphonsus, KB, & D'Arcy, C. (2019). Predictors of people's perceptions of second hand smoke exposure as a risk factor for multiple sclerosis. *Mult Scler Relat Disord*, 36, 101383. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31520985>

Christensen, S, Jaffar, Z, Cole, E, Porter, V, Ferrini, M, Postma, B, Pinkerton, KE, Yang, M, Kim, YJ, Montrose, L, Roberts, K, Holian, A, Cho, YH. Prenatal environmental tobacco smoke exposure increases allergic asthma risk with methylation changes in mice. *Environ Mol Mutagen*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28543436>

Elkin, ER, O'Neill, MS. Trends in Environmental Tobacco Smoke (ETS) Exposure and Preterm Birth: Use of Smoking Bans and Direct ETS Exposure Assessments in Study Designs. *Chem Res Toxicol*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28602080>

Noel, A, Xiao, R, Perveen, Z, Zaman, H, Le Donne, V, Penn, A. Sex-specific lung functional changes in adult mice exposed only to second-hand smoke in utero. *Respir Res*. 2017 Jun 27;18(1):104. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28651580>

Poopat, S et al. Parental knowledge of the adverse effects of household tobacco smoke exposure in asthmatic children. *Southeast Asian J Trop Med Public Health*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26867369>

Welkom, JS et al. Associations between caregiver health literacy and preschool children's secondhand smoke exposure. *J Pediatr Psychol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26330535>

Huang, K et al. Chinese pediatrician attitudes and practices regarding child exposure to Secondhand Smoke (SHS) and clinical efforts against SHS exposure. *International journal of environmental research and public health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26006117>

Rosen, L. Kostjukovsky, I. Parental risk perceptions of child exposure to tobacco smoke. BMC Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25885053>

4.19.3 Changes in smoking behaviour due to beliefs about secondhand smoke

Sontag, JM, Delnevo, CD, Hegyi, T, Ostfeld, BM, & Wackowski, OA. (2020). Secondhand Smoke Risk Communication: Effects on Parent Smokers' Perceptions and Intentions. *J Health Commun*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32758033>

4.19.4 Avoidance of cigarette smoke

Lee, JY, Ahn, H, Lee, H. Factors Affecting Secondhand Smoke Avoidance Behavior of Vietnamese Adolescents. *Int J Environ Res Public Health*. 2018 Aug 2;15(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30072593>

Manning, M, Wojda, M, Hamel, L, Salkowski, A, Schwartz, AG, Harper, FW. Understanding the role of family dynamics, perceived norms, and lung cancer worry in predicting second-hand smoke avoidance among high-risk lung cancer families. *J Health Psychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26956703>

4.19.5 Behaviour around cigarette smoke

Lin, H, Chang, C, & Liu, Z. (2020). Alcohol drinking as a mediator of the influence of smoking prevalence on second-hand smoke exposure in workplaces: a mediation analysis. *Subst Abuse Treat Prev Policy*, 15(1), 67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32883304>

Zadzinska, E, Koziel, S, Borowska-Struginska, B, Rosset, I, Sitek, A, Lorkiewicz, W. Parental smoking during pregnancy shortens offspring's legs. *Homo*. 2016 Dec;67(6):498-507. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27908489>

News reports:

Boyles, Salynn. Some Adults Dismiss Nicotine Risks to Kids. *MedPage Today*, 2018. July 18, 2018. Available from: <https://www.medpagetoday.com/pulmonology/smoking/74087>

Khan, Maria. Dubai bans pregnant women from shisha cafes. *International Business Times*, 2016. Mar 21, 2016. Available from: <http://www.ibtimes.co.uk/dubai-bans-pregnant-women-shisha-cafes-1550864>