

Tobacco in Australia

Facts & Issues

Relevant news and research

4.3 Thirdhand smoke

Last updated July 2020

Research:

Hang, B, Wang, P, Zhao, Y, Chang, H, Mao, JH, & Snijders, A. (2020). Thirdhand smoke: Genotoxicity and carcinogenic potential. *Chronic Dis Transl Med*, 6(1), 27-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32226932>

Sarker, AH, Trego, KS, Zhang, W, Jacob, P 3rd, Snijders, A.M, Mao, JH et al (2020). Thirdhand smoke exposure causes replication stress and impaired transcription in human lung cells. *Environ Mol Mutagen*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32267018>

Kastury, F, Ritch, S, Rasmussen, PE, & Juhasz, AL. (2020). Influence of household smoking habits on inhalation bioaccessibility of trace elements and light rare earth elements in Canadian house dust. *Environ Pollut*, 262, 114132. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32179218>

Sheu, R, Stonner, C, Ditto, JC, Klupfel, T, Williams, J, & Gentner, DR. (2020). Human transport of thirdhand tobacco smoke: A prominent source of hazardous air pollutants into indoor nonsmoking environments. *Sci Adv*, 6(10), eaay4109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32181345>

Stapleton, EM, Manges, R, Parker, G, Stone, EA, Peters, TM, Blount, RJ et al. (2019). Indoor Particulate Matter From Smoker Homes Induces Bacterial Growth, Biofilm Formation, and Impairs Airway Antimicrobial Activity. A Pilot Study. *Front Public Health*, 7, 418. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32039129>

Kuo, HW, & Rees, VW. (2019). Third-hand smoke (THS): What is it and what should we do about it? *J Formos Med Assoc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31500939>

Northrup, TF, Stotts, AL, Suchting, R, Khan, AM, Green, C, Quintana, PJE et al. (2019). Medical staff contributions to thirdhand smoke contamination in a neonatal intensive care unit. *Tob Induc Dis*, 17, 37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516480>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Matt, GE, Mahabee-Gittens, EM, Zakarian, JM, Quintana, PJE, Hoh, E, & Myers, M. (2019). Nicotine in thirdhand smoke residue predicts relapse from smoking cessation: A pilot study. *Addict Behav*, 98, 106041. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31330468>

Pozuelos, GL, Kagda, MS, Schick, S, Girke, T, Volz, DC, & Talbot, P. (2019). Experimental Acute Exposure to Thirdhand Smoke and Changes in the Human Nasal Epithelial Transcriptome: A Randomized Clinical Trial. *JAMA Netw Open*, 2(6), e196362. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31251375>

Mahabee-Gittens, EM, Matt, GE, Hoh, E, Quintana, PJE, Stone, L, Geraci, MA et al. (2019). Contribution of thirdhand smoke to overall tobacco smoke exposure in pediatric patients: study protocol. *BMC Public Health*, 19(1), 491. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31046729>

Mahabee-Gittens, EM, Merianos, AL, Hoh, E, Quintana, PJ, & Matt, GE. Nicotine on Children's Hands: Limited Protection of Smoking Bans and Initial Clinical Findings. *Tob Use Insights*, 2019. 12, 1179173X18823493. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30728727>

Wu, CC, Wang, WJ, Bao, LJ, Shi, L, Tao, S, & Zeng, EY. Impacts of texture properties and airborne particles on accumulation of tobacco-derived chemicals in fabrics. *J Hazard Mater*, 2019. 369, 108-115. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30776593>

Liu, Q, Chen, Q, Shen, J, Wu, H, Sun, Y, & Ming, WK. Data Analysis and Visualization of Newspaper Articles on Thirdhand Smoke: A Topic Modeling Approach. *JMIR Med Inform*, 2019. 7(1), e12414. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30694199>

Adhami, N, Starck, SR, Flores, C, & Martins Green, M. (2018). Correction: A Health Threat to Bystanders Living in the Homes of Smokers: How Smoke Toxins Deposited on Surfaces Can Cause Insulin Resistance. *PLoS One*, 2018. 13(11), e0208056. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30458047>

Collins, DB, Wang, C, & Abbatt, JPD. Selective Uptake of Third-Hand Tobacco Smoke Components to Inorganic and Organic Aerosol Particles. *Environ Sci Technol*, 2018. Available from: <https://pubs.acs.org/doi/10.1021/acs.est.8b03880>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Matt, GE, Hoh, E, Quintana, PJE, Zakarian, JM, & Arceo, J. Cotton pillows: A novel field method for assessment of thirdhand smoke pollution. *Environ Res*, 2018. 168, 206-210. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30317105>

Lai, FY, Lymphousi, K, Been, F, Benaglia, L, Udriard, R, Delemont, O, Esseiva, P, Thomaidis, NS, Covaci, A, van Nuijs, ALN. Levels of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK) in raw wastewater as an innovative perspective for investigating population-wide exposure to third-hand smoke. *Sci Rep*. 2018 Sep 5;8(1):13254. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30185880>

Diez-Izquierdo, A, Cassanello-Penarroya, P, Lidon-Moyano, C, Matilla-Santander, N, Balaguer, A, Martinez-Sanchez, JM. Update on thirdhand smoke: A comprehensive systematic review. *Environ Res*. 2018 Jul 11;167:341-371. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30096604>

Adhami, N, Chen, Y, Martins-Green, M. Correction: Biomarkers of disease can be detected in mice as early as 4 weeks after initiation of exposure to third-hand smoke levels equivalent to those found in homes of smokers. *Clin Sci (Lond)*. 2018 Jun 28;132(12):1365-1366. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29954953>

Hang, B, Mao, JH, Snijders, AM. Genetic Susceptibility to Thirdhand Smoke induced Lung Cancer Development. *Nicotine Tob Res*, 2018. June 16, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29917126>

DeCarlo, PF, Avery, AM, Waring, MS. Thirdhand smoke uptake to aerosol particles in the indoor environment. *Sci Adv*. 2018 May 9;4(5):eaap8368. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29750194>

Drehmer, JE, Walters, BH, Nabi-Burza, E, Winickoff, JP. Guidance for the Clinical Management of Thirdhand Smoke Exposure in the Child Health Care Setting. *J Clin Outcomes Manag*. 2017 Dec;24(12):551-559. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29217965>

Figueiro, LR, Linden, R, Ziulkoski, AL, Dantas, DCM. Cellular effects of thirdhand tobacco smoke from smokers' homes. *Toxicol Mech Methods*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29185369>

Adhami, N, Chen, Y and Martins-Green, M. Biomarkers of disease can be detected in mice as early as 4 weeks after initiation of exposure to third-hand smoke levels equivalent to those found in homes

Tobacco in Australia

Facts & Issues

of smokers. Clin Sci (Lond). 2017 Sep 14;131(19):2409-2426. Available from:

<http://www.clinsci.org/content/131/19/2409>

Hang, B, Wang, P, Zhao, Y, Sarker, A, Chenna, A, Xia, Y, Snijders, AM, Mao, JH. Adverse Health Effects of Thirdhand Smoke: From Cell to Animal Models. Int J Mol Sci. 2017 Apr 28;18(5). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28452951>

Lee, W, Lee, S, Roh, J, Won, JU, Yoon, JH. The Association between Involuntary Smoking Exposure with Urine Cotinine Level and Blood Cadmium Level in General Non-Smoking Populations. J Korean Med Sci. 2017 Apr;32(4):568-575. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28244280>

Mahabee-Gittens, EM, Merianos, AL, Matt, GE. Preliminary evidence that high levels of nicotine on children's hands may contribute to overall tobacco smoke exposure. Tob Control, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28360145>

Hang, B, Snijders, AM, Huang, Y, Schick, SF, Wang, P, Xia, Y, Havel, C, Jacob, P, 3rd, Benowitz, N, Destailats, H, Gundel, LA, Mao, JH. Early exposure to thirdhand cigarette smoke affects body mass and the development of immunity in mice. Sci Rep. 2017 Feb 3;7:41915. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28157226>

Matt, GE, Quintana, PJ, Zakarian, JM, Hoh, E, Hovell, MF, Mahabee-Gittens, M, Watanabe, K, Datuin, K, Vue, C, Chatfield, DA. When smokers quit: exposure to nicotine and carcinogens persists from thirdhand smoke pollution. Tob Control, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27655249>

Bahl, V, Johnson, K, Phandthong, R, Zahedi, A, Schick, SF, Talbot, P. Thirdhand cigarette smoke causes stress-induced mitochondrial hyperfusion and alters the transcriptional profile of stem cells. Toxicol Sci, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27255386>

Figueiro, LR, Dantas, DC, Linden, R, Ziulkoski, AL. Thirdhand tobacco smoke: procedures to evaluate cytotoxicity in cell cultures. Toxicol Mech Methods, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27268319>

Darlow, SD, Heckman, CJ, Munshi, T, Collins, BN. Thirdhand smoke beliefs and behaviors among healthcare professionals. Psychol Health Med. 2016 May 26:1-10. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27231157>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Adhami, N, Starck, SR, Flores, C, Martins Green, M. Correction: A health threat to bystanders living in the homes of smokers: How smoke toxins deposited on surfaces can cause insulin resistance. PLoS One. 2016 Apr 6;11(4):e0153382. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27050097>

Xu, B, Chen, M, Yao, M, Ji, X, Mao, Z, Tang, W, Qiao, S, Schick, SF, Mao, JH, Hang, B, Xia, Y. Corrigendum: Metabolomics reveals metabolic changes in male reproductive cells exposed to thirdhand smoke. Sci Rep. 2016 Apr 13;6:23849. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27072199>

Adhami, N, Starck, SR, Flores, C, Martins Green, M. A health threat to bystanders living in the homes of smokers: How smoke toxins deposited on surfaces can cause insulin resistance. PLoS One. 2016 Mar 2;11(3):e0149510. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26934053>

No authors listed. Nicotine still found on newborn babies' cots in 'smoke-free' hospitals. Nurs Stand. 2016 Jan 6;30(19):14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26938389>

Northrup, TF, Jacob, P, 3rd, Benowitz, NL, Hoh, E, Quintana, PJ, Hovell, MF, Matt, GE, Stotts, AL. Thirdhand smoke: state of the science and a call for policy expansion. Public Health Rep. 2016 Mar-Apr;131(2):233-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26957657>

Cheng, CY et al. Detection of third-hand smoke on clothing fibers with a surface acoustic wave gas sensor. Biomicrofluidics, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26909119>

Ganjre, AP, Sarode, GS. Third hand smoke - A hidden demon. Oral Oncol, March 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26826754>

Northrup, TF et al. Thirdhand smoke contamination in hospital settings: assessing exposure risk for vulnerable paediatric patients. Tob Control, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26635031>

Ramirez, N et al. Comparative study of comprehensive gas chromatography-nitrogen chemiluminescence detection and gas chromatography-ion trap-tandem mass spectrometry for determining nicotine and carcinogen organic nitrogen compounds in thirdhand tobacco smoke. J Chromatogr A, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26684592>

Acuff, L et al. Third-hand smoke: old smoke, new concerns. J Community Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26512014>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Santos, E et al. A simple and rapid method for the determination of nicotine in third-hand smoke by liquid chromatography and its application for the assessment of contaminated outdoor communal areas. *Drug Testing and Analysis*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26059092>

Chen, YT et al. Effects of a parent-child interactive program for families on reducing the exposure of school-aged children to household smoking. *Nicotine & Tobacco Research*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25987674>

Wagener, TL et al. Caregivers' interest in using smokeless tobacco products: Novel methods that may reduce children's exposure to secondhand smoke. *Journal of Health Psychology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25845835>

Brown, N et al. Interventions to reduce harm from smoking with families in infancy and early childhood: a systematic review. *International Journal of Environmental Research and Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25785496>

Rowa-Dewar, N et al. Protecting children from smoke exposure in disadvantaged homes. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25762761>

Peck, KR et al. Reduction of secondhand smoke exposure in the cars of children with cancer. *Journal of Pediatric Oncology Nursing*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25650378>

Bahl V, Jacob P, 3rd, Havel C, Schick SF, and Talbot P. Thirdhand cigarette smoke: factors affecting exposure and remediation. *PLoS One*, 2014; 9(10):e108258. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25286392>

Semple S, Apsley A, Azmina Ibrahim T, Turner SW, and Cherrie JW. Fine particulate matter concentrations in smoking households: just how much secondhand smoke do you breathe in if you live with a smoker who smokes indoors? *Tob Control*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25331379>

Sleiman M, Logue JM, Luo W, Pankow JF, Gundel LA, et al. Inhalable Constituents of Thirdhand Tobacco Smoke: Chemical Characterization and Health Impact Considerations. *Environ Sci Technol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25317906>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Abdullah, AS et al. Secondhand smoke exposure reduction intervention in Chinese households of young children: a randomized controlled trial. *Acad Pediatr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26300367>

Blaakman, SW et al. Secondhand smoke exposure reduction after NICU discharge: results of a randomized trial. *Academic Paediatrics*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26210908b>

Wang Y, Huang Z, Yang M, Wang F, and Xiao S. Reducing environmental tobacco smoke exposure of preschool children: a randomized controlled trial of class-based health education and smoking cessation counseling for caregivers. *Int J Environ Res Public Health*, 2015; 12(1):692-709. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25590146>

Ulbricht S, Gross S, Meyer C, Hannover W, Nauck M, et al. Reducing tobacco smoke exposure in children aged below 4years - a randomized controlled trial. *Prev Med*, 2014; 69C:208-213. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25456808>

Schuck K, Otten R, Kleinjan M, Bricker JB, and Engels RC. Promoting smoking cessation among parents: Effects on smoking-related cognitions and smoking initiation in children. *Addict Behav*, 2014; 40C:66-72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25222850>

Ortega Cuelva G, Cabezas Pena C, Almeda Ortega J, Saez Zafra M, Ballve Moreno JL, et al. Effectiveness of a brief primary care intervention to reduce passive smoking in babies: a cluster randomised clinical trial. *J Epidemiol Community Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25389300>

News reports:

Renner, B. Toxic Thirdhand Smoke Still Lingers In A Casino Months After Ban. *Study Finds*, 2018. Sept 22, 2018. Available from <https://www.studyfinds.org/thirdhand-smoke-lingers-casino-after-ban/>

Reinberg, Steven. Third-hand smoke may be lurking in nonsmoking areas, study finds. *CBS News*, 2018. May 14, 2018. Available from: <https://www.cbsnews.com/news/third-hand-smoke-lingers-in-nonsmoking-areas-study-finds/>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Thirdhand smoke found to increase lung cancer risk in mice. EurekAlert!, 2018. Mar 13, 2018. Available from: https://www.eurekalert.org/pub_releases/2018-03/dbnl-tsf030818.php

No authors listed. Third hand cigarette smoke not cause for panic. Medical Xpress, 2018. Feb 19, 2018. Available from: <https://medicalxpress.com/news/2018-02-cigarette-panic.html>

Rahhal, Natalie. Third-hand smoke may linger forever: Study shows casinos are still toxic to customers after cigarette ban - and replacing material could be the only solution. Daily Mail, 2018. Feb 13, 2018. Available from: <http://www.dailymail.co.uk/health/article-5368729/Thirdhand-smoke-lingers-long-cigarettes-banned.html>

Borreli, Lizette. Smoking Cigarettes: Smell in Clothes and Furniture Can Damage Brain, Liver. Newsweek, 2017. Sept 19, 2017. Available from: <http://www.newsweek.com/smoking-cigarettes-smell-clothes-furniture-can-damage-brain-liver-667183>

No authors listed. 8 ways to remove smoke smells from your home. British Telecom, 2017. Nov 28, 2017. Available from: <http://home.bt.com/lifestyle/house-home/cleaning/8-ways-to-remove-smoke-smells-from-your-home-11364032089438>

Adhami, N, Chen, Y and Martins-Green, M. Biomarkers of disease can be detected in mice as early as 4 weeks after initiation of exposure to third-hand smoke levels equivalent to those found in homes of smokers. Clin Sci (Lond). 2017 Sep 14;131(19):2409-2426. Available from: <http://www.clinsci.org/content/131/19/2409>

Faust, Vince. Even thirdhand smoke poses health risks. The Philadelphia Tribune, 2017. Oct 11, 2017. Available from: http://www.phillytrib.com/lifestyle/health/even-third-hand-smoke-poses-health-risks/article_147c90be-6ab4-5982-8a25-13b2f49bd936.html

No authors listed. Thirdhand Smoke Is Real—Here's How It Can Damage Your Brain and Liver. Press From, 2017. Oct 9, 2017. Available from: <http://uk.pressfrom.com/lifestyle/health/-214333-thirdhand-smoke-is-real-here-s-how-it-can-damage-your-brain-and-liver/>

Hamilton, Jacqueline. Tobacco-smoke residue that lingers in furniture, curtains and house dust can still be harmful. The Conversation, 2017. Sept 18, 2017. Available from: <https://theconversation.com/tobacco-smoke-residue-that-lingers-in-furniture-curtains-and-house-dust-can-still-be-harmful-84145>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Mice exposed to third-hand smoke developed brain and liver damage. National Health Service (NHS), 2017. Sept 15, 2017. Available from: <https://www.nhs.uk/news/lifestyle-and-exercise/mice-exposed-third-hand-smoke-developed-brain-and-liver-damage/>

Adhami, N, Chen, Y and Martins-Green, M. Biomarkers of disease can be detected in mice as early as 4 weeks after initiation of exposure to third-hand smoke levels equivalent to those found in homes of smokers. Clin Sci (Lond). 2017 Sep 14;131(19):2409-2426. Available from: <http://www.clinsci.org/content/131/19/2409>

Woodward, Aylin. Third-hand smoke in furniture and clothes damages mouse organs. New Scientist, 2017. Sept 15, 2017. Available from: <https://www.newscientist.com/article/2147549-third-hand-smoke-in-furniture-and-clothes-damages-mouse-organs/>

No authors listed. Secondhand (and third-hand) smoke may be making your pet sick. U.S. Food and Drug Administration, Dec 2016. Available from: <http://www.fda.gov/ForConsumers/ConsumerUpdates/ucm530220.htm>

No authors listed. FDA warns of secondhand and 'thirdhand' smoke dangers to pets. International Animal Health Journal, 2016. Sept 27, 2016. Available from: <http://animalhealthmedia.com/fda-warns-secondhand-thirdhand-smoke-dangers-pets/>

Price, Michael. Thirdhand smoke lingers in the home long after smokers have quit. Medical Xpress, 2016. Sept 22, 2016. Available from: <http://medicalxpress.com/news/2016-09-thirdhand-lingers-home-smokers.html>

No authors listed. Thirdhand smoke linked to type 2 diabetes. Medical News Today, 2016. Mar 3, 2016. Available from: <http://www.medicalnewstoday.com/releases/307356.php>

Ward, Victoria. Buying a house from a smoker could prove dangerous for your health, study finds. The Telegraph, 2016. Jan 1, 2016. Available from: <http://www.telegraph.co.uk/news/health/12077562/Buying-a-house-from-a-smoker-could-prove-dangerous-for-your-health-study-finds.html>

No authors listed. Newborns in intensive care exposed to thirdhand smoke residue. Medical News Today, 2015. Dec 4, 2015. Available from: <http://www.medicalnewstoday.com/releases/303565.php?tw>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

No authors listed. Take 7 Steps Out' to protect children from secondhand smoke. Morley Observer & Advertiser, 2015. Apr 18, 2015. Available from: <http://www.morleyobserver.co.uk/news/local/take-7-steps-out-to-protect-children-from-secondhand-smoke-1-7215846>

DOE/Lawrence Berkeley National Laboratory. Thirdhand smoke: Toxic airborne pollutants linger long after smoke clears. Science Daily, 2014. Available from: <http://www.sciencedaily.com/releases/2014/11/141103142316.htm>

Jacob, P, Benowitz, NL, Destailats, H, Gundel, L, Hang, B et al. Thirdhand smoke: new evidence, challenges, and future directions. Chem Res Toxicol, 2017 Jan 17;30(1):270-294. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28001376>

tobaccoinaustralia.org.au