

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 4.5 Prevalence of exposure to second hand smoke in the home

*Last updated December 2024*

Research:.....	1
4.5.1 Exposure in infancy and childhood .....	6
4.5.2 Exposure in non-smoking teenagers and adults .....	9
4.5.3 Exposure in disadvantaged groups .....	11
News reports:.....	15
4.5.1 Exposure in infancy and childhood .....	16
4.5.2 Exposure in non-smoking teenagers and adults .....	16
4.5.3 Exposure in disadvantaged groups .....	16

#### Research:

Mourino, N, Ravara, S, Candal-Pedreira, C, Rey-Brandarizi, J, Varela-Lema, L, Ruano-Ravina, A, & Perez-Rios, M. (2024). Exposure to Second-Hand Tobacco Smoke in Portugal After the Implementation of the Smoking Ban: A Systematic Review. *Acta Med Port*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39303399>

O'Donnell, R, Dobson, R, & Semple, S. (2024). "Why should care workers be any different from prison workers?" A qualitative study of second-hand smoke exposure during home-care visits and potential

measures to eliminate exposure. *Ann Work Expo Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39158007>

Varma, P, Mohandas, A, Rudrashetty, S, Prasad, KSV, Balakrishna, N, & Pattnaik, S. (2024). Prevalence of Second Hand Smoke Exposure and Measures to Overcome: A Cross Sectional Study among Youth in Urban Hyderabad. *Indian J Public Health*, 68(1), 106-109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39096250>

Hong, S, Son, Y, Lee, H, Kim, S, Kim, HJ, Jo, H et al. (2024). Global association of secondhand smoke exposure locations and smoking behaviour among adolescents in 99 countries. *Acta Paediatr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38859709>

Feng, Z, Tan, CS, Tai, ES, & Lee, JK. (2023). Associations of childhood and current secondhand smoke exposure at home with current secondhand smoke exposure at work: A cross-sectional analysis of the Singapore multi-ethnic cohort. *Tob Induc Dis*, 21, 169. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38106984>

Contiente, X, Henderson, E, Lopez-Gonzalez, L, Fernandez, E, Tigova, O, Semple, S et al. (2023). Exposure to secondhand and thirdhand smoke in private vehicles: Measurements in air and dust samples. *Environ Res*, 116681. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37474087>

AlMulla, A, Kouyoumjian, S, Maisonneuve, P, Cheema, S, & Mamtani, R. (2022). Exposure to second-hand tobacco smoke in Qatar: results from a population-based study. *East Mediterr Health J*, 28(11), 813-822. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36515445>

Zahra, A, Hassan, SU, Batool, A, Iqbal, N, Khatoon, F, & Atteya, M. (2022). Prevalence and determinants of second-hand tobacco smoking in Pakistan. *East Mediterr Health J*, 28(11), 805-812. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36515444>

Dobson, R, O'Donnell, R, McGibbon, M, & Semple, S. (2022). Second-hand Smoke Exposure Among Home Care Workers (HCWs) in Scotland. *Ann Work Expo Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36189955>

Mbulu, L, Palipudi, K, Smith, T, Owusu, D, Williams, F, Dean, AK, & Mamudu, HM. (2022). Secondhand smoke exposure inside the home among adults in eight countries in Sub-Saharan Africa: Global Adult Tobacco Survey, 2012-2018. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36272102>

Starker, A, Kuhnert, R, Hoebel, J, & Richter, A. (2022). Smoking behaviour and passive smoke exposure of adults - Results from GEDA 2019/2020-EHIS. *J Health Monit*, 7(3), 6-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36188153>

Yang, Y, Zhang, M, Bo, HX, Zhang, DY, Ma, LK, Wang, PH et al (2022). Secondhand smoking exposure and quality of life among pregnant and postnatal women: a network approach. *BMJ Open*, 12(9), e060635. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36113943>

Hahn, D, Schmied-Tobies, M, Rucic, E, Pluym, N, Scherer, M, Debiak, M et al. (2022). Urinary cotinine and exposure to passive smoke in children and adolescents in Germany - Human biomonitoring

results of the German Environmental Survey 2014-2017 (GerES V). *Environ Res*, 114320. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36100102>

Tan, GPP, Teo, O, & van der Eijk, Y. (2022). Residential secondhand smoke in a densely populated urban setting: a qualitative exploration of psychosocial impacts, views and experiences. *BMC Public Health*, 22(1), 1168. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35690740>

Christian, F, & Kim, Y. (2022). Association Between Place of Secondhand Smoke Exposure and Depression Among Nonsmoking Children and Adolescents: A Systematic Review. *Asia Pac J Public Health*, 10105395221099418. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35596574>

Duc, TQ, Anh, LTK, Chi, VTQ, Huong, NTT, & Quang, PN. (2022). Second-Hand Smoking Prevalence in Vietnamese Population Aged 15 and older: A Systematic Review and Meta-Analysis. *Subst Abuse*, 16, 11782218221086653. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35387146>

Puvanesarajah, S, Tsai, J, Alexander, DS, Tynan, MA, & Gentzke, AS. (2022). Youth Indoor and Outdoor Exposure to Secondhand Smoke and Secondhand Aerosol. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35431081>

Kulkarni, SV, Xangsayarath, P, Douangvichith, D, Siengsounthone, L, Phandouangsy, K, Tran, LT et al. (2021). Secondhand Smoke Exposure in Lao People's Democratic Republic: Results From the 2015 National Adult Tobacco Survey. *Int J Public Health*, 66, 1604436. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35035350>

Weg, MWV. (2021). Staying focused on protecting young people from the harms of tobacco smoke. *Lancet Glob Health*, 9(12), e1626-e1627. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34798009>

Brody, DJ, Faust, E, & Tsai, J. (2021). Secondhand Smoke Exposure Among Nonsmoking Adults: United States, 2015-2018. *NCHS Data Brief*(369), 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33541515>

Walton, K, Gentzke, AS, Murphy-Hoefler, R, Kenemer, B, & Neff, LJ. (2020). Exposure to Secondhand Smoke in Homes and Vehicles Among US Youths, United States, 2011-2019. *Prev Chronic Dis*, 17, E103. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32915130>

Tripathy, JP. (2019). Secondhand smoke exposure at home and public places among smokers and non-smokers in India: findings from the Global Adult Tobacco Survey 2016-17. *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31865581>

Kim, SW, Jung, SW, Lee, JG, Joo, JH, Lee, JH, & Lee, KJ. (2019). The exposure level of environmental harmful substances related to the secondhand smoke in Korean non-smoker adults: data from the second Korean National Environmental Health Survey (KoNEHS 2012-2014): a cross-sectional study. *Ann Occup Environ Med*, 31, e30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31737285>

Windham, GC, Soriano, JW, Dobraca, D, Sosnoff, CS, Hiatt, RA, & Kushi, LH. (2019). Environmental Tobacco Smoke Exposure in Relation to Family Characteristics, Stressors and Chemical Co-Exposures in California Girls. *Int J Environ Res Public Health*, 16(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31671594>

Lim, KH, Lim, HL, Teh, CH, Kee, CC, Heng, PP, Cheah, YK, & Ghazali, SM. (2018). Secondhand smoke (SHS) exposure at home and at the workplace among non-smokers in Malaysia: Findings from the Global Adult Tobacco Survey 2011. *Tob Induc Dis*, 16, 49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516446>

Agaku, IT, Odani, S, King, BA, & Armour, BS. (2019). Prevalence and correlates of secondhand smoke exposure in the home and in a vehicle among youth in the United States. *Prev Med*, 126, 105745. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31175879>

Vu, M, Escoffery, C, Srivanjarean, Y, Do, E, & Berg, CJ. (2019). Acculturation and Exposure to Secondhand Smoke in the Home Among Vietnamese Immigrants in Metropolitan Atlanta. *J Immigr Minor Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31154544>

Perez-Warnisher, MT, Carballosa de Miguel, MDP, & Seijo, LM. Tobacco Use Worldwide: Legislative Efforts to Curb Consumption. *Ann Glob Health*, 2019. 85(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30741510>

Perez-Warnisher, MT, De Miguel, M, & Seijo, LM. Tobacco Use Worldwide: Legislative Efforts to Curb Consumption. *Ann Glob Health*, 2018. 84(4), 571-579. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30779502>

Kuehn, B. Secondhand Smoke Exposure. *JAMA*, 2019. 321(4), 336. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30694329>

Jallow, IK, Britton, J, Langley, T. Prevalence and factors associated with exposure to secondhand smoke (SHS) among young people: a cross-sectional study from the Gambia. *BMJ Open*. 2018 Mar 14;8(3):e019524. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29540414>

Elf, JL, Kinikar, A, Khadse, S, Mave, V, Gupte, N, Kulkarni, V, Patekar, S, Raichur, P, Cohen, J, Breyse, PN, Gupta, A, Golub, JE. Secondhand Smoke Exposure and Validity of Self-Report in Low-Income Women and Children in India. *Pediatrics*. 2018 Jan;141(Suppl 1):S118-S129. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29292312>

Printz, C. Secondhand smoke exposure declines among nonsmoking cancer survivors. *Cancer*. 2017 Dec 15;123(24):4750. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29205330>

Balachova, T, Zander, R, Bonner, B, Isurina, G, Kyler, K, Tsvetkova, L, Volkova, E. Smoking and alcohol use among women in Russia: Dual risk for prenatal exposure. *J Ethn Subst Abuse*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28678641>

Makadia, LD, Roper, PJ, Andrews, JO, Tingen, MS. Tobacco Use and Smoke Exposure in Children: New Trends, Harm, and Strategies to Improve Health Outcomes. *Curr Allergy Asthma Rep*. 2017 Aug;17(8):55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28741144>

Wang, J, Engvall, K, Smedje, G, Nilsson, H, Norback, D. Current wheeze, asthma, respiratory infections and rhinitis among adults in relation to inspection data and indoor measurements in single-family houses in Sweden-the BETSI study. *Indoor Air*, Dec 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28005296>

Wulaningsih, W, Serrano, FE, Utarini, A, Matsuguchi, T, Watkins, J. Smoking, second-hand smoke exposure and smoking cessation in relation to leukocyte telomere length and mortality. *Oncotarget*, Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27509177>

Demirtas M, Senel U, Yuksel S, and Yuksel M. A comparison of the generation of free radicals in saliva of active and passive smokers. *Turk J Med Sci*, 2014; 44(2):208-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25536726>

Thompson J. Second-hand smoke in the home more harmful than air pollution. *Practitioner*, 2014; 258(1776):5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25597197>

Damron, KR. Review of the Relationships Among Psychosocial Stress, Secondhand Smoke, and Perinatal Smoking. *J Obstet Gynecol Neonatal Nurs*. 2017 May - Jun;46(3):325-333. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28390924>

Pugmire, J, Sweeting, H, Moore, L. Environmental tobacco smoke exposure among infants, children and young people: now is no time to relax. *Arch Dis Child*. 2017 Feb;102(2):117-118. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28100555>

Kim, NH, Park, JH, Choi, DP, Lee, JY, Kim, HC. Secondhand smoke exposure and depressive symptoms among Korean adolescents: JS High School Study. *PLoS One*. 2016 Dec 30;11(12):e0168754. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28036385>

Mason, K. Burden of disease from second-hand smoke exposure in New Zealand. *N Z Med J*. 2016 Apr 1;129(1432):16-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27356248>

Ryan, Lisa. Millions of non-smoking teenagers are still at risk of serious illness from secondhand smoke, experts warn. *Daily Mail*, 2016. Jan 11, 2016. Available from: <http://www.mailonsunday.co.uk/health/article-3394241/Millions-non-smoking-teenagers-risk-illness-secondhand-smoke-experts-warn.html>

Fischer, F, Kraemer, A. Factors associated with secondhand smoke exposure in different settings: Results from the German Health Update (GEDA) 2012. *BMC Public Health*, 2016; Apr 14;16(1):327. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27080515>

Zeng, J, Yang, S, Wu, L, Wang, J, Wang, Y, Liu, M, Zhang, D, Jiang, B, He, Y. Prevalence of passive smoking in the community population aged 15 years and older in China: a systematic review and meta-analysis. *BMJ Open*. 2016 Apr 8;6(4):e009847. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27059465>

Clawson, AH et al. The role of caregiver social support, depressed mood, and perceived stress in changes in pediatric secondhand smoke exposure and asthma functional morbidity following an asthma exacerbation. *Health Psychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26867039>

Mbulu, L et al. Secondhand smoke exposure at home among one billion children in 21 countries: findings from the Global Adult Tobacco Survey (GATS). *Tob Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26869598>

Jain, RB. Trends in exposure to second hand smoke at home among children and nonsmoker adolescents. *Sci Total Environ*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26519575>

Brown, C. Second-hand smoke exposure higher for kids and teens. *CMAJ*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26350903>

Azagba, S. Trends in adult exposure to secondhand smoke in vehicles: Findings from the 2009-2012 Canadian Tobacco Use Monitoring Survey. *Drug Alcohol Depend*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26260634>

Vitoria, PD et al. Children's exposure to second hand smoke at home: A cross-sectional study in Portugal. *Revista Portuguesa de Pneumologia*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25926240>

#### 4.5.1 Exposure in infancy and childhood

**Santos Sanchez-Rey, MA, Zamanillo Herreros, I, Frias Gonzalez, A, & Albanil Ballesteros, MR. (2024). Frequency of passive smoking exposure in Pediatric Primary Care Consultations: BACCO study. *An Pediatr (Engl Ed)*, 101(5), 353-355. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39487082>**

Sun, Y, Wang, D, Yi, Y, Chen, H, Zhou, Y, Huang, G, & Zhao, F. (2024). Outdoor secondhand smoke exposure in public places frequented by minors in the urban area of Hangzhou City, China: A cross-sectional study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39239104>

Bidari, M, Gupta, A, & Kakade, N. (2024). Changes in Prevalence of Childhood Exposure to Secondhand Smoke in India: A Secondary Analysis of GATS Survey (2009-2017). *Asian Pac J Cancer Prev*, 25(9), 3087-3096. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39342587>

Tattan-Birch, H, Brown, J, Jackson, SE, Jarvis, MJ, & Shahab, L. (2024). Secondhand Nicotine Absorption From E-Cigarette Vapor vs Tobacco Smoke in Children. *JAMA Netw Open*, 7(7), e2421246. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38990571>

Sanz-Mas, M, Continente, X, Henderson, E, Fernandez, E, Schiaffino, A, Perez-Rios, M et al. (2024). Changes in prevalence and socioeconomic inequalities in secondhand smoke exposure in Spanish children, 2016-2019. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38910916>

Siddiqi, K, Welch, C, Huque, R, Iqbal, R, Kanaan, M, Mishu, MP et al. (2024). The Effect of Adult Smoking Behavior on Children's Exposure to Secondhand Smoke. An Analysis Based on Salivary Cotinine Levels Among Children in Dhaka and Karachi. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38890774>

Yamada, M, & Nakazawa, M. (2024). Status of home-based secondhand smoke exposure among children and its association with health risks in Japan. *Prev Med Rep*, 38, 102585. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38283957>

- Berman, T, Rorman, E, Groisman, L, Keinan-Boker, L, Shimony, T, & Barnett-Itzhaki, Z. (2023). Association between parental smoking and child exposure to environmental tobacco smoke in Israel. *Isr J Health Policy Res*, 12(1), 37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38115120>
- Merianos, AL, Matt, GE, Stone, TM, Jandarov, RA, Hoh, E, Dodder, NG et al. (2023). Contamination of surfaces in children's homes with nicotine and the potent carcinogenic tobacco-specific nitrosamine NNK. *J Expo Sci Environ Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38104233>
- Muchlis, N, Yusuf, RA, Rusydi, AR, Mahmud, NU, Hikmah, N, Qanitha, A, & Ahsan, A. (2023). Cigarette Smoke Exposure and Stunting Among Under-five Children in Rural and Poor Families in Indonesia. *Environ Health Insights*, 17, 11786302231185210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37434666>
- Slattery, B, Dimond, R, Went, G, Ugalde, A, & Wong Shee, A. (2023). Cigarette smoke exposure of hospitalised children: Prevalence of smoking in parents or carers and admission practices of health services. *J Paediatr Child Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37522319>
- Verma, BK, Verma, M, Mondal, M, Dubey, DK, Nath, DC, & Verma, V. (2023). Alarming Trend in Under-Five Indian Children's Exposure to Indoor Tobacco Smoke. *Cureus*, 15(4), e37571. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37193454>
- Leroue, MK, Williamson, K M, Curtin, PC, Sontag, MK, Wagner, B D, Ambroggio, L et al. (2023). Tobacco smoke exposure, the lower airways microbiome and outcomes of ventilated children. *Pediatr Res*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36750739>
- Merianos, AL, Stone, T, Jandarov, RA, Mahabee-Gittens, EM, & Choi, K. (2022). Sources of Tobacco Smoke Exposure and Their Associations with Serum Cotinine Levels among U.S. Children and Adolescents. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36567673>
- Tripathy, JP. (2022). Second Hand Smoke Exposure among Children in Indian Homes: Findings from the Global Adult Tobacco Survey. *Behav Med*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36259371>
- Jackson, DB, & Testa, A. (2020). The Intersection between Adverse Childhood Experiences and Environmental Tobacco Smoke in U.S. Households with Children. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33107577>
- Jankowski, M, Pinkas, J, Zgliczynski, WS, Kaleta, D, Wierzba, W, Gujski, M, & Rees, VW. (2020). Voluntary Smoke-Free Home Rules and Exposure to Secondhand Smoke in Poland: A National Cross-Sectional Survey. *Int J Environ Res Public Health*, 17(20). Retrieved from
- Park, MB. (2020). Living with parents who smoke predicts levels of toxicant exposure in children. *Sci Rep*, 10(1), 11173. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32636401>
- Myers, V, Lev, E, Guttman, N, Tillinger, E, & Rosen, L. (2020). "I can't stand it...but I do it sometimes" parental smoking around children: practices, beliefs, and conflicts - a qualitative study. *BMC Public Health*, 20(1), 693. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32408872>

Myers, V, Rosen, LJ, Zucker, DM, & Shiloh, S. (2020). Parental Perceptions of Children's Exposure to Tobacco Smoke and Parental Smoking Behaviour. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32414093>

Myers, V, Shiloh, S, Zucker, DM, & Rosen, LJ. (2020). Changing Exposure Perceptions: A Randomized Controlled Trial of an Intervention with Smoking Parents. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32408551>

Nadhiroh, SR, Djokosujono, K, & Utari, DM. (2020). Socioeconomic characteristics, paternal smoking and secondhand tobacco smoke exposure among infants in Jakarta, Indonesia. *Tob Induc Dis*, 18, 38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32398977>

Phetphum, C, & Noosorn, N. (2020). Prevalence of secondhand smoke exposure at home and associated factors among middle school students in Northern Thailand. *Tob Induc Dis*, 18, 11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32165877>

Dai, S, & Chan, KCC. (2020). Household environmental tobacco smoke exposure in healthy young children in Hong Kong: Prevalence and risk factors. *PLoS ONE*, 15(1), e0227733. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31935251>

Protano, C, Cammalleri, V, Antonucci, A, Ungureanu, AS, Santilli, F, Martellucci, S et al. (2019). Further Insights on Predictors of Environmental Tobacco Smoke Exposure during the Pediatric Age. *Int J Environ Res Public Health*, 16(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31652694>

Precioso, J, Rocha, V, Sousa, I, Araujo, AC, Machado, JC, & Antunes, H. (2019). Prevalence of Portuguese Children Exposed to Secondhand Smoke at Home and in the Car. *Acta Med Port*, 32(7-8), 499-504. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31445529>

Precioso, J, Frias, S, Silva, CN, Rocha, V, Cunha-Machado, J, Goncalves, F, & Sousa, I. (2019). Prevalence of children exposed to secondhand smoke at home and in the car in Azores (Portugal). *Pulmonology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31000440>

Wilson, KM, Torok, MR, Wei, B, Wang, L, Lowary, M, & Blount, BC. Marijuana and Tobacco Coexposure in Hospitalized Children. *Pediatrics*, 2018. Available from: <http://pediatrics.aappublications.org/content/pediatrics/142/6/e20180820.full.pdf>

Inci, G, Baysal, SU, Sisman, AR. Exposure to environmental tobacco smoke by healthy children aged below five (Preliminary study). *Turk Pediatri Ars*. 2018 Mar 1;53(1):37-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30083073>

Grossman, ER, Gonzalez-Nahm, S, Frost, N, Benjamin-Neelon, SE. Childcare Providers' Possession or Use of Marijuana, Tobacco, or Alcohol While Caring for Children: A Comparison of US State Regulations. *Am J Public Health*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29672146>

Jain, RB. Rates of exposure to environmental tobacco smoke from various indoor environments among US children and nonsmoker adolescents and adults. *Environ Sci Pollut Res Int*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29627962>



Antunes, H et al. Prevalence of secondhand smoke exposure in asthmatic children at home and in the car: A cross-sectional study. *Rev Port Pneumol* (2006), 2016. Feb Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26906288>

Wilson, KM et al. Tobacco exposure and children: a changing landscape. *Acad Pediatr*, Nov-Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547542>

#### 4.5.2 Exposure in non-smoking teenagers and adults

Lim, KH, Cheong, YL, Lim, KK, Riyadzi, MR, Abd Hamid, HA, Lim, JH et al. (2024). Exposure to secondhand smoke among school-going adolescents in Malaysia: Results from the National Health and Morbidity Survey (NHMS) 2022: Adolescent Health Survey (AHS). *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39463684>

Sun, Y, Wang, D, Yi, Y, Chen, H, Zhou, Y, Huang, G, & Zhao, F. (2024). Outdoor secondhand smoke exposure in public places frequented by minors in the urban area of Hangzhou City, China: A cross-sectional study. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39239104>

Al-Zalabani, AH. (2024). Secondhand smoke exposure among adolescents in the gulf cooperation council countries: analysis of global youth tobacco surveys. *Sci Rep*, 14(1), 21534. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39278959>

Sagar, S, Bhattarai, D, Ghimire, S, Bhattarai, A, Wagle, A, & Subedi, K. (2024). Tobacco use, secondhand exposure and knowledge of secondhand and third-hand smoke among medical college students in Western Nepal: a cross-sectional study. *BMJ Open*, 14(9), e086266. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39299791>

Zeng, X, Liu, S, & Xiao, L. (2024). Cigarette Use and Secondhand Smoke Exposure Among Secondary School Students - China, 2023. *China CDC Wkly*, 6(22), 509-515. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38855568>

Kuwabara, Y, Kinjo, A, Kim, H, Minobe, R, Maesato, H, Higuchi, S et al. (2023). Secondhand Smoke Exposure and Smoking Prevalence Among Adolescents. *JAMA Netw Open*, 6(10), e2338166. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37862017>

Oyapero, A, Erinoso, O, & Olatosi, OO. (2023). Adolescents' exposure to secondhand smoke and its association with susceptibility to smoking and mental health in Lagos, Nigeria. *Pan Afr Med J*, 44, 202. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37484581>

Huang, F, Zeng, X, Di, X, Xiao, L, & Liu, S. (2022). Prevalence and Determinants of Secondhand Smoke Exposure Among Adolescent Girls - China, 2019. *China CDC Wkly*, 4(44), 977-981. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36483990>

Merianos, AL, Stone, T, Jandarov, RA, Mahabee-Gittens, EM, & Choi, K. (2022). Sources of Tobacco Smoke Exposure and Their Associations with Serum Cotinine Levels among U.S. Children and Adolescents. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36567673>

Dobson, R, Demou, E, & Semple, S. (2021). Occupational Exposure to Second-Hand Tobacco Smoke: Development of a Job Exposure Matrix. *Ann Work Expo Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33821959>

Rachiotis, G, Barbouni, A, Basagiannis, A, Katsioulis, A, Kostikas, K, Mouchtouri, V et al (2020). Prevalence and determinants of current cigarette smoking and secondhand smoking among Greek adolescents: the Global Youth Tobacco Survey (GYTS) 2013 study. *BMJ Open*, 10(2), e034760. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32114476>

Ghazali, SM, Huey, TC, Cheong, KC, Li, LH, Fadhli, M, Yusoff, M et al. (2019). Prevalence and factors associated with secondhand smoke exposure among Malaysian adolescents. *Tob Induc Dis*, 17, 22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582933>

Rydz, E Arrandale, VH, & Peters, CE. (2019). Population-level estimates of workplace exposure to secondhand smoke in Canada. *Can J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31489599>

Brody, DJ, Lu, Z, & Tsai, J. (2019). Secondhand Smoke Exposure Among Nonsmoking Youth: United States, 2013-2016. *NCHS Data Brief*(348), 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31442196>

Park, SA, Lee, DH, & Lim, HS. (2019). Factors Influencing Exposure to Secondhand Smoke: Passive Inhalation in Student Nurses. *Osong Public Health Res Perspect*, 10(2), 78-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065534>

Tsai, J, Homa, DM, Gentzke, AS, Mahoney, M, Sharapova, SR, Sosnoff, CS et al. Exposure to Secondhand Smoke Among Nonsmokers - United States, 1988-2014. *MMWR Morb Mortal Wkly Rep*, 67(48), 1342-1346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30521502>

Reddy, MM, Kanungo, S, Kar, SS. Correlates of secondhand smoke exposure among nonsmoking youth (15-24 years) in India: Secondary analysis from Global Adult Tobacco Survey, 2009-10. *J Family Med Prim Care*. 2018 Jan-Feb;7(1):111-117. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29915743>

Al-Faham, Z, LeBouf, RF, Nett, RJ. Tobacco and other occupational exposures among hookah bar workers. *Am J Ind Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29655207>

Owusu, D, Mamudu, HM, John, RM, Ibrahim, A, Ouma, AE, Veeranki, SP. Never-smoking adolescents' exposure to secondhand smoke in Africa. *Am J Prev Med*. 2016 Dec;51(6):983-998. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27866598>

Kruger, J, Jama, A, Kegler, M, Baker Holmes, C, Hu, S, King, B. Smoke-free rules and secondhand smoke exposure in vehicles among U.S. Adults-National Adult Tobacco survey, 2009-2010 and 2013-2014. *Int J Environ Res Public Health*. 2016 Oct 26;13(11). pii: E1048. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27792208>

Lee, KA, Palipudi, KM, English, LM, Ramanandraibe, N, Asma, S, Gyts collaborative group. Secondhand smoke exposure and susceptibility to initiating cigarette smoking among never-smoking

students in selected African countries: Findings from the Global Youth Tobacco Survey. *Prev Med*. 2016 Oct;91S:S2-S8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27138692>

Xi, B, Liang, Y, Liu, Y, Yan, Y, Zhao, M, Ma, C, Bovet, P. Tobacco use and second-hand smoke exposure in young adolescents aged 12-15 years: data from 68 low-income and middle-income countries. *Lancet Glob Health*. 2016 Nov;4(11):e795-e805. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27697484>

Kuntz, B, Lampert, T. Smoking and passive smoke exposure among adolescents in Germany. *Dtsch Arztebl Int*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26857509>

Agaku, IT et al. Prevalence and determinants of secondhand smoke exposure among middle and high school students. *Pediatrics*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26755696>

Jain, RB et al. Exposure to second hand smoke at home and work among nonsmokers. *Chemosphere*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25965001>

#### 4.5.3 Exposure in disadvantaged groups

**Uchendu, OC, & Daloek, KN. (2024). Household Smoking and Intimate Partner Abuse in Jos South Lga, Plateau State. *West Afr J Med*, 41(11 Suppl 1), S49. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39541431>**

Huai, B, Chang, KC, & Filippidis, FT. (2024). Inequalities in exposure to second-hand smoke among adolescent boys and girls in 122 countries: Evidence from the Global Youth Tobacco Survey. *Prev Med*, 189, 108146. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39353471>

Talluri, R, Shete, SS, Shastri, SS, & Shete, S. (2024). Secondhand tobacco smoke exposure in homes and vehicles in youth: disparities among racial, and sexual and gender minorities. *Front Public Health*, 12, 1370552. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39109147>

Sanz-Mas, M, Continente, X, Henderson, E, Fernandez, E, Schiaffino, A, Perez-Rios, M et al. (2024). Changes in prevalence and socioeconomic inequalities in secondhand smoke exposure in Spanish children, 2016-2019. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38910916>

Huong, LTT, Tuyet Hanh, TT, Hoang, LT, Can, PV, Nguyen-Tien, T, Quynh Anh, N et al. (2024). Secondhand Smoke and Socio-Demographic Associated Factors: Results From the Vietnam Population-Based Provincial Global Adult Tobacco Survey in 2022. *Tob Use Insights*, 17, 1179173X241257683. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38826851>

Kibria, MG, Hossain, A, Islam, T, Islam, KR, Mahmud, HMM, Nabi, MH, & Hawlader, MDH. (2023). Secondhand smoke exposure and associated factors among city residents living in multiunit housing in Bangladesh. *PLoS One*, 18(9), e0291746. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37733729>

Muchlis, N, Yusuf, RA, Rusydi, AR, Mahmud, NU, Hikmah, N, Qanitha, A, & Ahsan, A. (2023). Cigarette Smoke Exposure and Stunting Among Under-five Children in Rural and Poor Families in Indonesia. *Environ Health Insights*, 17, 11786302231185210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37434666>

Oyapero, A, Erinoso, O, & Olatosi, OO. (2023). Adolescents' exposure to secondhand smoke and its association with susceptibility to smoking and mental health in Lagos, Nigeria. *Pan Afr Med J*, 44, 202. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37484581>

Wang, R, LeLaurin, J, Carrier, A, Churba, B, Karanth, S, Yoon, HS et al. (2023). Trends and factors associated with secondhand smoke exposure among US cancer survivors, 2013-2020. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37254857>

Gehlert, S, Rees, VW, Choi, K, Jackson, PD, Sheehan, BE, Grucza, RA et al. (2023). COVID-19 Stay-at-home Orders and Secondhand Smoke in Public Housing. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36871639>

Rosen, LJ, Zucker, DM, Gravely, S, Bitan, M, Rule, AM, & Myers, V. (2023). Tobacco Smoke Exposure According to Location of Home Smoking in Israel: Findings from the Project Zero Exposure Study. *Int J Environ Res Public Health*, 20(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36834219>

Zhou, W, Zhu, X, Hu, Z, Li, S, Zheng, B, Yu, Y, & Xie, D. (2022). Association between secondhand smoke exposure in pregnant women and their socioeconomic status and its interaction with age: a cross-sectional study. *BMC Pregnancy Childbirth*, 22(1), 695. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36085019>

Gagne, T, Lapalme, J, Ghenadenik, AE, JL, OL, & Frohlich, K. (2020). Socioeconomic inequalities in secondhand smoke exposure before, during and after implementation of Quebec's 2015 'An Act to Bolster Tobacco Control'. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33115962>

Alves, J, Filipe, R, Machado, J, Nunes, B, & Perelman, J. (2020). Change in the Prevalence and Social Patterning of First-and Second-Hand Smoking in PORTUGAL: A Repeated Cross-Sectional Study (2005 and 2014). *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32443801>

Azagba, S, Latham, K, & Shan, L. (2020). Sociodemographic Differences in Secondhand Smoke Exposure in the United States. *Health Educ Behav*, 1090198120925414. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32450715>

Nan, X, Lu, H, Wu, J, Xue, M, Guo, W, & Wang, X. (2020). Prevalence, knowledge and education level associated with secondhand smoke exposure among never-smoking women in Inner Mongolia, Northern China. *Tob Induc Dis*, 18, 35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32382257>

Vu, GV, Ngo, CQ, Phan, PT, Doan, LPT, Nguyen, TT, Nguyen, MH et al (2020). Inadequate Knowledge, Attitude and Practices about Second-Hand Smoke among Non-Smoking Pregnant Women in Urban Vietnam: The Need for Health Literacy Reinforcement. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32466270>

Rahman, M, Mostofa, MG, Rahman, MM, Haque, MN, Zahan, MS, Haque, SE et al. (2019). Secondhand smoke and illness: are mother-child pairs from low socio-economic strata at increased

risk in Bangladesh? *Int J Tuberc Lung Dis*, 23(4), 412-421. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31064619>

Rarani, MA, Heshmat, R, Djalalinia, S, Motlagh, ME, Ziaodini, H, Mahdavi-Gorabi, A et al. (2019).

Decomposition of passive smoking inequality in Iranian children and adolescents: the CASPIAN-V

Study. *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31041703>

Arechavala, T, Continente, X, Perez-Rios, M, Schiaffino, A, Fernandez, E, & Lopez, MJ. (2019).

Sociodemographic factors associated with secondhand smoke exposure and smoking rules in homes

with children. *Eur J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31008504>

Hoshiko, S, Pearl, M, Yang, J, Aldous, KM, Roeseler, A, Dominguez, ME et al. Differences in Prenatal

Tobacco Exposure Patterns among 13 Race/Ethnic Groups in California. *Int J Environ Res Public*

Health, 2019. 16(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30764487>

Park, H, Cho, SI, & Lee, C. Second hand smoke exposure in workplace by job status and occupations.

*Ann Occup Environ Med*, 2019. 31, 3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30719320>

Gatzke-Kopp, LM, Willoughby, MT, Warkentien, SM, O'Connor, T, Granger, DA, & Blair, C. Magnitude

and Chronicity of Environmental Smoke Exposure Across Infancy and Early Childhood in a Sample of

Low-Income Children. *Nicotine Tob Res*, Dec 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30517756>

Angus, K, & Semple, S. Home health and community care workers' occupational exposure to second-

hand smoke: A rapid literature review. *Nicotine Tob Res*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30365035>

Asfar, T, Koru-Sengul, T, Ruano-Herrera, EC, Sierra, D, Lee, DJ, Arheart, KL. Secondhand Smoke

Exposure among High Risk Patients in The U.S. (NHANES 2001-2012): Implications for Clinical

Practice. *Nicotine Tob Res*. 2018 Mar 23. pii: 4951925. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29584874>

Nguyen, M, Nishi, N, Kadota, A, Okuda, N, Arima, H, Fujiyoshi, A, Nakano, Y, Ohkubo, T, Ueshima, H,

Okayama, A, Miura, K. Passive Smoking at Home by Socioeconomic Factors in a Japanese

Population: NIPPON DATA2010. *J Epidemiol*. 2018;28(Supplement\_III):S40-S45. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29503385>

Akinboro, O, Olorunfemi, O, Basak, P, Phillips, E, Pomerantz, D, Bernhardt, B, Gucalp, R, Jesmajian, S,

Ostroff, JS. Secondhand Smoke Exposure Among Community-Dwelling Adult Cancer Survivors in the

United States: 1999-2012. *Cancer Epidemiol Biomarkers Prev*, Jun 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28642231>

Latkin, CA, Tseng, TY, Davey-Rothwell, M, Kennedy, RD, Moran, MB, Czaplicki, L, Edwards, C, Falade-

Nwulia, O, Chander, G, Knowlton, AR. The Relationship between Neighborhood Disorder, Social

Networks, and Indoor Cigarette Smoking among Impoverished Inner-City Residents. *J Urban Health*,

May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28560613>

Lowrie, C, Pearson, AL, Thomson, G. Inequities in coverage of smokefree space policies within the United States. BMC Public Health. 2017 May 16;17(1):456. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511682>

Asfar, T, Arheart, KL, Koru-Sengul, T, Byrne, MM, Dietz, NA, Chen, CJ, Lee, DJ. National estimates and correlates of secondhand smoke exposure in US cancer survivors. J Cancer Surviv, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28224453>

Buchbinder, D, Lown, EA. Response to: "Tobacco use among siblings of childhood cancer survivors: A report from the childhood cancer survivor study". Pediatr Blood Cancer, Jan 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28052553>

Benowitz, NL, Jain, S, Dempsey, DA, Nardone, N, Helen, GS, Jacob, P. Urine cotinine screening detects nearly ubiquitous tobacco smoke exposure in urban adolescents. Nicotine Tob Res, Dec 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28180898>

Yao, T, Sung, HY, Wang, Y, Lightwood, J, Max, W. Sociodemographic Differences among U.S. children and adults exposed to secondhand smoke at home: National Health Interview Surveys 2000 and 2010. Public Health Rep. 2016 Mar-Apr;131(2):357-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26957671>

Jain, RB. Trends and variability in the levels of urinary thiocyanate, perchlorate, and nitrate by age, gender, race/ethnicity, smoking status, and exposure to environmental tobacco smoke over 2005-2012. Sci Total Environ. 2016 Mar 17;557-558:221-230. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26994809>

Nazar, GP et al. Socioeconomic inequalities in secondhand smoke exposure at home and at work in fifteen low- and middle-income countries. Nicotine Tob Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26610936>

Orton, S et al. Smoking in the home after childbirth: prevalence and determinants in an English cohort. BMJ Open, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26351191>

Swindle, TM et al. Familial risk in low-income children with chronic illness exposed to passive smoke. Clinical Paediatrics, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26063757>

Mason, J et al. The economic burden of exposure to secondhand smoke for child and adult never smokers residing in US Public housing. Public Health Rep, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25931627>

Homa, DM et al. Vital signs: disparities in nonsmokers' exposure to secondhand smoke - United States, 1999-2012. MMWR. Morbidity and Mortality Weekly Report, 2015. Available from: [http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6404a7.htm?s\\_cid=mm6404a7\\_w](http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6404a7.htm?s_cid=mm6404a7_w)

Kelishadi, R, Shahsanai, A, Qorbani, M, Ardalan, G, Poursafa, P, Heshmat, R, Motlagh, ME. Exposure to hookah and cigarette smoke in children and adolescents according to their socio-economic status: The CASPIAN-IV study. Iran J Pediatr. 2016 Jun 12;26(4):e3036. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27781078>

Filippidis, FT et al. Relationship of secondhand smoke exposure with sociodemographic factors and smoke-free legislation in the European Union. *Eur J Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26511601>

Fedele, DA et al. Comparison of secondhand smoke exposure in minority and nonminority children with asthma. *Health Psychol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26237117>

## News reports:

Brody, D, Lu, Z, & Tsai, J. (2019). *Secondhand smoke exposure among nonsmoking youth: United States, 2013–2016*. Available from Hyattsville, MD: <https://www.cdc.gov/nchs/products/databriefs/db348.htm>

De Graaf, M. 1 in 4 non-smokers are exposed to dangerous levels of second-hand smoke: CDC reveals progress has stalled after huge drop since the 80s. *Daily Mail Australia*, 2018. Dec 7, 2018. Available from: <https://www.mailonsunday.co.uk/health/article-6468355/1-4-non-smokers-exposed-dangerous-levels-secondhand-smoke.html>

No authors listed. Cannabis use up among parents with children in the home. *Bright Surf*, 2018. May 15, 2018. Available from: <https://www.brightsurf.com/news/article/051418456383/cannabis-use-up-among-parents-with-children-in-the-home.html>

No authors listed. Landmark study at the Stephenson Cancer Center finds even low exposure to secondhand smoke causes DNA damage. *PR Web*, 2015. Mar 5, 2015. Available from: <http://www.prweb.com/releases/2015/03/prweb12557818.htm>

National Institute of Environmental Health Sciences,. HHS releases 13th report on carcinogens. U.S. Department of Health and Human Services, 2014. Available from: <http://www.niehs.nih.gov/news/newsroom/releases/2014/october2/index.cfm>

Patten, SB, Williams, JVA, Lavorato, DH, Woolf, B, Wang, JL, Bulloch, AGM and Sajobi, T. Major depression and secondhand smoke exposure. *J Affect Disord*. 2017 Aug 12;225:260-264. Available from: [http://www.jad-journal.com/article/S0165-0327\(17\)30055-1/fulltext](http://www.jad-journal.com/article/S0165-0327(17)30055-1/fulltext)

Ryan, Lisa. Millions of non-smoking teenagers are still at risk of serious illness from secondhand smoke, experts warn. *Daily Mail*, 2016. Jan 11, 2016. Available from: <http://www.mailonsunday.co.uk/health/article-3394241/Millions-non-smoking-teenagers-risk-illness-secondhand-smoke-experts-warn.html>

No authors listed,. Children's exposure to second-hand smoke in England has dropped 80% since 1998. *Medical News Today*, 2015. June 11, 2015. Available from: <http://www.medicalnewstoday.com/releases/295183.php>

No authors listed, . 40% of kids with parent smokers not protected by smoke-free-home rules. *Medical News Today* , 2015. June 18, 2015. Available from: <http://www.medicalnewstoday.com/releases/295622.php?tw>

No authors listed,. Study: High stress for new mothers increases secondhand smoke risk for infants. Medical News Today, 2015. Mar 4, 2015. Available from: <http://www.medicalnewstoday.com/releases/290144.php?tw>

Beasley, David. More U.S. households smoke-free, study says. Reuters, 2014. Sep 4, 2014. Available from: <http://uk.reuters.com/article/2014/09/04/us-usa-health-smoking-idUKKBN0GZ29120140904>

#### *4.5.1 Exposure in infancy and childhood*

Gaunt, C. Coronavirus: Children more at risk of secondhand smoke in lockdown. *Nursery World*, 2020. May 14, 2020. Retrieved from <https://www.nurseryworld.co.uk/news/article/coronavirus-children-at-more-risk-from-secondhand-smoke-in-lockdown>

Wu, TD, Eakin, MN, Rand, CS, Brigham, EP, Diette, GB, Hansel, NN, McCormack, MC. In-Home Secondhand Smoke Exposure Among Urban Children With Asthma: Contrasting Households With and Without Residential Smokers. *J Public Health Manag Pract*, 2018. Apr 5, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29883368>

Goodwin, Renee D, Cheslack-Postava, Keely, Santoscoy, Samantha, Bakoyiannis, Nina, Hasin, Deborah S, Collins, Bradley N, Lepore, Stephen J, Wall, Melanie M. Trends in Cannabis and Cigarette Use Among Parents With Children at Home: 2002 to 2015. *Pediatrics*, 2018. Available from: <http://pediatrics.aappublications.org/content/pediatrics/early/2018/05/10/peds.2017-3506.full.pdf>

Pooran, Neil. Number of children exposed to second-hand smoke halved. *STV*, 2017. Aug 31, 2017. Available from: <https://stv.tv/news/scotland/1396750-number-of-children-exposed-to-second-hand-smoke-halved/>

Mbulu, L et al. Secondhand smoke exposure at home among one billion children in 21 countries: findings from the Global Adult Tobacco Survey (GATS). *Tobacco Control*, 2016. Feb 11, 2016. Available from: <http://www.pubfacts.com/detail/26869598/Secondhand-smoke-exposure-at-home-among-one-billion-children-in-21-countries-findings-from-the-Globa>

#### *4.5.2 Exposure in non-smoking teenagers and adults*

Kim, S, Park, JS, Park, M, Kim, Y, Lim, S, Lee, HE. Female non-smokers' environmental tobacco smoking exposure by public transportation mode. *Ann Occup Environ Med*. 2018 Apr 19;30:24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29713477>

#### *4.5.3 Exposure in disadvantaged groups*

Brogan, Caroline. One in four EU workers exposed to second-hand smoke at work. Imperial College London, 2017. Sept 11, 2017. Available from: [http://www3.imperial.ac.uk/newsandeventspggrp/imperialcollege/newssummary/news\\_11-9-2017-12-47-34](http://www3.imperial.ac.uk/newsandeventspggrp/imperialcollege/newssummary/news_11-9-2017-12-47-34)