

Tobacco in Australia

Facts & Issues

Relevant news and research

4.5 Prevalence of exposure to second hand smoke in the home

Last updated April 2021

Research:.....	1
4.5.1 Exposure in infancy and childhood	4
4.5.2 Exposure in non-smoking teenagers and adults	6
4.5.3 Exposure in disadvantaged groups	7
News reports:.....	10
4.5.1 Exposure in infancy and childhood	11
4.5.2 Exposure in non-smoking teenagers and adults	11
4.5.3 Exposure in disadvantaged groups	11

Research:

Brody, DJ, Faust, E, & Tsai, J. (2021). Secondhand Smoke Exposure Among Nonsmoking Adults: United States, 2015-2018. *NCHS Data Brief*(369), 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33541515>

Walton, K, Gentzke, AS, Murphy-Hoefer, R, Kenemer, B, & Neff, LJ. (2020). Exposure to Secondhand Smoke in Homes and Vehicles Among US Youths, United States, 2011-2019. *Prev Chronic Dis*, 17, E103. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32915130>

tobaccoinaustralia.org.au

Tripathy, JP. (2019). Secondhand smoke exposure at home and public places among smokers and non-smokers in India: findings from the Global Adult Tobacco Survey 2016-17. *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31865581>

Kim, SW, Jung, SW, Lee, JG, Joo, JH, Lee, JH, & Lee, KJ. (2019). The exposure level of environmental harmful substances related to the secondhand smoke in Korean non-smoker adults: data from the second Korean National Environmental Health Survey (KoNEHS 2012-2014): a cross-sectional study. *Ann Occup Environ Med*, 31, e30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31737285>

Windham, GC, Soriano, JW, Dobraca, D, Sosnoff, CS, Hiatt, RA, & Kushi, LH. (2019). Environmental Tobacco Smoke Exposure in Relation to Family Characteristics, Stressors and Chemical Co-Exposures in California Girls. *Int J Environ Res Public Health*, 16(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31671594>

Lim, KH, Lim, HL, Teh, CH, Kee, CC, Heng, PP, Cheah, YK, & Ghazali, SM. (2018). Secondhand smoke (SHS) exposure at home and at the workplace among non-smokers in Malaysia: Findings from the Global Adult Tobacco Survey 2011. *Tob Induc Dis*, 16, 49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516446>

Agaku, IT, Odani, S, King, BA, & Armour, BS. (2019). Prevalence and correlates of secondhand smoke exposure in the home and in a vehicle among youth in the United States. *Prev Med*, 126, 105745. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31175879>

Vu, M, Escoffery, C, Srivanjarean, Y, Do, E, & Berg, CJ. (2019). Acculturation and Exposure to Secondhand Smoke in the Home Among Vietnamese Immigrants in Metropolitan Atlanta. *J Immigr Minor Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31154544>

Perez-Warnisher, MT, Carballosa de Miguel, MDP, & Seijo, LM. Tobacco Use Worldwide: Legislative Efforts to Curb Consumption. *Ann Glob Health*, 2019. 85(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30741510>

Perez-Warnisher, MT, De Miguel, M, & Seijo, LM. Tobacco Use Worldwide: Legislative Efforts to Curb Consumption. *Ann Glob Health*, 2018. 84(4), 571-579. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30779502>

Kuehn, B. Secondhand Smoke Exposure. *JAMA*, 2019. 321(4), 336. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30694329>

Jallow, IK, Britton, J, Langley, T. Prevalence and factors associated with exposure to secondhand smoke (SHS) among young people: a cross-sectional study from the Gambia. *BMJ Open*. 2018 Mar 14;8(3):e019524. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29540414>

Elf, JL, Kinikar, A, Khadse, S, Mave, V, Gupte, N, Kulkarni, V, Patekar, S, Raichur, P, Cohen, J, Breyse, PN, Gupta, A, Golub, JE. Secondhand Smoke Exposure and Validity of Self-Report in Low-Income Women and Children in India. *Pediatrics*. 2018 Jan;141(Suppl 1):S118-S129. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29292312>

Printz, C. Secondhand smoke exposure declines among nonsmoking cancer survivors. *Cancer*. 2017 Dec 15;123(24):4750. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29205330>

Balachova, T, Zander, R, Bonner, B, Isurina, G, Kyler, K, Tsvetkova, L, Volkova, E. Smoking and alcohol use among women in Russia: Dual risk for prenatal exposure. *J Ethn Subst Abuse*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28678641>

Makadia, LD, Roper, PJ, Andrews, JO, Tingen, MS. Tobacco Use and Smoke Exposure in Children: New Trends, Harm, and Strategies to Improve Health Outcomes. *Curr Allergy Asthma Rep*. 2017 Aug;17(8):55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28741144>

Wang, J, Engvall, K, Smedje, G, Nilsson, H, Norback, D. Current wheeze, asthma, respiratory infections and rhinitis among adults in relation to inspection data and indoor measurements in single-family houses in Sweden-the BETSI study. *Indoor Air*, Dec 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28005296>

Wulaningsih, W, Serrano, FE, Utarini, A, Matsuguchi, T, Watkins, J. Smoking, second-hand smoke exposure and smoking cessation in relation to leukocyte telomere length and mortality. *Oncotarget*, Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27509177>

Demirtas M, Senel U, Yuksel S, and Yuksel M. A comparison of the generation of free radicals in saliva of active and passive smokers. *Turk J Med Sci*, 2014; 44(2):208-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25536726>

Thompson J. Second-hand smoke in the home more harmful than air pollution. *Practitioner*, 2014; 258(1776):5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25597197>

Damron, KR. Review of the Relationships Among Psychosocial Stress, Secondhand Smoke, and Perinatal Smoking. *J Obstet Gynecol Neonatal Nurs*. 2017 May - Jun;46(3):325-333. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28390924>

Pugmire, J, Sweeting, H, Moore, L. Environmental tobacco smoke exposure among infants, children and young people: now is no time to relax. *Arch Dis Child*. 2017 Feb;102(2):117-118. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28100555>

Kim, NH, Park, JH, Choi, DP, Lee, JY, Kim, HC. Secondhand smoke exposure and depressive symptoms among Korean adolescents: JS High School Study. *PLoS One*. 2016 Dec 30;11(12):e0168754. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28036385>

Mason, K. Burden of disease from second-hand smoke exposure in New Zealand. *N Z Med J*. 2016 Apr 1;129(1432):16-25. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27356248>

Ryan, Lisa. Millions of non-smoking teenagers are still at risk of serious illness from secondhand smoke, experts warn. *Daily Mail*, 2016. Jan 11, 2016. Available from: <http://www.mailonsunday.co.uk/health/article-3394241/Millions-non-smoking-teenagers-risk-illness-secondhand-smoke-experts-warn.html>

Fischer, F, Kraemer, A. Factors associated with secondhand smoke exposure in different settings: Results from the German Health Update (GEDA) 2012. *BMC Public Health*, 2016; Apr 14;16(1):327. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27080515>

Zeng, J, Yang, S, Wu, L, Wang, J, Wang, Y, Liu, M, Zhang, D, Jiang, B, He, Y. Prevalence of passive smoking in the community population aged 15 years and older in China: a systematic review and meta-analysis. *BMJ Open*. 2016 Apr 8;6(4):e009847. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27059465>

Clawson, AH et al. The role of caregiver social support, depressed mood, and perceived stress in changes in pediatric secondhand smoke exposure and asthma functional morbidity following an asthma exacerbation. *Health Psychol*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26867039>

Mbulu, L et al. Secondhand smoke exposure at home among one billion children in 21 countries: findings from the Global Adult Tobacco Survey (GATS). *Tob Control*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26869598>

Jain, RB. Trends in exposure to second hand smoke at home among children and nonsmoker adolescents. *Sci Total Environ*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26519575>

Brown, C. Second-hand smoke exposure higher for kids and teens. *CMAJ*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26350903>

Azagba, S. Trends in adult exposure to secondhand smoke in vehicles: Findings from the 2009-2012 Canadian Tobacco Use Monitoring Survey. *Drug Alcohol Depend*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26260634>

Vitoria, PD et al. Children's exposure to second hand smoke at home: A cross-sectional study in Portugal. *Revista Portuguesa de Pneumologia*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25926240>

4.5.1 *Exposure in infancy and childhood*

Jackson, DB, & Testa, A. (2020). The Intersection between Adverse Childhood Experiences and Environmental Tobacco Smoke in U.S. Households with Children. *Nicotine Tob Res*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33107577>

Jankowski, M, Pinkas, J, Zgliczynski, WS, Kaleta, D, Wierzba, W, Gujski, M, & Rees, VW. (2020). Voluntary Smoke-Free Home Rules and Exposure to Secondhand Smoke in Poland: A National Cross-Sectional Survey. *Int J Environ Res Public Health*, 17(20). Retrieved from

Park, MB. (2020). Living with parents who smoke predicts levels of toxicant exposure in children. *Sci Rep*, 10(1), 11173. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32636401>

Myers, V, Lev, E, Guttman, N, Tillinger, E, & Rosen, L. (2020). "I can't stand it...but I do it sometimes" parental smoking around children: practices, beliefs, and conflicts - a qualitative study. *BMC Public Health*, 20(1), 693. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32408872>

Myers, V, Rosen, LJ, Zucker, DM, & Shiloh, S. (2020). Parental Perceptions of Children's Exposure to Tobacco Smoke and Parental Smoking Behaviour. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32414093>

Myers, V, Shiloh, S, Zucker, DM, & Rosen, LJ. (2020). Changing Exposure Perceptions: A Randomized Controlled Trial of an Intervention with Smoking Parents. *Int J Environ Res Public Health*, 17(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32408551>

Nadhiroh, SR, Djokosujono, K, & Utari, DM. (2020). Socioeconomic characteristics, paternal smoking and secondhand tobacco smoke exposure among infants in Jakarta, Indonesia. *Tob Induc Dis*, 18, 38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32398977>

Phetphum, C, & Noosorn, N. (2020). Prevalence of secondhand smoke exposure at home and associated factors among middle school students in Northern Thailand. *Tob Induc Dis*, 18, 11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32165877>

Dai, S, & Chan, KCC. (2020). Household environmental tobacco smoke exposure in healthy young children in Hong Kong: Prevalence and risk factors. *PLoS ONE*, 15(1), e0227733. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31935251>

Protano, C, Cammalleri, V, Antonucci, A, Ungureanu, AS, Santilli, F, Martellucci, S et al. (2019). Further Insights on Predictors of Environmental Tobacco Smoke Exposure during the Pediatric Age. *Int J Environ Res Public Health*, 16(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31652694>

Precioso, J, Rocha, V, Sousa, I, Araujo, AC, Machado, JC, & Antunes, H. (2019). Prevalence of Portuguese Children Exposed to Secondhand Smoke at Home and in the Car. *Acta Med Port*, 32(7-8), 499-504. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31445529>

Precioso, J, Frias, S, Silva, CN, Rocha, V, Cunha-Machado, J, Goncalves, F, & Sousa, I. (2019). Prevalence of children exposed to secondhand smoke at home and in the car in Azores (Portugal). *Pulmonology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31000440>

Wilson, KM, Torok, MR, Wei, B, Wang, L, Lowary, M, & Blount, BC. Marijuana and Tobacco Coexposure in Hospitalized Children. *Pediatrics*, 2018. Available from: <http://pediatrics.aappublications.org/content/pediatrics/142/6/e20180820.full.pdf>

Inci, G, Baysal, SU, Sisman, AR. Exposure to environmental tobacco smoke by healthy children aged below five (Preliminary study). *Turk Pediatri Ars*. 2018 Mar 1;53(1):37-44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30083073>

Grossman, ER, Gonzalez-Nahm, S, Frost, N, Benjamin-Neelon, SE. Childcare Providers' Possession or Use of Marijuana, Tobacco, or Alcohol While Caring for Children: A Comparison of US State Regulations. *Am J Public Health*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29672146>

Jain, RB. Rates of exposure to environmental tobacco smoke from various indoor environments among US children and nonsmoker adolescents and adults. *Environ Sci Pollut Res Int*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29627962>

Antunes, H et al. Prevalence of secondhand smoke exposure in asthmatic children at home and in the car: A cross-sectional study. *Rev Port Pneumol (2006)*, 2016. Feb Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26906288>

Wilson, KM et al. Tobacco exposure and children: a changing landscape. *Acad Pediatr*, Nov-Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547542>

4.5.2 Exposure in non-smoking teenagers and adults

Dobson, R, Demou, E, & Semple, S. (2021). Occupational Exposure to Second-Hand Tobacco Smoke: Development of a Job Exposure Matrix. *Ann Work Expo Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33821959>

Rachiotis, G, Barbouni, A, Basagiannis, A, Katsioulis, A, Kostikas, K, Mouchtouri, V et al (2020). Prevalence and determinants of current cigarette smoking and secondhand smoking among Greek adolescents: the Global Youth Tobacco Survey (GYTS) 2013 study. *BMJ Open*, 10(2), e034760. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32114476>

Ghazali, SM, Huey, TC, Cheong, KC, Li, LH, Fadhli, M, Yusoff, M et al. (2019). Prevalence and factors associated with secondhand smoke exposure among Malaysian adolescents. *Tob Induc Dis*, 17, 22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582933>

Rydz, E Arrandale, VH, & Peters, CE. (2019). Population-level estimates of workplace exposure to secondhand smoke in Canada. *Can J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31489599>

Brody, DJ, Lu, Z, & Tsai, J. (2019). Secondhand Smoke Exposure Among Nonsmoking Youth: United States, 2013-2016. *NCHS Data Brief*(348), 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31442196>

Park, SA, Lee, DH, & Lim, HS. (2019). Factors Influencing Exposure to Secondhand Smoke: Passive Inhalation in Student Nurses. *Osong Public Health Res Perspect*, 10(2), 78-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065534>

Tsai, J, Homa, DM, Gentzke, AS, Mahoney, M, Sharapova, SR, Sosnoff, CS et al. Exposure to Secondhand Smoke Among Nonsmokers - United States, 1988-2014. *MMWR Morb Mortal Wkly Rep*, 67(48), 1342-1346. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30521502>

Reddy, MM, Kanungo, S, Kar, SS. Correlates of secondhand smoke exposure among nonsmoking youth (15-24 years) in India: Secondary analysis from Global Adult Tobacco Survey, 2009-10. *J Family Med Prim Care*. 2018 Jan-Feb;7(1):111-117. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29915743>

Al-Faham, Z, LeBouf, RF, Nett, RJ. Tobacco and other occupational exposures among hookah bar workers. *Am J Ind Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29655207>

Owusu, D, Mamudu, HM, John, RM, Ibrahim, A, Ouma, AE, Veeranki, SP. Never-smoking adolescents' exposure to secondhand smoke in Africa. *Am J Prev Med*. 2016 Dec;51(6):983-998. Available from; <https://www.ncbi.nlm.nih.gov/pubmed/27866598>

Kruger, J, Jama, A, Kegler, M, Baker Holmes, C, Hu, S, King, B. Smoke-free rules and secondhand smoke exposure in vehicles among U.S. Adults-National Adult Tobacco survey, 2009-2010 and 2013-

2014. *Int J Environ Res Public Health*. 2016 Oct 26;13(11). pii: E1048. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27792208>

Lee, KA, Palipudi, KM, English, LM, Ramanandraibe, N, Asma, S, Gyts collaborative group. Secondhand smoke exposure and susceptibility to initiating cigarette smoking among never-smoking students in selected African countries: Findings from the Global Youth Tobacco Survey. *Prev Med*. 2016 Oct;91S:S2-S8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27138692>

Xi, B, Liang, Y, Liu, Y, Yan, Y, Zhao, M, Ma, C, Bovet, P. Tobacco use and second-hand smoke exposure in young adolescents aged 12-15 years: data from 68 low-income and middle-income countries. *Lancet Glob Health*. 2016 Nov;4(11):e795-e805. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27697484>

Kuntz, B, Lampert, T. Smoking and passive smoke exposure among adolescents in Germany. *Dtsch Arztebl Int*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26857509>

Agaku, IT et al. Prevalence and determinants of secondhand smoke exposure among middle and high school students. *Pediatrics*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26755696>

Jain, RB et al. Exposure to second hand smoke at home and work among nonsmokers. *Chemosphere*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25965001>

4.5.3 Exposure in disadvantaged groups

Gagne, T, Lapalme, J, Ghenadenik, AE, JL, OL, & Frohlich, K. (2020). Socioeconomic inequalities in secondhand smoke exposure before, during and after implementation of Quebec's 2015 'An Act to Bolster Tobacco Control'. *Tob Control*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33115962>

Alves, J, Filipe, R, Machado, J, Nunes, B, & Perelman, J. (2020). Change in the Prevalence and Social Patterning of First-and Second-Hand Smoking in PORTUGAL: A Repeated Cross-Sectional Study (2005 and 2014). *Int J Environ Res Public Health*, 17(10). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32443801>

Azagba, S, Latham, K, & Shan, L. (2020). Sociodemographic Differences in Secondhand Smoke Exposure in the United States. *Health Educ Behav*, 1090198120925414. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32450715>

Nan, X, Lu, H, Wu, J, Xue, M, Guo, W, & Wang, X. (2020). Prevalence, knowledge and education level associated with secondhand smoke exposure among never-smoking women in Inner Mongolia, Northern China. *Tob Induc Dis*, 18, 35. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32382257>

Vu, GV, Ngo, CQ, Phan, PT, Doan, LPT, Nguyen, TT, Nguyen, MH et al (2020). Inadequate Knowledge, Attitude and Practices about Second-Hand Smoke among Non-Smoking Pregnant Women in Urban Vietnam: The Need for Health Literacy Reinforcement. *Int J Environ Res Public Health*, 17(10). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32466270>

Rahman, M, Mostofa, MG, Rahman, MM, Haque, MN, Zahan, MS, Haque, SE et al. (2019).

Secondhand smoke and illness: are mother-child pairs from low socio-economic strata at increased

risk in Bangladesh? *Int J Tuberc Lung Dis*, 23(4), 412-421. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31064619>

Rarani, MA, Heshmat, R, Djalalinia, S, Motlagh, ME, Ziaodini, H, Mahdavi-Gorabi, A et al. (2019).

Decomposition of passive smoking inequality in Iranian children and adolescents: the CASPIAN-V

Study. *Environ Sci Pollut Res Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31041703>

Arechavala, T, Continente, X, Perez-Rios, M, Schiaffino, A, Fernandez, E, & Lopez, MJ. (2019).

Sociodemographic factors associated with secondhand smoke exposure and smoking rules in homes

with children. *Eur J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31008504>

Hoshiko, S, Pearl, M, Yang, J, Aldous, KM, Roeseler, A, Dominguez, ME et al. Differences in Prenatal

Tobacco Exposure Patterns among 13 Race/Ethnic Groups in California. *Int J Environ Res Public*

Health, 2019. 16(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30764487>

Park, H, Cho, SI, & Lee, C. Second hand smoke exposure in workplace by job status and occupations.

Ann Occup Environ Med, 2019. 31, 3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30719320>

Gatzke-Kopp, LM, Willoughby, MT, Warkentien, SM, O'Connor, T, Granger, DA, & Blair, C. Magnitude

and Chronicity of Environmental Smoke Exposure Across Infancy and Early Childhood in a Sample of

Low-Income Children. *Nicotine Tob Res*, Dec 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30517756>

Angus, K, & Semple, S. Home health and community care workers' occupational exposure to second-

hand smoke: A rapid literature review. *Nicotine Tob Res*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30365035>

Asfar, T, Koru-Sengul, T, Ruano-Herrera, EC, Sierra, D, Lee, DJ, Arheart, KL. Secondhand Smoke

Exposure among High Risk Patients in The U.S. (NHANES 2001-2012): Implications for Clinical

Practice. *Nicotine Tob Res*. 2018 Mar 23. pii: 4951925. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29584874>

Nguyen, M, Nishi, N, Kadota, A, Okuda, N, Arima, H, Fujiyoshi, A, Nakano, Y, Ohkubo, T, Ueshima, H,

Okayama, A, Miura, K. Passive Smoking at Home by Socioeconomic Factors in a Japanese

Population: NIPPON DATA2010. *J Epidemiol*. 2018;28(Supplement_III):S40-S45. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29503385>

Akinboro, O, Olorunfemi, O, Basak, P, Phillips, E, Pomerantz, D, Bernhardt, B, Gucalp, R, Jesmajian, S,

Ostroff, JS. Secondhand Smoke Exposure Among Community-Dwelling Adult Cancer Survivors in the

United States: 1999-2012. *Cancer Epidemiol Biomarkers Prev*, Jun 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28642231>

Latkin, CA, Tseng, TY, Davey-Rothwell, M, Kennedy, RD, Moran, MB, Czaplicki, L, Edwards, C, Falade-

Nwulia, O, Chander, G, Knowlton, AR. The Relationship between Neighborhood Disorder, Social

Networks, and Indoor Cigarette Smoking among Impoverished Inner-City Residents. *J Urban Health*,

May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28560613>

Lowrie, C, Pearson, AL, Thomson, G. Inequities in coverage of smokefree space policies within the United States. BMC Public Health. 2017 May 16;17(1):456. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28511682>

Asfar, T, Arheart, KL, Koru-Sengul, T, Byrne, MM, Dietz, NA, Chen, CJ, Lee, DJ. National estimates and correlates of secondhand smoke exposure in US cancer survivors. J Cancer Surviv, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28224453>

Buchbinder, D, Lown, EA. Response to: "Tobacco use among siblings of childhood cancer survivors: A report from the childhood cancer survivor study". Pediatr Blood Cancer, Jan 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28052553>

Benowitz, NL, Jain, S, Dempsey, DA, Nardone, N, Helen, GS, Jacob, P. Urine cotinine screening detects nearly ubiquitous tobacco smoke exposure in urban adolescents. Nicotine Tob Res, Dec 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28180898>

Yao, T, Sung, HY, Wang, Y, Lightwood, J, Max, W. Sociodemographic Differences among U.S. children and adults exposed to secondhand smoke at home: National Health Interview Surveys 2000 and 2010. Public Health Rep. 2016 Mar-Apr;131(2):357-66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26957671>

Jain, RB. Trends and variability in the levels of urinary thiocyanate, perchlorate, and nitrate by age, gender, race/ethnicity, smoking status, and exposure to environmental tobacco smoke over 2005-2012. Sci Total Environ. 2016 Mar 17;557-558:221-230. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26994809>

Nazar, GP et al. Socioeconomic inequalities in secondhand smoke exposure at home and at work in fifteen low- and middle-income countries. Nicotine Tob Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26610936>

Orton, S et al. Smoking in the home after childbirth: prevalence and determinants in an English cohort. BMJ Open, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26351191>

Swindle, TM et al. Familial risk in low-income children with chronic illness exposed to passive smoke. Clinical Paediatrics, Aug 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26063757>

Mason, J et al. The economic burden of exposure to secondhand smoke for child and adult never smokers residing in US Public housing. Public Health Rep, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25931627>

Homa, DM et al. Vital signs: disparities in nonsmokers' exposure to secondhand smoke - United States, 1999-2012. MMWR. Morbidity and Mortality Weekly Report, 2015. Available from: http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6404a7.htm?s_cid=mm6404a7_w

Kelishadi, R, Shahsanai, A, Qorbani, M, Ardalan, G, Poursafa, P, Heshmat, R, Motlagh, ME. Exposure to hookah and cigarette smoke in children and adolescents according to their socio-economic status: The CASPIAN-IV study. Iran J Pediatr. 2016 Jun 12;26(4):e3036. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27781078>

Filippidis, FT et al. Relationship of secondhand smoke exposure with sociodemographic factors and smoke-free legislation in the European Union. *Eur J Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26511601>

Fedele, DA et al. Comparison of secondhand smoke exposure in minority and nonminority children with asthma. *Health Psychol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26237117>

News reports:

Brody, D, Lu, Z, & Tsai, J. (2019). *Secondhand smoke exposure among nonsmoking youth: United States, 2013–2016*. Available from Hyattsville, MD: <https://www.cdc.gov/nchs/products/databriefs/db348.htm>

De Graaf, M. 1 in 4 non-smokers are exposed to dangerous levels of second-hand smoke: CDC reveals progress has stalled after huge drop since the 80s. *Daily Mail Australia*, 2018. Dec 7, 2018. Available from: <https://www.mailonsunday.co.uk/health/article-6468355/1-4-non-smokers-exposed-dangerous-levels-secondhand-smoke.html>

No authors listed. Cannabis use up among parents with children in the home. *Bright Surf*, 2018. May 15, 2018. Available from: <https://www.brightsurf.com/news/article/051418456383/cannabis-use-up-among-parents-with-children-in-the-home.html>

No authors listed. Landmark study at the Stephenson Cancer Center finds even low exposure to secondhand smoke causes DNA damage. *PR Web*, 2015. Mar 5, 2015. Available from: <http://www.prweb.com/releases/2015/03/prweb12557818.htm>

National Institute of Environmental Health Sciences,. HHS releases 13th report on carcinogens. U.S. Department of Health and Human Services, 2014. Available from: <http://www.niehs.nih.gov/news/newsroom/releases/2014/october2/index.cfm>

Patten, SB, Williams, JVA, Lavorato, DH, Woolf, B, Wang, JL, Bulloch, AGM and Sajobi, T. Major depression and secondhand smoke exposure. *J Affect Disord*. 2017 Aug 12;225:260-264. Available from: [http://www.jad-journal.com/article/S0165-0327\(17\)30055-1/fulltext](http://www.jad-journal.com/article/S0165-0327(17)30055-1/fulltext)

Ryan, Lisa. Millions of non-smoking teenagers are still at risk of serious illness from secondhand smoke, experts warn. *Daily Mail*, 2016. Jan 11, 2016. Available from: <http://www.mailonsunday.co.uk/health/article-3394241/Millions-non-smoking-teenagers-risk-illness-secondhand-smoke-experts-warn.html>

No authors listed,. Children's exposure to second-hand smoke in England has dropped 80% since 1998. *Medical News Today*, 2015. June 11, 2015. Available from: <http://www.medicalnewstoday.com/releases/295183.php>

No authors listed, . 40% of kids with parent smokers not protected by smoke-free-home rules. *Medical News Today* , 2015. June 18, 2015. Available from: <http://www.medicalnewstoday.com/releases/295622.php?tw>

No authors listed,. Study: High stress for new mothers increases secondhand smoke risk for infants. Medical News Today, 2015. Mar 4, 2015. Available from: <http://www.medicalnewstoday.com/releases/290144.php?tw>

Beasley, David. More U.S. households smoke-free, study says. Reuters, 2014. Sep 4, 2014. Available from: <http://uk.reuters.com/article/2014/09/04/us-usa-health-smoking-idUKKBN0GZ29120140904>

4.5.1 Exposure in infancy and childhood

Gaunt, C. Coronavirus: Children more at risk of secondhand smoke in lockdown. *Nursery World*, 2020. May 14, 2020. Retrieved from <https://www.nurseryworld.co.uk/news/article/coronavirus-children-at-more-risk-from-secondhand-smoke-in-lockdown>

Wu, TD, Eakin, MN, Rand, CS, Brigham, EP, Diette, GB, Hansel, NN, McCormack, MC. In-Home Secondhand Smoke Exposure Among Urban Children With Asthma: Contrasting Households With and Without Residential Smokers. *J Public Health Manag Pract*, 2018. Apr 5, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29883368>

Goodwin, Renee D, Cheslack-Postava, Keely, Santoscoy, Samantha, Bakoyiannis, Nina, Hasin, Deborah S, Collins, Bradley N, Lepore, Stephen J, Wall, Melanie M. Trends in Cannabis and Cigarette Use Among Parents With Children at Home: 2002 to 2015. *Pediatrics*, 2018. Available from: <http://pediatrics.aappublications.org/content/pediatrics/early/2018/05/10/peds.2017-3506.full.pdf>

Pooran, Neil. Number of children exposed to second-hand smoke halved. *STV*, 2017. Aug 31, 2017. Available from: <https://stv.tv/news/scotland/1396750-number-of-children-exposed-to-second-hand-smoke-halved/>

Mbulu, L et al. Secondhand smoke exposure at home among one billion children in 21 countries: findings from the Global Adult Tobacco Survey (GATS). *Tobacco Control*, 2016. Feb 11, 2016. Available from: <http://www.pubfacts.com/detail/26869598/Secondhand-smoke-exposure-at-home-among-one-billion-children-in-21-countries-findings-from-the-Globa>

4.5.2 Exposure in non-smoking teenagers and adults

Kim, S, Park, JS, Park, M, Kim, Y, Lim, S, Lee, HE. Female non-smokers' environmental tobacco smoking exposure by public transportation mode. *Ann Occup Environ Med*. 2018 Apr 19;30:24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29713477>

4.5.3 Exposure in disadvantaged groups

Brogan, Caroline. One in four EU workers exposed to second-hand smoke at work. Imperial College London, 2017. Sept 11, 2017. Available from: http://www3.imperial.ac.uk/newsandeventspggrp/imperialcollege/newssummary/news_11-9-2017-12-47-34