

Tobacco in Australia

Facts & Issues

Relevant news and research

4.7 Estimates of morbidity and mortality attributable to secondhand smoke

Last updated January 2023

Research:

Maimaitiming, M, Wang, M, Luo, Y, Wang, J, Jin, Y, & Zheng, ZJ. (2022). Global trends and regional differences in the burden of cancer attributable to secondhand smoke in 204 countries and territories, 1990-2019. *Front Oncol*, 12, 972627. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36303836>

Gutierrez-Torres, DS, Inoue-Choi, M, Choi, K, McNeel, TS, & Freedman, ND. (2022). Association of exposure to environmental tobacco smoke at home and risk of mortality among US never smokers by race/ethnicity, education, and income. *Prev Med*, 107273. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36156283>

Lwin, KS, Nomura, S, Swe, KT, Gilmour, S, Alam, MA, & Hashizume, M. (2022). Attributable risk of household solid fuel use and second-hand smoke associated with under-5 mortality in 46 low- and lower-middle-income countries, 2010-2020. *Int J Hyg Environ Health*, 243, 113986. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35561570>

Teramoto, M, Iso, H, Wakai, K, & Tamakoshi, A. (2021). Secondhand Smoke Exposure during Childhood and Cancer Mortality in Adulthood among Never Smokers: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk. *Am J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34889451>

Xia, CL, Xiao, SQ, Wu, QJ, Yu, XY, Xing, LL, Gai, L et al. (2021). Association Between Passive Smoking and Health Among Chinese Nurses: A Cross-Sectional Study. *Front Public Health*, 9, 741083. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34858923>

Gorini, G, & Carreras, G. (2021). Morbidity Attributable to Second-Hand Smoke in European Children. *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33618917>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Kvaavik, E, Tverdal, A, & Batty, GD. (2021). Biomarker-assessed passive smoking in relation to cause-specific mortality: pooled data from 12 prospective cohort studies comprising 36 584 individuals. *J Epidemiol Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33542031>

Carreras, G, Lachi, A, Cortini, B, Gallus, S Lopez, MJ, Lopez-Nicolas, A et al (2020). Burden of disease from second-hand tobacco smoke exposure at home among adults from European Union countries in 2017: an analysis using a review of recent meta-analyses. *Prev Med*, 145, 106412. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33388324>

Park, J, & Bae, S. (2020). Modeling Healthcare Costs Attributable to Secondhand Smoke Exposure at Home among South Korean Children. *Int J Environ Res Public Health*, 17(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32585811>

Yousuf, H, Hofstra, M, Tijssen, J, Leenen, B, Lindemans, JW, van Rossum, A et al (2020). Estimated Worldwide Mortality Attributed to Secondhand Tobacco Smoke Exposure, 1990-2016. *JAMA Netw Open*, 3(3), e201177. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32181828>

Lippi, G, & Mattiuzzi, C. (2019). Secondhand smoke in childhood: The world-wide burden of a major public health-care problem. *J Paediatr Child Health*, 55(11), 1397-1398. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31691418>

Carreras, G, Lugo, A, Gallus, S, Cortini, B, Fernandez, E, Lopez, MJ et al. (2019). Burden of disease attributable to second-hand smoke exposure: A systematic review. *Prev Med*, 105833. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31505203>

Zahra, A, & Park, JH. Burden of Disease Due to Secondhand Smoke among Korean Adults at Sub-National Level. *J Korean Med Sci*, 2018. 33(40), e256. Available from: <https://jkms.org/Synapse/Data/PDFData/0063JKMS/jkms-33-e256.pdf>

Diver, WR, Jacobs, EJ, Gapstur, SM. Secondhand Smoke Exposure in Childhood and Adulthood in Relation to Adult Mortality Among Never Smokers. *Am J Prev Med*. 2018 Sep;55(3):345-352. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30122215>

Permitasari, N, Satibi, S, Kristina, SA. National Burden of Cancers Attributable to Secondhand Smoking in Indonesia. *Asian Pac J Cancer Prev*. 2018 Jul 27;19(7):1951-1955. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30051678>

Tobacco in Australia

Facts & Issues

Sutton, JD, Salas Martinez, ML, Gerkovich, MM. Environmental Tobacco Smoke and Periodontitis in US Non-smokers, 2009 to 2012. *J Periodontol*. 2017 Feb 7:1-14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28168902>

Zahra, A, Cheong, HK, Lee, EW, Park, JH. Burden of disease attributable to secondhand smoking in Korea. *Asia Pac J Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27645382>

Fischer, F, Kraemer, A. Health impact assessment for second-hand smoke exposure in Germany—quantifying estimates for ischaemic heart diseases, COPD, and stroke. *Int J Environ Res Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26861366>

Posis, A, Bellettiere, J, Liles, S, Alcaraz, J, Nguyen, B, Berardi, V et al. (2019). Indoor cannabis smoke and children's health. *Prev Med Rep*, 14, 100853. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30976488>

4.7.1 Estimated mortality and morbidity from secondhand smoke in Australia, 2017—the Global Burden of Disease Study

Zhai, C, Hu, D, Yu, G, Hu, W, Zong, Q, Yan, Z et al. (2022). Global, regional, and national deaths, disability-adjusted life years, years lived with disability, and years of life lost for the global disease burden attributable to second-hand smoke, 1990-2019: A systematic analysis for the Global Burden of Disease Study. *Sci Total Environ*, 160677. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36481152>

News reports: