

Tobacco in Australia

Facts & Issues

Relevant news and research

5.25 Media campaigns and young people

Last updated January 2021

Research:	2
5.25.1 Mass media campaigns	2
5.25.2 Interactive media	3
5.25.2.1 Mobile phones	4
News reports:	5
5.25.2 Interactive media	5

Research:

Lee, YO, Curry, LE, Fiacco, L, Henes, A, Farrelly, MC, Nonnemaker, JM et al. (2019). Peer crowd segmentation for targeting public education campaigns: Hip hop youth and tobacco use. *Prev Med Rep*, 14, 100843. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30997323>

Pei, R, Schmalzle, R, Kranzler, EC, O'Donnell, MB, & Falk, EB. Adolescents' Neural Response to Tobacco Prevention Messages and Sharing Engagement. *Am J Prev Med*, 2019. 56(2S1), S40-S48.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30661524>

Duncan, LR, Hieftje, KD, Pendergrass, TM, Sawyer, BG, Fiellin, LE. Preliminary investigation of a videogame prototype for cigarette and marijuana prevention in adolescents. *Subst Abus*. 2018.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29425481>

Park, E, Kulbok, PA, Keim-Malpass, J, Drake, E, Kennedy, MJ. Adolescent Smoking Prevention: Feasibility and Effect of Participatory Video Production. *J Pediatr Nurs*. 2017 Sep - Oct;36:197-204.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28888503>

Biggsby, E, Monahan, JL, Ewoldsen, DR. An examination of adolescent recall of anti-smoking messages: attitudes, message type, and message perceptions. *Health Commun*, 2016. Available

from: <http://www.ncbi.nlm.nih.gov/pubmed/27309385>

Rhodes, N, Ralston, R, Biggsby, E. Teens' reactance to anti-smoking public service announcements: how norms set the stage. *J Health Commun*. 2016 May;21(5):575-82. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27116415>

Cremers, HP et al. A web-based, computer-tailored smoking prevention program to prevent children from starting to smoke after transferring to secondary school: randomized controlled trial. *Journal of Medical Internet Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25759248>

Allen JA, Duke JC, Davis KC, Kim AE, Nonnemaker JM, et al. Using Mass Media Campaigns to Reduce Youth Tobacco Use: A Review. *Am J Health Promot*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25372236>

5.25.1 Mass media campaigns

Sadeghi, R, Mazloomi Mahmoodabad, SS, Fallahzadeh, H, Rezaeian, M, Bidaki, R, & Khanjani, N. (2019). Hookah is the enemy of health campaign: a campaign for prevention of hookah smoking among youth. *Health Promot Int*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31687738>

Duke, JC, MacMonegle, AJ, Nonnemaker, JM, Farrelly, MC, Delahanty, JC, Zhao, X et al. (2019).

Impact of The Real Cost Media Campaign on Youth Smoking Initiation. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31443954>

Nguyen, N, Lisha, NE, Neilands, TB, Jordan, JW, & Ling, PM. Differential Associations Between Anti-Tobacco Industry Attitudes and Intention to Quit Smoking Across Young Adult Peer Crowds. *Am J Health Promot*, 2019. 890117119829676. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30754982>

Kowitt, SD, Lazard, AJ, Queen, TL, Noar, SM, & Goldstein, AO. Adolescents' Aided Recall of Targeted and Non-Targeted Tobacco Communication Campaigns in the United States. *Int J Environ Res Public Health*, 2018. 15(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30366436>

Walker, MW, Evans, SA, Wimpy, C, Berger, AT, & Smith, AA. Developing Smokeless Tobacco Prevention Messaging for At-Risk Youth: Early Lessons from "The Real Cost" Smokeless Campaign. *Health Equity*, 2018. 2(1), 167-173. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6110187/pdf/hec.2018.0029.pdf>

Gadiyar, A, Ankola, A, Rajpurohit, L. Awareness of anti-tobacco advertisements and its influence on attitude toward tobacco use among 16 to 18-year-old students in Belgaum city: A Cross-sectional study. *J Educ Health Promot*. 2018 Jul 6;7:85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30079356>

Evans, WD, Rath, J, Pitzer, L, Hair, EC, Snider, J, Cantrell, J, Vallone, D. Design and Feasibility Testing of the truth FinishIt Tobacco Countermarketing Brand Equity Scale. *J Health Commun*. 2016 Jul;21(7):800-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27315354>

5.25.2 Interactive media

Park, E, & Chang, YP. (2020). Using Digital Media to Empower Adolescents in Smoking Prevention: Mixed Methods Study. *JMIR Pediatr Parent*, 3(1), e13031. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32229463>

Marzo, RR, Bhattacharya, S, Ravichandran, S, Lakshmanan, P, Jeffery, VR, Moralitheran, P et al. (2019). Educating school students and gauging their perception about the harmful effects of smoking using a "Facial-Ageing App (mobile application):" An experience from Malaysia. *J Educ Health Promot*, 8, 250. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32002422>

Hieftje, KD, Fernandes, CF, Lin, IH, & Fiellin, LE. (2019). Effectiveness of a web-based tobacco product use prevention videogame intervention on young adolescents' beliefs and knowledge. *Subst Abus*, 1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31825759>

Cocchiara, RA, Sestili, C, Di Bella, O, Backhaus, I, Sinopoli, A, D'Egidio, V et al. (2019). "GiochiAMO," a Gaming Intervention to Prevent Smoking and Alcohol Habits Among Children: A Single-Arm Field Trial. *Games Health J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31770005>

Nadasan, V, Ferencz, L, Abram, Z, & Foley, K. (2019). Predictors of High Program Exposure Among Adolescents Participating in a Smoking Prevention Intervention in Romania. *Tob Use Insights*, 12, 1179173X19845337. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065218>

Lazard, AJ, Pikowski, J, Horrell, L, Ross, JC, Noar, SM, & Sutfin, EL. Adolescents' and Young Adults' Aesthetics and Functionality Preferences for Online Tobacco Education. *J Cancer Educ*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30734263>

Pentz, MA, Hieftje, KD, Pendergrass, TM, Brito, SA, Liu, M, Arora, T et al. A videogame intervention for tobacco product use prevention in adolescents. *Addict Behav*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30477819>

Calabro, KS, Marani, SK, Le, TA, Khalil, GE, Tami-Maury, IM, Prokhorov, AV. A Pilot Study for Linking Adolescent Patients to an Interactive Tobacco Prevention Program. *Health Serv Res Manag Epidemiol*. 2017 May 2;4:2333392817703208. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28516127>

Khalil, GE, Wang, H, Calabro, KS, Mitra, N, Shegog, R, Prokhorov, AV. From the Experience of Interactivity and Entertainment to Lower Intention to Smoke: A Randomized Controlled Trial and Path Analysis of a Web-Based Smoking Prevention Program for Adolescents. *J Med Internet Res*. 2017 Feb 16;19(2):e44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28209560>

Mays, D, Hawkins, KB, Bredfeldt, C, Wolf, H, Tercyak, KP. The effects of framed messages for engaging adolescents with online smoking prevention interventions. *Transl Behav Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28290144>

Shojaeifar, M, Niknami, S, Mirbalochzahi, A, Khammarnia, M, Khorram, A. Comparison of the effect of educational methods on students' knowledge, attitude and behavior about hookah smoking. *Electron Physician*. 2017 Feb 25;9(2):3870-3877. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28465820>

Khalil, GE, Wang, H, Calabro, KS, Mitra, N, Shegog, R, Prokhorov, AV. From the Experience of Interactivity and Entertainment to Lower Intention to Smoke: A Randomized Controlled Trial and Path Analysis of a Web-Based Smoking Prevention Program for Adolescents. *J Med Internet Res*. 2017 Feb 16;19(2):e44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28209560>

Watson, AM, Alber, JM, Barnett, TE, Mercado, R, Bernhardt, JM. Content analysis of anti-tobacco videogames: characteristics, content, and qualities. *Games Health J*. 2016 Apr 20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27096576>

Hall, AK et al. How to design tobacco prevention and control games for youth and adolescents: a qualitative analysis of expert interviews. *Games Health J*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26230046>

Rath, JM et al. Assessing the impact of an interactive mobile game on tobacco-related attitudes and beliefs: The Truth Campaign's "Flavor Monsters". *Games Health J*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26230971>

5.25.2.1 Mobile phones

Pedrana, AE, Pina, J, Padmawati, RS, Zuhriana, R, Lazuardi, L, Lim, MSC et al. (2020). A quasi-experimental text messaging trial to improve adolescent sexual and reproductive health and smoking knowledge in Indonesia. *Sex Health*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32017868>

Prokhorov, AV, Khalil, GE, Calabro, KS, Machado, TC, Russell, S, Czerniak, KW et al. Mobile Phone Text Messaging for Tobacco Risk Communication Among Young Adult Community College Students: Protocol and Baseline Overview for a Randomized Controlled Trial. *JMIR Res Protoc*, 2018. 7(10), e10977. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30322833>

Internet and web-based strategies

Parisod, H, Pakarinen, A, Axelin, A, Loyttyniemi, E, Smed, J, Salantera, S. Feasibility of mobile health game "Fume" in supporting tobacco-related health literacy among early adolescents: A three-armed cluster randomized design. *Int J Med Inform.* 2018 May;113:26-37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29602430>

News reports:

Food & Drug Administration. Statement from FDA Commissioner Scott Gottlieb, M.D., on significant public health value and cost savings resulting from the agency's youth smoking prevention campaign. Press Announcements, 2018. Aug 16, 2018. Available from: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm617131.htm>

5.25.2 Interactive media

US Food and Drug Administration. CTP's Exchange Lab Offers Free Tobacco Education Materials. *FDA*, 2020. August 21, 2020. Retrieved from <https://www.fda.gov/tobacco-products/public-health-education/ctps-exchange-lab-offers-free-tobacco-education-materials>

Khalil, GE, Wang, H, Calabro, KS, Mitra, N, Shegog, R, Prokhorov, AV. From the Experience of Interactivity and Entertainment to Lower Intention to Smoke: A Randomized Controlled Trial and Path Analysis of a Web-Based Smoking Prevention Program for Adolescents. *J Med Internet Res.* 2017 Feb 16;19(2):e44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28209560>

Internet and web-based strategies

Sipherd, Ray. Facebook's Oculus backs VR game to help teens kick e-cigarette habit. *CNBC*, 2018. May 7, 2018. Available from: <https://www.cNBC.com/2018/05/03/facebooks-oculus-backs-vr-game-to-help-teens-kick-e-cigarette-habit.html>