

Tobacco in Australia

Facts & Issues

Relevant news and research

5.25 Media campaigns and young people

Last updated December 2024

Research:	2
5.25 Media campaigns and young people	2
5.25.1 Australian mass media campaigns	6
5.25.2 Interactive media	6
5.25.2.1 Mobile phones	8
5.25.2.1.1 Text messaging (SMS) services as a prevention strategy	8
5.25.2.1.2 Smartphone applications (apps) as a prevention strategy	8
5.25.2.2 Internet and web-based strategies	9
5.25.2.3 Video games	9
News:	10
5.25 Media campaigns and young people	10
5.25.1 Australian mass media campaigns	11
5.25.2 Interactive media	11
5.25.2.1 Mobile phones	11
5.25.2.1.1 Text messaging (SMS) services as a prevention strategy	11
5.25.2.1.2 Smartphone applications (apps) as a prevention strategy	11
5.25.2.2 Internet and web-based strategies	11
5.25.2.3 Video games	11

Research:

5.25 Media campaigns and young people

de Andres-Sanchez, J, Belzungui-Eraso, A, Pastor Gosalbez, I, & Sanchez-Aragon, A. (2024). A cross-sectional assessment of the influence of information sources about substance use in adolescents' tobacco prevalence. *Heliyon, 10(19)*, e38976. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39435073>

Aldukhail, S, Alabdulkarim, A, & Agaku, IT. (2023). Population-level impact of 'The Real Cost' campaign on youth smoking risk perceptions and curiosity, United Sates 2018-2020. *Tob Induc Dis, 21*, 162. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38090739>

Johnson, AC, Mercincavage, M, Tan, ASL, Villanti, AC, Delnevo, CD, & Strasser, AA. (2023). Effects of reduced nicotine content cigarette advertising with warning labels and social media features on product perceptions among young adults. *J Behav Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37605036>

Bteddini, DS, LeLaurin, JH, Chi, X, Hall, JM, Theis, RP, Gurka, MJ et al (2023). Mixed methods evaluation of vaping and tobacco product use prevention interventions among youth in the Florida 4-H program. *Addict Behav, 141*, 107637. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36753933>

Ridha, A, Ramadhani, D, Trisnawati, E, Radiana, D, & Ruhama, U. (2022). Improving knowledge and attitudes about prevention and cessation of smoking using comics: study on youth with smoker's social environment. *Pan Afr Med J, 43*, 158. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36785690>

Donaldson, SI, & Allem, JP. (2023). The Need for Tobacco-Related Interventions to Incorporate Digital Media Literacy. *JAMA Pediatr.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36648930>

Slocum E, Xie Y, Colston DC, Emery S, Patrick ME, et al. Impact of the tips from former smokers anti-smoking media campaign on youth smoking behaviors and anti-Tobacco attitudes. *Nicotine and Tobacco Research, 2022*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35749779>

Guillory J, Curry LE, Farrelly M, Henes A, Homsi G, et al. Reach, receptivity, and beliefs associated with the fresh empire campaign to prevent and reduce cigarette use among youth in the United States. *American Journal of Health Promotion, 2022:8901171211069991*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35081751>

Stevens EM, Hebert ET, Keller-Hamilton B, Frank-Pearce SG, Tackett AP, et al. Associations between exposure to the real cost campaign, pro-Tobacco advertisements, and Tobacco use among youth in the u.S. *American Journal of Preventive Medicine, 2021*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33583677>

Oyapero A, Erinoso O, Osoba M, Amure M, Osibogun O, et al. Exposure to anti-Tobacco messaging and quit attempts among adolescent and young adult in lagos, Nigeria: A population-based study. West African Journal of Medicine, 2021; Vol. 38(11):1058-64. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/34919362>

Mannocci A, D'Egidio V, Gualano MR, Guerra F, Mascagna F, et al. Which is the best communication strategy, based on anti-tobacco ads, to impress teenagers? A multicenter cross-sectional study. Annali di Igiene, 2021; 33(1):86-99. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/33354698>

Colston DC, Xie Y, Thrasher JF, Patrick ME, Titus AR, et al. Examining truth and state-sponsored media campaigns as a means of decreasing youth smoking and related disparities in the u.S. Nicotine and Tobacco Research, 2021. Available from: <https://doi.org/10.1093/ntr/ntab226>

Colston DC, Xie Y, Thrasher JF, Emery S, Patrick ME, et al. Exploring how exposure to truth and state-sponsored anti-Tobacco media campaigns affect smoking disparities among young adults using a national longitudinal dataset, 2002-2017. International Journal of Environmental Research and Public Health, 2021; 18(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34360096>

Lee HM, Hsu YH, and Chen T. The moderating effects of self-referencing and relational-interdependent self-construal in anti-smoking advertising for adolescents. International Journal of Environmental Research and Public Health, 2020; 17(22). Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/33207698>

Hutchinson P, Leyton A, Meekers D, Stoecker C, Wood F, et al. Evaluation of a multimedia youth anti-smoking and girls' empowerment campaign: Sky girls ghana. BMC Public Health, 2020; 20(1):1734. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33203403>

Delahanty J, Ganz O, Bernat JK, Trigger S, Smith A, et al. Awareness of "the real cost" campaign among US middle and high school students: National youth Tobacco survey, 2017. Public Health Reports, 2020; 135(1):82-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31835009>

Sadeghi R, Mazloomy Mahmoodabad SS, Fallahzadeh H, Rezaeian M, Bidaki R, et al. Hookah is the enemy of health campaign: A campaign for prevention of hookah smoking among youth. Health Promot Int, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31687738>

Pei R, Schmalzle R, Kranzler EC, O'Donnell MB, and Falk EB. Adolescents' neural response to Tobacco prevention messages and sharing engagement. American Journal of Preventive Medicine, 2019; 56(2S1):S40-S8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30661524>

Nguyen N, Lisha NE, Neilands TB, Jordan JW, and Ling PM. Differential associations between anti-Tobacco industry attitudes and intention to quit smoking across young adult peer crowds. American Journal of Health Promotion, 2019:890117119829676. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30754982>

Lee YO, Curry LE, Fiacco L, Henes A, Farrelly MC, et al. Peer crowd segmentation for targeting public education campaigns: Hip hop youth and tobacco use. Prev Med Rep, 2019; 14:100843. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30997323>

Duke JC, MacMonegle AJ, Nonnemaker JM, Farrelly MC, Delahanty JC, et al. Impact of the real cost media campaign on youth smoking initiation. American Journal of Preventive Medicine, 2019.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31443954>

Walker MW, Evans SA, Wimpy C, Berger AT, and Smith AA. Developing smokeless Tobacco prevention messaging for at-risk youth: Early lessons from "the real cost" smokeless campaign. Health Equity, 2018; 2(1):167-73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30283864>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6110187/pdf/heq.2018.0029.pdf>

MacMonegle AJ, Nonnemaker J, Duke JC, Farrelly MC, Zhao X, et al. Cost-effectiveness analysis of the real cost campaign's effect on smoking prevention. American Journal of Preventive Medicine, 2018; 55(3):319-25. Available from: <https://doi.org/10.1016/j.amepre.2018.05.006>

Kowitt SD, Lazard AJ, Queen TL, Noar SM, and Goldstein AO. Adolescents' aided recall of targeted and non-targeted Tobacco communication campaigns in the United States. International Journal of Environmental Research and Public Health, 2018; 15(11). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30366436>

https://res.mdpi.com/ijerph/ijerph-15-02363/article_deploy/ijerph-15-02363.pdf?filename=&attachment=1

Gadiyar A, Ankola A, and Rajpurohit L. Awareness of anti-tobacco advertisements and its influence on attitude toward tobacco use among 16 to 18-year-old students in belgaum city: A cross-sectional study. J Educ Health Promot, 2018; 7:85. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30079356>

Palmedo PC, Dorfman L, Garza S, Murphy E, and Freudenberg N. Countermarketing alcohol and unhealthy food: An effective strategy for preventing noncommunicable diseases? Lessons from Tobacco. Annual Review of Public Health, 2017; 38:119-44. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28384081>

Huang LL, Lazard AJ, Pepper JK, Noar SM, Ranney LM, et al. Impact of the real cost campaign on adolescents' recall, attitudes, and risk perceptions about Tobacco use: A national study.

International Journal of Environmental Research and Public Health, 2017; 14(1). Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28054993>

Farrelly MC, Duke JC, Nonnemaker J, Macmonegle AJ, Alexander TN, et al. Association between the real cost media campaign and smoking initiation among youths -- United States, 2014-2016. Morbidity and Mortality Weekly Report 2017; 66(02):47-50.

Carson-Chahhoud KV, Ameer F, Sayehmiri K, Hnin K, van Agteren JE, et al. Mass media interventions for preventing smoking in young people. Cochrane Database of Systematic Reviews, 2017; 6:CD001006. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28574573>

Brennan E, Jeong M, Kybert-Momjian A, and Hornik RC. Preventing and reducing tobacco use among youth and young adults: A systematic review of the effectiveness of mass media interventions, 2008-2013. CECCR/TCORS Working Paper Series Philadelphia, PA: Annenberg School for Communication,

University of Pennsylvania, 2016. Last update: Viewed Available from:
http://repository.upenn.edu/asc_papers/471/.

Unal E, Gokler ME, Metintas S, and Kalyoncu C. Effect of anti-smoking advertisements on turkish adolescents. Eastern Mediterranean Health Journal, 2016; 22(9):654-61. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27966766>

Rhodes N, Ralston R, and Bigsby E. Teens' reactance to anti-smoking public service announcements: How norms set the stage. Journal of Health Communication, 2016:1–8. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27116415>

Evans WD, Rath J, Pitzer L, Hair EC, Snider J, et al. Design and feasibility testing of the truth finishit Tobacco countermarketing brand equity scale. Journal of Health Communication, 2016; 21(7):800–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27315354>

Bigsby E, Monahan JL, and Ewoldsen DR. An examination of adolescent recall of anti-smoking messages: Attitudes, message type, and message perceptions. Health Communication, 2016:1–11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27309385>

Fallin A, Neilands TB, Jordan JW, Hong JS, and Ling PM. Wreaking "havoc" on smoking: Social branding to reach young adult "partiers" in oklahoma. American Journal of Preventive Medicine, 2015; 48(1 Suppl 1):S78-85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25528713>

Emory KT, Messer K, Vera L, Ojeda N, Elder JP, et al. Receptivity to cigarette and tobacco control messages and adolescent smoking initiation. Tobacco Control, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24503771>

Allen JA, Duke JC, Davis KC, Kim AE, Nonnemaker JM, et al. Using mass media campaigns to reduce youth Tobacco use: A review. American Journal of Health Promotion, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25372236>

New anti-tobacco campaign for teens. J Calif Dent Assoc, 2014; 42(3):153. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25080718>

White VM, Durkin SJ, Coomber K, and Wakefield MA. What is the role of tobacco control advertising intensity and duration in reducing adolescent smoking prevalence? Findings from 16 years of tobacco control mass media advertising in Australia. Tobacco Control, 2013; 24(2):198-204. Available from: <http://tobaccocontrol.bmjjournals.org/content/early/2013/08/29/tobaccocontrol-2012-050945.abstract>

U.S. Department of Health and Human Services. Preventing Tobacco use among youth and young adults: A report of the Surgeon General. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2012. Available from:
[https://www.ncbi.nlm.nih.gov/books/NBK99237/pdf/Bookshelf_NBK99237.pdf.](https://www.ncbi.nlm.nih.gov/books/NBK99237/pdf/Bookshelf_NBK99237.pdf)

Wood L, Rosenberg M, Clarkson J, Phillips F, Donovan R, et al. Encouraging young western Australians to be smarter than smoking. American Journal of Health Promotion, 2009; 23(6):403–11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19601480>

Farrelly M, Nonnemaker J, Davis K, and Hussin A. The influence of the national truth((r)) campaign on smoking initiation. American Journal of Preventive Medicine, 2009; 36(5):379–84. Available from: <http://www.ajpm-online.net/article/S0749-3797%2809%2900074-9/fulltext>

Smith KC, Wakefield MA, Terry-McElrath Y, Chaloupka FJ, Flay B, et al. Relation between newspaper coverage of tobacco issues and smoking attitudes and behaviour among American teens. Tobacco Control, 2008; 17(1):17–24. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/17/1/17>

Paek H. Moderating roles of primary social influences in the relationship between adolescent self-reported exposure to antismoking messages and smoking intention. Health Communication, 2008; 23(6):526–37. Available from:

<http://www.informaworld.com/smpp/content~content=a906864511~db=all~order=page>

Mitchell J, Rosenberg M, and Wood L. Adolescents with attitude ... Changes in views about smoking over time. Health Promotion Journal of Australia, 2008; 19(2):109–12. Available from:

http://www.unboundmedicine.com/medline/ebm/record/18647123/full_citation/Adolescents_with_attitude_changes_in_views_about_smoking_over_time

Flynn BS, Worden JK, Bunn JY, Dorwaldt AL, Connolly SW, et al. Youth audience segmentation strategies for smoking-prevention mass media campaigns based on message appeal. Health Education and Behavior, 2007; 34(4):578–93. Available from:

<http://heb.sagepub.com/cgi/reprint/34/4/578>

Rust L. Tobacco prevention advertising: Lessons from the commercial world. Nicotine and Tobacco Research, 1999; 1(suppl.1):S81–9. Available from:

http://ntr.oxfordjournals.org/content/1/Suppl_1/S81.abstract

5.25.1 Australian mass media campaigns

5.25.2 Interactive media

Kim, S, Lee, H, Kim, S, Lee, KH, Yoo, S, & Hong, JE. (2024). Effectiveness of a media literacy-based smoking prevention program in female adolescents. *Public Health Nurs.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38478011>

Nyman, J, Salanterä, S, Pasanen, M, & Parisod, H. (2024). Effectiveness of a Digital Health Game Intervention on Early Adolescent Smoking Refusal Self-Efficacy. *Health Educ Behav*, 10901981241237788. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38497462>

Nadasan V, Ferencz L, Abram Z, and Foley K. Predictors of high program exposure among adolescents participating in a smoking prevention intervention in romania. Tob Use Insights, 2019; 12:1179173X19845337. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7305218/>

Shojaifar M, Niknami S, Mirbalochzahi A, Khammarnia M, and Khorram A. Comparison of the effect of educational methods on students' knowledge, attitude and behavior about hookah smoking. Electron Physician, 2017; 9(2):3870–7. Available from: [http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5528465/](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5528465/)

Park E, Kulbok PA, Keim-Malpass J, Drake E, and Kennedy MJ. Adolescent smoking prevention: Feasibility and effect of participatory video production. *Journal of Pediatric Nursing*, 2017; 36:197–204. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28888503>

Mays D, Hawkins KB, Bredfeldt C, Wolf H, and Tercyak KP. The effects of framed messages for engaging adolescents with online smoking prevention interventions. *Transl Behav Med*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28290144>

Khalil GE, Wang H, Calabro KS, Mitra N, Shegog R, et al. From the experience of interactivity and entertainment to lower intention to smoke: A randomized controlled trial and path analysis of a web-based smoking prevention program for adolescents. *Journal of Medical Internet Research*, 2017; 19(2):e44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28209560>

Calabro KS, Marani SK, Le TA, Khalil GE, Tami-Maury IM, et al. A pilot study for linking adolescent patients to an interactive Tobacco prevention program. *Health Serv Res Manag Epidemiol*, 2017; 4:2333392817703208. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28516127>

Park E and Drake E. Systematic review: Internet-based program for youth smoking prevention and cessation. *Journal of Nursing Scholarship*, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25130325>

Lenhardt A, Madden M, and Hitlin P. Teens and technology: Youth are leading the transition to a fully wired and mobile nation. Washington DC: Pew Internet & American Life Project, 2005. Available from: <http://wifihigh.terc.edu/index.cfm/233/>.

Skinner H, Biscupe S, Poland B, and Goldberg E. How adolescents use technology for health information: Implications for health professionals from focus group studies. *Journal of Medical Internet Research*, 2003; 5:e32. Available from: <https://pubmed.ncbi.nlm.nih.gov/14713660/>

Turner A, Singleton N, and Easterbrook S. Developing sexual health software incorporating user feedback: A British experience. *Health Education and Behavior*, 1997; 24:102–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/9112101>

Thomas R, Cahill J, and Santilli L. Using an interactive computer game to increase skill and self-efficacy regarding safer sex negotiation: Field test results. *Health Education and Behavior*, 1997; 24:71–86. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/9112099>

Skinner H, Morrison M, Bercovitz K, Haans D, Jennings M, et al. Using the internet to engage youth in health promotion. *Promotion and Education*, 1997; 4:23–5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/9560853>

Paperny D. Computerized health assessment and education for adolescent HIV and STD prevention in health care settings and school. *Health Education and Behavior*, 1997; 24:54–70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/9112098>

Hardin P and Reis J. Interactive multimedia software design: Concepts, process and evaluation. *Health Education and Behavior*, 1997; 24:35–53. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/9112097>

5.25.2.1 Mobile phones

Robinson CD, Seaman EL, Grenen E, Montgomery L, Yockey RA, et al. A content analysis of smartphone apps for adolescent smoking cessation. *Transl Behav Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30476293>

5.25.2.1.1 Text messaging (SMS) services as a prevention strategy

Khalil, GE, McLean, D, Ramirez, E, Mihaj, PP, Zhao, B, Dhar, B, & Khan, M. (2024). Developing a text-message library for tobacco prevention among adolescents: A qualitative study. *PLoS One*, 19(1), e0296503. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38175835>

Pedrana AE, Pina J, Padmawati RS, Zuhrina R, Lazuardi L, et al. A quasi-experimental text messaging trial to improve adolescent sexual and reproductive health and smoking knowledge in Indonesia. *Sexual Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32017868>

Prokhorov AV, Khalil GE, Calabro KS, Machado TC, Russell S, et al. Mobile phone text messaging for Tobacco risk communication among young adult community college students: Protocol and baseline overview for a randomized controlled trial. *JMIR Res Protoc*, 2018; 7(10):e10977. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30322833>

Whittaker R, Borland R, Bullen C, Lin RB, McRobbie H, et al. Mobile phone-based interventions for smoking cessation. *Cochrane Database Systematic Reviews*, 2009; 4(CD006611). Available from: https://www.researchgate.net/publication/317600883_Mobile_phone-based_interventions_for_smoking_cessation

Fjeldsoe BS, Marshall AL, and Miller YD. Behavior change interventions delivered by mobile telephone short-message service. *American Journal of Preventive Medicine*, 2009; 36(2):165–73. Available from: <http://www.sciencedirect.com/science/article/pii/S0749379708008921>

5.25.2.1.2 Smartphone applications (apps) as a prevention strategy

Micalizzi, L, Mattingly, DT, Hart, JL, Jensen, JK, Mahabee-Gittens, EM, & Garrison, KA. (2023). Smartphone Apps Targeting Youth Tobacco Use Prevention and Cessation: An Assessment of Credibility and Quality. *Curr Addict Rep*, 10(4), 649-663. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38680515>

Fuentes, AP, Jimenez Tapia, A, Ruiz-Cortes, EM, Bolanos-Ceballos, F, Flores Castro, JC, Gutierrez, R, & Gonzalez-Forteza, C. (2023). Effectiveness of a Mobile App to Increase Risk Perception of Tobacco, Alcohol, and Marijuana Use in Mexican High School Students: Quantitative Study. *JMIR Mhealth Uhealth*, 11, e37873. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36892918>

Uribe-Madrigal RD, Gogeascochea-Trejo MDC, Mota-Morales ML, Ortiz-Chacha CS, Salas-Garcia B, et al. Secondary school students' perceptions of a mobile application design for smoking prevention. *Tob Prev Cessat*, 2021; 7:24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33817444>

Marzo RR, Bhattacharya S, Ravichandran S, Lakshmanan P, Jeffery VR, et al. Educating school students and gauging their perception about the harmful effects of smoking using a "facial-ageing app (mobile application):" An experience from malaysian. Journal of Education and Health Promotion, 2019; 8:250. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32002422>

Bernardes-Souza B, Patruz Ananias De Assis Pires F, Madeira GM, Felicio Da Cunha Rodrigues T, Gatzka M, et al. Facial-aging mobile apps for smoking prevention in secondary schools in Brazil: Appearance-focused interventional study. JMIR Public Health and Surveillance, 2018; 4(3):e10234. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30021713>

Brinker TJ, Seeger W, and Buslaff F. Photoaging mobile apps in school-based Tobacco prevention: The mirroring approach. Journal of Medical Internet Research, 2016; 18(6):e183. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27352819>

5.25.2.2 Internet and web-based strategies

Khalil, GE, Khan, M, & Kim, J. (2024). Social influence and advocacy pathways during a web-based program for adolescent smoking prevention. *Addict Behav Rep*, 19, 100529. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38283066>

Lazard AJ, Pikowski J, Horrell L, Ross JC, Noar SM, et al. Adolescents' and young adults' aesthetics and functionality preferences for online Tobacco education. Journal of Cancer Education, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30734263>

Cremers HP, Mercken L, Candel M, de Vries H, and Oenema A. A web-based, computer-tailored smoking prevention program to prevent children from starting to smoke after transferring to secondary school: Randomized controlled trial. Journal of Medical Internet Research, 2015; 17(3):e59. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25759248>

Baler R and Volkow N. Addiction as a systems failure: Focus on adolescence and smoking. Journal of the American Academy of Child and Adolescent Psychiatry, 2011; 50(4):329–39. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21421173>

Ribisl K. The potential of the internet as a medium to encourage and discourage youth tobacco use Tobacco Control, 2003; 12(suppl.1):i48-59. Available from: http://tobaccocontrol.bmjjournals.org/cgi/reprint/12/suppl_1/i48

5.25.2.3 Video games

Khalil, GE, Kim, J, McLean, D, Ramirez, E, Zhao, B, & Salloum, RG. (2023). Identifying adolescents' gaming preferences for a tobacco prevention social game: A qualitative study. *PLoS One*, 18(7), e0289319. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37506112>

Le Roux, E, Martin, P, Alberti, C, Minary, L, Kivits, J, Chapoton, B et al (2023). A Smoking Prevention Intervention Among Young People in an Online Community Game: Results from a Pilot Randomized Controlled Trial. Games Health J. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36602510>

Hieftje KD, Fernandes CF, Lin IH, and Fiellin LE. Effectiveness of a web-based tobacco product use prevention videogame intervention on young adolescents' beliefs and knowledge. *Substance Abuse*, 2019:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31825759>

Cocchiara RA, Sestili C, Di Bella O, Backhaus I, Sinopoli A, et al. "Giochiamo," a gaming intervention to prevent smoking and alcohol habits among children: A single-arm field trial. *Games for Health Journal*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31770005>

Pentz MA, Hieftje KD, Pendergrass TM, Brito SA, Liu M, et al. A videogame intervention for tobacco product use prevention in adolescents. *Addictive Behaviors*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30477819>

Parisod H, Pakarinen A, Axelin A, Loyttyniemi E, Smed J, et al. Feasibility of mobile health game "Fume" in supporting tobacco-related health literacy among early adolescents: A three-armed cluster randomized design. *International Journal of Medical Informatics*, 2018; 113:26-37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29602430>

Office of the eSafety Commisioner. State of play--youth and online gaming in Australia. 2018. Available from: <https://www.esafety.gov.au/sites/default/files/2019-07/Youth-and-online-gaming-report-2018.pdf>.

Duncan LR, Hieftje KD, Pendergrass TM, Sawyer BG, and Fiellin LE. Preliminary investigation of a videogame prototype for cigarette and marijuana prevention in adolescents. *Substance Abuse*, 2018:0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29425481>

Watson AM, Alber JM, Barnett TE, Mercado R, and Bernhardt JM. Content analysis of anti-Tobacco videogames: Characteristics, content, and qualities. *Games for Health Journal*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27096576>

Rath JM, Williams V, Rubenstein R, Smith L, and Vallone D. Assessing the impact of an interactive mobile game on Tobacco-related attitudes and beliefs: The truth campaign's "flavor monsters". *Games Health J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26230971>

<https://www.liebertpub.com/doi/pdf/10.1089/g4h.2015.0005?download=true>

Hall AK, Mercado R, Anderson-Lewis C, Darville G, and Bernhardt JM. How to design Tobacco prevention and control games for youth and adolescents: A qualitative analysis of expert interviews. *Games Health J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26230046>

News reports

5.25 Media campaigns and young people

Food & Drug Administration. Statement from FDA commissioner scott gottlieb, m.D., on significant public health value and cost savings resulting from the agency's youth smoking prevention

campaign. Press Annoucements, 2018. Available from:
<https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm617131.htm>

5.25.1 Australian mass media campaigns

Australian Government Department of Health and Ageing. National Tobacco Campaign. 2019.
Available from:

<https://webarchive.nla.gov.au/awa/20190208165138/http://www.health.gov.au/internet/main/publicning.nsf/Content/tobacco-educat>

5.25.2 Interactive media

5.25.2.1 Mobile phones

5.25.2.1.1 Text messaging (SMS) services as a prevention strategy

5.25.2.1.2 Smartphone applications (apps) as a prevention strategy

5.25.2.2 Internet and web-based strategies

Truth Initiative. 2022. Last update: Viewed Available from: <https://truthinitiative.org/>.

5.25.2.3 Video games

Bankhurst A. Three billion people worldwide now play video games, new report shows. IGN, 2020.
Available from: <https://www.ign.com/articles/three-billion-people-worldwide-now-play-video-games-new-report-shows>

Correa C. Why video games are more addictive and bigger than movies will ever be. Forbes, 2013.
Available from: <https://www.forbes.com/sites/christophercorrea/2013/04/11/why-video-games-are-addictive-and-bigger-than-movies-will-ever-be/?sh=449c0a6166f6>