Relevant news and research

6.10 Acute effects of nicotine on the body

Last updated October 2020

Research:

Yu D, Yuan K, Cheng J, Guan Y, Li Y, et al. Reduced thalamus volume may reflect nicotine severity in young male smokers. Nicotine Tob Res, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28651369

Patel VD, Jadhav KB, Shah VS, and Gupta ND. Comparative assessment of salivary cotinine level and psychological dependence among tobacco users. Dent Res J (Isfahan), 2017; 14(2):125-30. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28584536

Marchand M, Brossard P, Merdjan H, Lama N, Weitkunat R, et al. Nicotine population pharmacokinetics in healthy adult smokers: A retrospective analysis. Eur J Drug Metab Pharmacokinet, 2017. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28283988

Kalhan R, Wilkins JT, and Hitsman BL. Tobacco smoking is a medical problem: We ought to treat it like one. American Journal of Respiratory and Critical Care Medicine, 2017. Available from: https://www.ncbi.nlm.nih.gov/pubmed/29262267

Ashare RL, Kimmey BA, Rupprecht LE, Bowers ME, Hayes MR, et al. Repeated administration of an acetylcholinesterase inhibitor attenuates nicotine taking in rats and smoking behavior in human smokers. Transl Psychiatry, 2017; 7(3):e1072. Available from: http://www.ncbi.nlm.nih.gov/pubmed/28350399

Walton D, Newcombe R, Li J, Tu D, and DiFranza JR. Stages of physical dependence in New Zealand smokers: Prevalence and correlates. Addict Behav, 2016; 63:161-4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27513594

Tang R, Razi A, Friston KJ, and Tang YY. Mapping smoking addiction using effective connectivity analysis. Front Hum Neurosci, 2016; 10:195. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27199716

Okita K, Mandelkern MA, and London ED. Cigarette use and striatal dopamine d2/3 receptors: Possible role in the link between smoking and nicotine dependence. Int J Neuropsychopharmacol, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27634830

Li Z, Fang Z, Hager N, Rao H, and Wang Z. Hyper-resting brain entropy within chronic smokers and its moderation by sex. Sci Rep, 2016; 6:29435. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27377552

Li Y, Yuan K, Bi Y, Guan Y, Cheng J, et al. Neural correlates of 12-h abstinence-induced craving in young adult smokers: A resting-state study. Brain Imaging Behav, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26995747

Fedota JR, Matous AL, Salmeron BJ, Gu H, Ross TJ, et al. Insula demonstrates a non-linear response to varying demand for cognitive Control and weaker resting connectivity with the executive Control network in smokers. Neuropsychopharmacology, 2016. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27112116

Derefinko KJ, Eisenlohr-Moul TA, Peters JR, Roberts W, Walsh EC, et al. Physiological response to reward and extinction predicts alcohol, marijuana, and cigarette use two years later. Drug Alcohol Depend, 2016; 163 Suppl 1:S29-36. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27306728

Baeza-Loya S, Velasquez KM, Molfese DL, Viswanath H, Curtis KN, et al. Anterior cingulum white matter is altered in tobacco smokers. Am J Addict, 2016; 25(3):210-4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/27001211

Wu G, Yang S, Zhu L, and Lin F. Altered spontaneous brain activity in heavy smokers revealed by regional homogeneity. Psychopharmacology (Berl), 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25716308

Stoeckel LE, Chai XJ, Zhang J, Whitfield-Gabrieli S, and Evins AE. Lower gray matter density and functional connectivity in the anterior insula in smokers compared with never smokers. Addict Biol, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25990865

Potvin S, Tikasz A, Dinh-Williams LL, Bourque J, and Mendrek A. Cigarette cravings, impulsivity, and the brain. Front Psychiatry, 2015; 6:125. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26441686

Mohamed TS, Jayakar SS, and Hamouda AK. Orthosteric and allosteric ligands of nicotinic acetylcholine receptors for smoking cessation. Front Mol Neurosci, 2015; 8:71. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26635524

Hogg RC. Contribution of monoamine oxidase inhibition to tobacco dependence: A review of the evidence. Nicotine Tob Res, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26508396

Erdem U, Gundogan FC, Dinc UA, Yolcu U, Ilhan A, et al. Acute effect of cigarette smoking on pupil size and ocular aberrations: A pre- and postsmoking study. J Ophthalmol, 2015; 2015:625470. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25699189

Duke AN, Johnson MW, Reissig CJ, and Griffiths RR. Nicotine reinforcement in never-smokers. Psychopharmacology (Berl), 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26345343

Dubroff J, Doot R, Falcone M, Schnoll R, Ray R, et al. Decreased nicotinic receptor availability in smokers with slow rates of nicotine metabolism. J Nucl Med, 2015. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26272810

Brunzell DH, Stafford AM, and Dixon CI. Nicotinic receptor contributions to smoking: Insights from human studies and animal models. Curr Addict Rep, 2015; 2(1):33-46. Available from: http://www.ncbi.nlm.nih.gov/pubmed/26301171

Wing VC, Payer DE, Houle S, George TP, and Boileau I. Measuring cigarette smoking-induced cortical dopamine release: A [c]flb-457 pet study. Neuropsychopharmacology, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25502631

Wetherill RR, Jagannathan K, Shin J, and Franklin TR. Sex differences in resting state neural networks of nicotine-dependent cigarette smokers. Addict Behav, 2014; 39(4):789-92. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24525300

Tabibnia G, Creswell JD, Kraynak T, Westbrook C, Julson E, et al. Common prefrontal regions activate during self-control of craving, emotion, and motor impulses in smokers. Clin Psychol Sci, 2014; 2(5):611-9. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25485181

Potts GF, Bloom EL, Evans DE, and Drobes DJ. Neural reward and punishment sensitivity in cigarette smokers. Drug Alcohol Depend, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/25292454

Kim SJ, Sullivan JM, Wang S, Cosgrove KP, and Morris ED. Voxelwise lp-ntpet for detecting localized, transient dopamine release of unknown timing: Sensitivity analysis and application to cigarette smoking in the pet scanner. Hum Brain Mapp, 2014; 35(9):4876-91. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24700424

Hu MC, Griesler PC, Wall MM, and Kandel DB. Reciprocal associations between cigarette consumption and DSM-IV nicotine dependence criteria in adolescent smokers. Addiction, 2014; 109(9):1518-28. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24845775

Freeman TP, Das RK, Kamboj SK, and Curran HV. Dopamine, urges to smoke, and the relative salience of drug versus non-drug reward. Soc Cogn Affect Neurosci, 2014. Available from: http://www.ncbi.nlm.nih.gov/pubmed/24526184

Xue Y, Morris M, Ni L, Guthrie S, Zubieta J, et al. Venous plasma nicotine correlates of hormonal effects of tobacco smoking. Pharmacology, Biochemistry, and Behavior, 2010; 95(2):209-15. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20100507

Schrand J. Does insular stroke disrupt the self-medication effects of nicotine? Medical Hypotheses, 2010; 75(3):302-4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20350784

Golding J, Prosyanikova O, Flynn M, and Gresty M. The effect of smoking nicotine tobacco versus smoking deprivation on motion sickness. Autonomic Neuroscience: Basic & Clinical, 2010; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21036110

Bailey S, Goedeker K, and Tiffany S. The impact of cigarette deprivation and cigarette availability on cue-reactivity in smokers. Addiction, 2010; 105(2):364-72. Available from: http://www3.interscience.wiley.com/user/accessdenied?ID=122685954&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122685954/HTMLSTART

Xiu X, Puskar NL, Shanata JAP, Lester HA, and Dougherty DA. Nicotine binding to brain receptors requires a strong cation– interaction. Nature, 2009; 458:534–7. Available from: http://www.nature.com/nature/journal/vaop/ncurrent/abs/nature07768.html

Rehme AK, Frommann I, Peters S, Block V, Bludau J, et al. Startle cue-reactivity differentiates between light and heavy smokers. Addiction, 2009; 104(10):1757-64. Available from: http://www3.interscience.wiley.com/journal/122540097/abstract?CRETRY=1&SRETRY=0

McGehee D. Nicotine's allure. Neuron, 2009; 63(5):564–5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19755099

Martin L, Davalos D, and Kisley M. Nicotine enhances automatic temporal processing as measured by the mismatch negativity waveform. Nicotine and Tobacco Research, 2009; 11(6):698-706. Available from: http://ntr.oxfordjournals.org/cgi/content/full/ntp052v1?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&fulltext=Nicotine+enhances+automatic+temporal+processing+as+measured+by+the+mismatch+negativity+waveform&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT

Jaehne A, Loessl B, Bárkai Z, Riemann D, and Hornyak M. Effects of nicotine on sleep during consumption, withdrawal and replacement therapy. Sleep Medicine Reviews, 2009; 13(5):363-77. Available from: http://www.ncbi.nlm.nih.gov/pubmed/19345124

Greenstein J and Kassel J. The effects of smoking and smoking abstinence on verbal and visuospatial working memory capacity. Experimental and Clinical Psychopharmacology, 2009; 17(2):78–90. Available from: http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2009-04252-006

Gowadia N, Oldham M, and Dunn-Rankin D. Particle size distribution of nicotine in mainstream smoke from 2r4f, marlboro medium, and quest1 cigarettes under different puffing regimens. Inhalation Toxicology, 2009; 21(5):435–46. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19496699

Gloria R, Angelos L, Schaefer H, Davis J, Majeskie M, et al. An fmri investigation of the impact of withdrawal on regional brain activity during nicotine anticipation. Psychophysiology, 2009. Available from: http://www3.interscience.wiley.com/cgi-bin/fulltext/122324341/HTMLSTART

Froeliger B, Gilbert D, and McClernon F. Effects of nicotine on novelty detection and memory recognition performance: Double-blind, placebo-controlled studies of smokers and nonsmokers. Psychopharmacology, 2009; 205(4):625-33. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19488741

Domino EF, Ni L, Thompson M, Zhang H, Shikata H, et al. Tobacco smoking produces widespread dominant brain wave alpha frequency increases. International Journal of Psychophysiology, 2009; 74(3):192-8. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T3M-4X7GM8Y-

1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=a4c182b72d3d7533090c4f89de758cd1

Corrigall W. Hypocretin mechanisms in nicotine addiction: Evidence and speculation. Psychopharmacology (Berl), 2009; 206(1). Available from: http://www.springerlink.com/content/r0r3324113871044/fulltext.pdf

Benowitz NL, Hukkanen J, and Jacob P, 3rd. Nicotine chemistry, metabolism, kinetics and biomarkers. Handb Exp Pharmacol, 2009; 192(192):29–60. Available from: https://www.ncbi.nlm.nih.gov/pubmed/19184645

Ashley DL, Pankow JF, Tavakoli AD, and Watson CH. Approaches, challenges, and experience in assessing free nicotine. Handbook of Experimental Pharmacology, 2009; (192):437–56. Available from: http://www.springerlink.com/content/q5122344x0288m57/

Allen A, Allen S, Widenmier J, and Al'absi M. Patterns of cortisol and craving by menstrual phase in women attempting to quit smoking. Addictive Behaviors, 2009; 34(8):632-5. Available from: www.ncbi.nlm.nih.gov/pubmed/19409710

Albrecht J Olfactive/trigeminal research: Brain activation following intranasal stimulation with low concentrations of nicotine vapor. Perfumer & Flavorist, 2009. Available from: http://www.perfumerflavorist.com/fragrance/research/40100857.html

Wang Z, Ray R, Faith M, Tang K, Wileyto E, et al. Nicotine abstinence-induced cerebral blood flow changes by genotype. Neuroscience letters, 2008; 438(3):275 – 80. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0G-4SD29W9-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=807744d4305ca032bb43af23fe82fe0c

Kelemen W and Fulton E. Cigarette abstinence impairs memory and metacognition despite administration of 2 mg nicotine gum. Experimental and Clinical Psychopharmacology, 2008; 16(6):521–31. Available from: http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2008-17521-009

Chiolero A, Faeh D, Paccaud F, and Cornuz J. Consequences of smoking for body weight, body fat distribution, and insulin resistance. Am J Clin Nutr, 2008; 87(4):801–9. Available from: https://www.ncbi.nlm.nih.gov/pubmed/18400700

Perkins K. Individual variation in nicotine effects. in *Promoting a Future Without Tobacco: 11th World Congress on Tobacco Or Health*. Chicago. 2000.

Zevin S and Benowitz NL. Drug interactions with tobacco smoking. An update. Clinical Pharmacokinetics, 1999; 36(6):425-38. Available from: http://www.ncbi.nlm.nih.gov/pubmed/10427467

Schein J. Cigarette smoking and clinically significant drug interactions. Ann Pharmacother, 1995; 29(11):1139-48. Available from: http://www.ncbi.nlm.nih.gov/pubmed/8573960

Henningfield J, Stapleton J, and Benowitz N. Higher levels of nicotine in arterial than in venous blood after cigarette smoking. Drug and Alcohol Dependence, 1993; 33(1):23–9. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T63-4BWFD64-VW&_user=10&_coverDate=06%2F30%2F1993&_alid=777082148&_rdoc=1&_fmt=high&_orig=search&_cdi=5019&_sort=d&_docanchor=&view=c&_ct=2&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=2fc9a959c42882f2b40455d54f0c9ad5

Heatherton T, Kozlowski L, Frecker R, and Fagerström K. The Fagerström test for nicotine dependence: A revision of the Fagerström tolerance questionnaire. British Journal of Addiction, 1991; 86(9):1119-27. Available from: http://www.ncbi.nlm.nih.gov/pubmed/1932883

News reports:

Kelland K. Is nicotine all bad? Reuters, 2015. Available from: http://uk.reuters.com/article/2015/05/19/us-health-nicotine-insight-idUKKBN0O412Q20150519

No authors listed. Studies of 'vaping' brain may offer clues on smoking addiction. Latinos Health, 2014. Available from: http://www.latinoshealth.com/articles/3930/20141110/studies-of-vaping-brain-may-offer-clues-on-smoking-addiction.htm

No authors listed. Nicotine "no more harmful to health than caffeine". Medical News Today, 2015. Available from: http://www.medicalnewstoday.com/releases/298123.php?tw

No authors listed. Study with 'never-smokers' sheds light on the earliest stages of nicotine dependence Medical News Today, 2015. Available from: http://www.medicalnewstoday.com/releases/299330.php?tw

No authors listed. Study reveals new mechanism in nicotine addiction. Medical Xpress, 2015. Available from: http://medicalxpress.com/news/2015-12-reveals-mechanism-nicotine-addiction.html

Higa de Landoni J. Nicotine. Poisons Information Monographs, Ottawa: International Programme on Chemical Safety - IPS INCHEM, 1991. Available from: http://www.inchem.org/documents/pims/chemical/nicotine.htm.

US Department of Health and Human Services. Reducing the health consequences of smoking: 25 years of progress. A report of the US surgeon general. Rockville, Maryland: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Centre for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health, 1989. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/previous_sgr.htm.