

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 6.14 Smokers' attitudes to and beliefs about addiction

*Last updated January 2021*

Research: .....	1
News reports:.....	3

#### Research:

Strulik, H. Smoking kills: An economic theory of addiction, health deficit accumulation, and longevity. *J Health Econ.* 2018 Sep 15;62:1-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30261429>

Philpott SE, Gehlert S, and Waters EA. Smokers' unprompted comments on cigarette additives during conversations about the genetic basis for nicotine addiction: A focus group study. *BMC Public Health*, 2018; 18(1):495. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29653524>

Pfeffer D, Wigginton B, Gartner C, and Morphett K. Smokers' understandings of addiction to nicotine and tobacco: A systematic review and interpretive synthesis of quantitative and qualitative research. *Nicotine Tob Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059355>

Janes AC, Gilman JM, Radoman M, Pachas G, Fava M, et al. Revisiting the role of the insula and smoking cue-reactivity in relapse: A replication and extension of neuroimaging findings. *Drug Alcohol Depend*, 2017; 179:8–12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28735078>

Ferguson SG and Shiffman S. Effect of high-dose nicotine patch on craving and negative affect leading up to lapse episodes. *Psychopharmacology (Berl)*, 2014; 231(13):2595–602. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24408214>

tobaccoinaustralia.org.au

Buczowski K, Marcinowicz L, Czachowski S, and Piszczek E. Motivations towards smoking cessation, reasons for relapse, and modes of quitting: Results from a qualitative study among former and current smokers. *Patient Preference and Adherence*, 2014; 8:1353–63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25336926>

Ferguson S and Shiffman S. Relation of craving and behavior, in *Principles of addiction*. Miller PM BS, Blume A, Kavanagh D, Kampman K, Bates ME, Larimer M, Petry NM, De Witt P, Editor San Diego: Academic Press; 2013.

Moss T and Bould E. A Q-methodological investigation into the meanings of cigarette consumption. *Journal of Health Psychology*, 2009; 14(1):36–42. Available from: <http://hpq.sagepub.com/cgi/reprint/14/1/36>

Berg CJ, Lust KA, Sanem JR, Kirch MA, Rudie M, et al. Smoker self-identification versus recent smoking among college students. *American Journal of Preventive Medicine*, 2009; 36(4):333-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19201148>

Balmford J and Borland R. What does it mean to want to quit? *Drug and Alcohol Review*, 2008; 27:21-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18034378>

Waters K, Harris K, Hall S, Nazir N, and Waigandt A. Characteristics of social smoking among college students *Journal of American College Health*, 2007; 55(3):133-9 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17175899>

Morley KI, Hall WD, Hausdorf K, and Owen N. 'Occasional' and 'social' smokers: Potential target groups for smoking cessation campaigns? *Australian and New Zealand Journal of Public Health*, 2006; 30(6):550-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17209271>

Amos A, Wiltshire S, Haw S, and McNeill A. Ambivalence and uncertainty: Experiences of and attitudes towards addiction and smoking cessation in the mid-to-late teens. *Health Education Research*, 2006; 21(2):181-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/16107488>

Weinstein N, Slovic P, and Gibson G. Accuracy and optimism in smokers' beliefs about quitting. *Nicotine and Tobacco Research*, 2004; 6 (suppl. 3):S375-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15799601>

Wang C, Henley N, and Donovan R. Exploring children's conceptions of smoking addiction. *Health Education Research*, 2004; 19(6):626-34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15199004>

Halpern-Felsher B, Biehl M, Kropp R, and Rubinstein M. Perceived risks and benefits of smoking: Differences among adolescents with different smoking experiences and intentions. *Preventive Medicine*, 2004; 39(3):559-67. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15313096>

Fong G, Hammond D, Laux F, Zanna M, Cummings K, et al. The near-universal experience of regret among smokers in four countries: Findings from the International Tobacco Control policy evaluation Survey. *Nicotine and Tobacco Research*, 2004; 6(3):S341–51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15799597>

Rugkasa J, Knox B, Sittlington J, Kennedy O, Treacy M, et al. Anxious adults vs. Cool children: Children's views on smoking and addiction. *Social Science Medicine*, 2001; 53(5):593-602. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11478539>

Lacchetti C, Cohen J, Ashley MJ, Ferrence R, Bull S, et al. Is nicotine dependence related to smokers' support for restrictions on smoking? *Nicotine and Tobacco Research*, 2001; 3(3):257–60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11506769>

Arnett J. Optimistic bias in adolescent and adult smokers and nonsmokers. *Addictive Behaviors*, 2000; 25(4):625–32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10972456>

Weinstein N. Accuracy of smokers' risk perception. *Nicotine and Tobacco Research*, 1999; 1(suppl. 1):S123–30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11184311>

## News reports:

Rapaport, Lisa. Not all adults think nicotine 'definitely harmful' to kids. Reuters, 2018. July 17, 2018. Available from: <https://www.reuters.com/article/us-health-children-nicotine/not-all-adults-think-nicotine-definitely-harmful-to-kids-idUSKBN1K62PM>