

Tobacco in Australia

Facts & Issues

Relevant news and research

6.3 Mechanism of action

Last updated December 2024

Research:

Sun, J, Huang, H, Dang, J, Zhang, M, Niu, X, Tao, Q et al. (2024). Functional connectivity changes in males with nicotine addiction: A triple network model study. *Prog Neuropsychopharmacol Biol Psychiatry*, 136, 111187. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39491637>

Cao, Y, Sun, J, Wang, X, Zhang, X, Tian, H, Huang, L et al. (2024). The double-edged nature of nicotine: toxicities and therapeutic potentials. *Front Pharmacol*, 15, 1427314. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39206262>

Liu, Y, Cheng, G, Cao, J, Zhang, J, Luo, C, & Huang, L. (2024). The "double-edged sword effect" of nicotine. *Fitoterapia*, 177, 106102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38945494>

Elder, TR, & Turner, JR. (2024). Nicotine use disorder and Neuregulin 3: Opportunities for precision medicine. *Adv Pharmacol*, 99, 387-404. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38467488>

Papke, RL. (2024). The many enigmas of nicotine. *Adv Pharmacol*, 99, 327-354. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38467485>

Muenstermann, C, & Clemens, KJ. (2024). Epigenetic mechanisms of nicotine dependence. *Neurosci Biobehav Rev*, 156, 105505. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38070842>

Natarajan, S, Abass, G, Kim, L, Wells, C, Rezvani, AH, & Levin, ED. (2023). Acute and chronic glutamate NMDA antagonist treatment attenuates dopamine D(1) antagonist-induced reduction of nicotine self-administration in female rats. *Pharmacol Biochem Behav*, 234, 173678. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37979731>

tobaccoinaustralia.org.au

Qiu, X, Han, X, Wang, Y, Ding, W, Sun, Y, Lei, H et al. (2023). Interaction effects between smoking and internet gaming disorder on resting-state functional connectivity of the ventral tegmental area and hippocampus. *Front Neurosci*, 17, 1270014. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37965221>

Chen, YC, Rindner, DJ, Fowler, JP, Lallai, V, Mogul, A, Demuro, A et al. (2023). Extracellular ATP neurotransmission and nicotine sex-specifically modulate habenular neuronal activity in adolescence. *J Neurosci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37821229>

Xi, ZX, He, Y, Shen, H, Bi, GH, Zhang, HY, Soler-Cedeno, O et al. (2023). GPR55 is expressed in glutamate neurons and functionally modulates nicotine taking and seeking in rats and mice. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37886574>

Ayman, J, Palotai, M, Dochnal, R, & Bagosi, Z. (2023). Ghrelin Amplifies the Nicotine-Induced Release of Dopamine in the Bed Nucleus of Stria Terminalis (BNST). *Biomedicines*, 11(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37760897>

Brown, AA, Cofresi, R, & Froeliger, B. (2023). Associations between the Wisconsin Inventory of Smoking Dependence Motives (WISDM-68) and Regional Brain Volumes in Adult Smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37338201>

Carrette, LLG, Kimbrough, A, Davoudian, PA, Kwan, AC, Collazo, A, & George, O. (2023). Hyperconnectivity of Two Separate Long-Range Cholinergic Systems Contributes to the Reorganization of the Brain Functional Connectivity during Nicotine Withdrawal in Male Mice. *eNeuro*, 10(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37295945>

Chen, Y, & Li, CR. (2023). Overnight Abstinence, Ventrostriatal-Insular Connectivity, and Tridimensional Personality Traits in Cigarette Smokers. *J Integr Neurosci*, 22(3), 66. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37258442>

Tan, Q, Li, S, Yu, M, Zhao, J, Chi, X, Han, Y, & Guo, Z. (2023). Relationship between carotid intima-media thickness (cIMT) and dual-system imbalance in tobacco dependence: An rs-fMRI research. *Brain Behav*, e3059. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37309087>

Kolli, AR. (2023). Plasma protein binding and tissue retention kinetics influence the rate and extent of nicotine delivery to the brain. *Toxicol Lett*, 380, 69-74. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37068696>

Chen, H, Zha, R, Lai, X, Liu, Y, Wei, Z, Wang, Mv et al. (2023). Internet gaming disorder and tobacco use disorder share neural connectivity patterns between the subcortical and the motor network. *Hum Brain Mapp*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36807959>

Dampure, J, Agudelo-Orjuela, P, van der Meij, M, Belin, D, & Barber, HA. (2023). Electrophysiological signature of the interplay between habits and inhibition in response to smoking-related cues in individuals with a smoking habit: an Event-Related Potential study. *Eur J Neurosci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36829295>

Gan, H, Bu, J, Zeng, GQ, Gou, H, Liu, M, Cui, G, & Zhang, X. (2023). Correlation between abnormal brain network activity and electroencephalogram microstates on exposure to smoking-related cues. *BJPsych Open*, 9(2), e31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36718768>

Malone, RE. (2023). How editors think about paper submissions, and an announcement. *Tob Control*, 32(1), 1-2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36521868>

Liu, G, Wang, R, Chen, H, Wu, P, Fu, Y, Li, K et al. (2022). Non-nicotine constituents in cigarette smoke extract enhance nicotine addiction through monoamine oxidase A inhibition. *Front Neurosci*, 16, 1058254. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36507317>

Cai, Z, Wang, P, Liu, B, Zou, Y, Wu, S, Tian, J et al. (2021). To explore the mechanism of tobacco addiction using structural and functional MRI: a preliminary study of the role of the cerebellum-striatum circuit. *Brain Imaging Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34606038>

Conner, TS, Zeng, J, Blank, ML, He, V, & Hoek, J. (2021). A Descriptive Analysis of Transitions from Smoking to Electronic Nicotine Delivery System (ENDS) Use: A Daily Diary Investigation. *Int J Environ Res Public Health*, 18(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34200773>

Butler, K, Chenoweth, MJ, El-Boraie, A, Giratallah, H, Kowalczyk, WJ, Heishman, SJ et al (2021). Impact Of Cyp2a6 Activity On Nicotine Reinforcement And Cue-Reactivity In Daily Smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33823003>

Ryu, IS, Kim, J, Yang, JH, Seo, SY, Sohn, S, Kim, S et al (2020). Exposure to Commercial Cigarette Smoke Produces Psychomotor Sensitization Via Hyperstimulation of Glutamate Response in the Dorsal Striatum. *Brain Sci*, 11(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33374316>

Qiu, X, Han, X, Wang, Y, Ding, W, Sun, Y, Zhou, Y et al (2020). Interaction Between Smoking and Internet Gaming Disorder on Spontaneous Brain Activity. *Front Psychiatry*, 11, 586114. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33343420>

Zawertailo, L, Attwells, S, deRuiter, WK, Le, TL, Dawson, D, & Selby, P. (2020). Food Addiction and Tobacco Use Disorder: Common Liability and Shared Mechanisms. *Nutrients*, 12(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33334010>

Wang, C, Wang, S, Shen, Z, Qian, W, Jiaerken, Y, Luo, X et al (2020). Increased thalamic volume and decreased thalamo-precuneus functional connectivity are associated with smoking relapse. *Neuroimage Clin*, 28, 102451. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33022581>

Bari, AA, Sparks, H, Levinson, S, Wilson, B, London, ED, Langevin, JP, & Pouratian, N. (2020). Amygdala Structural Connectivity is associated with impulsive choice and difficulty quitting smoking. *Front Behav Neurosci*, 14, 117. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32714164>

Ashok, AH, Mizuno, Y, & Howes, OD. (2019). Tobacco smoking and dopaminergic function in humans: a meta-analysis of molecular imaging studies. *Psychopharmacology (Berl)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30887059>

Yuan, K, Zhao, M, Yu, D, Manza, P, Volkow, ND, Wang, GJ, & Tian, J. (2019). Correction: Striato-cortical tracts predict 12-h abstinence-induced lapse in smokers. *Neuropsychopharmacology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30858533>

Sharp, BM, Chen, H. Neurogenetic Determinants and Mechanisms of Addiction to Nicotine and Smoked Tobacco. *Eur J Neurosci*. Sept 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30256469>

Ng HW, Leggett C, Sakkiah S, Pan B, Ye H, et al. Competitive docking model for prediction of the human nicotinic acetylcholine receptor alpha7 binding of tobacco constituents. *Oncotarget*, 2018; 9(24):16899-916. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29682193>

McKim W and Hancock S, *Drugs and behaviour: An introduction to behavioural pharmacology*. 7 ed New York: Pearson; 2013.

Tapper A, CKinney S, Nashmi R, Schwarz J, Deshpande P, et al. Nicotine activation of alpha4* receptors: Sufficient reward, tolerance, and sensitization. *Science*, 2005; (306):1029–32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15528443>

Zevin S, Gourlay SG, and Benowitz NL. Clinical pharmacology of nicotine. *Clin Dermatol*, 1998; 16(5):557–64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/9787965>

Picciotto M, Zoli M, Rimondini R, Lean C, Marubio L, et al. Acetylcholine receptors containing the beta2 subunit are involved in the reinforcing properties of nicotine. *Nature*, 1998; 391:173–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/9428762>

News reports: