

Tobacco in Australia

Facts & Issues

Relevant news and research

6.6 Cognitive effects

Last updated October 2020

Research:

Lim, SL, Martin, LE, & Catley, D. (2020). Trial-by-Trial Fluctuations in Brain Responses to Stress Predict Subsequent Smoking Decisions That Occur Several Seconds Later. *Biol Psychiatry Cogn Neurosci Neuroimaging*. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32828721>

Ahrens, S, & Thiel, CM. (2020). Effects of Nicotine on Task Switching and Distraction in Non-smokers. An fMRI Study. *Neuroscience*. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32717295>

Wei, XY, Chen, HD, Li, X W, Li, XY, & Li, WJ. (2020). Temporal Dynamics of Smoking-Related Approach Biases: A Comparison Between Male Smokers and Nonsmokers. *J Stud Alcohol Drugs*, 81(2), 190-194. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32359048>

Huang, H, Zhang, Y, Cheng, J, Wang, W, & Wen, M. (2020). Evaluating the Changes of White Matter Microstructures in Tobacco Addicts Based on Diffusion Tensor Imaging. *Med Sci Monit*, 26, e919105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31899914>

Lin, F, Han, X, Wang, Y, Ding, W, Sun, Y, Zhou, Y, & Lei, H. (2020). Sex-specific effects of cigarette smoking on caudate and amygdala volume and resting-state functional connectivity. *Brain Imaging and Behavior*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31898088>

Chawla, M, & Garrison, KA. (2018). Neurobiological Considerations for Tobacco Use Disorder. *Curr Behav Neurosci Rep*, 5(4), 238-248. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31106112>

Della Libera, C, Zandonai, T, Zamboni, L, Santandrea, E, Sandri, M, Lugoboni, F et al. (2019). Revealing Dissociable Attention Biases in Chronic Smokers Through an Individual-Differences Approach. *Sci Rep*, 9(1), 4930. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30894577>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Meyhofer, I, Kasparbauer, AM, Steffens, M, & Ettinger, U. (2019). Effects of nicotine on smooth pursuit eye movements in healthy non-smokers. *Psychopharmacology (Berl)*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30874860>

Duehlmeyer, L, & Hester, R. Impaired learning from punishment of errors in smokers: Differences in dorsolateral prefrontal cortex and sensorimotor cortex blood-oxygen-level dependent responses. *Neuroimage Clin*, 23, 101819. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31009885>

Wang, S, Zhang, R, Deng, Y, Chen, K, Xiao, D, Peng, P, & Jiang, T. Discrimination of smoking status by MRI based on deep learning method. *Quant Imaging Med Surg*, 2018. 8(11), 1113-1120. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30701165>

Cheng, W, Rolls, ET, Robbins, TW, Gong, W, Liu, Z, Lv, W, et al. Decreased brain connectivity in smoking contrasts with increased connectivity in drinking. *Elife*, 2019.8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30616717>

Shen, Z, Huang, P, Wang, C, Qian, W, Luo, X, Gu, Q et al. Interactions between monoamine oxidase A rs1137070 and smoking on brain structure and function in male smokers. *Eur J Neurosci*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30456877>

Hahn, B, Wells, AK, Lenartowicz, A, Yuille, MB. Nicotine effects on associative learning in human non-smokers. *Neuropsychopharmacology*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30131565>

Yuan, K, Zhao, M, Yu, D, Manza, P, Volkow, ND, Wang, GJ, Tian, J. Striato-cortical tracts predict 12-h abstinence-induced lapse in smokers. *Neuropsychopharmacology*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30131564>

Zhao S, Li Y, Li M, Wang R, Bi Y, et al. 12-h abstinence-induced functional connectivity density changes and craving in young smokers: A resting-state study. *Brain Imaging Behav*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29926324>

Peng P, Li M, Liu H, Tian YR, Chu SL, et al. Brain structure alterations in respect to Tobacco consumption and nicotine dependence: A comparative voxel-based morphometry study. *Front Neuroanat*, 2018; 12:43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29881337>

Tobacco in Australia

Facts & Issues

Domino EF and Hirasawa-Fujita M. Tobacco smoking and brain endogenous opioid release: More than nicotine alone. *Nicotine Tob Res*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29514324>

Chaarani B, Spechler PA, Ivanciu A, Snowe M, Nickerson JP, et al. Multimodal neuroimaging differences in nicotine abstinent vs. Satiated smokers. *Nicotine Tob Res*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29660044>

Zlomuzica A, Machulska A, Roberts S, von Glischinski M, Rinck M, et al. The dopamine d2 receptor mediates approach-avoidance tendencies in smokers. *Eur Arch Psychiatry Clin Neurosci*, 2017.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28364268>

Zhou S, Xiao D, Peng P, Wang SK, Liu Z, et al. Effect of smoking on resting-state functional connectivity in smokers: An fmri study. *Respirology*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28374936>

Yuan K, Yu D, Bi Y, Wang R, Li M, et al. The left dorsolateral prefrontal cortex and caudate pathway: New evidence for cue-induced craving of smokers. *Hum Brain Mapp*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28653791>

Yu D, Yuan K, Bi Y, Luo L, Zhai J, et al. Altered interhemispheric resting-state functional connectivity in young male smokers. *Addict Biol*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28474806>

Wilcox CE, Claus ED, Calhoun VD, Rachakonda S, Littlewood RA, et al. Default mode network deactivation to smoking cue relative to food cue predicts treatment outcome in nicotine use disorder. *Addict Biol*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28231626>

Wiers CE, Cabrera EA, Tomasi D, Wong CT, Demiral SB, et al. Striatal dopamine d2/d3 receptor availability varies across smoking status. *Neuropsychopharmacology*, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28643800>

Wang C, Shen Z, Huang P, Yu H, Qian W, et al. Altered spontaneous brain activity in chronic smokers revealed by fractional ramplitude of low-frequency fluctuation analysis: A preliminary study. *Sci Rep*, 2017; 7(1):328. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28336919>

Wang C, Bai J, von Deneen KM, Yuan K, and Cheng J. Altered thalamo-cortical resting state functional connectivity in smokers. *Neurosci Lett*, 2017; 653:120-5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28536051>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Wall MB, Mentink A, Lyons G, Kowalczyk OS, Demetriou L, et al. Investigating the neural correlates of smoking: Feasibility and results of combining electronic cigarettes with fmri. *Sci Rep*, 2017; 7(1):11352. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28900267>

Schulte MHJ, Kaag AM, Wiers RW, Schmaal L, van den Brink W, et al. Prefrontal glx and gaba concentrations and impulsivity in cigarette smokers and smoking polysubstance users. *Drug Alcohol Depend*, 2017; 179:117-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28763779>

Perkins KA, Kunkle N, and Karelitz JL. Preliminary test of cigarette nicotine discrimination threshold in non-dependent versus dependent smokers. *Drug Alcohol Depend*, 2017; 175:36-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28380366>

Mo S, Zhang X, Chen H, and Tang J. [visual evoked functional connectivity before and after smoking cessation based on functional magnetic resonance imaging]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban*, 2017; 42(1):49-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28216497>

Li X, Du L, Sahlem GL, Badran BW, Henderson S, et al. Repetitive transcranial magnetic stimulation (rtms) of the dorsolateral prefrontal cortex reduces resting-state insula activity and modulates functional connectivity of the orbitofrontal cortex in cigarette smokers. *Drug Alcohol Depend*, 2017; 174:98-105. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28319755>

Grundey J, Amu R, Batsikadze G, Paulus W, and Nitsche MA. Diverging effects of nicotine on motor learning performance: Improvement in deprived smokers and attenuation in non-smokers. *Addict Behav*, 2017; 74:90-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28600927>

Bruijnzeel AW. Reward processing and smoking. *Nicotine Tob Res*, 2017; 19(6):661-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486714>

Batsikadze G, Paulus W, Hasan A, Grundey J, Kuo MF, et al. Compromised neuroplasticity in cigarette smokers under nicotine withdrawal is restituted by the nicotinic alpha4beta2-receptor partial agonist varenicline. *Sci Rep*, 2017; 7(1):1387. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28469204>

Baker TE, Lesperance P, Tucholka A, Potvin S, Larcher K, et al. Reversing the atypical valuation of drug and nondrug rewards in smokers using multimodal neuroimaging. *Biol Psychiatry*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28314439>

Adams S. Psychopharmacology of Tobacco and alcohol comorbidity: A review of current evidence. *Curr Addict Rep*, 2017; 4(1):25-34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28357192>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Abdolahi A, Williams GC, Benesch CG, Wang HZ, Spitzer EM, et al. Immediate and sustained decrease in smoking urges after acute insular cortex damage. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28199722>

Thiruchselvam T, Malik S, and Le Foll B. A review of positron emission tomography studies exploring the dopaminergic system in substance use with a focus on tobacco as a co-variate. *Am J Drug Alcohol Abuse*, 2016:1-18. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27901585>

Shen Z, Huang P, Qian W, Wang C, Yu H, et al. Severity of dependence modulates smokers' functional connectivity in the reward circuit: A preliminary study. *Psychopharmacology (Berl)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26955839>

Nuechterlein EB, Ni L, Domino EF, and Zubieta JK. Nicotine-specific and non-specific effects of cigarette smoking on endogenous opioid mechanisms. *Prog Neuropsychopharmacol Biol Psychiatry*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27095017>

Nestor LJ, McCabe E, Jones J, Clancy L, and Garavan H. Smokers and ex-smokers have shared differences in the neural substrates for potential monetary gains and losses. *Addict Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27943592>

Hall BJ, Cauley M, Burke DA, Kiany A, Slotkin TA, et al. Cognitive and behavioral impairments evoked by low level exposure to Tobacco smoke components: Comparison with nicotine alone. *Toxicol Sci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26919958>

Campos MW, Serebrisky D, and Castaldelli-Maia JM. Smoking and cognition. *Curr Drug Abuse Rev*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27492358>

Akkermans SE, Luijten M, van Rooij D, Franken IH, and Buitelaar JK. Putamen functional connectivity during inhibitory control in smokers and non-smokers. *Addict Biol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27917562>

Rademacher L, Prinz S, Winz O, Henkel K, Dietrich CA, et al. Effects of smoking cessation on presynaptic dopamine function of addicted male smokers. *Biol Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26803340>

Potvin S. Neuroimaging of cigarette cravings: Individual differences matter: Commentary. *Addiction*, 2015; 110(2):204-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25602039>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Perkins KA and Karelitz JL. Sex differences in acute relief of abstinence-induced withdrawal and negative affect due to nicotine content in cigarettes. *Nicotine Tob Res*, 2015; 17(4):443-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25762754>

Morphett K, Carter A, Hall W, and Gartner C. A qualitative study of smokers' views on brain-based explanations of tobacco dependence. *Int J Drug Policy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26821556>

McClernon FJ, Froeliger B, Rose JE, Kozink RV, Addicott MA, et al. The effects of nicotine and non-nicotine smoking factors on working memory and associated brain function. *Addict Biol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25904425>

Janes AC, Farmer S, Peechatka A, Frederick BB, and Lukas SE. Insula-dorsal anterior cingulate cortex coupling is associated with enhanced brain reactivity to smoking cues. *Neuropsychopharmacology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25567427>

Gu X, Lohrenz T, Salas R, Baldwin PR, Soltani A, et al. Belief about nicotine selectively modulates value and reward prediction error signals in smokers. *Proc Natl Acad Sci U S A*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25605923>

Cui Y, Robinson JD, Engelmann JM, Lam CY, Minnix JA, et al. Reinforcement sensitivity underlying treatment-seeking smokers' affect, smoking reinforcement motives, and affective responses. *Psychol Addict Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25621416>

Wong JA and Leventhal AM. Smoking-related correlates of psychomotor restlessness and agitation in a community sample of daily cigarette smokers. *Am J Addict*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25418349>

Logemann HN, Bocker KB, Deschamps PK, Kemner C, and Kenemans JL. Differences between nicotine-abstinent smokers and non-smokers in terms of visuospatial attention and inhibition before and after single-blind nicotine administration. *Neuroscience*, 2014; 277:375-82. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25050819>

Liu J, Claus ED, Calhoun VD, and Hutchison KE. Brain regions affected by impaired control modulate responses to alcohol and smoking cues. *J Stud Alcohol Drugs*, 2014; 75(5):808-16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25208199>

Janes AC, Park MT, Farmer S, and Chakravarty MM. Striatal morphology is associated with Tobacco cigarette craving. *Neuropsychopharmacology*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25056595>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Janes AC, Farmer S, Frederick B, Nickerson LD, and Lukas SE. An increase in tobacco craving is associated with enhanced medial prefrontal cortex network coupling. *PLoS One*, 2014; 9(2):e88228. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24505440>

Gass JC, Motschman CA, and Tiffany ST. The relationship between craving and Tobacco use behavior in laboratory studies: A meta-analysis. *Psychol Addict Behav*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25134054>

Dinh-Williams L, Mendrek A, Bourque J, and Potvin S. Where there's smoke, there's fire: The brain reactivity of chronic smokers when exposed to the negative value of smoking. *Prog Neuropsychopharmacol Biol Psychiatry*, 2014; 50:66-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24361634>

Cosgrove K, McKay R, Esterlis I, Kloczynski T, Perkins E, et al. Tobacco smoking interferes with gabaa receptor neuroadaptations during prolonged alcohol withdrawal. *Proceedings of the National Academy of Sciences of the United States of America*, 2014; 111(50):18031–6 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25453062>

Clewett D, Luo S, Hsu E, Ainslie G, Mather M, et al. Increased functional coupling between the left fronto-parietal network and anterior insula predicts steeper delay discounting in smokers. *Hum Brain Mapp*, 2014; 35(8):3774-87. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24523255>

Arnold MM, Loughlin SE, Belluzzi JD, and Leslie FM. Reinforcing and neural activating effects of norharmane, a non-nicotine tobacco constituent, alone and in combination with nicotine. *Neuropharmacology*, 2014; 85:293-304. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24907588>

Addicott MA, Pearson JM, Froeliger B, Platt ML, and Joseph McClernon F. Smoking automaticity and tolerance moderate brain activation during explore-exploit behavior. *Psychiatry Res*, 2014; 224(3):254-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25453166>

Perkins K and Karelitz J. Influence of reinforcer magnitude and nicotine amount on smoking's acute reinforcement enhancing effects. *Drug and Alcohol Dependence*, 2013; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23768842>

Luijten M, O'Connor D, Rossiter S, Franken I, and Hester R. Effects of reward and punishment on brain activations associated with inhibitory control in cigarette smokers. *Addiction*, 2013; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23773427>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Janes AC, Ross RS, Farmer S, Frederick BB, Nickerson LD, et al. Memory retrieval of smoking-related images induce greater insula activation as revealed by an fmri-based delayed matching to sample task. *Addict Biol*, 2013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24261848>

Echeverria Moran V. Brain effects of nicotine and derived compounds. *Frontiers in Pharmacology*, 2013; 4:60. Available from:

<http://www.frontiersin.org/Neuropharmacology/10.3389/fphar.2013.00060/full>

<http://www.ncbi.nlm.nih.gov/pubmed/23717281>

Dani J and De Biasi M. Mesolimbic dopamine and habenulo-interpeduncular pathways in nicotine withdrawal. *Cold Spring Harbor Perspectives in Medicine*, 2013; 3(6). Available from:

<http://perspectivesinmedicine.cshlp.org/content/3/6/a012138.long>

<http://www.ncbi.nlm.nih.gov/pubmed/23732854>

Vollstadt-Klein S, Kobiella A, Buhler M, Graf C, Fehr C, et al. Severity of dependence modulates smokers' neuronal cue reactivity and cigarette craving elicited by tobacco advertisement. *Addiction Biology*, 2011; 16(1):166-75. Available from:

<http://www3.interscience.wiley.com/user/accessdenied?ID=123317484&Act=2138&Code=4719&Page=/cgi-bin/fulltext/123317484/HTMLSTART>

Luijten M, Veltman D, den Brink W, Hester R, Field M, et al. Neurobiological substrate of smoking-related attentional bias. *NeuroImage*, 2011; 54(4):2374-81. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20932921

Zhang X, Salmeron B, Ross T, Gu H, Geng X, et al. Anatomical differences and network characteristics underlying smoking cue reactivity. *NeuroImage*, 2010; 54(1):131-41. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20688176

Toledano A, Alvarez M, and Toledano-Diaz A. Diversity and variability of the effects of nicotine on different cortical regions of the brain: Therapeutic and toxicological implications. *Central Nervous System Agents in Medicinal Chemistry*, 2010; 10(3):180-206. Available from:

http://www.benthamdirect.org/pages/b_viewarticle.php?3161570

Sweet L, Mulligan R, Finnerty C, Jerskey B, David S, et al. Effects of nicotine withdrawal on verbal working memory and associated brain response. *Psychiatry Research*, 2010; 183(1):69-7. Available from:

<http://www.psyn-journal.com/article/PIIS0925492710001502/fulltext>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Seipel A and Yakel J. The frequency-dependence of the nicotine-induced inhibition of dopamine is controlled by the alpha7 nicotinic receptor. *Journal of Neurochemistry*, 2010; 114(6):1659-66. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2010.06883.x/full>

Sayette MA, Schooler JW, and Reichle ED. Out for a smoke: The impact of cigarette craving on zoning out during reading. *Psychological Science*, 2010; 21(1):26–30. Available from: <http://pss.sagepub.com/content/early/2009/11/11/0956797609354059.full>

Sartor C, Lessov-Schlaggar C, Scherrer J, Bucholz K, Madden P, et al. Initial response to cigarettes predicts rate of progression to regular smoking: Findings from an offspring-of-twins design. *Addictive Behaviors*, 2010; 35(8):771-8. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20385446

Rowland L, Beason-Held L, Tamminga C, and Holcomb H. The interactive effects of ketamine and nicotine on human cerebral blood flow. *Psychopharmacology*, 2010; [Epub ahead of print]. Available from: <https://commerce.metapress.com/content/k31615225389g060/resource-secured/?target=fulltext.html&sid=nxer2b5531nw3j55tknxbcx&sh=www.springerlink.com>

Rose JE, Mukhin AG, Lokitz SJ, Turkington TG, Herskovic J, et al. Kinetics of brain nicotine accumulation in dependent and nondependent smokers assessed with pet and cigarettes containing 11c-nicotine. *Proceedings of the National Academy of Sciences*, 2010; 107(11):5190-5. Available from: <http://www.pnas.org/content/early/2010/02/22/0909184107.full.pdf+html>

Rose J, Salley A, Behm F, Bates J, and Westman E. Reinforcing effects of nicotine and non-nicotine components of cigarette smoke. *Psychopharmacology*, 2010; 210(1):1-12. Available from: <https://commerce.metapress.com/content/f334871wp60t2226/resource-secured/?target=fulltext.pdf&sid=cxhuz155vyct1m55zyyaxz45&sh=www.springerlink.com>

Rose E, Ross T, Kurup P, and Stein E. Nicotine modulation of information processing is not limited to input (attention) but extends to output (intention). *Psychopharmacology*, 2010; 209(4):291-302. Available from: <https://commerce.metapress.com/content/y2w556050j65157v/resource-secured/?target=fulltext.pdf&sid=l2ro41f42zla4cynsxo4sw45&sh=www.springerlink.com>

Patterson F, Jepson C, Loughead J, Perkins K, Strasser AA, et al. Working memory deficits predict short-term smoking resumption following brief abstinence. *Drug and Alcohol Dependence*, 2010; 106(1):61-4. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T63-4X5BNYR-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=964ef03f19249a12df4d614cfe1c9c9f

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Mascia P, Pistis M, Justinova Z, Panlilio L, Luchicchi A, et al. Blockade of nicotine reward and reinstatement by activation of alpha-type peroxisome proliferator-activated receptors. *Biological Psychiatry*, 2010; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20801430

Mao D and McGehee D. Nicotine and behavioral sensitization. *Journal of Molecular Neuroscience* : MN, 2010; 40(1-2):154-63. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19669944

Lingford-Hughes A, Watson B, Kalk N, and Reid A. Neuropharmacology of addiction and how it informs treatment. *British Medical Bulletin*, 2010; 96:93–110. Available from: <http://bmb.oxfordjournals.org/content/96/1/93.long>

Kozink R, Lutz A, Rose J, Froeliger B, and McClernon F. Smoking withdrawal shifts the spatiotemporal dynamics of neurocognition. *Addiction Biology*, 2010; 15(4):480–90. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2996612/?tool=pubmed>

Kozink R, Kollins S, and McClernon F. Smoking withdrawal modulates right inferior frontal cortex but not presupplementary motor area activation during inhibitory control. *Neuropsychopharmacology*, 2010; 35(13):2600-6. Available from: <http://www.nature.com/npp/journal/vaop/ncurrent/full/npp2010154a.html>

Kober H, Mende-Siedlecki P, Kross E, Weber J, Mischel W, et al. Prefrontal-striatal pathway underlies cognitive regulation of craving. *Proceedings of the National Academy of Sciences of the United States of America*, 2010; 107(33):14811-6. Available from: <http://www.pnas.org/content/early/2010/07/28/1007779107.long>

Jarraya B, Brugieres P, Tani N, Hodel J, Grandjacques B, et al. Disruption of cigarette smoking addiction after posterior cingulate damage. *Journal of Neurosurgery*, 2010; 113(6):1219-21. Available from: http://thejns.org/doi/abs/10.3171/2010.6.JNS10346?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dncbi.nlm.nih.gov

Holmes A, Chenery H, and Copland D. Nicotine does not enhance basic semantic priming. *Psychopharmacology*, 2010; 211(3):259-65. Available from: <https://springerlink.metapress.com/content/m501552110v27p55/resource-secured/?target=fulltext.pdf&sid=zcn2145suwaranhlbsplbyy&sh=www.springerlink.com>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Hogarth L, Dickinson A, and Duka T. The associative basis of cue-elicited drug taking in humans. *Psychopharmacology*, 2010; 208(3):337–51. Available from:
<https://commerce.metapress.com/content/tu338q313m153106/resource-secured/?target=fulltext.html&sid=55ysuqjow100nk55lkyfz2bp&sh=www.springerlink.com>

Heishman SJ, Kleykamp BA, and Singleton EG. Meta-analysis of the acute effects of nicotine and smoking on human performance. *Psychopharmacology (Berl)*, 2010; 210(4):453–69. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/20414766>

Hadjiconstantinou M and Neff N. Nicotine and endogenous opioids: Neurochemical and pharmacological evidence. *Neuropharmacology*, 2010; [Epub ahead of print]. Available from:
<http://www.ncbi.nlm.nih.gov/PubMed/21108953>

Evatt DP and Kassel JD. Smoking, arousal, and affect: The role of anxiety sensitivity. *Journal of Anxiety Disorders*, 2010; 24(1):114-23. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VDK-4X8J687-4&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=bf028cbbd0132b011493008b8d18855a

Esterlis I, Mitsis E, Batis J, Bois F, Picciotto M, et al. Brain beta2*-nicotinic acetylcholine receptor occupancy after use of a nicotine inhaler. *The International Journal of Neuropsychopharmacology*, 2010;1–10. Available from:
<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=7919130>

Esterlis I, Cosgrove K, Petrakis I, McKee S, Bois F, et al. Spect imaging of nicotinic acetylcholine receptors in nonsmoking heavy alcohol drinking individuals. *Drug and Alcohol Dependence*, 2010; 108(1-2):146-50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20074869

Dong Y, Zhang T, Li W, Doyon W, and Dani J. Route of nicotine administration influences in vivo dopamine neuron activity: Habituation, needle injection, and cannula infusion. *Journal of Molecular Neuroscience*, 2010; 40(1-2):164-71. Available from:
<https://commerce.metapress.com/content/766367442654r3g4/resource-secured/?target=fulltext.html&sid=iy1mgm55ltusdq55w3udupbo&sh=www.springerlink.com>

Dar R, Rosen-Korakin N, Shapira O, Gottlieb Y, and Frenk H. The craving to smoke in flight attendants: Relations with smoking deprivation, anticipation of smoking, and actual smoking. *Journal of Abnormal Psychology*, 2010; 119(1):248–53. Available from:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20141262

Bowling A and Donnelly J. Effect of nicotine on saccadic eye movement latencies in non-smokers. *Human Psychopharmacology*, 2010; 25(5):410–8. Available from: <http://www3.interscience.wiley.com/journal/123567871/abstract>

Berridge M, Apana S, Nagano K, Berridge C, Leisure G, et al. Smoking produces rapid rise of [(11)c]nicotine in human brain. *Psychopharmacology*, 2010; 209(4):383-94. Available from: <https://commerce.metapress.com/content/l857t0223q12u3u3/resource-secured/?target=fulltext.pdf&sid=we5fforbku1h12a1z4inqh45&sh=www.springerlink.com>

Berrendero F, Robledo P, Trigo J, Martin-Garcia E, and Maldonado R. Neurobiological mechanisms involved in nicotine dependence and reward: Participation of the endogenous opioid system. *Neuroscience and Biobehavioral Reviews*, 2010; 35(2):220-31. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20170672

Yalachkov Y, Kaiser J, and Naumer M. Brain regions related to tool use and action knowledge reflect nicotine dependence. *Journal of Neuroscience*, 2009; 29(15):4922–9. Available from: <http://www.jneurosci.org/cgi/content/full/29/15/4922>

Wang J, Durazzo T, Gazdzinski S, Yeh P, Mon A, et al. MRSI and DTI: A multimodal approach for improved detection of white matter abnormalities in alcohol and nicotine dependence. *NMR in Biomedicine*, 2009; 22(5):516-22. Available from: <http://www3.interscience.wiley.com/journal/121643568/abstract>

Tang J and Dani J. Dopamine enables in vivo synaptic plasticity associated with the addictive drug nicotine. *Neuron*, 2009; 63(5):673–82. Available from: <http://download.cell.com/neuron/pdf/PIIS0896627309005807.pdf>

Sorge R and Clarke P. Rats self-administer intravenous nicotine delivered in a novel smoking-relevant procedure: Effects of dopamine antagonists. *Journal of Pharmacology And Experimental Therapeutics*, 2009; 330(2):633-40. Available from: <http://jpet.aspetjournals.org/cgi/reprint/jpet.109.154641v1>

Sofuoglu M and Mooney M. Subjective responses to intravenous nicotine: Greater sensitivity in women than in men. *Experimental and Clinical Psychopharmacology*, 2009; 17(2):63–9. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2009-04252-004>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Shiffman S and Kirchner T. Cigarette-by-cigarette satisfaction during ad libitum smoking. *Journal of Abnormal Psychology*, 2009; 118(2):348–59. Available from:

<http://psycnet.apa.org/index.cfm?fa=search.displayRecord&uid=2009-06385-009>

Placzek AN, Zhang TA, and Dani JA. Nicotinic mechanisms influencing synaptic plasticity in the hippocampus. *Acta Pharmacologica Sinica*, 2009; 30:752-60. Available from:

<http://www.nature.com/aps/journal/vaop/ncurrent/abs/aps200939a.html>

Phillips A, Der G, Hunt K, and Carroll D. Haemodynamic reactions to acute psychological stress and smoking status in a large community sample. *International Journal of Psychophysiology*, 2009; 73(3):273-8. Available from: www.ncbi.nlm.nih.gov/pubmed/19397938

Perkins K. Does smoking cue-induced craving tell us anything important about nicotine dependence? *Addiction*, 2009; [Epub ahead of print]. Available from:

<http://www3.interscience.wiley.com/user/accessdenied?ID=122370267&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122370267/HTMLSTART>

Penton R and Lester R. Cellular events in nicotine addiction. *Seminars in Cell & Developmental Biology*, 2009; 20(4):418–31. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19560047

Paterson N. The neuropharmacological substrates of nicotine reward: Reinforcing versus reinforcement-enhancing effects of nicotine. *Behavioural Pharmacology*, 2009; 20(3):211–25. Available from:

<http://journals.lww.com/behaviouralpharm/pages/articleviewer.aspx?year=2009&issue=05000&article=00001&type=abstract>

Ortells M and Barrantes G. Tobacco addiction: A biochemical model of nicotine dependence. *Medical Hypotheses*, 2009; 74(5):884-94. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19962246

McClernon FJ. Neuroimaging of nicotine dependence: Key findings and application to the study of smoking-mental illness comorbidity. *Journal of Dual Diagnosis*, 2009; 5(2):168–78. Available from:

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2743422/?tool=pubmed>

Maldonado R and Berrendero F. Endogenous cannabinoid and opioid systems and their role in nicotine addiction. *Current Drug Targets*, 2009; 11(4):440-9. Available from:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20017727

Knott V, Shah D, Fisher D, Millar A, Prise S, et al. Nicotine and attention: Event-related potential investigations in nonsmokers. *Clinical EEG and Neuroscience*, 2009; 40(1):11–20. Available from: <http://www.highbeam.com/doc/1P3-1651383191.html>

King A, McNamara P, Angstadt M, and Phan K. Neural substrates of alcohol-induced smoking urge in heavy drinking nondaily smokers. *Neuropsychopharmacology*, 2009; 35(3):692–701. Available from: <http://www.nature.com/npp/journal/vaop/ncurrent/full/npp2009177a.html>

Jackson K, McIntosh J, Brunzell D, Sanjakdar S, and Damaj M. The role of $\alpha 6$ -containing nicotinic acetylcholine receptors in nicotine reward and withdrawal. *The Journal of Pharmacology and Experimental Therapeutics*, 2009; 331(2):547–54. Available from: <http://jpet.aspetjournals.org/cgi/reprint/jpet.109.155457v1>

Hong L, Gu H, Yang Y, Ross T, Salmeron B, et al. Association of nicotine addiction and nicotine's actions with separate cingulate cortex functional circuits. *Archives of General Psychiatry*, 2009; 66(4):431–41. Available from: http://archpsyc.ama-assn.org/cgi/search?fulltext=Association+of+nichotine+addiction+and+nichotine%27s+actions+with+separate+cingulate+cortex+functional+circuits&quicksearch_submit.x=11&quicksearch_submit.y=4

Harrison E, Coppola S, and McKee S. Nicotine deprivation and trait impulsivity affect smokers' performance on cognitive tasks of inhibition and attention. *Experimental and Clinical Psychopharmacology*, 2009; 17(2):91–8. Available from: <http://psycnet.apa.org/index.cfm?fa=main.doiLanding&uid=2009-04252-007>

Govind A, Vezina P, and Green W. Nicotine-induced upregulation of nicotinic receptors: Underlying mechanisms and relevance to nicotine addiction. *Biochemical Pharmacology*, 2009; 78(7):756–65. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19540212

Gilbert D, Zuo Y, Rabinovich N, Riise H, Needham R, et al. Neurotransmission-related genetic polymorphisms, negative affectivity traits, and gender predict tobacco abstinence symptoms across 44 days with and without nicotine patch. *Journal of Abnormal Psychology*, 2009; 118(2):322–4. Available from: <http://psycnet.apa.org/index.cfm?fa=search.displayRecord&uid=2009-06385-007>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Gehricke JG, Potkin SG, Leslie FM, Loughlin SE, Whalen CK, et al. Nicotine-induced brain metabolism associated with anger provocation Behavioral and Brain Functions, 2009; 5(1):19. Available from: <http://www.behavioralandbrainfunctions.com/content/pdf/1744-9081-5-19.pdf>

Foll B, Gallo A, Le Strat Y, Lu L, and Gorwood P. Genetics of dopamine receptors and drug addiction: A comprehensive review. Behavioural Pharmacology, 2009; 20(1):1–17. Available from: <http://www.behaviouralpharm.com/pt/re/bpharm/abstract.00008877-200902000-00001.htm;jsessionid=JLCbL1d2pLL1Nh0Wynnn06kVVhvz1f0s54qyyn8LcysLLRTWy0BF!-269263472!181195628!8091!-1>

Flatscher-Bader T and Wilce P. The effect of alcohol and nicotine abuse on gene expression in the brain. Nutrition Research Reviews, 2009; 22(2):148-62. Available from: <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=6845656#>

Dome P, Lazary J, Kalapos MP, and Rihmer Z. Smoking, nicotine and neuropsychiatric disorders. Neuroscience and Biobehavioral Reviews, 2009; 34(3):295-342. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0J-4WY6JXT-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=443db33d1c4b01010013d3c828f50e35

Cosgrove K, Batis J, Bois F, Maciejewski P, Esterlis I, et al. Beta2-nicotinic acetylcholine receptor availability during acute and prolonged abstinence from tobacco smoking. Archives of General Psychiatry, 2009; 66(6):666–76. Available from: <http://archpsyc.ama-assn.org/cgi/content/full/66/6/666>

Carlson J, Gilbert D, Riise H, Rabinovich N, Sugai C, et al. Serotonin transporter genotype and depressive symptoms moderate effects of nicotine on spatial working memory. Experimental and Clinical Psychopharmacology, 2009; 17(3):173–80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19586232

Brody A, Mandelkern M, Costello M, Abrams A, Scheibal D, et al. Brain nicotinic acetylcholine receptor occupancy: Effect of smoking a denicotinized cigarette. The International Journal of Neuropsychopharmacology, 2009; 12:305-16. Available from: <http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=2137596>

Brennan K, Lea R, Fitzmaurice P, and Truman P. Nicotinic receptors and stages of nicotine dependence. Journal of Psychopharmacology, 2009; 24(6):793-808. Available from: <http://jop.sagepub.com/cgi/rapidpdf/0269881108100256v1>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Barik J and Wonnacott S. Molecular and cellular mechanisms of action of nicotine in the CNS. Handbook of Experimental Pharmacology, 2009; (192):173–207. Available from: <http://www.springerlink.com/content/n67x746168302675/>

Balfour DJ. The neuronal pathways mediating the behavioral and addictive properties of nicotine. Handbook of Experimental Pharmacology, 2009; 192:209–33. Available from: <http://www.springerlink.com/content/p83g3t442151691h/>

Attwood A, Penton-Voak I, and Munafo M. Effects of acute nicotine administration on ratings of attractiveness of facial cues. Nicotine and Tobacco Research, 2009; 11(1):44–8. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/1/44>

Xue Y and Domino E. Tobacco/nicotine and endogenous brain opioids. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008; 32(5):1131–8. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6TBR-4RDPYS6-2&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=4d2f1159b346dd53519820005e2a7d3c

Tan H, Bishop S, Lauzon N, Sun N, and Laviolette S. Chronic nicotine exposure switches the functional role of mesolimbic dopamine transmission in the processing of nicotine's rewarding and aversive effects. Neuropharmacology, 2008; 56(4):741–51. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0C-4V7629W-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=29d71a77042041778881bc8ff13be56c

Sofuoglu M, Yoo S, Hill KP, and Mooney M. Reply to Fulton and Barrett. Neuropsychopharmacology, 2008; 33:2044. Available from: <http://www.nature.com/npp/journal/v33/n8/abs/1301546a.html>

Sherva R, Wilhelmsen K, Pomerleau CS, Chasse SA, Rice JP, et al. Association of a single nucleotide polymorphism in neuronal acetylcholine receptor subunit alpha 5 (chrna5) with smoking status and with 'pleasurable buzz' during early experimentation with smoking. Addiction, 2008; 103(9):1544–52. Available from: <http://www3.interscience.wiley.com/cgi-bin/fulltext/121372213/PDFSTART>

Merritt LL, Martin B, Walters C, Lichtman A, and Imad Damaj M. The endogenous cannabinoid system modulates nicotine reward and dependence. Journal of Pharmacology And Experimental Therapeutics, 2008; 326(2):483–92. Available from: <http://jpet.aspetjournals.org/cgi/content/full/326/2/483>

Markou A. Review. Neurobiology of nicotine dependence. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences., 2008; 363(1507):3159–68. Available from:

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

<https://commerce.metapress.com/content/t037063847wm0768/resource-secured/?target=fulltext.html&sid=znb2ambfdl2rrvzchje1dp25&sh=journals.royalsociety.org>

Huang Y, Kandel E, and Levine A. Chronic nicotine exposure induces a long-lasting and pathway-specific facilitation of ltp in the amygdala. *Learning & Memory*, 2008; 6(15(8)):603–10. Available from: <http://learnmem.cshlp.org/cgi/content/full/15/8/603>

Evans DE and Drobles DJ. Nicotine self-medication of cognitive-attentional processing. *Addiction Biology*, 2008; 14(1):32-42. Available from: <http://www3.interscience.wiley.com/journal/121449078/abstract>

Dwoskin LP, Wooters TE, Sumithran SP, Siripurapu KB, Joyce BM, et al. N,n'-alkane-diyl-bis-3-picoliniums as nicotinic receptor antagonists: Inhibition of nicotine-evoked dopamine release and hyperactivity. *The Journal of Pharmacology and Experimental Therapeutics*, 2008; 326(2):563–76. Available from: <http://jpet.aspetjournals.org/cgi/content/full/326/2/563>

De Biasi M and Salas R. Influence of neuronal nicotinic receptors over nicotine addiction and withdrawal. *Experimental Biology and Medicine*, 2008; 233(8):917-29. Available from: <http://www.ebmonline.org/cgi/rapidpdf/0712-MR-355v1>

Atzori G, Lemmonds C, Kotler M, Durcan M, and Boyle J. Efficacy of a nicotine (4 mg)-containing lozenge on the cognitive impairment of nicotine withdrawal. *Journal of Clinical Psychopharmacology*, 2008; 28(6):667–74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19011436?ordinalpos=3&itool=EntrezSystem>

Stefano G, Bianchi E, Guarna M, Fricchione G, Zhu W, et al. Nicotine, alcohol and cocaine coupling to reward processes via endogenous morphine signaling: The dopamine-morphine hypothesis. *Medical Science Monitor*, 2007; 13(6):RA91–102. Available from: <http://www.medscimonit.com/fulltxt.php?ICID=484367>

Newberg A, Lerman C, Wintering N, Ploessl K, and Mozley P. Dopamine transporter binding in smokers and nonsmokers. *Clinical Nuclear Medicine*, 2007; 32(6):452–5. Available from: <http://pt.wkhealth.com/pt/re/lwwgateway/landingpage.htm?jsessionid=L9cf4ZFQGgVz2RFQgwiH6z7tdnZwmJTLbqmLjk1r5MNjY6nlp37K!536197444!181195628!8091!-1?an=00003072-200706000-00005>

Di Matteo V, Pierucci M, Di Giovanni G, Benigno A, and Esposito E. The neurobiological bases for the pharmacotherapy of nicotine addiction. *Current Pharmaceutical Design*, 2007; 13(12):1269–84. Available from: <http://www.bentham-direct.org/pages/content.php?CPD/2007/00000013/00000012/0008B.SGM>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Levin E, McClernon J, and Rezvani A. Nicotine effects on cognitive function: Behavioural characterization, pharmacological specification, an anatomic localization. *Psychopharmacology*, 2006; 184:523–39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16220335>

McClernon FJ, Gilbert DG, and Radtke R. Effects of transdermal nicotine on lateralized identification and memory interference. *Hum Psychopharmacol*, 2003; 18(5):339–43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/12858319>

Kalman D. The subjective effects of nicotine: Methodological issues, a review of experimental studies, and recommendations for further research. *Nicotine and Tobacco Research*, 2002; 4(1):25–70. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200110098437>

Balfour DJ. The neurobiology of tobacco dependence: A commentary. *Respiration*, 2002; 69(1):7–11. Available from: <http://content.karger.com/ProdukteDB/produkte.asp?doi=10.1159/000049362>

Nestler E. Molecular basis of long-term plasticity underlying addiction. *Nature reviews. Neuroscience*, 2001; 2(2):119–28. Available from: www3.utsouthwestern.edu/molpsych/articles/art_05.pdf

Miyata H and Yanagita T. Neurobiological mechanisms of nicotine craving. *Alcohol*, 2001; 24(2):87–93. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T40-43STX7V-6&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_Version=0&_userid=10&md5=056468b66d158f4b1d3e9202106ad7c2

Levin E, Simon B, and Connors C. Nicotine effects and attention deficit disorder, in *Nicotine in psychiatry: Psychopathology and emerging therapeutics*. Piasecki M NP, Editor Washington, DC: America Psychiatric Society Press; 2000.

Kassel J and Unrod M. Smoking, anxiety, and attention: Support for the role of nicotine in attentionally mediated anxiety. *Journal of Abnormal Psychology*, 2000; 109(1):161–6. Available from: <http://psycnet.apa.org/index.cfm?fa=main.landing>

Rose JE, Westman EC, Behm FM, Johnson MP, and Goldberg JS. Blockade of smoking satisfaction using the peripheral nicotinic antagonist trimethaphan. *Pharmacology, Biochemistry & Behavior*, 1999; 62(1):165–72. Available from: <http://www.mrw.interscience.wiley.com/cochrane/clcentral/articles/404/CN-00244404/frame.html>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Krishnan-Sarin S, Rosen MI, and O'Malley SS. Naloxone challenge in smokers. Preliminary evidence of an opioid component in nicotine dependence. Archives of General Psychiatry, 1999; 56(7):663–8. Available from: <http://archpsyc.ama-assn.org/cgi/content/full/56/7/663>

Shoaib M. Is dopamine important in nicotine dependence? Journal of Physiology Paris, 1998; 92(3–4):229–33. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VMC-3V7K7D6-J&_user=559483&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000028178&_version=1&_urlVersion=0&_userid=559483&md5=7031e760bd6c08d5eed1ec9a5ac92d27

Galanis D, Petrovich H, Launer L, Harris T, Foley D, et al. Smoking history in middle-aged and subsequent cognitive performance in elderly Japanese-American men. The Honolulu-Asia aging study. American Journal of Epidemiology, 1997; 145:507–15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/9063340>

Parrott A. Stress modulation over the day in cigarette smokers. Addiction, 1995; 90(2):233–44. Available from: <http://www3.interscience.wiley.com/journal/119254683/abstract>

Carmody T. Affect regulation, nicotine addiction and smoking cessation. Journal of Psychoactive Drugs, 1992; 24(2):111–22. Available from: <http://cat.inist.fr/?aModele=afficheN&cpsidt=5432871>

Pomerleau O and Pomerleau C. Research on stress and smoking: Progress and problems. British Journal of Addiction, 1991; 86(5):599–603. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/1859926>

Benowitz N. Drug therapy: Pharmacologic aspects of cigarette smoking and nicotine addiction. New England Journal of Medicine, 1988; 319(20):1318–30. Available from: <http://content.nejm.org/cgi/content/brief/319/20/1318>

News reports:

No authors listed. Nicotine changes how nicotinic receptors are grouped on brain cells. Science Daily 2017. Available from: <https://www.sciencedaily.com/releases/2017/02/170213152302.htm>

Gustafsson Kubista M. Nicotine creates a chronic drug memory in the brain. Science Daily 2017. Available from: <https://www.sciencedaily.com/releases/2017/02/170202085656.htm>

tobaccoinaustralia.org.au

Tobacco in Australia

Facts & Issues

Whiteman H. Beliefs about nicotine 'may override its effects on the brain'. Medical News Today, 2015. Available from: <http://www.medicalnewstoday.com/articles/290095.php?tw>

Morris C. Nicotine gives brain more codeine relief, risk of addiction. University of Toronto Faculty of Medicine, 2015. Available from: <http://medicine.utoronto.ca/news/nicotine-gives-brain-more-codeine-relief-risk-addiction>.

Australian Institute of Health and Welfare. 2004 National drug Strategy household Survey Detailed findings. Drug strategy series no.16, AIHW cat. no. PHE 66. Canberra: AIHW, 2005. Available from: <http://www.aihw.gov.au/publications/phe/ndshsdf04/ndshsdf04.pdf>.

tobaccoinaustralia.org.au