

Tobacco in Australia

Facts & Issues

Relevant news and research

7.11 Smoking cessation and pregnancy

Last updated December 2024

Research:	3
7.11.1 Health risks of smoking during pregnancy and the benefits of quitting	12
7.11.2 Rates of smoking during pregnancy	13
7.11.2.1 Smoking during pregnancy and social disadvantage	19
7.11.3 Factors that predict success or failure to quit during and post pregnancy	21
7.11.4 Factors that must be addressed in reducing smoking during and post-pregnancy	27
7.11.5 Interventions for reducing smoking during and post-pregnancy	33
7.11.5.1 Role of pharmacotherapies	49
7.11.5.2 Role of treating health professionals	52
7.11.5.3 Specialist smoking cessation services for pregnant women	58
7.11.5.4 Electronic resources	59
News reports:	60
7.11.1 Health risks of smoking during pregnancy and the benefits of quitting	61
7.11.2 Rates of smoking during pregnancy	61
7.11.3 Factors that predict success or failure to quit during and post pregnancy	62
7.11.4 Factors that must be addressed in reducing smoking during and post-pregnancy	62
7.11.5 Interventions for reducing smoking during and post-pregnancy	62
7.11.5.1 Role of pharmacotherapies	64
7.11.5.2 Role of treating health professionals	64
7.11.5.3 Specialist smoking cessation services for pregnant women	64

Research:

Agras-Guardia, M, Martinez-Torres, S, Satue, E, Granado-Font, E, Palleja-Millan, Met al (2024). Experiences of smoking and tobacco use during pregnancy: A qualitative study protocol. *PLoS One*, 19(8), e0308781. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39121101>

Mueller, L, & Ciervo, CA. (1998). Smoking in women. *J Osteopath Med*, 98(s12), s7-s10. Nagaria, T, Singh, N, Punshi, H, Dengani, M, Agrawal, S, Jain, K et al. (2022). The Outcome of Pregnancy Among Tobacco Users in Tertiary Care Hospital of Chhattisgarh Province of India. *Cureus*, 14(12), e32877. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36699785>

Corrales-Gutierrez, I, Baena-Antequera, F, Gomez-Baya, D, Leon-Larios, F, & Mendoza, R. (2022). Relationship between Eating Habits, Physical Activity and Tobacco and Alcohol Use in Pregnant Women: Sociodemographic Inequalities. *Nutrients*, 14(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35276912>

DeJong, KN, Choby, B, & Valent, AM. (2022). IX Strategies for Prevention or Treatment of Tobacco and Cannabis Use Disorder. *Clin Obstet Gynecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35318983>

Hawkins, SS, & Hacker, MR. (2022). Trends in Use of Conventional Cigarettes, E-cigarettes, and Marijuana in Pregnancy and Impact of Health Policy. *Clin Obstet Gynecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35125389>

Stacey, T, Samples, J, Leadley, C, Akester, L, & Jenney, A. (2022). 'I don't need you to criticise me, I need you to support me'. A qualitative study of women's experiences of and attitudes to smoking cessation during pregnancy. *Women Birth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35115246>

Hu, K, Zou, S, Zhang, CJ, Wu, H, Akinwunmi, B, Wang, Z, & Ming, WK. (2022). Health-Related Quality of Life Among Pregnant Women With Pre-pregnancy Smoking and Smoking Cessation During Pregnancy in China: National Cross-sectional Study. *JMIR Public Health Surveill*, 8(1), e29718. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35072649>

Loyal, DP, Sutter, AL MDP, Auriacombe, MM, Serre, FP, & Rasclé, NP. (2022). The Pregnant Smoker Stigma Scale - Public Stigma (P3S-PS): development and validation in general French population. *Women Health*, 1-11. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35068351>

Olejniczak, D, Klimiuk, K, Religioni, U, Staniszewska, A, Panczyk, M, Nowacka, A et al. (2021). Willingness to Oppose Smoking among Pregnant Women. *Int J Environ Res Public Health*, 18(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34770159>

Mattsson, K, Hougaard, KS, & Sejbaek, CS. (2020). Exposure to psychosocial work strain and changes in smoking behavior during pregnancy - a longitudinal study within the Danish National Birth Cohort. *Scand J Work Environ Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32898276>

Guerby, P, Garabedian, C, Berveiller, P, Legendre, G, Grange, G, & Berlin, I. (2020). Tobacco and Nicotine Cessation During Pregnancy. *Obstet Gynecol*, 136(2), 428-429. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32732758>

Grange, G, Berlin, I, Bretelle, F, Bertholdt, C, Berveiller, P, Blanc, J et al (2020). Smoking and smoking cessation in pregnancy. Synthesis of a systematic review. *J Gynecol Obstet Hum Reprod*, 101847. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32619725>

Boujenah, J. (2020). [Response of Jeremy Boujenah to Gilles Grange et al.: CNGOF-SFT Expert Report and Guidelines for Smoking Management during Pregnancy-Short Text. *Gynecol Obstet Fertil Senol* [2020]; [7-8] : <https://doi.org/10.1016/j.gofs.2020.04.005>. *Gynecol Obstet Fertil Senol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32448771>

Heslehurst, N, Hayes, L, Jones, D, Newham, J, Olajide, J, McLeman, L et al (2020). The effectiveness of smoking cessation, alcohol reduction, diet and physical activity interventions in changing behaviours during pregnancy: A systematic review of systematic reviews. *PLoS One*, 15(5), e0232774. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32469872>

Leszko, M, Keenan-Devlin, L, Adam, EK, Buss, C, Grobman, W, Simhan, H et al. (2020). Are personality traits associated with smoking and alcohol use prior to and during pregnancy? *PLoS One*, 15(5), e0232668. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32421742>

Blau, LE, Orloff, N, & Hormes, JM. (2020). The Transdiagnostic Nature of Cravings: Smoking Cessation and Food Craving in Pregnancy. *Midwifery*, 87, 102730. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32434103>

Crume, T. Tobacco Use During Pregnancy. *Clin Obstet Gynecol*, 2019. 62(1), 128-141. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30668557>

Kurti, AN, Bunn, JY, Villanti, AC, Stanton, CA, Redner, R, Lopez, AA, Gaalema, DE, Doogan, NJ, Cepeda-Benito, A, Roberts, ME, Phillips, JK, Quisenberry, AJ, Keith, DR, Higgins, ST. Patterns of Single and Multiple Tobacco Product Use Among US Women of Reproductive Age. *Nicotine Tob Res*. 2018 Aug 14;20(suppl_1):S71-S80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30125011>

Kurti, AN, Redner, R, Bunn, JY, Tang, K, Nighbor, T, Lopez, AA, Keith, DR, Villanti, AC, Stanton, CA, Gaalema, DE, Doogan, NJ, Cepeda-Benito, A, Roberts, ME, Phillips, J, Parker, MA, Quisenberry, AJ, Higgins, ST. Examining the relationship between pregnancy and quitting use of tobacco products in a U.S. national sample of women of reproductive age. *Prev Med*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30145348>

Lamy, S, Houivet, E, Marret, S, Hennart, B, Delavenne, H, Benichou, J, Allorge, D, Thibaut, F, Perinatal Network of, Upper-Normandy. Risk factors associated to tobacco and alcohol use in a large French cohort of pregnant women. *Arch Womens Ment Health*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30074092>

Larsen, S, Haavaldsen, C, Bjelland, EK, Dypvik, J, Jukic, AM, Eskild, A. Placental weight and birthweight; the relations with number of daily cigarettes and smoking cessation in pregnancy. A population study. *Int J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29947760>

Siddiqi, K, Mdege, N. A global perspective on smoking during pregnancy. *Lancet Glob Health*. 2018 Jul;6(7):e708-e709. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29859816>

di Giacomo, E, Colmegna, F, Pescatore, F, Aspesi, F, Fotiadou, M, Clerici, M. The burden of personality disorders on the DSM 5 addiction to tobacco during pregnancy. *Compr Psychiatry*. 2018 Apr 25;84:101-105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29729554>

Gomez-Roig, MD, Marchei, E, Sabra, S, Busardo, FP, Mastrobattista, L, Pichini, S, Gratacos, E, Garcia-Algar, O. Maternal hair testing to disclose self-misreporting in drinking and smoking behavior during pregnancy. *Alcohol*. 2017 Aug 31;67:1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29289821>

Tsakiridis, I, Mamopoulos, A, Papazisis, G, Petousis, S, Liozidou, A, Athanasiadis, A, Dagklis, T. Prevalence of smoking during pregnancy and associated risk factors: a cross-sectional study in Northern Greece. *Eur J Public Health*. 2018 Jan 12. pii: 4803063. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29342261>

Frandsen, M, Thow, M, Ferguson, SG. Financial Incentives Alone Versus Incentivized Partner Support for Promoting Smoking Cessation During Pregnancy and Postpartum: Protocol for a Non-Randomized Single-Blinded Study. *JMIR Res Protoc*. 2017 Oct 31;6(10):e209. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29089293>

Massey, SH, Decety, J, Wisner, KL, Wakschlag, LS. Specification of Change Mechanisms in Pregnant Smokers for Malleable Target Identification: A Novel Approach to a Tenacious Public Health Problem. *Front Public Health*. 2017 Sep 19;5:239. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28975128>

Committee on Underserved, Women and Committee on Obstetric, Practice. Committee Opinion No. 721: Smoking Cessation During Pregnancy. *Obstet Gynecol*. 2017 Oct;130(4):e200-e204. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28937573>

El-Khoury, F, Sutter-Dallay, AL, Van Der Waerden, J, Surkan, P, Martins, S, Keyes, K, de Lauzon-Guillain, B, Charles, MA, Melchior, M. Smoking Trajectories during the Perinatal Period and Their Risk Factors: The Nationally Representative French ELFE (Etude Longitudinale Francaise Depuis l'Enfance) Birth Cohort Study. *Eur Addict Res*. 2017 Sep 2;23(4):194-203. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28866664>

No authors listed. Committee Opinion No. 721 Summary: Smoking Cessation During Pregnancy. *Obstet Gynecol*. 2017 Oct;130(4):929-930. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28937568>

Cornelius, T, Desrosiers, A, Kershaw, T. Smoking concordance during pregnancy: Are there relationship benefits? *Soc Sci Med*. 2017 Sep 21;192:30-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28957782>

Waldron, M, Bucholz, KK, Lian, M, Lessov-Schlaggar, CN, Miller, RH, Lynskey, MT, Knopik, VS, Madden, PAF, Heath, AC. Single Motherhood, Alcohol Dependence, and Smoking During Pregnancy: A Propensity Score Analysis. *J Stud Alcohol Drugs*. 2017 Sep;78(5):745-753. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28930062>

Dukes, K, Tripp, T, Willinger, M, Odendaal, H, Elliott, AJ, Kinney, HC, Robinson, F, Petersen, JM, Raffo, C, Hereld, D, Groenewald, C, Angal, J, Hankins, G, Burd, L, Fifer, WP, Myers, MM, Hoffman, HJ, Sullivan, L, Network, Pass. Drinking and smoking patterns during pregnancy: Development of group-

based trajectories in the Safe Passage Study. Alcohol. 2017 Aug;62:49-60. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28755751>

G, D. Helping Pregnant Smokers Quit. Am J Nurs. 2017 Sep;117(9):13. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28837467>

Kurti, AN, Redner, R, Lopez, AA, Keith, DR, Villanti, AC, Stanton, CA, Gaalema, DE, Bunn, JY, Doogan, NJ, Cepeda-Benito, A, Roberts, ME, Phillips, J, Higgins, ST. Tobacco and nicotine delivery product use in a national sample of pregnant women. Prev Med. 2017 Aug 5. pii: S0091-7435(17)30277-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28789981>

Vaz, LR, Coleman, T, Fahy, SJ, Cooper, S, Bauld, L, Szatkowski, L, Leonardi-Bee, J. Factors associated with the effectiveness and reach of NHS stop smoking services for pregnant women in England. BMC Health Serv Res. 2017 Aug 8;17(1):545. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28789643>

Bauld, L, Graham, H, Sinclair, L, Flemming, K, Naughton, F, Ford, A, McKell, J, McCaughan, D, Hopewell, S, Angus, K, Eadie, D, Tappin, D. Barriers to and facilitators of smoking cessation in pregnancy and following childbirth: literature review and qualitative study. Health Technol Assess. 2017 Jun;21(36):1-158. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28661375>

Bergeria, CL, Heil, SH, Bunn, JY, Sigmon, SC, Higgins, ST. Comparing Smoking Topography and Subjective Measures of Usual Brand Cigarettes Between Pregnant and Non-Pregnant Smokers. Nicotine Tob Res, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28658941>

Xu, X, Rao, Y, Wang, L, Liu, S, Guo, JJ, Sharma, M, Zhao, Y. Smoking in pregnancy: a cross-sectional study in China. Tob Induc Dis. 2017 Jul 24;15:35. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28747859>

Britton, GR, Collier, R, McKittrick, S, Sprague, LM, Rhodes-Keefe, J, Feeney, A, James, GD. CE: Original Research: The Experiences of Pregnant Smokers and Their Providers. Am J Nurs. 2017 Jun;117(6):24-34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28504975>

Chamberlain, C, O'Mara-Eves, A, Porter, J, Coleman, T, Perlen, SM, Thomas, J, McKenzie, JE. Psychosocial interventions for supporting women to stop smoking in pregnancy. Cochrane Database Syst Rev. 2017 Feb 14;2:CD001055. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28196405>

Coleman-Cowger, VH, Schauer, GL, Peters, EN. Marijuana and tobacco co-use among a nationally representative sample of US pregnant and non-pregnant women: 2005-2014 National Survey on Drug Use and Health findings. Drug Alcohol Depend. 2017 May 24;177:130-135. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28599211>

Contrada, E. 1.5 CE Test Hours: Original Research: The Experiences of Pregnant Smokers and Their Providers. Am J Nurs. 2017 Jun;117(6):35-45. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28541987>

Merikanto, I, Paavonen, EJ, Saarenmaa-Heikkila, O, Paunio, T, Partonen, T. Eveningness associates with smoking and sleep problems among pregnant women. Chronobiol Int. 2017;34(5):650-658. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28267366>

Reynolds, CM, Egan, B, McKeating, A, Daly, N, Sheehan, SR, Turner, MJ. Five year trends in maternal smoking behaviour reported at the first prenatal appointment. *Ir J Med Sci.* 2017 Feb 11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28190202>

Naughton, F, Cooper, S, Foster, K, Emery, J, Leonardi-Bee, J, Sutton, S, Jones, M, Ussher, M, Whitemore, R, Leighton, M, Montgomery, A, Parrott, S, Coleman, T. Large multicentre pilot randomised controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). *Addiction*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28239919>

Chamberlain, C, O'Mara-Eves, A, Porter, J, Coleman, T, Perlen, SM, Thomas, J, McKenzie, JE. Psychosocial interventions for supporting women to stop smoking in pregnancy. *Cochrane Database Syst Rev.* 2017 Feb 14;2:CD001055. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28196405>

Reynolds, CM, Egan, B, McKeating, A, Daly, N, Sheehan, SR, Turner, MJ. Five year trends in maternal smoking behaviour reported at the first prenatal appointment. *Ir J Med Sci.* 2017 Feb 11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28190202>

Naughton, F, Cooper, S, Foster, K, Emery, J, Leonardi-Bee, J, Sutton, S, Jones, M, Ussher, M, Whitemore, R, Leighton, M, Montgomery, A, Parrott, S, Coleman, T. Large multicentre pilot randomised controlled trial testing a low-cost, tailored, self-help smoking cessation text message intervention for pregnant smokers (MiQuit). *Addiction*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28239919>

Girard, LC, Cote, SM, de Lauzon-Guillain, B, Dubois, L, Falissard, B, Forhan, A, Doyle, O, Bernard, JY, Heude, B, Saurel-Cubizolles, MJ, Kaminski, M, Boivin, M, Tremblay, RE. Factors Associated with Breastfeeding Initiation: A Comparison between France and French-Speaking Canada. *PLoS One.* 2016 Nov 30;11(11):e0166946. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27902741>

Toivonen, KI, Oinonen, KA, Duchene, KM. Preconception health behaviours: A scoping review. *Prev Med.* 2016 Dec 6;96:1-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27939264>

Burns, L, Coleman-Cowger, VH, Breen, C. Managing Maternal Substance Use in the Perinatal Period: Current Concerns and Treatment Approaches in the United States and Australia. *Subst Abuse.* 2016 Dec 8;10(Suppl 1):55-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27980414>

Csala, I, Elemery, M, Martinovszky, F, Dome, P, Dome, B, Faludi, G, Sandor, I, Gyorffy, Z, Birkas, E, Lazary, J. Maternal bonding styles in smokers and non-smokers: a comparative study. *Ann Gen Psychiatry.* 2016 Nov 11;15:32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27857776>

Ma, E, Brown, N, Alshaikh, B, Slater, D, Yusuf, K. Comparison of the Fagerstrom Test for cigarette dependence and the heaviness of smoking index in the second and third trimester of pregnancy. *Nicotine Tob Res.* 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27698094>

Oskarsdottir, GN, Sigurdsson, H, Gudmundsson, KG. Smoking during pregnancy: A population-based study. *Scand J Public Health.* 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27799421>

Blaga, OM, Brinzaniuc, A, Rus, IA, Chereches, RM, Wallis, AB. Smoking and smoking cessation during pregnancy. An analysis of a hospital based cohort of women in Romania. J Community Health, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27651165>

Blanquet, M, Leger, S, Gerbaud, L, Vendittelli, F, regional hospital research programme, Datamater group and the interregional hospital research programme, Cafe group. Smoking during pregnancy: a difficult problem to face. Results of a French multi-center study. J Prev Med Hyg. 2016;57(2):E95-E101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27582636>

Emery, RL, Levine, MD. Optimal carbon monoxide criteria to confirm smoking status among postpartum women. Nicotine Tob Res, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26386471>

Flemming, K et al. The barriers and facilitators to smoking cessation experienced by women's partners during pregnancy and the post-partum period: a systematic review of qualitative research. BMC Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26335935>

Dias-Dame, JL, Cesar, JA. Disparities in prevalence of smoking and smoking cessation during pregnancy: A population-based study. BioMed Research International, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26075231>

Harris, JE et al. Tobacco control campaign in Uruguay: Impact on smoking cessation during pregnancy and birth weight. Journal of Health Economics, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25985121>

Kale, PL et al. Smoking prevalence, reduction, and cessation during pregnancy and associated factors: a cross-sectional study in public maternities, Rio de Janeiro, Brazil. BMC Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25907460>

Mattsson, K et al. Cotinine validation of self-reported smoking during pregnancy in the Swedish medical birth register. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25895950>

Odibo, IN et al. Patient awareness of untoward effects of smoking on fetal and maternal well-being during pregnancy: a pilot study. Journal of Addiction Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25918967>

Morgan, H et al. Benefits of Incentives for Breastfeeding and Smoking cessation in pregnancy (BIBS): a mixed-methods study to inform trial design. Health Technology Assessment, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25897655>

Jarlenski, MP et al. Use of pharmacotherapies for smoking cessation: analysis of pregnant and postpartum medicaid enrollees. American Journal of Preventive Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25891051>

Shisler, S et al. Predictors of changes in smoking from 3rd trimester to 9 months postpartum. Nicotine & tobacco research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25744971>

Ierfino, D et al. Financial incentives for smoking cessation in pregnancy: a single-arm intervention study assessing cessation and gaming. Addiction, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25727238>

Lopez, AA et al. Financial incentives for smoking cessation among depression-prone pregnant and newly postpartum women: effects on smoking abstinence and depression ratings. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25762756>

Lopez, AA et al. Does impulsiveness moderate response to financial incentives for smoking cessation among pregnant and newly postpartum women? *Experimental and clinical psychopharmacology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25730417>

Abroms, LC et al. Quit4baby: results from a pilot test of a mobile smoking cessation program for pregnant women. *JMIR mHealth and uHealth*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25650765>

Dumont, DM et al. Incarceration and perinatal smoking: a missed public health opportunity. *Journal of epidemiology and community health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25700530>

Harris, M, Reynolds, B. A pilot study of home-based smoking cessation programs for rural, Appalachian, pregnant smokers. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25656503>

Herxheimer, A. Including partners in trials of financial incentives for smoking cessation in pregnancy. *BMJ*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25694112>

Massey, SH et al. Maternal-fetal attachment differentiates patterns of prenatal smoking and exposure. *Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25644587>

Meghea, CI et al. A couple-focused intervention to prevent postnatal smoking relapse: PRISM study design. *Contemporary Clinical Trials*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25678316>

No authors listed. Financial incentives for smoking cessation in pregnancy: randomised controlled trial. *British dental journal*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25720891>

No authors listed. Shopping vouchers a useful intervention with pregnant smokers. *Nursing Standard*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25669789>

Dumont DM, Parker DR, Viner-Brown S, and Clarke JG. Incarceration and perinatal smoking: a missed public health opportunity. *J Epidemiol Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25700530>

Massey SH, Bublitz MH, Magee SR, Salisbury A, Niaura RS, et al. Maternal-fetal attachment differentiates patterns of prenatal smoking and exposure. *Addict Behav*, 2015; 45C:51-56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25644587>

Tappin D, Bauld L, Purves D, Boyd K, Sinclair L, et al. Financial incentives for smoking cessation in pregnancy: randomised controlled trial. *BMJ*, 2015; 350:h134. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25627664>

Cheng D, Salimi S, Terplan M, and Chisolm MS. Intimate partner violence and maternal cigarette smoking before and during pregnancy. *Obstet Gynecol*, 2015; 125(2):356-62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25568990>

Cooper S, Foster K, Naughton F, Leonardi-Bee J, Sutton S, et al. Pilot study to evaluate a tailored text message intervention for pregnant smokers (MiQuit): study protocol for a randomised controlled trial. *Trials*, 2015; 16(1):29. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25622639>

Crossland N, Thomson G, Morgan H, Dombrowski SU, and Hoddinott P. Incentives for breastfeeding and for smoking cessation in pregnancy: An exploration of types and meanings. *Soc Sci Med*, 2015; 128:10-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25569610>

Financial incentives for smoking cessation in pregnancy: randomised controlled trial. *Br Dent J*, 2015; 218(4):233. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25720891>

Shopping vouchers a useful intervention with pregnant smokers. *Nurs Stand*, 2015; 29(24):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25669789>

Harris M and Reynolds B. A Pilot Study of Home-Based Smoking Cessation Programs for Rural, Appalachian, Pregnant Smokers. *J Obstet Gynecol Neonatal Nurs*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25656503>

Meghea CI, Brinzaniuc A, Mihiu D, Iuhas CI, Stamatian F, et al. A couple-focused intervention to prevent postnatal smoking relapse: PRISM study design. *Contemp Clin Trials*, 2015; 41C:273-279. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25678316>

Mumford EA and Liu W. Growth Models of Maternal Smoking Behavior: Individual and Contextual Factors. *Subst Use Misuse*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25612076>

Murphy DJ. Financial rewards for pregnant smokers who quit. *BMJ*, 2015; 350:h297. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25630529>

Herxheimer A. Including partners in trials of financial incentives for smoking cessation in pregnancy. *BMJ*, 2015; 350:h854. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25694112>

Lr V, T C, P A, S C, and J LB. The nicotine metabolite ratio in pregnancy measured by trans-3'-Hydroxycotinine to Cotinine ratio: characteristics and relationship with smoking cessation. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25589677>

Abroms LC, Johnson PR, Heminger CL, Van Alstyne JM, Leavitt LE, et al. Quit4baby: results from a pilot test of a mobile smoking cessation program for pregnant women. *JMIR Mhealth Uhealth*, 2015; 3(1):e10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25650765>

Bloch M and Parascandola M. Tobacco use in pregnancy: a window of opportunity for prevention. *Lancet Glob Health*, 2014; 2(9):e489-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25304402>

De Long NE, Barra NG, Hardy DB, and Holloway AC. Is it safe to use smoking cessation therapeutics during pregnancy? *Expert Opin Drug Saf*, 2014:1-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25330815>

Yang I and Hall L. Smoking cessation and relapse challenges reported by postpartum women. *MCN Am J Matern Child Nurs*, 2014; 39(6):375-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25333805>

Flemming K, McCaughan D, Angus K, and Graham H. Qualitative systematic review: barriers and facilitators to smoking cessation experienced by women in pregnancy and following childbirth. *J Adv Nurs*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25430626>

Hoek J, Gifford H, Maubach N, and Newcombe R. A qualitative analysis of messages to promote smoking cessation among pregnant women. *BMJ Open*, 2014; 4(11):e006716. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25431224>

Bennett L, Grant A, Jones S, Bowley M, Heathcote-Elliott C, et al. Models for Access to Maternal Smoking cessation Support (MAMSS): a study protocol of a quasi-experiment to increase the engagement of pregnant women who smoke in NHS Stop Smoking Services. *BMC Public Health*, 2014; 14(1):1041. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25287152>

Chi YC, Wu CL, Chen CY, Lyu SY, Lo FE, et al. Randomized trial of a secondhand smoke exposure reduction intervention among hospital-based pregnant women. *Addict Behav*, 2014; 41C:117-123. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25452054>

Colomar M, Tong VT, Morello P, Farr SL, Lawsin C, et al. Barriers and Promoters of an Evidenced-Based Smoking Cessation Counseling During Prenatal Care in Argentina and Uruguay. *Matern Child Health J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25500989>

Essex HN, Parrott S, Wu Q, Li J, Cooper S, et al. Cost-Effectiveness of Nicotine Patches for Smoking Cessation in Pregnancy: A Placebo Randomized Controlled Trial (SNAP). *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25481916>

Gamble J, Grant J, and Tsourtos G. Missed opportunities: A qualitative exploration of the experiences of smoking cessation interventions among socially disadvantaged pregnant women. *Women Birth*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25438715>

Herbec A, Beard E, Brown J, Gardner B, Tombor I, et al. The needs and preferences of pregnant smokers regarding tailored Internet-based smoking cessation interventions: a qualitative interview study. *BMC Public Health*, 2014; 14:1070. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25312556>

Levine MD, Cheng Y, Marcus MD, and Emery RL. Psychiatric disorders and gestational weight gain among women who quit smoking during pregnancy. *J Psychosom Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25433975>

Masho SW, Do E, and Adekoya S. Social Support and Smoking during Pregnancy. *J Womens Health Care*, 2014; 3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25593789>

Tong VT, Althabe F, Aleman A, Johnson CC, Dietz PM, et al. Accuracy of self-reported smoking cessation during pregnancy. *Acta Obstet Gynecol Scand*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25350478>

Parrott CE, Rathnayaka N, Blalock JA, Minnix JA, Cinciripini PM, et al. Examination of the Wisconsin Inventory of Smoking Dependence Motives (WISDM-68) Factor Structure in a Sample of Pregnant Smokers. *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25475086>

Pollak KI, Fish LJ, Lyna P, Peterson BL, Swamy GK, et al. Predictors of Pregnant Quitters' Intention to Return to Smoking Postpartum. *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25542912>

Smedberg J, Lupattelli A, Mardby AC, Overland S, and Nordeng H. The relationship between maternal depression and smoking cessation during pregnancy-a cross-sectional study of pregnant women from 15 European countries. *Arch Womens Ment Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25352316>

7.11.1 Health risks of smoking during pregnancy and the benefits of quitting

England, L, & Tolosa, J. (2024). Reducing the burden from tobacco-related complications of pregnancy in the United States. *Paediatr Perinat Epidemiol*, 38(4), 327-329. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38719434>

Berlin, I, Goldzahl, L, Jusot, F, & Berlin, N. (2024). Do smoking abstinence periods among pregnant smokers improve birth weight? A secondary analysis of a randomised, controlled trial. *BMJ Open*, 14(3), e082876. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38485473>

Hamilton, WN, Masud, N, Kouambo, C, & Tarasenko, YN. (2023). Perinatal Smoking and E-cigarette Use and Their Relationship with Breastfeeding: PRAMS 2015-2020. *Breastfeed Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37902988>

Perkins, J, Re, T, Ong, S, Niu, Z, & Wen, X. (2022). Meta-Analysis on Associations of Timing of Maternal Smoking Cessation before and during Pregnancy with Childhood Overweight and Obesity. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36106723>

Xie, S, Monteiro, K, & Gjelsvik, A. (2022). The association between adverse birth outcomes and smoking cessation during pregnancy across the United States-43 States and New York City, 2012-2017. *Arch Gynecol Obstet*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36175683>

Ghimire, PR, Mooney, J, Fox, L, & Dubois, L. (2021). Smoking Cessation during the Second Half of Pregnancy Prevents Low Birth Weight among Australian Born Babies in Regional New South Wales. *International Journal of Environmental Research and Public Health*, 18(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33806144>

Hayes, L, McParlin, C, Azevedo, LB, Jones, D, Newham, J, Olajide, J et al (2021). The Effectiveness of Smoking Cessation, Alcohol Reduction, Diet and Physical Activity Interventions in Improving Maternal and Infant Health Outcomes: A Systematic Review of Meta-Analyses. *Nutrients*, 13(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33806997>

Kurtulus, S, Can, R, & Sak, ZHA. (2020). Assessment of the Relationship Between Smoking and Depression in Pregnant Women. *J Immigr Minor Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32632720>

Brand, JS, Gaillard, R, West, J, McEachan, RRC, Wright, J, Voerman, E et al. (2019). Associations of maternal quitting, reducing, and continuing smoking during pregnancy with longitudinal fetal growth: Findings from Mendelian randomization and parental negative control studies. *PLoS Med*, 16(11), e1002972. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31721775>

McInerney, C, Ibiebele, I, Ford, JB, Randall, D, Morris, JM, Meharg, D et al. (2019). Benefits of not smoking during pregnancy for Australian Aboriginal and Torres Strait Islander women and their babies: a retrospective cohort study using linked data. *BMJ Open*, 9(11), e032763. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31753897>

Iyen, B, Vaz, LR, Taggar, J, Cooper, S, Lewis, S, & Coleman, T. (2019). Is the apparently protective effect of maternal nicotine replacement therapy (NRT) used in pregnancy on infant development explained by smoking cessation?: secondary analyses of a randomised controlled trial. *BMJ Open*, 9(7), e024923. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31300493>

Xaverius, PK, O'Reilly, Z, Li, A, Flick, LH, & Arnold, LD. (2019). Smoking Cessation and Pregnancy: Timing of Cessation Reduces or Eliminates the Effect on Low Birth Weight. *Matern Child Health J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31302877>

Kataoka, MC, Carvalheira, APP, Ferrari, AP, Malta, MB, de Barros Leite Carvalhaes, MA, de Lima Parada, CMG. Smoking during pregnancy and harm reduction in birth weight: a cross-sectional study. *BMC Pregnancy Childbirth*. 2018 Mar 12;18(1):67. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29530015>

Berlin, I, Jacob, N, Heishman, SJ. Nicotine Intake in Pregnant Smokers and a General Population of Smokers. *J Stud Alcohol Drugs*. 2018 Jan;79(1):126-131. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29227241>

Wallace, JL, Aland, KL, Blatt, K, Moore, E, DeFranco, EA. Modifying the risk of recurrent preterm birth: influence of trimester-specific changes in smoking behaviors. *Am J Obstet Gynecol*. 2016 Nov 18. pii: S0002-9378(16)32058-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871837>

Mak, KK, Watanabe, H, Nomachi, S, Suganuma, N. Nutritional epidemiology of antenatal smoking cessation among Japanese women. *Nutr Cancer*. 2016 Mar 30:1-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27028702>

Blatt, K et al. Association of reported trimester-specific smoking cessation with fetal growth restriction. *Obstetrics and Gynecology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26000517>

7.11.2 Rates of smoking during pregnancy

Bushi, G, Khatib, MN, Balaraman, AK, Ballal, S, Bansal, P, Tomar, BS et al (2024). Prevalence of dual use of combustible tobacco and E-cigarettes among pregnant smokers: a systematic review and meta-analysis. *BMC Public Health*, 24(1), 3200. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39558300>

Del Campo Gimenez, M, Fernandez Bosch, A, Martinez de la Torre, C, Minuesa Garcia, M, Lopez-Torres Hidalgo, J, Corcoles Garcia, S, & Parraga Martinez, I. (2024). Impact of pregnancy on women's health-related lifestyle habits: Diet, physical activity, alcohol consumption, and smoking. *Eur J Obstet Gynecol Reprod Biol*, 299, 182-187. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38878522>

Wen, X, Liu, L, Moe, AA, Ormond, IK, Shuren, CC, Scott, IN et al. (2023). Use of E-Cigarettes and Cigarettes During Late Pregnancy Among Adolescents. *JAMA Netw Open*, 6(12), e2347407. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38091042>

QuickStats: Percentage of Women Who Smoked* Cigarettes During Pregnancy, by Race and Hispanic Origin(dagger) - National Vital Statistics System, United States, 2016 and 2022. (2023). *MMWR Morb Mortal Wkly Rep*, 72(50), 1355. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38096120>

Ruiz-Barreto, AL, Alanis-Rodriguez, MT, Terrones-Martinez, DI, Padron-Martinez, AC, Arizaga-Ballesteros, V, Alcorta-Garcia, M et al (2023). Prevalence of Alcohol, tobacco, and illicit drugs consumption during teenage pregnancy: an observational, prospective, and cross-sectional study. *Bol Med Hosp Infant Mex*, 80(6), 345-354. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38150717>

He, D, Huang, X, Arah, OA, Walker, DI, Jones, DP, Ritz, B, & Heck, JE. (2023). A prediction model for classifying maternal pregnancy smoking using California state birth certificate information. *Paediatr Perinat Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37967567>

Bertani, AL, Tanni, SE, & Godoy, I. (2023). Dual and Poly Use of Tobacco Products in a Sample of Pregnant Smokers: A Cross-sectional Study. *Matern Child Health J*, 27(9), 1616-1620. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37395976>

Martin, JA, Osterman, MJK, & Driscoll, AK. (2023). Declines in Cigarette Smoking During Pregnancy in the United States, 2016-2021. *NCHS Data Brief*(458), 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36723453>

De Genna, NM, Qu, Y, Cheng, Y, Emery Tavernier, RL, Kolko, RP, & Levine, MD. (2022). Trajectories of return to cigarette smoking up to one year postpartum among people who quit smoking during pregnancy. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36402742>

Azenkot, T, Dove, MS, Fan, C, Valencia, CV, Tong, EK, & Schwarz, EB. (2022). Tobacco and Cannabis Use During and After Pregnancy in California. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36192518>

Massey, SH, Pool, LR, Estabrook, R, Level, RA, Shisler, S, Stacks, AM et al. (2022). Within-person decline in pregnancy smoking is observable prior to pregnancy awareness: Evidence across two independent observational cohorts. *Addict Biol*, 27(6), e13245. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36301213>

Singh, PK, Singh, L, Wehrmeister, FC, Singh, N, Kumar, C, Singh, A et al. (2022). Prevalence of smoking and smokeless tobacco use during breastfeeding: A cross-sectional secondary data analysis based on 0.32 million sample women in 78 low-income and middle-income countries. *EclinicalMedicine*, 53, 101660. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36159043>

Bednarczuk, N., Williams, EE, Absalom, G, Olaitan-Salami, J, & Greenough, A. (2022). The impact of COVID-19 on smoking cessation in pregnancy. *J Perinat Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35531793>

Diamanti, A, Galiatsatou, A, Sarantaki, A, Katsaounou, P, Varnakioti, D, & Lykeridou, A. (2021). Barriers to Smoking Cessation and Characteristics of Pregnant Smokers in Greece. *Maedica (Bucur)*, 16(3), 405-414. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34925595>

Demiguel, V, Blondel, B, Bonnet, C, Nguyen-Thanh, V, Saurel-Cubizolles, MJ, & Regnault, N. (2021). Trends in Tobacco Smoking in Pregnant Women: Data From French National Perinatal Surveys. *Int J Public Health*, 66, 602873. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34744568>

No authors listed. QuickStats: Percentage of Births to Mothers Who Reported Smoking Cigarettes at Any Time During Pregnancy, by Urbanization Level* of County of Residence - United States, 2020. (2021). *MMWR Morb Mortal Wkly Rep*, 70(47), 1652. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34818315>

Hunsaker, JJH La'ulu, SL, LaGrave, D, Murphy, W, Reichman, HA, Snow, TM et al. (2021). Tobacco and Cannabis Use During Pregnancy. *Am J Clin Pathol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34508553>

Hartnett, CS, Butler, Z, & Everett, BG. (2021). Disparities in smoking during pregnancy by sexual orientation and race-ethnicity. *SSM Popul Health*, 15, 100831. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34169137>

- Kroll-Desrosiers, A, Holzhauer, CG, Russo, L, DeRycke, EC, Kinney, RL Bastian, LA, & Mattocks, KM. (2021). Factors Associated With Quitting Smoking During Pregnancy Among Women Veterans. *Womens Health Issues*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34049763>
- Toquinto, SM, Berglas, NF, McLemore, MR, Delgado, A & Roberts, SCM. (2020). Pregnant Women's Acceptability of Alcohol, Tobacco, and Drug Use Screening and Willingness to Disclose Use in Prenatal Care. *Womens Health Issues*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32622582>
- Sullender, RT, & Remington, PL. (2020). Trends in Smoking During Pregnancy in Wisconsin, 2011-2016. *WMJ*, 119(1), 52-55. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32348073>
- Daundasekara, SS, O'Connor, DP, Cardoso, JB, Ledoux, T, & Hernandez, DC. (2020). Association between generational status and smoking behaviors before and during pregnancy among Hispanic women. *Addictive Behaviors*, 104, 106310. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31958708>
- Nighbor, TD, Coleman, SRM, Bunn, JY, Kurti, AN, Zvorsky, I, Orr, EJ, & Higgins, ST. (2020). Smoking prevalence among U.S. national samples of pregnant women. *Preventive Medicine*, 132, 105994. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31952968>
- Rygh, E, Gallefoss, F, & Grotvedt, L. (2019). Trends in maternal use of snus and smoking tobacco in pregnancy. A register study in southern Norway. *BMC Pregnancy Childbirth*, 19(1), 500. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31842873>
- Ooka, T, Akiyama, Y, Shinohara, R, Yokomichi, H, & Yamagata, Z. (2019). Individual and Regional Characteristics Associated with Maternal Smoking During Pregnancy in Japan: Healthy Parents and Children 21. *Int J Environ Res Public Health*, 17(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31881741>
- Qato, DM, Zhang, C, Gandhi, AB, Simoni-Wastila, L, & Coleman-Cowger, VH. (2019). Co-use of alcohol, tobacco, and licit and illicit controlled substances among pregnant and non-pregnant women in the United States: Findings from 2006 to 2014 National Survey on Drug Use and Health (NSDUH) data. *Drug Alcohol Depend*, 206, 107729. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31760250>
- Schrager, S. (2019). Smoking in Pregnancy. *WMJ*, 118(3), 113. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31682745>
- Jawad, A, Patel, D, Brima, N, & Stephenson, J. (2019). Alcohol, smoking, folic acid and multivitamin use among women attending maternity care in London: A cross-sectional study. *Sex Reprod Healthc*, 22, 100461. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31494357>
- Kondracki, AJ. (2019). Prevalence and patterns of cigarette smoking before and during early and late pregnancy according to maternal characteristics: the first national data based on the 2003 birth certificate revision, United States, 2016. *Reprod Health*, 16(1), 142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31519184>
- Ueda, K, Kitano, N, & Suzuki, K. (2019). Description of maternal smoking status before and after pregnancy: a longitudinal, community-based cohort study. *J Epidemiol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31474674>

Stroud, LR, Vergara-Lopez, C, McCallum, M, Gaffey, AE, Corey, A, & Niaura, R. (2019). High rates of menthol cigarette use among pregnant smokers: Preliminary findings and call for future research. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31404465>

Stroud, L, Werner, E, Matteson, K, Carey, M, Helen, GS, Eissenberg, T, & Scott-Sheldon, LAJ. (2019). Waterpipe (hookah) tobacco use in pregnancy: use, preferences and perceptions of flavours. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31320397>

Reynolds, CME, Egan, B, O'Malley, EG, Kennedy, RAK, Sheehan, SR, & Turner, MJ. A longitudinal, observational study of women who persisted in smoking in successive pregnancies. *J Public Health (Oxf)*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30608605>

Agrawal, A, Rogers, CE, Lessov-Schlaggar, CN, Carter, EB, Lenze, SN, & Grucza, RA. Alcohol, Cigarette, and Cannabis Use Between 2002 and 2016 in Pregnant Women From a Nationally Representative Sample. *JAMA Pediatr*, 2018. Available from: <https://jamanetwork.com/journals/jamapediatrics/article-abstract/2712359>

Berrueta, M, Llambi, L, Colomar, M, & Aleman, A. Prevalence of smoking during pregnancy. *Lancet Glob Health*, 2018. 6(12), e1279. Available from: [https://www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X\(18\)30400-5.pdf](https://www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X(18)30400-5.pdf)

Doorley, P, & Hanafin, J. Prevalence of smoking during pregnancy. *Lancet Glob Health*, 2018. 6(12), e1278. Available from: [https://www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X\(18\)30390-5.pdf](https://www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X(18)30390-5.pdf)

Lange, S, Probst, C, Rehm, J, & Popova, S. Prevalence of smoking during pregnancy - Authors' reply. *Lancet Glob Health*, 2018. 6(12), e1280. Available from: [https://www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X\(18\)30392-9.pdf](https://www.thelancet.com/pdfs/journals/langlo/PIIS2214-109X(18)30392-9.pdf)

Hansen, AR, Akomolafe, TO, McGalliard, Z, Belle-Isle, L, & Zhang, J. Striving to Meet Healthy People 2020 Objectives: Trend Analysis of Maternal Smoking. *Public Health Rep*, 2018. 133(6), 644-649. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30278153>

Rumrich, IK, Vahakangas, K, Viluksela, M, Gissler, M, Surcel, HM, Korhonen, A et al. Smoking during pregnancy in Finland - Trends in the MATEX cohort. *Scand J Public Health*, 2018. 1403494818804417. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30328381>

Coleman-Cowger, VH, Pickworth, WB, Lordo, RA, Peters, EN. Cigar and Marijuana Blunt Use Among Pregnant and Nonpregnant Women of Reproductive Age in the United States, 2006-2016. *Am J Public Health*. 2018 Jun 21:e1-e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29927645>

Lange, S, Probst, C, Rehm, J, Popova, S. National, regional, and global prevalence of smoking during pregnancy in the general population: a systematic review and meta-analysis. *Lancet Glob Health*. 2018 Jul;6(7):e769-e776. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29859815>

Oga, EA, Mark, K, Coleman-Cowger, VH. Cigarette Smoking Status and Substance Use in Pregnancy. *Matern Child Health J*, 2018. June 7, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29882032>

Mollborn, S, Woo, J, Rogers, RG. A longitudinal examination of US teen childbearing and smoking risk. *Demogr Res*. 2018 Jan-Jun;38:619-650. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29618943>

Drake, P, Driscoll, AK, Mathews, TJ. Cigarette Smoking During Pregnancy: United States, 2016. *NCHS Data Brief*. 2018 Feb;(305):1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29528282>

Lopez, AA, Redner, R, Kurti, AN, Keith, DR, Villanti, AC, Stanton, CA, Gaalema, DE, Bunn, JY, Doogan, NJ, Cepeda-Benito, A, Roberts, ME, Higgins, ST. Tobacco and nicotine delivery product use in a U.S. national sample of women of reproductive age. *Prev Med*. 2018 Mar 17. pii: S0091-7435(18)30090-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29559222>

Roberts, SCM, Foster, DG, Gould, H, Biggs, MA. Changes in Alcohol, Tobacco, and Other Drug Use Over Five Years After Receiving Versus Being Denied a Pregnancy Termination. *J Stud Alcohol Drugs*. 2018 Mar;79(2):293-301. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29553359>

Schilling, C, Hedges, MR, Carr, PA, Morton, S. Transitions in Smoking Across a Pregnancy: New Information from the Growing Up in New Zealand Longitudinal Study. *Matern Child Health J*. 2018 Mar 5. pii: 10.1007/s10995-018-2434-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29508117>

Li, H, Hansen, AR, McGalliard, Z, Gover, L, Yan, F, Zhang, J. Trends in Smoking and Smoking Cessation During Pregnancy from 1985 to 2014, Racial and Ethnic Disparity Observed from Multiple National Surveys. *Matern Child Health J*. 2018 Feb 3. pii: 10.1007/s10995-018-2437-x. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29397497>

Miguez, MC, Pereira, B. Prevalence of smoking in pregnancy: Optimization of the diagnosis. *Med Clin (Barc)*. 2017 Dec 8. pii: S0025-7753(17)30860-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29229297>

Cooper, S, Orton, S, Leonardi-Bee, J, Brotherton, E, Vanderbloemen, L, Bowker, K, Naughton, F, Ussher, M, Pickett, KE, Sutton, S, Coleman, T. Smoking and quit attempts during pregnancy and postpartum: a longitudinal UK cohort. *BMJ Open*. 2017 Nov 15;7(11):e018746. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29146659>

Ashford, K, Wiggins, A, Rayens, E, Assef, S, Fallin, A, Rayens, MK. Perinatal Biochemical Confirmation of Smoking Status by Trimester. *Nicotine Tob Res*. 2017 May 1;19(5):631-635. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403470>

Wisner, K. Screening for Tobacco and Nicotine Use in Pregnancy. *MCN Am J Matern Child Nurs*. 2017 May/Jun;42(3):179. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28448334>

Lamy, S, Hennart, B, Houivet, E, Dulaurent, S, Delavenne, H, Benichou, J, Allorge, D, Marret, S, Thibaut, F. Assessment of tobacco, alcohol and cannabinoid metabolites in 645 meconium samples of newborns compared to maternal self-reports. *J Psychiatr Res*. 2017 Feb 13;90:86-93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28237885>

De Genna, NM, Goldschmidt, L, Day, NL, Cornelius, MD. Maternal trajectories of cigarette use as a function of maternal age and race. *Addict Behav*. 2016 Sep 29;65:33-39. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27716477>

Hall, ES, Venkatesh, M, Greenberg, JM. A population study of first and subsequent pregnancy smoking behaviors in Ohio. *J Perinatol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27467563>

Humphrey, G, Rossen, F, Walker, N, Bullen, C. Parental smoking during pregnancy: findings from the Growing Up in New Zealand cohort. *N Z Med J*. 2016 Sep 23;129(1442):60-74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27657160>

Miguez, MC, Pereira, B, Figueiredo, B. Tobacco consumption and spontaneous quitting at the first trimester of pregnancy. *Addict Behav.* 2016 Aug 31;64:111-117. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27608322>

Reitan, T, Callinan, S. Changes in smoking rates among pregnant women and the general female population in Australia, Finland, Norway, and Sweden. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613884>

Tong, VT, Farr, SL, Bombard, J, D'Angelo, D, Ko, JY, England, LJ. Smoking before and during pregnancy among women reporting depression or anxiety. *Obstet Gynecol.* 2016 Sep;128(3):562-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27500342>

Ahmadi-Montecalvo, H, Haile, ZT, Umer, A, Chertok, IR. Adolescent Pregnancy and Smoking in West Virginia: Pregnancy Risk Assessment Monitoring System (PRAMS) 2005-2010. *Matern Child Health J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27377420>

Brown, QL, Hasin, DS, Keyes, KM, Fink, DS, Ravenell, O, Martins, SS. Health insurance, alcohol and tobacco use among pregnant and non-pregnant women of reproductive age. *Drug Alcohol Depend.* 2016 Jul 12. pii: S0376-8716(16)30197-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27422762>

Francisco, VN, Carlos, VR, Eliza, VR, Octelina, CR, Maria, II. *Afr Health Sci.* 2016 Mar;16(1):27-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27358610>

Hall, ES, Venkatesh, M, Greenberg, JM. A population study of first and subsequent pregnancy smoking behaviors in Ohio. *J Perinatol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27467563>

No authors listed. New mums who smoke at lowest level for ten years. *Nurs Stand.* 2016 Jul 13;30(46):17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27406495>

Tan, PY, Utravathy, V, Ho, LY, Foo, SG, Tan, KK. Prevalence of tobacco smoking and accuracy of self-reporting in pregnant women at a public hospital for women and children. *Ann Acad Med Singapore.* 2016 May;45(5):184-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27383717>

No authors listed. QuickStats: Smoking cessation* during pregnancy - 46 states and the District of Columbia, 2014. *MMWR Morb Mortal Wkly Rep.* 2016 Jun 10;65(22):588. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27280424>

Fitzpatrick, KE, Gray, R, Quigley, MA. Women's Longitudinal patterns of smoking during the pre-conception, pregnancy and postnatal period: evidence from the UK infant feeding survey. *PLoS One.* 2016 Apr 25;11(4):e0153447. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27111661>

Kuntz, B, Lampert, T. Social disparities in maternal smoking during pregnancy: comparison of two birth cohorts (1996-2002 and 2003-2012) based on data from the German KiGGS study. *Geburtshilfe Frauenheilkd.* 2016 Mar;76(3):239-247. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27065485>

Lian, M, Madden, PA, Lynskey, MT, Colditz, GA, Lessov-Schlaggar, CN, Schootman, M, Heath, AC. Geographic variation in maternal smoking during pregnancy in the Missouri Adolescent Female Twin Study (MOAFTS). *PLoS One.* 2016 Apr 21;11(4):e0153930. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27100091>

Kharkova, OA, Krettek, A, Grjibovski, AM, Nieboer, E, Odland, JO. Prevalence of smoking before and during pregnancy and changes in this habit during pregnancy in Northwest Russia: a Murmansk

county birth registry study. *Reprod Health*. 2016 Mar 8;13(1):18. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26952100>

Lewis, L, Hauck, YL, Ronchi, F, Allsop, S, Doherty, DA. Psychosocial characteristics and smoking behaviour in young Western Australian pregnant women at their first hospital appointment for pregnancy care. *Public Health*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27003673>

Schultze, A, Kurz, H, Stumpflen, I and Hafner, E. Smoking prevalence among pregnant women from 2007 to 2012 at a tertiary-care hospital. *Eur J Pediatr*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26992931>

Curtin, SC, Matthews, TJ. Smoking prevalence and cessation before and during pregnancy: data from the birth certificate, 2014. *Natl Vital Stat Rep*, Feb 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26905977>

Szatkowski, L et al. Small area synthetic estimates of smoking prevalence during pregnancy in England. *Popul Health Metr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26664291>

Lopez, AS et al. The collection and analysis of carbon monoxide levels as an indirect measure of smoke exposure in pregnant adolescents at a multidisciplinary teen obstetrics clinic. *J Pediatr Adolesc Gynecol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26362571>

No authors listed. Smokers significantly more likely than others to drink alcohol during pregnancy. *Nursing Standard*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26219782>

7.11.2.1 Smoking during pregnancy and social disadvantage

Morrison, JC, Dempsey, MA, Greaney, C, & Morrison, JJ. (2024). Smoking during pregnancy in an Irish obstetric Population: Prevalence, maternal and ethnic factors. *Eur J Obstet Gynecol Reprod Biol*, 303, 317-321. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39520830>

Mendoza-Berjano, R, Leon-Larios, F, Corrales-Gutierrez, I, Gomez-Baya, D, Medero-Canela, R, & Baena-Antequera, F. (2024). High Prevalence of Tobacco Consumption among Pregnant Women in a Southern European City (Seville): A Challenge for the Health System. *Toxics*, 12(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39453148>

De Genna, NM, Boss, N, Hossain, F, Frankeberger, J, Mark, E, & Coulter, RWS. (2024). A qualitative investigation of nicotine and tobacco use in young pregnant and birthing sexual minority people. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39058322>

Axelsson Fisk, S, Cassel, J, Rostila, M, Liu, C, & Juarez, SP. (2024). Intersectional socioeconomic disparities in continuous smoking through pregnancy among pre-pregnant smokers in Sweden between 2006 and 2016. *BMC Pregnancy Childbirth*, 24(1), 465. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38971755>

Bonello, K, Fighi, H, Blanchard, E, Vignier, N, Avenin, G, Melchior, M et al. (2023). Prevalence of smoking during pregnancy and associated social inequalities in developed countries over the 1995-2020 period: A systematic review. *Paediatr Perinat Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37427978>

Loyal, D, Sutter, AL, Auriacombe, M, Serre, F, & Rascle, N. (2023). The Pregnant Smoker Stigma Scale - Self Stigma (P3S-SS): development and validation in pregnant smoking women in France. *Women Health*, 63(7), 507-517. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37400447>

Pinho-Gomes, AC., & Mullins, E. (2023). Inequalities in smoking among pregnant women in North West London. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37099756>

Bendixen, K, Brund, RBK, Jorgensen, TB, Kristiansen, NK, Kesmodel, US, Fonager, K, & Heuckendorff, S. (2023). Inequality in smoking and related risk factors for smoking in expectant mothers - a nationwide Danish register-based study. *Scand J Public Health*, 14034948221149758. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36719052>

Wang, H, Smits, L, & Putrik, P. (2022). Spatial variation in tobacco smoking among pregnant women in South Limburg, the Netherlands, 2016-2018: Small area estimations using a Bayesian approach. *Spat Spatiotemporal Epidemiol*, 42, 100525. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35934326>

Cruvinel, E, Richter, KP, Pollak, KI, Ellerbeck, E, Nollen, NL, Gajewski, B et al. (2022). Quitting Smoking before and after Pregnancy: Study Methods and Baseline Data from a Prospective Cohort Study. *Int J Environ Res Public Health*, 19(16). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36011811>

Hirth, JM, Valadez, C, Gonzalez, S, Kowalchuk, A, Gutierrez, JA, & Zoorob, R. (2022). Racial/ethnic variations in alcohol and cigarette use by pregnancy status among 20- to 44-year-old women, NHANES 2001-2018. *Womens Health (Lond)*, 18, 17455057221112188. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35819070>

Taha, MN, Al-Ghumgham, Z, Ali, N, Al-Rifai, RH, Elbarazi, I, Al-Maskari, F et al (2022). Tobacco Use and Exposure to Environmental Tobacco Smoke amongst Pregnant Women in the United Arab Emirates: The Mutaba'ah Study. *Int J Environ Res Public Health*, 19(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35742747>

Meghea, CI. (2022). Successful Strategies to Increase Cessation Rates Among Low-Income Maternal Smokers. *Am J Public Health*, 112(3), 351-353. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35196062>

Stroud, LR, Papandonatos, GD, Sharma, E, Jao, NC, Goldman, S, Vergara-Lopez, C, & Scott-Sheldon, L AJ. (2022). Flavored waterpipe tobacco preferences, perceptions, and use in pregnant women: A latent factor mapping approach. *Addict Behav*, 126, 107194. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34864479>

Fujita, ATL, Rodrigues-Junior, AL Gomes, NC, Martinis, BS, & Baddini-Martinez, JA. (2021). Socio-demographic and psychological features associated with smoking in pregnancy. *J Bras Pneumol*, 47(5), e20210050. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34495137>

Boing, AF, Boing, AC, Wagner, KJP, Saraiva, SDS, & Tomasi, YT. (2021). Individual and contextual variables associated with smoking and alcohol consumption during pregnancy. *Rev Bras Enferm*, 74(suppl 4), e20200804. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34190821>

Kedia, SK, Ahuja, NA, Carswell, A, Vander Weg, MW, Scarinci, IC, & Ward, KD. (2021). Smoking Cessation among Pregnant and Postpartum Women from Low-Income Groups in the United States. *J Midwifery Womens Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34260136>

Derksen, ME, Kunst, AE, Murugesu, L, Jaspers, MWM, & Fransen, MP. (2021). Smoking cessation among disadvantaged young women during and after pregnancy: Exploring the role of social networks. *Midwifery*, 98, 102985. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33761432>

Urquia, ML, Juarez, S, Wall-Wieler, E, & Hjern, A. (2020). Smoking during pregnancy among immigrant women with same-origin and Swedish-born partners. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32772082>

Loret de Mola, C, Cardoso, VC, Batista, R, Goncalves, H, Saraiva, MCP, Menezes, AMB et al. (2020). Maternal pregnancy smoking in three Brazilian cities: trends and differences according to education, income, and age. *Int J Public Health*, 65(2), 207-215. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32040689>

Azagba, S, Manzione, L, Shan, L, & King, J. (2020). Trends in smoking during pregnancy by socioeconomic characteristics in the United States, 2010-2017. *BMC Pregnancy Childbirth*, 20(1), 52.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31973722>

Kane, JB, & Farshchi, E. (2019). Neighborhood affluence protects against antenatal smoking: evidence from a spatial multiple membership model. *Math Popul Stud*, 26(4), 186-207. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31749519>

Tung, I, Beardslee, J, Pardini, D, Chung, T, Keenan, K, & Hipwell, AE. (2019). Adolescent childbirth, miscarriage, and abortion: associations with changes in alcohol, marijuana, and cigarette use. *J Child Psychol Psychiatry*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31424096>

Klofvermark, J, Hjern, A, & Juarez, SP. (2019). Acculturation or unequal assimilation? Smoking during pregnancy and duration of residence among migrants in Sweden. *SSM Popul Health*, 8, 100416.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193892>

Domingues, R, Figueiredo, VC, & Leal, MDC. (2019). Prevalence of pre-gestational and gestational smoking and factors associated with smoking cessation during pregnancy, Brazil, 2011-2012. *PLoS One*, 14(5), e0217397. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31125373>

Carswell, AL, Ward, KD, Vander Weg, MW, Scarinci, IC, Girsch, L, Read, M, Relyea, G, Chen, W. Prospective associations of breastfeeding and smoking cessation among low-income pregnant women. *Matern Child Nutr*. 2018 May 24:e12622. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29797420>

Zawadzka, M, Buczynski, A, Stelmach, W, Kowalska, A, Henrykowska, G. Smoking-related behaviours of pregnant women depending on their place of residence. *Cent Eur J Public Health*. 2018 Mar;26(1):34-38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29684295>

Harkonen, J, Lindberg, M, Karlsson, L, Karlsson, H, Scheinin, NM. Education is the strongest socioeconomic predictor of smoking in pregnancy. *Addiction*, Jan 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29333764>

Liu, W, Mumford, EA. Concurrent Trajectories of Female Drinking and Smoking Behaviors Throughout Transitions to Pregnancy and Early Parenthood. *Prev Sci*. 2017 May;18(4):416-427.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28349236>

Bronars, C, Patten, C, Koller, K, Hatsukami, D, Flanagan, CA, Decker, PA, Hanson, A, Wolfe, A, Hughes, C, Benowitz, N, Murphy, NJ, Thomas, T. Perceived risks and reasons to smoke cigarettes during pregnancy among Alaska native women. *Ethn Health*, 2016. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27842438>

7.11.3 Factors that predict success or failure to quit during and post pregnancy

Tafti, SP, Azarshab, A, Mahmoudian, RA, Khayami, R, Abadi, RNS, Ahmadi-Simab, S et al. (2024). Predictors of tobacco use among pregnant women: a large-scale, retrospective study. *BMC Public Health*, 24(1), 2544.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39294628>

- Voutilainen, T, Keski-Nisula, L, Rysa, J, & Karkkainen, O. (2024). Parental cigarette smoking before and during pregnancy in a cohort of 21 472 pregnancies. *Basic Clin Pharmacol Toxicol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38378277>
- Nair, NM, Makhanlall, A, Roy, S, Olola, O, Altman, E, Chaudhuri, P, & Wen, X. (2023). Predictors of Quitting Dual Use of Electronic Cigarettes and Cigarettes During Pregnancy. *J Womens Health (Larchmt)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38112533>
- David, AT, Sharma, V, Bittencourt, L, Gurka, KK, Perez-Carreno, JG, & Lopez-Quintero, C. (2023). Exploring the associations between serious psychological distress and the quantity or frequency of tobacco, alcohol, and cannabis use among pregnant women in the United States. *Prev Med*, 177, 107770. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37951544>
- Level, RA, Zhang, Y, Tiemeier, H, Estabrook, R, Shaw, DS, Leve, L. et al. (2023). Unique influences of pregnancy and anticipated parenting on cigarette smoking: results and implications of a within-person, between-pregnancy study. *Arch Womens Ment Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37994923>
- Meaton, I., Karouni, F., Gillies, J., & Kapaya, H. (2023). "Smoking during pregnancy - Perinatal outcomes, financial implications, and tobacco treatment services". *Prev Med Rep*, 36, 102451. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37822980>
- Anai, A, Asato, K, Tatsuta, N, Sakurai, K, Ota, C, Kuriyama, S et al. (2023). Factors associated with postpartum smoking relapse at early postpartum period of Japanese women in the Japan Environmental and Children's Study. *Environ Health Prev Med*, 28, 56. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37766542>
- Yakubu, RA, Ajayi, K V, Dhaurali, S, Carvalho, K, Kheyfets, A, Lawrence, BC, & Amutah-Onukagha, N. (2023). Investigating the Role of Race and Stressful Life Events on the Smoking Patterns of Pregnant and Postpartum Women in the United States: A Multistate Pregnancy Risk Assessment Monitoring System Phase 8 (2016-2018) Analysis. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37737325>
- Wiles, SD, Lee, JW, Nelson, A, Petersen, AB, & Singh, PN. (2023). Racial/Ethnic Disparities Impact the Real-World Effectiveness of a Multicomponent Maternal Smoking Cessation Program: Findings from the CTPP Cohort. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37589829>
- Mori, M, Ishii, K, Goto, A, Nakano, H, Suzuki, K, Ota, M et al. (2022). Factors Associated With Smoking Relapse Among Women in Japan From Pregnancy to Early Parenthood. *J Obstet Gynecol Neonatal Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35594955>
- Issany, A, Hore, M, Singh, L, Israel, J, Kocher, MG, & Wen, X. (2022). Reciprocal Associations Between Maternal Smoking Cessation and Breastfeeding. *Breastfeed Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35166565>
- Jarlenski, M, & Spencer, N. (2022). Perceptions of Safety Around Use of Cannabis and Nicotine/Tobacco in Pregnancy. *Clin Obstet Gynecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35142742>
- Salameh, TN, Hall, LA, Hall, MT, & Crawford, TN. (2021). Cigarette smoking cessation and mental health treatment receipt in a U.S national sample of pregnant women with mental illness. *J Nurs Scholarsh*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34750961>
- Avcibay Vurgec, B. (2021). Identification of the Obstetric Factors Increasing Tendency to Smoking Cessation During Pregnancy. *J Addict Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34519688>
- Yu, P, Jiang, Y, Zhou, L, Li, K, Xu, Y, Meng, F, & Zhou, Y. (2021). Association between pregnancy intention and smoking or alcohol consumption in the preconception and pregnancy periods: A

- systematic review and meta-analysis. *J Clin Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34459054>
- Kroll-Desrosiers, A, Holzhauser, CG, Russo, L, DeRycke, EC, Kinney, RL Bastian, LA, & Mattocks, KM. (2021). Factors Associated With Quitting Smoking During Pregnancy Among Women Veterans. *Womens Health Issues*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34049763>
- Salinas-Vilca, A, Cuevas, L, Group, EP, Bermejo-Sanchez, E, & Galan, I. (2021). Smoking during pregnancy: changes and associated risk factors in Spain, 1980-2016. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33522592>
- Miguez, MC, & Pereira, B. (2020). Factors Associated with Smoking Relapse in the Early Postpartum Period: A Prospective Longitudinal Study in Spain. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33206303>
- Murakami, K, Ishikuro, M, Ueno, F, Noda, A, Onuma, T, Obara, T, & Kuriyama, S. (2020). Social predictors of continued and indoor smoking among partners of non-smoking pregnant women: the TMM BirThree Cohort Study. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32963213>
- Busho, AC, Macisco, JM, Oslock, AG, Worly, BL, & Klein, EG. (2020). Effectiveness of Cessation Messages Targeting Pregnant and Nonpregnant Female Smokers in the United States: A Cross-Sectional Analysis into the Impact of Pregnancy, Self-Efficacy, and Risk Perception. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32857254>
- Tagai, EK, Miller, SM, Belfiglio, A, Xu, J, Wen, KY, & Hernandez, E. (2020). Persistent Barriers to Smoking Cessation Among Urban, Underserved Women: A Feasibility Study of Tailored Barriers Text Messages. *Matern Child Health J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32557133>
- Tabb, KM, Malinga, T, Wang, Y, Kelly, K, Meline, B, & Huang, H. (2020). Prevalence and Correlates of Tobacco Smoking During the Perinatal Period Among Women Enrolled in a Midwestern WIC Program. *Community Mental Health Journal*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31897921>
- Siqueira, LD, Fracolli, LA, & Maeda, ST. (2019). Influence of the social context in smoking during pregnancy. *Rev Bras Enferm*, 72(suppl 3), 259-265. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31851262>
- Itai, M, Sasaki, A, Mori, M, Tsuda, S, & Matsumoto-Murakoso, A. (2019). The Changing Process of Women's Smoking Status Triggered by Pregnancy. *Int J Environ Res Public Health*, 16(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31718100>
- Lin, CL, Lee, TS, Hsu, CC, Chen, CY, Chao, E, Shih, SF, & Hu, HY. (2019). Factors associated with postpartum smoking relapse in Taiwan: A trial of Smoker's helpline. *Taiwan J Obstet Gynecol*, 58(5), 667-672. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31542090>
- Brown, TJ, Bauld, L, Hardeman, W, Holland, R, Naughton, F, Orton, S. (2019). Re-Configuring Identity Postpartum and Sustained Abstinence or Relapse to Tobacco Smoking. *Int J Environ Res Public Health*, 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31466394>
- Derksen, ME, Kunst, AE, Jaspers, MWM, & Fransen, MP. (2019). Barriers experienced by nurses providing smoking cessation support to disadvantaged, young women during and after pregnancy. *Health Soc Care Community*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31446634>

- de Wolff, MG, Backhausen, MG, Iversen, ML, Bendix, JM, Rom, AL, & Hegaard, HK. (2019). Prevalence and predictors of maternal smoking prior to and during pregnancy in a regional Danish population: a cross-sectional study. *Reprod Health*, 16(1), 82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31200725>
- Hyer, J, Ulrickson, C, Yerelien, E, Metz, TD, Allshouse, AA, & Hoffman, MC. (2019). Self-Reported Alcohol, Tobacco, and Marijuana Use in Pregnant Women with Depressive Symptomatology. *Am J Perinatol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31238345>
- Liu, D, Younger, E, Baker, S, Touch, S, Willmoth, T, & Hartos, JL. (2019). Does Current General Mental Health Status Relate to Current Smoking Status in Pregnant Women? *J Pregnancy*, 2019, 7801465. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31186961>
- Miyazaki, M, & Suzuki, S. (2019). Influence of smoking habits on mental status in Japanese women during the first trimester of pregnancy. *J Matern Fetal Neonatal Med*, 1-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31220968>
- Tojal, C, & Costa, R. (2019). Anxiety and depression symptoms among pregnant women with different smoking habits. *Psychol Health Med*, 1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31232092>
- Germeroth, LJ, Wang, Z, Emery, RL, Cheng, Y, & Levine, MD. (2019). The Role of Self-Efficacy and Motivation in Postpartum Sustained Smoking Abstinence. *Womens Health Issues*, 29(3), 259-266. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31072756>
- Dias-Dame, J L, Lindsay, AC, & Cesar, JA. Smoking cessation during pregnancy: a population-based study. *Rev Saude Publica*, 2018. 53, 03. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30652776>
- Nighbor, TD, Zvorsky, I, Kurti, AN, Skelly, JM, Bickel, WK, Reed, DD et al. Examining interrelationships between the cigarette purchase task and delay discounting among pregnant women. *J Exp Anal Behav*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30681144>
- Collins, BN, Nair, US, Davis, S M, & Rodriguez, D. Increasing Home Smoking Restrictions Boosts Underserved Moms' Bioverified Quit Success. *Am J Health Behav*, 2019. 43(1), 50-56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30522566>
- Allen, AM, Jung, AM, Lemieux, AM, Alexander, AC, Allen, SS, Ward, KD, & al'Absi, M. Stressful life events are associated with perinatal cigarette smoking. *Prev Med*, 2018. 118, 264-271. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30468790>
- Balazs, P, Greczner, A, Rakoczi, I, & Foley, KL. Continued smoking versus spontaneous quitting among pregnant women living in a high risk environment. *Cent Eur J Public Health*, 2018. 26(3), 164-170. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30419616>
- Fillo, J, Kamper-DeMarco, KE, Brown, WC, Stasiewicz, PR, & Bradizza, CM. Emotion regulation difficulties and social control correlates of smoking among pregnant women trying to quit. *Addict Behav*, 2018. 89, 104-112. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30286396>
- Lupattelli, A, Ronningen, E, Krogsrud, SK, Nordeng, H, Ystrom, E. Personality and its relation to the use of alcohol and cigarettes during pregnancy: A multinational study. *J Health Psychol*. 2018 May 1:1359105318775194. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29771152>

Uphoff, EP, Small, N, Pickett, KE. Using birth cohort data to assess the impact of the UK 2008-2010 economic recession on smoking during pregnancy. *Nicotine Tob Res.* 2018 May 7. pii: 4993683. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29741730>

Massey, SH, Mroczek, DK, Burns, JL, Clark, CAC, Espy, KA, Wakschlag, LS. Positive parenting behaviors in women who spontaneously quit smoking during pregnancy: Clues to putative targets for preventive interventions. *Neurotoxicol Teratol.* 2018 Mar 6;67:18-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29501649>

Mbarek, H, van Beijsterveldt, CEM, Hottenga, JJ, Dolan, CV, Boomsma, DI, Willemsen, G, Vink, JM. Association between rs1051730 and smoking during pregnancy in Dutch women. *Nicotine Tob Res.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29228387>

Meghea, CI, Brinzaniuc, A, Rus, IA, Chereches, RM, Miha, D, Iuhas, CI, Stamatian, F, Caracostea, G, Blaga, OM. Characteristics of Romanian women who enrolled in a postpartum tobacco smoking relapse prevention trial. *Public Health.* 2018 Jan;154:98-101. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29220712>

Pandey, S, Murdia, K, Murdia, A, Chandra, V, Murdia, N. Re: Partner smoking influences whether mothers quit smoking during pregnancy: a prospective cohort study. *BJOG.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29239504>

Riaz, M, Lewis, S, Naughton, F, Ussher, M. Predictors of smoking cessation during pregnancy: a systematic review and meta-analysis. *Addiction.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29235189>

Roman-Galvez, RM, Amezcua-Prieto, C, Olmedo-Requena, R, Lewis-Mikhael Saad, AM, Martinez-Galiano, JM, Bueno-Cavanillas, A. Authors' reply re: Partner smoking influences whether mothers quit smoking during pregnancy: a prospective cohort study. *BJOG.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29243412>

Kia, F, Tosun, N, Carlson, S, Allen, S. Examining characteristics associated with quitting smoking during pregnancy and relapse postpartum. *Addict Behav.* 2017 Nov 10;78:114-119. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29149636>

Orton, S, Coleman, T, Coleman-Haynes, T, Ussher, M. Predictors of Postpartum Return to Smoking: A Systematic Review. *Nicotine Tob Res.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29065203>

Roman-Galvez, RM, Amezcua-Prieto, C, Olmedo-Requena, R, Lewis-Mikhael Saad, AM, Martinez-Galiano, JM, Bueno-Cavanillas, A. Partner smoking influences whether mothers quit smoking during pregnancy: A prospective cohort study. *BJOG.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29052334>

Higgins, ST, Redner, R, Arger, CA, Kurti, AN, Priest, JS, Bunn, JY. Use of higher-nicotine/tar-yield (regular full-flavor) cigarettes is associated with nicotine dependence and smoking during pregnancy among U.S. women. *Prev Med.* 2017 Aug 5. pii: S0091-7435(17)30276-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28789980>

Balwicki, L, Smith, DM, Pierucka, M, Goniewicz, ML, Zarzeczna-Baran, M, Jedrzejczyk, T, Strahl, M, Zdrojewski, T. Factors Associated With Quitting Among Smoking Pregnant Women From Small Town

and Rural Areas in Poland. *Nicotine Tob Res.* 2017 May 1;19(5):647-651. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403460>

Goodwin, RD, Cheslack-Postava, K, Nelson, DB, Smith, PH, Hasin, DS, Janevic, T, Bakoyiannis, N, Wall, MM. Serious Psychological Distress and Smoking During Pregnancy in the United States: 2008-2014. *Nicotine Tob Res.* 2017 May 1;19(5):605-614. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403468>

Joseph, HM, Emery, RL, Bogen, DL, Levine, MD. The Influence of Smoking on Breast feeding Among Women Who Quit Smoking During Pregnancy. *Nicotine Tob Res.* 2017 May 1;19(5):652-655. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403459>

Kornfield, SL, Moseley, M, Appleby, D, McMickens, CL, Sammel, MD, Epperson, CN. Posttraumatic Symptom Reporting and Reported Cigarette Smoking During Pregnancy. *J Womens Health (Larchmt).* 2017 Jun;26(6):662-669. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28437216>

Underner, M, Pourrat, O, Perriot, J, Peiffer, G, Jaafari, N. [Smoking cessation in pregnancy]. *Rev Med Interne.* 2017 Jun 13. pii: S0248-8663(17)30522-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28623032>

Yazici, AB, Uslu Yuvaci, H, Yazici, E, Halimoglu Caliskan, E, Cevrioglu, AS, Erol, A. Smoking, alcohol, and substance use and rates of quitting during pregnancy: is it hard to quit? *Int J Womens Health.* 2016 Oct 5;8:549-556 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27785104>

Diclemente, CC. Failure to change or failure to sustain: pregnancy smoking and postpartum abstinence. *Addiction.* 2016 Jun;111(6):992-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27157902>

Kurti, AN, Davis, DR, Skelly, JM, Redner, R, Higgins, ST. Comparison of nicotine dependence indicators in predicting quitting among pregnant smokers. *Exp Clin Psychopharmacol.* 2016 Feb;24(1):12-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27046504>

Mumford, EA, Liu, W. Social integration and maternal smoking: a longitudinal analysis of a national birth cohort. *Matern Child Health J.* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26987858>

Riaz, M, Lewis, S, Coleman, T, Aveyard, P, West, R, Naughton, F, Ussher, M. Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomised controlled trial. *Addiction.* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26997495>

Coleman-Cowger, VH et al. Factors associated with early pregnancy smoking status among low-income smokers. *Matern Child Health J.* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26649884>

Massey, SH et al. Maternal personality traits associated with patterns of prenatal smoking and exposure: Implications for etiologic and prevention research. *Neurotoxicol Teratol.* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26655208>

Moore, E et al. Factors associated with smoking cessation in pregnancy. *Am J Perinatol.* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26692202>

Rockhill, KM et al. Postpartum smoking relapse after quitting during pregnancy: pregnancy risk assessment monitoring system, 2000-2011. *J Womens Health (Larchmt).* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26717489>

Castro, Y et al. Social and environmental factors related to smoking cessation among mothers: findings from the Geographic Research on Welling (Grow) study. *Am J Health Behav*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26450549>

Varner, SB et al. The impact of prior poor birth outcomes on smoking behavior on subsequent pregnancies: analysis of the National PRAMS data. *Matern Child Health J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26515469>

Notley, C et al. Postpartum smoking relapse-a thematic synthesis of qualitative studies. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26355895>

Jacobson, LT et al. Smoking behaviors among urban and rural pregnant women enrolled in the Kansas WIC program. *Journal of Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25925718>

Passmore, E et al. Demographic factors associated with smoking cessation during pregnancy in New South Wales, Australia, 2000-2011. *BMC Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25928643>

7.11.4 Factors that must be addressed in reducing smoking during and post-pregnancy

Dilworth, S, Doherty, E, Mallise, C, Licata, M, Hollis, J, Wynne, O et al. (2024). Barriers and enablers to addressing smoking, nutrition, alcohol consumption, physical activity and gestational weight gain (SNAP-W) as part of antenatal care: A mixed methods systematic review. *Implement Sci Commun*, 5(1), 112. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39385250>

Jao, NC, Tan, MM, Albanese, A, Lee, J, & Stroud, LR. (2024). Perceptions of family functioning impact smoking during pregnancy. *J Addict Dis*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38619008>

Powers, JM, Maloney, SF, Sharma, E, & Stroud, LR. (2024). Use and co-use of tobacco and cannabis before, during, and after pregnancy: A longitudinal analysis of waves 1-5 of the Population Assessment of Tobacco and Health (PATH) study. *Psychol Addict Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38635200>

Tiryaki, O, Menekse, D, & Cinar, N. (2023). Can Willingness to Breastfeed Be an Opportunity for Smoking Pregnant Women to Quit Smoking? *J Perinat Neonatal Nurs*, 37(4), 277-286. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37905544>

Keten Edis, E, & Keten, M. (2023). Why women continue to smoke during pregnancy: a qualitative study among smoking pregnant women. *Women Health*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37905544>

Kaur, S, Manhungira, W, Sankar, A, & Sarkar, R. (2023). Women's Perspectives on Smoking During Pregnancy and Factors Influencing Their Willingness to Quit Smoking in Pregnancy: A Study From the United Kingdom. *Cureus*, 15(5), e38890. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37313110>

Adkins-Hempel, M, Japuntich, SJ, Thomas, J, Fang, P, Harrison, K, Emery Tavernier, RL et al. (2022). Knowledge, Attitudes, and Beliefs about Relapse Prevention Research Involving Bupropion among Current and Former Pregnant Individuals Who Smoke. *J Smok Cessat*, 2022, 1925071. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36618776>

Small, S, Brennan-Hunter, A, Yi, Y, & Porr, C. (2022). The Understanding of Maternal Smoking among Women who were Smoking or had Quit Smoking during Pregnancy. *Can J Nurs Res*, 8445621221125062. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36214102>

- Tennekoon, V. (2022). Effects of Purchase Restrictions on Smoking during Pregnancy: An Analysis of US Birth Records. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36125079>
- Evemy, CG, Kurti, AN, Skelly, JM, Medina, NA, & Higgins, ST. (2022). Examining the latent factor structure of a hypothetical cigarette purchase task among pregnant women. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35587423>
- Peacock, JL, Palys, TJ, Halchenko, Y, Sayarath, V, Takigawa, CA, Murphy, SE et al. (2022). Assessing tobacco smoke exposure in pregnancy from self-report, urinary cotinine and NNAL: a validation study using the New Hampshire Birth Cohort Study. *BMJ Open*, 12(2), e054535. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35131829>
- Diamanti, A, Galiatsatou, A, Sarantaki, A, Katsaounou, P, Varnakioti, D, & Lykeridou, A. (2021). Barriers to Smoking Cessation and Characteristics of Pregnant Smokers in Greece. *Maedica (Bucur)*, 16(3), 405-414. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34925595>
- Jao, NC, Sokol, NA, Vergara-Lopez, C, Borba, K, Scott-Sheldon, LAJ, & Stroud, LR. (2021). Use and perceptions of menthol versus non-menthol cigarettes among pregnant women. *J Addict Dis*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34751106>
- Phillips, L, Campbell, KA, Coleman, T, Ussher, M, Cooper, S, Lewis, S, & Orton, S. (2021). Barriers and Facilitators to Staying Smoke-Free after Having a Baby, a Qualitative Study: Women's Views on Support Needed to Prevent Returning to Smoking Postpartum. *Int J Environ Res Public Health*, 18(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34769875>
- Barber, GA, & Shenassa, ED. (2021). Smoking status: A tacit screen for postpartum depression in primary care settings. *J Affect Disord*, 295, 1243-1250. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34706438>
- De Genna, NM, Germeroth, LJ, Benno, MT, Wang, B, & Levine, MD. (2021). Cohort Study of Cannabis Use History and Perinatal Cigarette Use Among Overweight and Obese Women. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34623574>
- Frndak, S, Syed, S, Saleh, J, Kocher, M, & Wen, X. (2021). Prenatal predictors of postpartum depression trajectories from birth to 24 months amongst smoking women. *J Clin Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34608698>
- Loyal, D, Sutter, AL, Auriacombe, M, Serre, F, Calcagni, N, & Rasclé, N. (2021). Stigma Attached to Smoking Pregnant Women: A Qualitative Insight in the General French Population. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34546357>
- Pereira, B, Figueiredo, B, Miguel Pinto, T, & Miguez, MC. (2021). Tobacco consumption from the 1st trimester of pregnancy to 7 months postpartum: Effects of previous tobacco consumption, and depression and anxiety symptoms. *Addict Behav*, 124, 107090. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34464914>
- Kocatas, S, Guler, N, & Sezer, RE. (2020). Factors Affecting Smoking Behaviors and Smoking Prevalence in Pregnancy and Postpartum Period of Women. *Florence Nightingale J Nurs*, 28(2), 230-242. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34263202>
- Nabi-Burza, E, Wasserman, R, Drehmer, JE, Walters, BH, Luo, M, Ossip, D, & Winickoff, JP. (2021). Spontaneous Smoking Cessation in Parents. *J Smok Cessat*, 2021, 5526715. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34306222>

- Shukla, R, Kanaan, M, & Siddiqi, K. (2021). Tobacco Use Among 1 310 716 Women of Reproductive age (15-49 Years) in 42 Low- and Middle-Income Countries: Secondary Data Analysis From the 2010-2016 Demographic and Health Surveys. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34291296>
- Weinberger, AH, & DeVito, EE. (2021). Ongoing and evolving challenges of tobacco use during pregnancy. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34049403>
- Hamadneh, J, Hamadneh, S, Amarin, Z, & Al-Beitawi, S. (2021). Knowledge, Attitude and Smoking Patterns Among Pregnant Women: A Jordanian Perspective. *Ann Glob Health*, 87(1), 36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33868968>
- Jussila, H, Pelto, J, Korja, R, Ekholm, E, Pajulo, M, Karlsson, L, & Karlsson, H. (2021). Correction to: The association of maternal-fetal attachment with smoking and smoking cessation during pregnancy in The FinnBrain Birth Cohort Study. *BMC Pregnancy and Childbirth*, 21(1), 289. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33838646>
- Murakami, K, Ishikuro, M, Ueno, F, Noda, A, Onuma, T, Obara, T & Kuriyama, S. (2021). Factors associated with postpartum smoking relapse among women who quit in early pregnancy: the Tohoku Medical Megabank Project Birth and Three-Generation Cohort Study. *Journal of Epidemiology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33907065>
- Nicola Brown, MN, Davidson, P, Lockett, T, & DiGiacomo, M. (2021). "Ask parents what they want to do" - Mothers seeking help with parenting and their perspectives on barriers and potential enablers for help with smoking cessation: A qualitative study. *Journal of Pediatric Nursing*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33906752>
- Lyall, V, Guy, J, Egert, S, Pokino, LA, Rogers, L, & Askew, D. (2020). "They Were Willing to Work with Me and Not Pressure Me": A Qualitative Investigation into the Features of Value of a Smoking Cessation in Pregnancy Program for Aboriginal and Torres Strait Islander Women. *Int J Environ Res Public Health*, 18(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33374701>
- Jussila, H, Pelto, J, Korja, R, Ekholm, E, Pajulo, M, Karlsson, L, & Karlsson, H. (2020). The association of maternal-fetal attachment with smoking and smoking cessation during pregnancy in The FinnBrain Birth Cohort Study. *BMC Pregnancy Childbirth*, 20(1), 741. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33256653>
- Madureira, J, Camelo, A, Silva, AI, Reis, AT, Esteves, F, Ribeiro, AI et al. (2020). The importance of socioeconomic position in smoking, cessation and environmental tobacco smoke exposure during pregnancy. *Sci Rep*, 10(1), 15584. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32973155>
- Al-Hassany, L, Wahab, RJ, Steegers, EAP, Jaddoe, VWV, & Gaillard, R. (2020). Smoking cessation in early-pregnancy, gestational weight gain and subsequent risks of pregnancy complications. *Eur J Obstet Gynecol Reprod Biol*, 253, 7-14. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32745817>
- Vila-Candel, R, Navarro-Illana, E, Mena-Tudela, D, Perez-Ros, P, Castro-Sanchez, E, Soriano-Vidal, FJ., & Quesada, JA. (2020). Influence of Puerperal Health Literacy on Tobacco Use during Pregnancy among Spanish Women: A Transversal Study. *Int J Environ Res Public Health*, 17(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32340128>

- Linn, BK, Stasiewicz, PR, Fillo, J, & Bradizza, CM. (2020). The Great Disrupter: Relationship of Alexithymia to Emotion Regulation Processes and Smoking among Pregnant Women. *Subst Use Misuse*, 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32153230>
- Dascal, MD, Meghea, CI, & Blaga, OM. (2020). A Cross-Section Study of Relationship Characteristics and Smoking Cessation During Pregnancy in a Sample of Romanian Pregnant Women. *Matern Child Health J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32048171>
- Miguez, MC, Pereira, B, Pinto, TM, & Figueiredo, B. (2019). Continued tobacco consumption during pregnancy and women's depression and anxiety symptoms. *Int J Public Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31628523>
- Fergie, L, Coleman, T, Ussher, M, Cooper, S, & Campbell, KA. (2019). Pregnant Smokers' Experiences and Opinions of Techniques Aimed to Address Barriers and Facilitators to Smoking Cessation: A Qualitative Study. *Int J Environ Res Public Health*, 16(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31382531>
- Fergie, L, Campbell, KA, Coleman-Haynes, T, Ussher, M, Cooper, S, & Coleman, T. (2019). Stop smoking practitioner consensus on barriers and facilitators to smoking cessation in pregnancy and how to address these: A modified Delphi survey. *Addict Behav Rep*, 9, 100164. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193880>
- Levine, MD, Emery, RL, Kolko Conlon, RP, Marcus, MD, Germeroth, LJ, Salk, RH, & Cheng, Y. (2019). Depressive Symptoms Assessed Near the End of Pregnancy Predict Differential Response to Postpartum Smoking Relapse Prevention Intervention. *Ann Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31219152>
- Hikita, N, Haruna, M, Matsuzaki, M, Sasagawa, E, Murata, M, Yura, A, & Oidovsuren, O. (2019). Comparison of Knowledge about Smoking and Passive Smoking and Urinary Cotinine Levels in Pregnant Women and their Partners in Mongolia: A Cross-sectional Study. *Asian Pac Isl Nurs J*, 4(1), 47-56. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31037272>
- Oncken, C, Mead, EL, Dornelas, EA, Kuo, CL, Sankey, HZ, Kranzler, HR, & Thurlow, S. (2019). Opioid Use and Rate of Nicotine Metabolism among Pregnant Smokers. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31063550>
- Rockhill, KM, England, LJ, Tong, VT, & Sharma, AJ. Biochemically confirmed smoking cessation and gestational weight gain. *Birth*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30633363>
- Grant, A, Morgan, M, Gallagher, D, & Mannay, D. Smoking during pregnancy, stigma and secrets: Visual methods exploration in the UK. *Women Birth*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30553588>
- Barnett, MJ, Fealy, S, & Wilson, A. Barriers and enablers for smoking cessation amongst pregnant women: An Umbrella Review. *Women Birth*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30396795>
- Kirby, RS. A Commentary on Maternal Smoking During Pregnancy: The Story Behind the Trends. *Public Health Rep*, 2018. 133(6), 635-636. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30278150>

Tanda, R, Chertok, IRA, Haile, ZT, & Chavan, BB. Factors That Modify the Association of Maternal Postpartum Smoking and Exclusive Breastfeeding Rates. *Breastfeed Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30285471>

Arger, CA, Taghavi, T, Heil, SH, Skelly, J, Tyndale, RF, Higgins, ST. Pregnancy-Induced Increases in the Nicotine Metabolite Ratio: Examining Changes During Antepartum and Postpartum. *Nicotine Tob Res*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30165458>

Miller-Graff, LE, Howell, KH, Grein, K, Keough, K. Women's Cigarette and Marijuana Use in Pregnancy: Identifying the Role of Past Versus Recent Violence Exposure. *J Interpers Violence*. 2018 Jun 1;886260518779068. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29936890>

Naughton, F, Hopewell, S, Sinclair, L, McCaughan, D, McKell, J, Bauld, L. Barriers and facilitators to smoking cessation in pregnancy and in the post-partum period: The health care professionals' perspective. *Br J Health Psychol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29766615>

Ibarra, JL, Agas, JM, Lee, M, Pan, JL, Buttenheim, AM. Comparison of Online Survey Recruitment Platforms for Hard-to-Reach Pregnant Smoking Populations: Feasibility Study. *JMIR Res Protoc*. 2018 Apr 16;7(4):e101. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29661751>

Morimoto, Y, Yamasaki, S, Ando, S, Koike, S, Fujikawa, S, Kanata, S, Endo, K, Nakanishi, M, Hatch, SL, Richards, M, Kasai, K, Hiraiwa-Hasegawa, M, Nishida, A. Purpose in life and tobacco use among community-dwelling mothers of early adolescents. *BMJ Open*. 2018 Apr 20;8(4):e020586. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29678982>

Silver, RM. Smoking and Pregnancy: Getting dads "on the bus". *BJOG*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29235248>

Abman, SH, Mourani, P, Wagner, B. Reply to: Is It Adequate to Assess Prenatal Smoking Risk to Infants Without Considering Socioeconomic Status? *Am J Respir Crit Care Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29111777>

Ong, T, Schechter, MS. Is It Adequate to Assess Prenatal Smoking Risk to Infants Without Considering Socioeconomic Status? *Am J Respir Crit Care Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29111767>

Young-Wolff, KC, McCaw, B, Avalos, LA. Intimate Partner Violence, Smoking, and Pregnancy: What Can We Do to Help? *J Womens Health (Larchmt)*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28937842>

Goodwin, RD, Cheslack-Postava, K, Nelson, DB, Smith, PH, Wall, MM, Hasin, DS, Nomura, Y and Galea, S. Smoking during pregnancy in the United States, 2005-2014: The role of depression. *Drug Alcohol Depend*. 2017 Jul 18;179:159-166. Available from: <http://www.sciencedirect.com/science/article/pii/S0376871617303459>

Allen, A, Tosun, N, Carlson, S, Allen, S. Postpartum Changes in Mood and Smoking-Related Symptomatology: An Ecological Momentary Assessment Investigation. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28575412>

Bauld, L, Oncken, C. Smoking in Pregnancy: An Ongoing Challenge. *Nicotine Tob Res*. 2017 May 1;19(5):495-496. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403476>

- Frandsen, M, Thow, M, Ferguson, SG. Profile of Maternal Smokers Who Quit During Pregnancy: A Population-Based Cohort Study of Tasmanian Women, 2011-2013. *Nicotine Tob Res.* 2017 May 1;19(5):532-538. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403453>
- Hulman, A, Lutsiv, O, Park, CK, Krebs, L, Beyene, J, McDonald, SD. Are women who quit smoking at high risk of excess weight gain throughout pregnancy? *BMC Pregnancy Childbirth.* 2016 Sep 6;16:263. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27595584>
- Sahebi, Z, Kazemi, A. The relationship between husbands' health belief and environment tobacco smoke exposure among their pregnant wife. *J Matern Fetal Neonatal Med,* May 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27160345>
- Tappin, D. The importance of permanent cessation for pregnant smokers. *Addiction.* 2016 Jun;111(6):991-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27157901>
- Flemming, K, Graham, H, McCaughan, D, Angus, K, Sinclair, L, Bauld, L. Health professionals' perceptions of the barriers and facilitators to providing smoking cessation advice to women in pregnancy and during the post-partum period: a systematic review of qualitative research. *BMC Public Health.* 2016 Mar 31;16(1):290. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27030251>
- Boucher, J, Konkle, AT. Understanding inequalities of maternal smoking-bridging the gap with adapted intervention strategies. *Int J Environ Res Public Health.* 2016 Mar 4;13(3). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26959037>
- Goszczyńska, E, Knol-Michalowska, K, Petrykowska, A. How do pregnant women justify smoking? A qualitative study with implications for nurses' and midwives' anti-tobacco interventions. *J Adv Nurs,* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26970542>
- Jones, M, Lewis, S, Parrott, S, Wormall, S, Coleman, T. Re-starting smoking in the postpartum period after receiving a smoking cessation intervention: a systematic review. *Addiction,* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26990248>
- Katz, MH. Preventing smoking relapse after delivery-maintaining a pregnant pause. *JAMA Intern Med,* 2016 Apr 1;176(4):452. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26999309>
- Alibekova, R et al. Effects of smoking on perinatal depression and anxiety in mothers and fathers: A prospective cohort study. *J Affect Disord,* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26766030>
- De Wilde, KS et al. The modified reasons for smoking scale: factorial structure, validity and reliability in pregnant smokers. *J Eval Clin Pract,* 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26727590>
- Lai, MC et al. Influence of perceived risk of smoking and second-hand smoke on self-regulatory behavior among pregnant Taiwanese women. *Southeast Asian J Trop Med Public Health,* Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26867368>
- Berlin, I et al. Craving and withdrawal symptoms during smoking cessation: comparison of pregnant and non-pregnant smokers. *J Subst Abuse Treat,* 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26806411>

Tong, VT et al. Clinicians' awareness of the Affordable Care Act mandate to provide comprehensive tobacco cessation treatment for pregnant women covered by Medicaid. *Prev Med Rep*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26457245>

Wagijo, MA et al. Reducing tobacco smoking and smoke exposure to prevent preterm birth and its complications. *Paediatr Respir Rev*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26482273>

Mitchell, SA et al. Social factors related to smoking among rural, low-income women: findings from a systematic review. *Public Health Nurs*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26403861>

Bertani, AL et al. Preventing smoking during pregnancy: the importance of maternal knowledge of the health hazards and of the treatment options available. *Jornal brasileiro de pneumologia*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25972970>

Faustich, BM. Intimate partner violence and maternal cigarette smoking before and during pregnancy. *Obstetrics and Gynecology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26000522>

Meernik, C, Goldstein, AO. A critical review of smoking, cessation, relapse and emerging research in pregnancy and post-partum. *British Medical Bulletin*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25926615>

Miyazaki, Y et al. Smoking cessation in pregnancy: psychosocial interventions and patient-focused perspectives. *International journal of women's health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25960677>

7.11.5 Interventions for reducing smoking during and post-pregnancy

Cevik, BE, & Kocatas, S. (2024). The effect of online motivational interviewing on pregnant women's smoking cessation behaviour: A randomized controlled trial. *Int J Nurs Pract*, e13303. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39364683>

Tappin, D, Lee, J, McConnachie, A, Kock, L, Higgins, ST, Heil, SH et al. (2024). Systematic review of randomised controlled clinical trials examining effectiveness of contingent financial rewards for smoking cessation during pregnancy: intention-to-treat and causal effects on birthweight. *medRxiv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39228718>

Kock, LS, Higgins, ST, & Heil, SH. (2024). Commentary on Ussher et al.: Duration and magnitude of postpartum financial incentives for the maintenance of cigarette smoking abstinence. *Addiction*, 119(8), 1364-1365. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38837806>

Ussher, M, Best, C, Lewis, S, McKell, J, Coleman, T, Cooper, S et al. (2024). Effect of 3 months and 12 months of financial incentives on 12-month postpartum smoking cessation maintenance: A randomized controlled trial. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38623627>

Chavin, M, Latour, G, Guyard-Boileau, B, & Durand, MA. (2024). [Evaluation of the Tuto'Tour pregnancy intervention among pregnant smokers in vulnerable situations]. *Sante Publique*, 36(1), 45-72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38580466>

Satyanarayana, VA, Jackson, C, Siddiqi, K, Dherani, M, Parrott, S, Li, J et al (2024). Multicomponent Behavioural Intervention during Pregnancy to Reduce Home Exposure to Second-Hand Smoke: A Pilot Randomised

- Controlled Trial in Bangladesh and India. *Int J Environ Res Public Health*, 21(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38673401>
- Emery, J, Leonardi-Bee, J, Coleman, T, McDaid, L, & Naughton, F. (2024). The effectiveness of text support for stopping smoking in pregnancy (MiQuit): multi-trial pooled analysis investigating effect moderators and mechanisms of action. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38365206>
- Desmet, C Reynolds, R, Hollis, J, Licata, M, Daly, J, Doherty, E et al. (2023). Clustering of smoking, alcohol consumption and weight gain in pregnancy: prevalence, care preferences and associated factors. *BMC Pregnancy Childbirth*, 23(1), 799. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37978464>
- Gaudron, E, & Davis, DL. (2023). Is carbon monoxide testing in pregnancy an acceptable and effective smoking cessation initiative? An integrative systematic review of evidence. *Women Birth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37932159>
- Nagdeo, KP, Lee, H, & Forberger, S. (2023). International and national frameworks, guidelines, recommendations, and strategies for maternal tobacco prevention and cessation: A scoping review protocol. *Tob Induc Dis*, 21, 144. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37941819>
- Shirwani, A, Kuller, JA, Dotters-Katz, SK, & Addae-Konadu, K. (2023). Nicotine Use During Pregnancy: Cessation and Treatment Strategies. *Obstet Gynecol Surv*, 78(10), 589-597. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37976314>
- Przulj, D, Pesola, F, Myers Smith, K, McRobbie, H, Coleman, T, Lewis, S et al. (2023). Helping pregnant smokers quit: a multi-centre randomised controlled trial of electronic cigarettes versus nicotine replacement therapy. *Health Technol Assess*, 27(13), 1-53. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37840301>
- Forray, A, Gunter-Riley, RG, Maltz, C, & Waters, AJ. (2023). Pilot study of attentional retraining for postpartum smoking relapse. *Front Psychiatry*, 14, 1231702. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37900298>
- Li, L, Wang, J, Xia, W, Li, WHC, Weng, X, & Song, P. (2023). Smoking cessation and relapse-prevention interventions tailored for expectant and new fathers: protocol of a systematic review and network meta-analysis. *BMJ Open*, 13(10), e071745. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37802607>
- Jackson, MA, Brown, AL, Baker, AL, Bonevski, B, Haber, P, Bonomo, Y et al. (2023). Tobacco treatment incorporating contingency management, nicotine replacement therapy, and behavioral counseling for pregnant women who use substances: a feasibility trial. *Front Psychiatry*, 14, 1207955. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37654991>
- Khanal, S, Miani, C, Finne, E, Zielke, J, & Boeckmann, M. (2023). Effectiveness of behavior change interventions for smoking cessation among expectant and new fathers: findings from a systematic review. *BMC Public Health*, 23(1), 1812. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37723506>
- Notley, C, Brown, TJ, Bauld, L, Clark, AB, Dunclift, S, Gilroy, V et al. (2023). BabyBreathe trial: protocol for a randomised controlled trial of a complex intervention to prevent postpartum return to smoking. *BMJ Open*, 13(9), e076458. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37666562>
- Vila-Farinas, A, Perez-Rios, M, Montes-Martinez, A, Ruano-Ravina, A, Forray, A, Rey-Brandariz, J et al. (2023). Effectiveness of smoking cessation interventions among pregnant women: An updated systematic review and meta-analysis. *Addict Behav*, 148, 107854. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37683574>
- Bailey, C, Medeiros, PB, Ellwood, DA, Middleton, P, Andrews, CJ, & Flenady, VJ. (2023). A systematic review of interventions to increase the use of smoking cessation services for women who smoke during pregnancy. *Aust N Z J Obstet Gynaecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37621216>

- Higgins, ST, Plucinski, S, Orr, E, Nighbor, TD, Coleman, SRM, Skelly, J et al. (2023). Randomized clinical trial examining financial incentives for smoking cessation among mothers of young children and possible impacts on child secondhand smoke exposure. *Prev Med*, 107651. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37527730>
- Kock, LS, Erath, TG, Coleman, SRM, Higgins, ST, & Heil, SH. (2023). Contingency management interventions for abstinence from cigarette smoking in pregnancy and postpartum: A systematic review and meta-analysis. *Prev Med*, 107654. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37532032>
- Collins, BN, Lepore, SJ, & Egleston, BL. (2023). Eliminating children's tobacco smoke exposure: a pathway to bioverified abstinence among low-income maternal smokers in the Babies Living Safe and Smokefree (BLISS) trial. *J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37285107>
- Karimiankakolaki, Z, Mazloomi Mahmoodabad, SS, & Kazemi, A. (2023). Designing, implementing and evaluating an educational program regarding the effects of second-hand smoke in pregnancy on the knowledge, attitude and performance of male smokers. *Reprod Health*, 20(1), 82. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37277775>
- Wang, MP, Luk, TT, Lam, TH, Li, WHC, Leung, WC, Leung, KY et al. (2023). Combination of brief advice, nicotine replacement therapy sampling, and active referral for smoking expectant fathers: abridged secondary publication. *Hong Kong Med J*, 29 Suppl 2(1), 25-28. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36951002>
- McMeekin, N, Sinclair, L, Robinson-Smith, L, Mitchell, AL, Bauld, L, Tappin, D, & Boyd, KA. (2023). Financial Incentives for Quitting Smoking in Pregnancy: Are They Cost-Effective? *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36843417>
- Breunis, LJ, de Kroon, MLA, de Jong-Potjer, LC, Steegers, EAP, & Been, JV. (2023). Piloting a complex intervention to promote a tobacco and alcohol-free pregnancy: the Smoke and Alcohol Free with EHealth and Rewards (SAFER) pregnancy study. *BMC Pregnancy Childbirth*, 23(1), 19. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36627569>
- Stone, KC. (2023). Postpartum Behavioral Sleep Intervention for Smoking Relapse Prevention: A Pilot Trial. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36625953>
- Kroder, TA, Peters, LL, Roggeveld, AL, Holtrop, M, Harshagen, L, Klein, LM, & Erwich, J. (2022). Smoking cessation in pregnant women using financial incentives: a feasibility study. *BMC Pregnancy Childbirth*, 22(1), 963. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36564748>
- Jackson, MA, Buykx, P, Brown, AL, Baker, AL, Dunlop, AJ, & Gould, GS. (2022). Using mixed methods to establish tobacco treatment acceptability from the perspective of clients and clinicians of antenatal substance use services. *Addict Sci Clin Pract*, 17(1), 56. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36195932>
- Vadivale, AM, & Sathiyaseelan, A. (2022). Need for mindfulness-based relapse prevention strategies for postpartum smoking relapse prevention. *Indian J Public Health*, 66(3), 334-336. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36149116>
- Murff, HJ., Greevy, RA, Sternlieb, S, Gilliam, K, King, S, Sanghani, R, & Tindle, HA. (2022). The Fish Oil to Reduce Tobacco Use in Expectant Mothers (FORTUNE) Feasibility Trial. *Am J Obstet Gynecol MFM*, 100707. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35948268>
- McCormack, FC, Hopley, RC, Boath, EH, Parry, SL, Roscoe, SM, Stewart, A, & Birch, VA. (2022). Exploring pregnant women's experiences of stopping smoking with an incentive scheme with 'enhanced' support: a qualitative study. *Perspect Public Health*, 17579139221106842. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35787029>

Almeida, R, Barbosa, C, Pereira, B, Diniz, M, Baena, A, & Conde, A. (2022). Tobacco Smoking during Pregnancy: Women's Perception about the Usefulness of Smoking Cessation Interventions. *Int J Environ Res Public Health*, 19(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35682178>

Massey, SH, Estabrook, R, Lapping-Carr, L, Newmark, RL, Decety, J, Wisner, KL, & Wakschlag, L S. (2022). Are empathic processes mechanisms of pregnancy. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35660692>

Avsar, TS, Jackson, L, Barton, P, Jones, M, & McLeod, H. (2022). Towards optimum smoking cessation interventions during pregnancy: a household model to explore cost-effectiveness. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35603912>

Bommele, J, Springvloet, L, Abouri, N, Djyoadhiningrat-Hol, K, van Laar, M, & Blankers, M. (2022). The effectiveness of PROMISE minimal smoking cessation intervention strategy to improve the adherence to smoking cessation counselling during pregnancy: A stepped-wedge cluster randomized controlled trial. *Midwifery*, 111, 103364. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35609468>

Higgins, ST, Nighbor, TD, Kurti, AN, Heil, SH, Slade, EP, Shepard, DS et al. (2022). Randomized Controlled Trial Examining the Efficacy of Adding Financial Incentives to Best practices for Smoking Cessation Among pregnant and Newly postpartum Women. *Prev Med*, 107012. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35248683>

Collins, BN, Lepore, SJ, & Egleston, BL. (2022). Multilevel Intervention for Low-Income Maternal Smokers in the Special Supplemental Nutrition Program for Women, Infants, and Children (WIC). *Am J Public Health*, 112(3), 472-481. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35196033>

Thomson, R, Cooper, S, Waldron, J, Mamuzo, E, McDaid, L, Emery, J et al. (2022). Smoking Cessation Support for Pregnant Women Provided by English Stop Smoking Services and National Health Service Trusts: A Survey. *Int J Environ Res Public Health*, 19(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35162656>

King, E, Cheyne, H, Abhyankar, P, Elders, A, Grindle, M, Hapca, A et al. (2022). Promoting smoking cessation during pregnancy: A feasibility and pilot trial of a digital storytelling intervention delivered via text-messaging. *Patient Educ Couns*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35063311>

Berlin, I, Berlin, N, Malecot, M, Breton, M, Jusot, F, & Goldzahl, L. (2021). Financial incentives for smoking cessation in pregnancy: multicentre randomised controlled trial. *BMJ*, 375, e065217. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34853024>

Breunis, LJ, Bauld, L, & Been, JV. (2021). Incentives for smoking cessation in pregnancy. *BMJ*, 375, n2889. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34853029>

Noonan, D, Lyna, P, Kennedy, DL, Gao, X, Bejarano Hernandez, S, Fish, LJ, & Pollak, KI. (2021). Trajectories of Situational Temptations in Pregnant Smokers participating in a Scheduled Gradual Reduction Cessation Trial. *Matern Child Health J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34860350>

No authors listed. Financial incentives for smoking cessation in pregnancy: multicentre randomised controlled trial. (2021). *BMJ*, 375, n3012. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34862197>

Petersen, AB, Ogunrinu, T, Wallace, S, Yun, J, Belliard, JC, & Singh, PN. (2021). Implementation and Outcomes of a Maternal Smoking Cessation Program for a Multi-ethnic Cohort in California, USA, 2012-2019. *J Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34739686>

- Salameh, TN, Hall, LA, Hall, MT, & Crawford, TN. (2021). Cigarette smoking cessation and mental health treatment receipt in a U.S national sample of pregnant women with mental illness. *J Nurs Scholarsh*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34750961>
- Coleman, E, Whitmore, R, Clark, L, Daykin, K, & Clark, M. (2021). Pre-notification and personalisation of text messages to increase questionnaire completion in a smoking cessation pregnancy RCT: an embedded randomised factorial trial. *F1000Res*, 10, 637. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34631028>
- Coleman, T, Clark, M, Welch, C, Whitmore, R, Leonardi-Bee, J, Cooper, S et al. (2021). Effectiveness of offering tailored text message, self-help smoking cessation support to pregnant women who want information on stopping smoking: MiQuit3 randomised controlled trial (RCT) and meta-analysis. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34636086>
- Joyce, CM, Saulsgiver, K, Mohanty, S, Bachireddy, C, Molfetta, C, Steffy, M et al. (2021). Remote Patient Monitoring and Incentives to Support Smoking Cessation Among Pregnant and Postpartum Medicaid Members: Three Randomized Controlled Pilot Studies. *JMIR Form Res*, 5(9), e27801. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34591023>
- Osborne, JB, & Bailey, BA. (2021). Does it matter when I quit? Could I just cut down some? Links between trimester-specific smoking amount, preterm birth, and low birth weight. *Birth Defects Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34585853>
- Ahlers-Schmidt, CR, Schunn, C, Hervey, AM, Torres, M, & Nelson, J. (2021). Promoting Safe Sleep, Tobacco Cessation and Breastfeeding to Rural Women During the COVID-19 Pandemic: Pre-Post Study. *JMIR Pediatr Parent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34550075>
- Lee, MJ, & Lee, KS. (2021). Maintenance of smoking cessation in Korean single mothers. *BMC Womens Health*, 21(1), 292. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34372838>
- Slomski, A. (2021). Simple Intervention Motivates Expectant Fathers to Quit Smoking. *JAMA*, 326(5), 378. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34342626>
- Bertani, A, Tanni, S, & Godoy, I. (2021). Brief Intervention for Smoking Cessation During Pregnancy. *J Bras Pneumol*, 47(4), e20210142. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34259746>
- Luk, TT, Lam, TH, Leung, WC, Leung, KY, Cheung, KW, Kwa, C et al (2021). Brief Advice, Nicotine Replacement Therapy Sampling, and Active Referral for Expectant Fathers Who Smoke Cigarettes: A Randomized Clinical Trial. *JAMA Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34125135>
- Murphy, CM, Micalizzi, L, Sokolovsky, AW, Borrelli, B, Jennings, EG, Lee, CS et al (2021). Motivational interviewing telephone counseling to increase postpartum maintenance of abstinence from tobacco. *J Subst Abuse Treat*, 132, 108419. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34098201>
- No authors listed. Interventions for Tobacco Smoking Cessation in Adults, Including Pregnant Persons: Recommendation Statement. (2021). *Am Fam Physician*, 103(12), Online. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34128620>
- van Dijk, W, Oosterman, M, Jansen, I, de Vente, W, & Huizink, A. (2021). Stress- and smoke free pregnancy study protocol: a randomized controlled trial of a personalized eHealth intervention including heart rate variability-biofeedback to support pregnant women quit smoking via stress reduction. *BMC Public Health*, 21(1), 905. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33980201>

- Bacheller, HL, Hersh, AR, & Caughey, AB. (2021). Behavioral Smoking Cessation Counseling During Pregnancy: A Cost-Effectiveness Analysis. *Obstet Gynecol*, 137(4), 703-712. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33706341>
- Szatkowski, L, Vaz, LR, Fiaschi, L, Tata, L, & Coleman, T. (2021). Trends in prescribing of nicotine replacement therapy to pregnant women in primary care in England. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33751117>
- Blaga, OM, Fratila, TD, & Meghea, CI. (2020). Using Behavioral Nudges to Engage Pregnant Women in a Smoking Cessation Trial: An Online Field Quasi-Experiment. *Healthcare (Basel)*, 8(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33276634>
- Fallin-Bennett, A, Lofwall, M, Waters, T, Nuzzo, P, Barnett, J, Ducas, L et al (2020). Behavioral and Enhanced Perinatal Intervention (B-EPIC): A randomized trial targeting tobacco use among opioid dependent pregnant women. *Contemp Clin Trials Commun*, 20, 100657. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33294725>
- Breunis, LJ, de Kroon, ML A, Laureij, LT, de Jong-Potjer, L, Steegers, EAP, & Been, JV. (2020). Smoke and Alcohol Free with EHealth and Rewards (SAFER) pregnancy study: a before-after study protocol. *NPJ Prim Care Respir Med*, 30(1), 51. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33208752>
- Valencia, S, Callinan, L, Shic, F, & Smith, M. (2020). Evaluation of the MoMba Live Long Remote Smoking Detection System During and After Pregnancy: Development and Usability Study. *JMIR Mhealth Uhealth*, 8(11), e18809. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33231550>
- Abidi, FB, Laing, L, Cooper, S, Coleman, T, & Campbell, KA. (2020). Experts' Views on Behaviour Change Techniques for Smoking Cessation in Pregnancy: A Qualitative Study. *Int J Environ Res Public Health*, 17(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33105804>
- McMeekin, N, Sinclair, L, Bauld, L, Tappin, DM, Mitchell, A, & Boyd, KA. (2020). A protocol for the economic evaluation of the smoking Cessation in Pregnancy Incentives Trial III (CPIT III). *BMJ Open*, 10(10), e038827. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33109658>
- Jones, SE, Hamilton, S, Bell, R, Araujo-Soares, V, & White, M. (2020). Acceptability of a cessation intervention for pregnant smokers: a qualitative study guided by Normalization Process Theory. *BMC Public Health*, 20(1), 1512. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33023537>
- Heil, SH, Bergeria, CL, Lee, DC, Bunn, JY, Harfmann, RF, Hughes, JR et al. (2020). Abuse liability of cigarettes with very low nicotine content in pregnant cigarette smokers. *Prev Med*, 106227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32768512>
- Klein, EG, Macisco, J, Lazard, A, Busho, A, Oslock, A, & Worly, B. (2020). Framing pregnancy-related smoking cessation messages for women of reproductive age. *Addict Behav Rep*, 12, 100290. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32637566>
- Kurti, AN, Tang, K, Bolivar, HA, Evemy, C, Medina, N, Skelly, J et al (2020). Smartphone-based financial incentives to promote smoking cessation during pregnancy: A pilot study. *Prev Med*, 106201. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32652133>

- Patterson, JA, Torvaldsen, S, Nippita, TA, Ford, JB, & Morris, JM. (2020). Determining a strategy to reduce smoking in pregnancy. *Aust N Z J Obstet Gynaecol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32686088>
- Dascal, M, Rusu, A, Onisor, A, Blaga, O, Miller, M, & Meghea, C. (2020). An mHealth intervention to prevent postnatal smoking relapse: The RESPREMO study protocol. *Tob Prev Cessat*, 6, 24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32548361>
- Nwosu, C, Angus, K, Cheeseman, H, & Semple, S. (2020). Reducing second-hand smoke exposure among non-smoking pregnant women: a systematic review. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32428216>
- Pollak, KI, Lyna, P, Gao, X, Noonan, D, Hernandez, SB, Subudhi, S et al. (2020). Pilot Test of Connecting Pregnant Women who Smoke to Short Message Service (SMS) Support Texts for Cessation. *Matern Child Health J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32026323>
- Sinclair, L, McFadden, M, Tilbrook, H, Mitchell, A, Keding, A, Watson, J et al. (2020). The smoking cessation in pregnancy incentives trial (CPIT): study protocol for a phase III randomised controlled trial. *Trials*, 21(1), 183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32059684>
- Kurti, AN. (2019). Reducing tobacco use among women of childbearing age: Contributions of tobacco regulatory science and tobacco control. *Exp Clin Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31855002>
- Alaniz, K, Christiansen, B, Stewart, K, Sullivan, TE, Khalil, L, & Fiore, MC. (2019). Helping Low Income Pregnant Women Quit Smoking: Improving the First Breath Program. *WMJ*, 118(3), 120-125. Available from <https://www.ncbi.nlm.nih.gov/pubmed/31682747>
- Alaniz, K, Christiansen, B, Sullivan, T, Khalil, L, & Fiore, MC. (2019). Addressing Postpartum Smoking Relapse Among Low-Income Women: A Randomized Control Trial. *J Patient Cent Res Rev*, 6(4), 233-242. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31768402>
- Hawkins, SS, & Baum, CF. (2019). The downstream effects of state tobacco control policies on maternal smoking during pregnancy and birth outcomes. *Drug Alcohol Depend*, 205, 107634. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31669802>
- Jackson, MA, Baker, AL, McCarter, KL, Brown, AL, Gould, GS, & Dunlop, AJ. (2019). Interventions for pregnant women who use tobacco and other substances: a systematic review protocol. *BMJ Open*, 9(11), e032449. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31719091>
- Jackson, MA, Brown, AL, Baker, AL, Gould, GS, & Dunlop, AJ. (2019). The Incentives to Quit tobacco in Pregnancy (IQuIP) protocol: piloting a financial incentive-based smoking treatment for women attending substance use in pregnancy antenatal services. *BMJ Open*, 9(11), e032330. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31753890>
- Polinski, KJ, Wolfe, R, Peterson, A, Juhl, A, Perrailon, MC, Levinson, AH, & Crume, TL. (2019). Impact of an incentive-based prenatal smoking cessation program for low-income women in Colorado. *Public Health Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31692104>
- Kamke, K, Grenen, E, Robinson, C, & El-Toukhy, S. (2019). Dropout and Abstinence Outcomes in a National Text Messaging Smoking Cessation Intervention for Pregnant Women, SmokefreeMOM:

- Observational Study. *JMIR Mhealth Uhealth*, 7(10), e14699. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31593542>
- Naughton, F, Vaz, LR, Coleman, T, Orton, S, Bowker, K, Leonardi-Bee, J et al (2019). Interest in and Use of Smoking Cessation Support Across Pregnancy and Postpartum. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31570944>
- Pollak, KI, Lyna, P, Gao, X, Noonan, D, Bejarano Hernandez, S, Subudhi, et al. (2019). Efficacy of a Texting Program to Promote Cessation Among Pregnant Smokers: A Randomized Control Trial. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31647564>
- Marin-Gomez, FX, Garcia-Moreno Marchan, R, Mayos-Fernandez, A, Flores-Mateo, G, Granado-Font, E, Barrera Uriarte, ML et al. (2019). Figure Correction: Exploring Efficacy of a Serious Game (Tobstop) for Smoking Cessation During Pregnancy: Randomized Controlled Trial. *JMIR Serious Games*, 7(3), e14381. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31298219>
- Wise, J. (2019). Perinatal care: mental health support expands but weight and smoking services "extremely disappointing". *BMJ*, 366, l4678. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31296497>
- Notley, C, Brown, TJ, Bauld, L, Hardeman, W, Holland, R, Naughton, F et al (2019). Development of a Complex Intervention for the Maintenance of Postpartum Smoking Abstinence: Process for Defining Evidence-Based Intervention. *Int J Environ Res Public Health*, 16(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31163663>
- Jones, S, Hamilton, S, Bell, R, Araujo-Soares, V, Glinianaia, SV, Milne, EMG et al (2019). What helped and hindered implementation of an intervention package to reduce smoking in pregnancy: process evaluation guided by normalization process theory. *BMC Health Serv Res*, 19(1), 297. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31072363>
- Kumar, R, & Gould, GS. (2019). Tobacco Harm Reduction for Women Who Cannot Stop Smoking During Pregnancy-A Viable Option? *JAMA Pediatr*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31058999>
- Whitemore, R, Leonardi-Bee, J, Naughton, F, Sutton, S, Cooper, S, Parrott, S et al (2019). Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. *Trials*, 20(1), 280. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31118090>
- Campbell, KA, Orton, S, Bowker, K, Cooper, S, & Coleman, T. (2019). Feasibility and Acceptability of 'Opt-In' Referrals for Stop Smoking Support in Pregnancy. *Int J Environ Res Public Health*, 16(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31014015>
- Fallin-Bennett, A, Scott, T, Fallin-Bennett, K, & Ashford, K. (2019). Call to Action to Reduce Tobacco Use During Pregnancy. *J Obstet Gynecol Neonatal Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30986372>
- Brown, TJ, Hardeman, W, Bauld, L, Holland, R, Maskrey, V, Naughton, F et al. A systematic review of behaviour change techniques within interventions to prevent return to smoking postpartum. *Addict Behav*, 2018. 92, 236-243. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30731328>
- Kwon, S. Financial incentives encourage pregnant women to quit smoking. *Manag Care*, 2018. 27(11), 32-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30620306>

- McEvoy, CT, Shorey-Kendrick, LE, Milner, K, Schilling, D, Tiller, C, Vuylsteke, B et al. Oral Vitamin C (500 mg/day) to Pregnant Smokers Improves Infant Airway Function at 3 Months (VCSIP): A Randomized Trial. *Am J Respir Crit Care Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30522343>
- Dove, MS, Stewart, SL, Cummins, SE, Kohatsu, ND, & Tong, EK. Medi-Cal Incentives to Quit Smoking Program: Reach to Pregnant and Parenting Women. *Am J Prev Med*, 2018. 55(6S2), S205-S213. Available from: [https://www.ajpmonline.org/article/S0749-3797\(18\)32131-7/pdf](https://www.ajpmonline.org/article/S0749-3797(18)32131-7/pdf)
- Kurti, AN, Bunn, JY, Nighbor, T, Cohen, AH, Bolivar, H, Tang, KJ et al. Leveraging technology to address the problem of cigarette smoking among women of reproductive age. *Prev Med*, 2018. 118, 238-242. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30412743>
- Ioakeimidis, N, Vlachopoulos, C, Katsi, V, & Tousoulis, D. Smoking Cessation Strategies in Pregnancy: Current Concepts And Controversies. *Hellenic J Cardiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30296484>
- Jones, M, Smith, M, Lewis, S, Parrott, S, & Coleman, T. A dynamic, modifiable model for estimating cost-effectiveness of smoking cessation interventions in pregnancy: application to an RCT of self-help delivered by text message. *Addiction*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/add.14476>
- Scherman, A, Tolosa, JE, & McEvoy, C. Smoking cessation in pregnancy: a continuing challenge in the United States. *Ther Adv Drug Saf*, 2018. 9(8), 457-474. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6199686/pdf/10.1177_2042098618775366.pdf
- Ahlers-Schmidt, CR, Schunn, C, Engel, M, Dowling, J, Neufeld, K, Kuhlmann, S. Implementation of a Statewide Program to Promote Safe Sleep, Breastfeeding and Tobacco Cessation to High Risk Pregnant Women. *J Community Health*. 2018 Sep 5. pii: 10.1007/s10900-018-0571-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30187364>
- Fifolt, M, Preskitt, J, Johnson, HH, Johns, E, Zeribi, KA, Arbour, M. Using Continuous Quality Improvement Tools to Promote Tobacco Cessation Among Primary Caregivers in a Home Visiting Program in Alabama. *J Public Health Manag Pract*, Sep 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30180108>
- Jin, G, Niu, YY, Yang, XW, Yang, Y. Effect of smoking cessation intervention for pregnant smokers. *Medicine (Baltimore)*. 2018 Aug;97(35):e11988. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30170402>
- O'Hair, CM, Armstrong, K, Rutherford, HJV. The Potential Utility for Massage Therapy During Pregnancy to Decrease Stress and Tobacco Use. *Int J Ther Massage Bodywork*. 2018 Aug 5;11(3):15-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30108669>
- Reynolds, CME, Egan, B, O'Malley, EG, Kennedy, RRA, Sheehan, SR, Turner, MJ. Feasibility of recruitment to a behavioural smoking cessation intervention combined with ongoing online support. *Eur J Public Health*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30137297>
- Roper, L, Tran, DT, Einarsdottir, K, Preen, DB, Havard, A. Algorithm for resolving discrepancies between claims for smoking cessation pharmacotherapies during pregnancy and smoking status in delivery records: The impact on estimates of utilisation. *PLoS One*. 2018 Aug 30;13(8):e0202999. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30161203>

Wilson, SM, Newins, AR, Medenblik, AM, Kimbrel, NA, Dedert, EA, Hicks, TA, Neal, LC, Beckham, JC, Calhoun, PS. Contingency Management Versus Psychotherapy for Prenatal Smoking Cessation: A Meta-Analysis of Randomized, Controlled Trials. *Womens Health Issues*. 2018 Jul 27. pii: S1049-3867(17)30655-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30061033>

Reynolds, CME, Egan, B, Kennedy, RA, O'Malley, EG, Sheehan, SR, Turner, MJ. A prospective, observational study investigating the use of carbon monoxide screening to identify maternal smoking in a large university hospital in Ireland. *BMJ Open*. 2018 Jul 23;8(7):e022089. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30037878>

Tombor, I, Beard, E, Brown, J, Shahab, L, Michie, S, West, R. Randomized factorial experiment of components of the SmokeFree Baby smartphone application to aid smoking cessation in pregnancy. *Transl Behav Med*, July 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30011020>

Forinash, AB, Yancey, A, Chamness, D, Koerner, J, Inteso, C, Miller, C, Gross, G, Mathews, K. Smoking Cessation Following Text Message Intervention in Pregnant Women. *Ann Pharmacother*, 2018. June 1, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29857773>

Griffiths, SE, Parsons, J, Naughton, F, Fulton, EA, Tombor, I, Brown, KE. Are digital interventions for smoking cessation in pregnancy effective? A systematic review and meta-analysis. *Health Psychol Rev*. 2018 Jun 28:1-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29912621>

Daley, A, Riaz, M, Lewis, S, Aveyard, P, Coleman, T, Manyonda, I, West, R, Lewis, B, Marcus, B, Taylor, A, Ibison, J, Kent, A, Ussher, M. Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. *BMC Pregnancy Childbirth*. 2018 May 10;18(1):156. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29747597>

Abroms, LC, Johnson, PR, Brandon, TH. Author Response to Letter to the Editor "Raise the Bar to Help Pregnant Smokers, Rather Than Lower It". *Am J Prev Med*. 2018 May;54(5):723-724. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29680121>

Braillon, A, Bewley, S. Raise the Bar to Help Pregnant Smokers, Rather Than Lower It. *Am J Prev Med*. 2018 May;54(5):722. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29680120>

Emery, JL, Coleman, T, Sutton, S, Cooper, S, Leonardi-Bee, J, Jones, M, Naughton, F. Uptake of Tailored Text Message Smoking Cessation Support in Pregnancy When Advertised on the Internet (MiQuit): Observational Study. *J Med Internet Res*. 2018 Apr 19;20(4):e146. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29674308>

Wen, X, Eiden, RD, Justicia-Linde, FE, Wang, Y, Higgins, ST, Thor, N, Haghdel, A, Peters, AR, Epstein, LH. A multicomponent behavioral intervention for smoking cessation during pregnancy: a nonconcurrent multiple-baseline design. *Transl Behav Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29648615>

Gow, RV, Heron, J, Hibbeln, JR, Davis, JM, SanGiovanni, JP. Maternal fish consumption during pregnancy and smoking behavioural patterns. *Br J Nutr*. 2018 Mar 28:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29587894>

Baker, TB, Fraser, DL, Kobinsky, K, Adsit, R, Smith, SS, Khalil, L, Alaniz, KM, Sullivan, TE, Johnson, ML, Fiore, MC. A Randomized Controlled Trial of Financial Incentives to Low Income Pregnant Women to Engage in Smoking Cessation Treatment: Effects on Post-Birth Abstinence. *J Consult Clin Psychol*. 2018 Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29389142>

Campbell, KA, Fergie, L, Coleman-Haynes, T, Cooper, S, Lorencatto, F, Ussher, M, Dyas, J, Coleman, T. Improving Behavioral Support for Smoking Cessation in Pregnancy: What Are the Barriers to Stopping and Which Behavior Change Techniques Can Influence These? Application of Theoretical Domains Framework. *Int J Environ Res Public Health*. 2018 Feb 17;15(2). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29462994>

Ronchi, F, Lewis, L, Hauck, YL, Doherty, DA. Exploring young pregnant smokers' experiences with a self-nominated non-smoking buddy. *Midwifery*. 2018 Apr;59:68-73. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29396382>

Schindler-Ruwisch, JM, Leavitt, LE, Macherelli, LE, Turner, MM, Abrams, LC. Motivating Smoking Cessation Text Messages: Perspectives from Pregnant Smokers. *Matern Child Health J*, 2018.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29417363>

Coleman-Cowger, VH, Mark, KS, Rosenberry, ZR, Koszowski, B, Terplan, M. A Pilot Randomized Controlled Trial of a Phone-based Intervention for Smoking Cessation and Relapse Prevention in the Postpartum Period. *J Addict Med*, Jan 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29351139>

England, L, Tong, VT, Rockhill, K, Hsia, J, McAfee, T, Patel, D, Rupp, K, Conrey, EJ, Valdivieso, C, Davis, KC. Evaluation of a federally funded mass media campaign and smoking cessation in pregnant women: a population-based study in three states. *Evaluation of a federally funded mass media campaign and smoking cessation in pregnant women: a population-based study in three states*. *BMJ Open*. 2017 Dec 19;7(12):e016826. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29259054>

Abrams, LC, Chiang, S, Macherelli, L, Leavitt, L, Montgomery, M. Assessing the National Cancer Institute's SmokefreeMOM Text-Messaging Program for Pregnant Smokers: Pilot Randomized Trial. *J Med Internet Res*. 2017 Oct 3;19(10):e333. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28974483>

Abrams, LC, Johnson, PR, Leavitt, LE, Cleary, SD, Bushar, J, Brandon, TH, Chiang, SC. A Randomized Trial of Text Messaging for Smoking Cessation in Pregnant Women. *Am J Prev Med*. 2017 Sep 26. pii: S0749-3797(17)30437-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28982527>

Forray, A, Gilstad-Hayden, K, Suppries, C, Bogen, D, Sofuoglu, M, Yonkers, KA. Progesterone for smoking relapse prevention following delivery: A pilot, randomized, double-blind study. *Psychoneuroendocrinology*. 2017 Sep 14;86:96-103. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28926762>

Havard, A, Tran, DT, Kemp-Casey, A, Einarsdottir, K, Preen, DB and Jorm, LR. Tobacco policy reform and population-wide antismoking activities in Australia: the impact on smoking during pregnancy. *Tob Control*, 2017. Aug 4, 2017 Available from:

<http://tobaccocontrol.bmj.com/content/early/2017/08/04/tobaccocontrol-2017-053715>

<http://tobaccocontrol.bmj.com/content/early/2017/08/04/tobaccocontrol-2017-053715>

Buchanan, C, Nahhas, GJ, Guille, C, Cummings, KM, Wheeler, C, McClure, EA. Tobacco Use Prevalence and Outcomes Among Perinatal Patients Assessed Through an "Opt-out" Cessation and Follow-Up Clinical Program. *Matern Child Health J*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28702864>

McConnachie, A, Haig, C, Sinclair, L, Bauld, L, Tappin, DM. Birth weight differences between those offered financial voucher incentives for verified smoking cessation and control participants enrolled

in the Cessation in Pregnancy Incentives Trial (CPIT), employing an intuitive approach and a Complier Average Causal Effects (CACE) analysis. *Trials*. 2017 Jul 20;18(1):337. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28728583>

Bai, X, Chen, JY, Fang, Z, Zhang, XY, Wang, F, Pan, ZQ, Fang, PQ. Motivations, challenges and coping strategies for smoking cessation: Based on multi-ethnic pregnant couples in far western China. *J Huazhong Univ Sci Technolog Med Sci*. 2017 Jun;37(3):439-445. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28585135>

Hand, DJ, Ellis, JD, Carr, MM, Abatemarco, DJ, Ledgerwood, DM. Contingency Management Interventions for Tobacco and Other Substance Use Disorders in Pregnancy. *Psychol Addict Behav*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28639813>

Pereira, PP, Da Mata, FA, Figueiredo, AC, de Andrade, KR, Pereira, MG. Maternal Active Smoking During Pregnancy and Low Birth Weight in the Americas: A Systematic Review and Meta-analysis. *Nicotine Tob Res*. 2017 May 1;19(5):497-505. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403455>

Zeev, YB, Bonevski, B, Twyman, L, Watt, K, Atkins, L, Palazzi, K, Oldmeadow, C, Gould, GS. Opportunities Missed: A Cross-Sectional Survey of the Provision of Smoking Cessation Care to Pregnant Women by Australian General Practitioners and Obstetricians. *Nicotine Tob Res*. 2017 May 1;19(5):636-641. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403469>

Koren, I. Pregnancy-specific telephone support helps reduce maternal smoking. *Evid Based Nurs*. 2017 Jan;20(1):10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27934639>

Griffis, H, Matone, M, Kellom, K, Concors, E, Quarshie, W, French, B, Rubin, D, Cronholm, PF. Home visiting and perinatal smoking: a mixed-methods exploration of cessation and harm reduction strategies. *BMC Public Health*. 2016 Aug 11;16(1):764. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27514836>

Leavitt, L, Abrams, L, Johnson, P, Schindler-Ruwisch, J, Bushar, J, Singh, I, Cleary, SD, McInvale, W, Turner, M. Recruiting pregnant smokers from Text4baby for a randomized controlled trial of Quit4baby. *Transl Behav Med*, Dec 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27909881>

Dinsdale, S, Azevedo, LB, Shucksmith, J, Newham, J, Ells, LJ, Jones, D, Heslehurst, N. Effectiveness of weight management, smoking cessation and alcohol reduction interventions in changing behaviors during pregnancy: an umbrella review protocol. *JBI Database System Rev Implement Rep*. 2016 Oct;14(10):29-47. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27846114>

Risica, PM, Gavarkovs, A, Parker, DR, Jennings, E, Phipps, M. A tailored video intervention to reduce smoking and environmental tobacco exposure during and after pregnancy: Rationale, design and methods of Baby's Breath. *Contemp Clin Trials*. 2016 Nov 4;52:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27818283>

Nanovskaya, TN, Oncken, C, Fokina, VM, Feinn, RS, Clark, SM, West, H, Jain, SK, Ahmed, MS, Hankins, GD. Bupropion sustained release for pregnant smokers: a randomized, placebo-controlled trial. *Am J Obstet Gynecol*. 2016 Nov 25. pii: S0002-9378(16)32062-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27890648>

Berard, A, Zhao, JP, Sheehy, O. Success of smoking cessation interventions during pregnancy. *Am J Obstet Gynecol*. 2016 Jul 8. pii: S0002-9378(16)30432-X. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27402053>

Berard, A, Zhao, JP, Sheehy, O. Nicotine patch to stop smoking during pregnancy – Reply. *Am J Obstet Gynecol*. 2016 Oct 22. pii: S0002-9378(16)30919-X. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27780699>

Morgan, H, Treasure, E, Tabib, M, Johnston, M, Dunkley, C, Ritchie, D, Semple, S, Turner, S. An interview study of pregnant women who were provided with indoor air quality measurements of second hand smoke to help them quit smoking. *BMC Pregnancy Childbirth*. 2016 Oct 12;16(1):305. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27729030>

Tombor, I, Shahab, L, Brown, J, Crane, D, Michie, S, West, R. Development of SmokeFree Baby: a smoking cessation smartphone app for pregnant smokers. *Transl Behav Med*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27699682>

Campbell, KA, Bowker, KA, Naughton, F, Sloan, M, Cooper, S, Coleman, T. Antenatal clinic and stop smoking services staff views on "Opt-Out" referrals for smoking cessation in pregnancy: A Framework Analysis. *Int J Environ Res Public Health*. 2016 Oct 12;13(10). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27754352>

Allen, SS, Allen, AM, Lunos, S, Tosun, N. Progesterone and postpartum smoking relapse: a pilot double-blind placebo-controlled randomized trial. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613934>

England, LJ, Tong, VT, Koblitz, A, Kish-Doto, J, Lynch, MM, Southwell, BG. Perceptions of emerging tobacco products and nicotine replacement therapy among pregnant women and women planning a pregnancy. *Prev Med Rep*. 2016 Sep 7;4:481-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27635381>

Logan, CA, Rothenbacher, D, Genuneit, J. Postpartum smoking relapse and breast feeding: defining the window of opportunity for intervention. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613913>

Vaz, LR, Aveyard, P, Cooper, S, Leonardi-Bee, J, Coleman, T, Team, Snap Trial. *Nicotine Tob Res*. 2016 Oct;18(10):1952-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27611311>

Bessing, B, Bauld, L, Sinclair, L, Mackay, DF, Spence, W, Tappin, DM. Representativeness of the participants in the smoking Cessation in Pregnancy Incentives Trial (CPIT): a cross-sectional study. *Trials*. 2016 Aug 26;17(1):426. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27565625>

Feeney, A, Britton, G. Counseling women on smoking relapse prevention during postpartum. *MCN Am J Matern Child Nurs*. 2016 Sep-Oct;41(5):287-92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27537087>

Griffis, H, Matone, M, Kellom, K, Concors, E, Quarshie, W, French, B, Rubin, D, Cronholm, PF. Home visiting and perinatal smoking: a mixed-methods exploration of cessation and harm reduction strategies. *BMC Public Health*. 2016 Aug 11;16(1):764. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27514836>

Windsor, R, Clark, J, Davis, A, Wedeles, J, Abrams, L. A process evaluation of the WV Smoking Cessation and Reduction in Pregnancy Treatment (SCRIPT) dissemination initiative: assessing the fidelity and impact of delivery for state-wide, home-based healthy start services. *Matern Child Health J*, Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27535133>

Berard, A, Zhao, JP, Sheehy, O. Success of smoking cessation interventions during pregnancy. *Am J Obstet Gynecol*. 2016 Jul 8. pii: S0002-9378(16)30432-X. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27402053>

Berlin, N, Goldzahl, L, Jusot, F, Berlin, I. Protocol for study of financial incentives for smoking cessation in pregnancy (FISCP): randomised, multicentre study. *BMJ Open*. 2016 Jul 26;6(7):e011669. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27466239>

Metse, AP, Wiggers, J, Wye, P, Clancy, R, Moore, L, Adams, M, Robinson, M, Bowman, JA. Uptake of smoking cessation aids by smokers with a mental illness. *J Behav Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27357297>

Zhang, X, Devasia, R, Czarnecki, G, Frechette, J, Russell, S, Behringer, B. Effects of incentive-based smoking cessation program for pregnant women on birth outcomes. *Matern Child Health J*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27473094>

Orton, S, Coleman, T, Lewis, S, Cooper, S, Jones, LL. "I was a full time proper smoker": A qualitative exploration of smoking in the home after childbirth among women who relapse postpartum. *PLoS One*. 2016 Jun 16;11(6):e0157525. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27308829>

Boyd, KA, Tappin, DM, Bauld, L. Cost-effectiveness of financial incentives for smoking cessation in pregnancy. *Addiction*. 2016 Jun;111(6):115-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27157899>

Braillon, A, Bewley, S. Behavioral counseling and pharmacotherapy interventions for tobacco cessation in pregnant women. *Ann Intern Med*. 2016 May 3;164(9):637. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27136221>

Campbell, KA, Cooper, S, Fahy, SJ, Bowker, K, Leonardi-Bee, J, McEwen, A, Whitmore, R, Coleman, T. 'Opt-out' referrals after identifying pregnant smokers using exhaled air carbon monoxide: impact on engagement with smoking cessation support. *Tob Control*, May 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27225017>

Flanagan, CA, Koller, KR, Wolfe, AW, Thomas, TK, Benowitz, NL, Renner, CC, Hughes, C, Hatsukami, DK, Bronars, C, Murphy, NJ, Day, G, Decker, PA, Patten, CA. Fetal exposure to carcinogens with tobacco use in pregnancy: Phase 1 MAW study findings. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27190400>

Henderson, JT, Patnode, CD, Fortmann, SP. Behavioral counseling and pharmacotherapy interventions for tobacco cessation in pregnant women. *Ann Intern Med*, 2016 May 3;164(9):638. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27136222>

Higgins, ST, Solomon, LJ. Some recent developments on financial incentives for smoking cessation among pregnant and newly postpartum women. *Curr Addict Rep*. 2016 Mar;3(1):9-18. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27158581>

Minian, N, Noormohamed, A, Dragonetti, R, Maher, J, Lessels, C, Selby, P. Blogging to quit smoking: sharing stories from women of childbearing years in Ontario. *Subst Abuse*. 2016 May 11;10(Suppl 1):21-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27199562>

No authors listed. Behavioral and pharmacotherapy interventions for tobacco smoking cessation in adults, including pregnant women: recommendation statement. *Am Fam Physician*. 2016 May 15;93(10). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27175725>

Cummins, SE, Tedeschi, GJ, Anderson, CM, Zhu, SH. Telephone intervention for pregnant smokers: a randomized controlled trial. *Am J Prev Med*. 2016 Apr 4. pii: S0749-3797(16)00102-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27056131>

Heminger, CL, Schindler-Ruwisch, JM, Abrams, LC. Smoking cessation support for pregnant women: role of mobile technology. *Subst Abuse Rehabil*. 2016 Apr 12;7:15-26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27110146>

Pollak, KI, Fish, LJ, Lyna, P, Peterson, BL, Myers, ER, Gao, X, Swamy, GK, Brown-Johnson, A, Whitecar, P, Bilheimer, AK, Pletsch, PK. Efficacy of a nurse-delivered intervention to prevent and delay postpartum return to smoking: The Quit for Two Trial. *Nicotine Tob Res*. 2016 Apr 18. pii: ntw108. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27091830>

Levine, MD, Cheng, Y, Marcus, MD, Kalarchian, MA, Emery, RL. Preventing postpartum smoking relapse: a randomized clinical trial. *JAMA Intern Med*, 2016 Apr 1;176(4):443-52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26998789>

No authors listed. Financial incentives to help pregnant women stop smoking are highly cost-effective. *Community Pract*, Jan 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26911089>

Noonan, D et al. Unintended effects of a smoking cessation intervention on Latino fathers' binge drinking in early postpartum. *Ann Behav Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26868270>

Sloan, M et al. Pregnant women's experiences and views on an "Opt-Out" referral pathway to specialist smoking cessation support: a qualitative evaluation. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26743356>

Gilbert, J et al. Smoking and cellular telephone use among pregnant women seeking prenatal care: opportunities for intervention. *Addict Disord Their Treat*, Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26755894>

Coleman, T et al. Pharmacological interventions for promoting smoking cessation during pregnancy. *Cochrane Database Syst Rev*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26690977>

Hotham, ED et al. Analysis of qualitative data from the investigation study in pregnancy of the ASSIST Version 3.0 (the Alcohol, Smoking and Substance Involvement Screening Test). *Midwifery*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26673838>

Peters, MD, Giles, K. Psychosocial interventions for supporting women to stop smoking in pregnancy. *Int J Evid Based Healthc*, Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26626282>

Ram, A et al. Cigarette smoking reduction in pregnant women with opioid use disorder. *J Addict Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26690292>

Althabe, F et al. A multifaceted strategy to implement brief smoking cessation counselling during antenatal care in Argentina and Uruguay: a cluster randomized trial. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26660265>

Hoddinott, P et al. Perspectives on financial incentives to health service providers for increasing breast feeding and smoking quit rates during pregnancy: a mixed methods study. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26567253>

Leung, LW. and Davies, GA. Smoking cessation strategies in pregnancy. *J Obstet Gynaecol Can*, Sep 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26605448>

Olaiya, O et al. Impact of the 5As brief counseling on smoking cessation among pregnant clients of Special Supplemental Nutrition Program for Women, Infants, and Children (WIC) clinics in Ohio. *Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26529063>

Jones, M et al. Systematic critical review of previous economic evaluations of smoking cessation during pregnancy. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26567255>

No authors listed. Smoking cessation during pregnancy. *Prescrire Int*, Jun 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26436173>

Small, S et al. The experience and cessation needs of Indigenous women who smoke during pregnancy: a systematic review of qualitative evidence protocol. *JBI Database System Rev Implement Rep*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26447073>

Ussher, M et al. The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. *Health Technol Assess*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26491878>

Naughton, F et al. Adaptation and uptake evaluation of an SMS text message smoking cessation programme (MiQuit) for use in antenatal care. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26493459>

Bowker, K et al. Understanding pregnant smokers' adherence to nicotine replacement therapy during a quit attempt: a qualitative study. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26391578>

Boyd, KA et al. Are financial incentives cost-effective to support smoking cessation during pregnancy? *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26370095>

Huber, J et al. Financial incentives reduce smoking and improve wellbeing in pregnant women. *Psychoneuroendocrinology*, Nov, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26383374>

Lee, M et al. Cognitive-behavioral intervention to promote smoking cessation for pregnant and postpartum inner city women. *J Behav Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26335312>

Wen, X et al. Improving public acceptability of using financial incentives for smoking cessation during pregnancy: A randomized controlled experiment. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26385928>

Murphy, K et al. The midwife's role in providing smoking cessation interventions for pregnant women: The views of midwives working with high risk, disadvantaged women in public sector antenatal services in South Africa. *Int J Nurs Stud*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26302658>

Agaku, IT et al. A mixed-methods assessment of a brief smoking cessation intervention implemented in Ohio Public Health Clinics, 2013. *Maternal and Child Health Journal*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26179721>

Bailey, BA et al. Effectiveness of a pregnancy smoking intervention: The Tennessee Intervention for Pregnant Smokers Program. *Health Education & Behaviour*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26157040>

Kapaya, M et al. Nicotine replacement therapy and other interventions for pregnant smokers: Pregnancy Risk Assessment Monitoring System, 2009-2010. *Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26190366>

Berlin, I et al. Cross validation of the prognostic and diagnostic utility of tobacco craving in a general and a pregnant sample of treatment-seeking smokers. *Drug and Alcohol Dependence*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26160457>

Braillon, A, Bewley, S. Trials on physical activity for smoking cessation in pregnancy missed a trick or two. *BMJ*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26126757>

Collins, BN et al. Reducing underserved children's exposure to tobacco smoke: a randomized counseling trial with maternal smokers. *American Journal of Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26028355>

Oude Wesselink, SF et al. Provision and effect of quit-smoking counselling by primary care midwives. *Midwifery*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26119832>

Pledger, AB. Exploring the experiences of pregnant women using an NHS stop smoking service: a qualitative study. *Perspectives in Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25925309>

Ussher, M et al. Physical activity for smoking cessation in pregnancy: randomised controlled trial. *BMJ*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25976288>

7.11.5.1 Role of pharmacotherapies

Thomson, R, Phillips, L, Orton, S, Naughton, F, & Coleman, T. (2024). Using nicotine replacement therapy for smoking reduction in pregnancy: a qualitative study of pregnant women in the UK who smoke. *BMJ Open*, 14(8), e085945. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39214654>

Robijn, AL, Tran, DT, Cohen, JM, Donald, S, Cesta, CE, Furu, K et al. (2024). Smoking Cessation Pharmacotherapy Use in Pregnancy. *JAMA Netw Open*, 7(6), e2419245. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38941092>

Clark, MM, Cooper, S, Naughton, F, Ussher, M, Emery, J, McDaid, L et al. (2024). Smoking, nicotine and pregnancy 2 (SNAP2) trial: protocol for a randomised controlled trial of an intervention to improve adherence to nicotine replacement therapy during pregnancy. *BMJ Open*, 14(5), e087175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38806422>

Pesola, F, Smith, KM, Phillips-Waller, A, Przulj, D, Griffiths, C, Walton, R et al. (2024). Safety of e-cigarettes and nicotine patches as stop-smoking aids in pregnancy: Secondary analysis of the Pregnancy Trial of E-cigarettes and Patches (PREP) randomized controlled trial. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38229538>

Howell, R, McBurney, S, Di Tano, G, Boags, A, Rowa-Dewar, N, Dobson, R & O'Donnell, R. (2023). Use of nicotine replacement therapy to reduce children's exposure to second-hand smoke in the home: a qualitative pilot study involving local community pharmacies. *BMC Public Health*, 23(1), 2545. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38124059>

Wen, X, Chung, MV, Liszewski, KA, Todor, LD, Giancarlo, EM, Zhang, W et al. (2023). Cigarette Smoking Abstinence Among Pregnant Individuals Using E-Cigarettes or Nicotine Replacement Therapy. *JAMA Netw Open*, 6(9), e2330249. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37698863>

Orton, S, Szatkowski, L, Naughton, F, Coleman, T, Clark, M, Cooper, S et al. (2023). The relationship between reported daily nicotine dose from NRT and daily cigarette consumption in pregnant women who smoke in an observational cohort study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37534909>

Liang, LS, Xiao, K, Yu, CH, Li, MY, & Xu, PS. (2023). [Progress in the pharmacological treatment of tobacco dependence in special populations]. *Zhonghua Jie He He Hu Xi Za Zhi*, 46(7), 725-729. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37402666>

Emery, J, McDaid, L, Coleman, T, Cooper, S, Thomson, R, Kinahan-Goodwin, D et al. (2023). Development and content validation of a questionnaire for measuring beliefs about using Nicotine Replacement Therapy for smoking cessation in pregnancy. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36861351>

Morales-Suarez-Varela, M, Puig, BM, Kaerlev, L, Peraita-Costa, I, & Perales-Marin, A. (2022). Safety of Nicotine Replacement Therapy during Pregnancy: A Narrative Review. *Int J Environ Res Public Health*, 20(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36612572>

Bednarczuk, N, Williams, EE, Dassios, T, & Greenough, A. (2021). Nicotine replacement therapy and e-cigarettes in pregnancy and infant respiratory outcomes. *Early Hum Dev*, 164, 105509. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34823165>

Anderson, PO. (2021). Breastfeeding with Smoking Cessation Products. *Breastfeed Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34435872>

Choi, SKY, Tran, DT, Kemp-Casey, A Preen, DB, Randall, D, Einarsdottir, K et al. (2021). The Comparative Effectiveness of Varenicline and Nicotine Patches for Smoking Abstinence During Pregnancy: Evidence From a Population-based Cohort Study. *Nicotine Tob Res*, 23(10), 1664-1672. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34398235>

Slaich, B, Claire, R, Emery, J, Lewis, S, Cooper, S, Thomson, R et al. (2021). Comparison of saliva cotinine and exhaled carbon monoxide concentrations when smoking and after being offered dual nicotine replacement therapy in pregnancy. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34427009>

- McDaid, L, Thomson, R, Emery, J, Coleman, T., Cooper, S, Phillips, L, & Naughton, F. (2021). Agreement and Disparities between Women and Stop-Smoking Specialists about How to Promote Adherence to Nicotine Replacement Therapy in Pregnancy. *Int J Environ Res Public Health*, 18(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33924763>
- Allen, S, Thomas, J, Harrison, K, Emery, RL, Petersen, A, Winickoff, JP, & Japuntich, S. (2021). Bupropion for postpartum smoking relapse: A remote protocol for a two-arm, double-blind, placebo-controlled randomized clinical trial. *Contemp Clin Trials*, 106352. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33706003>
- Kranzler, HR, Washio, Y, Zindel, LR, Wileyto, EP, Srinivas, S, Hand, DJ et al (2021). Placebo-Controlled Trial of Bupropion for Smoking Cessation in Pregnant Women. *Am J Obstet Gynecol MFM*, 100315. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33493703>
- McDaid, L, Thomson, R, Emery, J, Coleman, T, Cooper, S, Phillips, L et al (2020). Understanding pregnant women's adherence-related beliefs about Nicotine Replacement Therapy for smoking cessation: A qualitative study. *Br J Health Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32860647>
- Jackson, MA, Brown, AL, Baker, AL, Dunlop, AJ, Dunford, A, & Gould, GS. (2020). Intensive Behavioural and Pharmacological Treatment for Tobacco Dependence in Pregnant Women with Complex Psychosocial Challenges: A Case Report. *Int J Environ Res Public Health*, 17(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32630743>
- Cho, MS. (2020). Use of Alcohol, Tobacco, and Caffeine and Suicide Attempts: Findings From a Nationally Representative Cross-sectional Study. *J Prim Care Community Health*, 11, 2150132720913720. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32193974>
- Claire, R, Chamberlain, C, Davey, MA, Cooper, SE, Berlin, I, Leonardi-Bee, J, & Coleman, T. (2020). Pharmacological interventions for promoting smoking cessation during pregnancy. *Cochrane Database Syst Rev*, 3, CD010078. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32129504>
- Liu, NH, Wu, C, Perez-Stable, EJ, & Munoz, RF. (2020). Longitudinal association between smoking abstinence and depression severity in those with baseline current, past, and no history of major depressive episode in an international online tobacco cessation study. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32149344>
- Weinberger, AH, Chaiton, MO, Zhu, J, Wall, MM, Hasin, DS, & Goodwin, RD. (2020). Trends in the Prevalence of Current, Daily, and Nondaily Cigarette Smoking and Quit Ratios by Depression Status in the U.S.: 2005-2017. *Am J Prev Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32156490>
- Tran, DT, Preen, DB, Einarsdottir, K, Kemp-Casey, A, Randall, D, Jorm, LR et al. (2020). Use of smoking cessation pharmacotherapies during pregnancy is not associated with increased risk of adverse pregnancy outcomes: a population-based cohort study. *BMC Medicine*, 18(1), 15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32019533>
- Lee, ML, Tran, DT, Welsh, A, Kennedy, D, & Havard, A. (2020). Health-care providers' concern regarding smoking cessation pharmacotherapies during pregnancy: Calls to a teratology information service. *Drug and Alcohol Review*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31984591>

Oncken, C, Dornelas, EA, Kuo, CL, Sankey, HZ, Kranzler, HR, Mead, EL, & Thurlow, MSD. (2019). Randomized Trial of Nicotine Inhaler for Pregnant Smokers. *Am J Obstet Gynecol MFM*, 1(1), 10-18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31380506>

Wedel, AV, Stevens, EM, Molina, N, Leavens, ELS, Roberts, C, & Wagener, TL. (2018). Examining pregnant smokers' attitudes toward cessation aids and electronic nicotine delivery systems. *J Okla State Med Assoc*, 111(8), 812-816. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31404418>

Claire, R, Coleman, T, Leonardi-Bee, J, & Berlin, I. (2019). Saliva cotinine concentrations in pregnant women who smoke and use nicotine patches. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31106486>

Thomson, R, McDaid, L, Emery, J, Naughton, F, Cooper, S, Dyas, J, & Coleman, T. (2019). Knowledge and Education as Barriers and Facilitators to Nicotine Replacement Therapy Use for Smoking Cessation in Pregnancy: A Qualitative Study with Health Care Professionals. *Int J Environ Res Public Health*, 16(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31121850>

Barboza, J. Pharmaceutical strategies for smoking cessation during pregnancy. *Expert Opin Pharmacother*, 2018. 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30332554>

Hickson, C, Lewis, S, Campbell, KA, Cooper, S, Berlin, I, Claire, R et al. Comparison of nicotine exposure during pregnancy when smoking and abstinent with nicotine replacement therapy: systematic review and meta-analysis. *Addiction*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/add.14473>

Bar-Zeev, Y, Lim, LL, Bonevski, B, Gruppetta, M, Gould, GS. Nicotine replacement therapy for smoking cessation during pregnancy. *Med J Aust*. 2018 Jan 15;208(1):46-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29320660>

Baraona, LK, Lovelace, D, Daniels, JL, McDaniel, L. Tobacco Harms, Nicotine Pharmacology, and Pharmacologic Tobacco Cessation Interventions for Women. *J Midwifery Womens Health*. 2017 May;62(3):253-269. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28556464>

7.11.5.2 Role of treating health professionals

Kervran, C, Francis-Oliviero, F, Kret, M, Burtin, A, Ratel, R, Clet, E et al . (2024). Effectiveness evaluation of an organisational intervention, targeting pregnancy and addiction care professionals, among women who have just given birth in maternity wards and smoked tobacco during pregnancy (5A-QUIT-N): study protocol for a stepped-wedge cluster randomised trial. *BMJ Open*, 14(11), e087541. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39532364>

Licata, M, Doherty, E, Farragher, E, Desmet, C, Lecathelinais, C, Tully, B et al (2024). Pregnant women's receipt of comprehensive guideline recommended antenatal care for smoking. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39157992>

Kipling, L, Bombard, J, Wang, X, & Cox, S. (2024). Cigarette Smoking Among Pregnant Women During the Perinatal Period: Prevalence and Health Care Provider Inquiries - Pregnancy Risk Assessment Monitoring System, United States, 2021. *MMWR Morb Mortal Wkly Rep*, 73(17), 393-398. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38696343>

Daly, JB, Doherty, E, Tully, B, Wiggers, J, Hollis, J, Licata, M et al. (2024). Effect of implementation strategies on the routine provision of antenatal care addressing smoking in pregnancy: study protocol for a non-randomised stepped-wedge cluster controlled trial. *BMJ Open*, 14(4), e076725. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38580367>

- Connolly, N, Kelly, D, O'Donnell, P, & Hyde, S. (2024). Scoping review of smoking cessation interventions in pregnant women attending primary care. *BJGP Open*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38490678>
- Longman, J, Paul, C, Cashmore, A, Twyman, L, Barnes, LAJ, Adams, C et al. (2024). Protocol for the process evaluation of an intervention to improve antenatal smoking cessation support (MOHMQuit) in maternity services in New South Wales, Australia. *BMJ Open*, 14(3), e081208. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38508650>
- David, JC, Rascle, N, Auriacombe, M, Serre, F, Sutter-Dallay, AL, & Loyal, D. (2024). A video-based intervention to overcome pregnancy smoking stigma among healthcare students: a randomised controlled trial. *Psychol Health*, 1-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38372141>
- Knowles, N, Elliott, M, Cline, A, & Poole, H. (2024). Factors influencing midwives' conversations about smoking and referral to specialist support: a qualitative study informed by the Theoretical Domains Framework. *Perspect Public Health*, 17579139241231213. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38379125>
- Pierrot, B, Legendre, G, Riou, J, Gentil, A, Molle-Guilliani, B, & Petit, A. (2023). Pregnancy and tobacco: Practice and knowledge of French midwives. *Midwifery*, 129, 103886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38041997>
- Burtin, A, Clet, E, Stevens, N, Kervran, C, Frevol, M, Ratel, R et al. (2023). Factors associated with the implementation of the 5As model of smoking cessation support during pregnancy: A scoping review. *Tob Induc Dis*, 21, 110. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37654503>
- Pearce, A, Scarfe, J, Jones, M, Cashmore, A, Milat, A, Barnes, L, & Passey, ME. (2023). Study protocol of an economic evaluation embedded in the Midwives and Obstetricians Helping Mothers to Quit Smoking (MOHMQuit) trial. *BMC Health Serv Res*, 23(1), 939. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37658343>
- Pregnant and postnatal women's experiences of interacting with health care providers about their tobacco smoking. (2023). *Nurs Health Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37408310>
- Watti, J, Pocs, D, Tari, G, & Kelemen, O. (2023). [Medical support of cessation for pregnant smokers]. *Orv Hetil*, 164(30), 1194-1203. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37516993>
- Sehgal, A, Tayade, M, & Kunkulol, R. (2023). Effectiveness of brief counseling (5As): Antenatal tobacco cessation support program among pregnant women availing antenatal care. *J Family Med Prim Care*, 12(4), 768-771. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37312787>
- Tvina, A, Tillis, B, Chen, M, McBeth, M, Tsaih, SW, & Palatnik, A. (2023). Effect of a Best-Practice Alert on the Rate of Smoking Cessation among Pregnant Women. *Am J Perinatol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37168019>
- Tahan, C, Dobbins, T, Hyslop, F, Lingam, R, & Richmond, R. (2023). Effect of digital health, biomarker feedback and nurse or midwife-led counselling interventions to assist pregnant smokers quit: a systematic review and meta-analysis. *BMJ Open*, 13(3), e060549. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36963792>
- Barnes, LAJ, Longman, J, Adams, C, Paul, C, Atkins, L, Bonevski, B et al (2022). The MOHMQuit (Midwives and Obstetricians Helping Mothers to Quit Smoking) Trial: protocol for a stepped-wedge implementation trial to improve best practice smoking cessation support in public antenatal care services. *Implement Sci*, 17(1), 79. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36494723>

- Small, S. P., Maddigan, J., Swab, M., & Jarvis, K. (2022). Pregnant and postnatal women's experiences of interacting with health care providers about their tobacco smoking: a qualitative systematic review. *JBI Evid Synth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36477572>
- McDonnell, BP, Dicker, P, Keogan, S, Clancy, L, & Regan, C. (2022). Smoking cessation Through Optimization of clinical care in Pregnancy: the STOP pragmatic randomized controlled trial. *Am J Obstet Gynecol MFM*, 5(1), 100763. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36216314>
- Willemse, E, Walters, BH, Springvloed, L, Bommele, J, & Willemsen, MC. (2022). "If the social circle is engaged, more pregnant women will successfully quit smoking": a qualitative study of the experiences of midwives in the Netherlands with smoking cessation care. *BMC Health Serv Res*, 22(1), 1106. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36045362>
- Fletcher, C, Hoon, E, Gialamas, A, Dekker, G, Lynch, J, & Smithers, L. (2022). Isolation, marginalisation and disempowerment - understanding how interactions with health providers can influence smoking cessation in pregnancy. *BMC Pregnancy Childbirth*, 22(1), 396. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35538450>
- Kalamkarian, A, Hoon, E, Chittleborough, CR, Dekker, G, Lynch, JW, & Smithers, LG. (2022). Smoking cessation care during pregnancy: A qualitative exploration of midwives' challenging role. *Women Birth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35337789>
- Passey, ME, Adams, C, Paul, C, Atkins, L, & Longman, JM. (2021). Improving implementation of smoking cessation guidelines in pregnancy care: development of an intervention to address system, maternity service leader and clinician factors. *Implement Sci Commun*, 2(1), 128. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34789339>
- Longman, JM, Adams, C, Paul, C, McLennan, J, & Passey, ME. (2021). Improving Clinicians' Implementation of Guidelines to Help Women Stop Smoking in Pregnancy: Developing Evidence-Based Print and Video Materials. *Int J Environ Res Public Health*, 18(19). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34639821>
- Britton, GR, Collier, R, Rhodes Keefe, JM Gallagher, WF, Feeney, A, Sprague, LM, & James, GD. (2021). The Development and Testing of a Perinatal Tobacco, Attitudes, and Behaviors Survey (PTABS). *J Nurs Meas*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34518426>
- Kumar, R, Stevenson, L, Jobling, J, Bar-Zeev, Y, Eftekhari, P, & Gould, GS. (2021). Correction to: Health providers' and pregnant women's perspectives about smoking cessation support: a COM-B analysis of a global systematic review of qualitative studies. *BMC Pregnancy Childbirth*, 21(1), 613. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34496776>
- Kumar, R, Stevenson, L, Jobling, J, Bar-Zeev, Y., Eftekhari, P, & Gould, GS. (2021). Health providers' and pregnant women's perspectives about smoking cessation support: a COM-B analysis of a global systematic review of qualitative studies. *BMC Pregnancy Childbirth*, 21(1), 550. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34384387>
- Li, M, Okamoto, R, Kiya, M, Tanaka, M, & Koide, K. (2021). Development of a prenatal smoking cessation counseling scale for public health nurses in Japan. *Tob Induc Dis*, 19, 62. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34393694>
- Jaber, R, Blaga, OM, Dascal, MD, & Meghea, CI. (2021). Perceived safety of smoking a few cigarettes during pregnancy and provider advice in a sample of pregnant smokers from Romania. *Addiction*, 116(2), 394-399. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33475224>

- Odendaal, HJ, Kruger, M, & Botha, MH. (2020). Dangers of smoking cigarettes and drinking alcohol during pregnancy. *S Afr Med J*, 110(11), 1066-1067. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33403986>
- Small, SP, Swab, M, & Maddigan, J. (2020). Pregnant and postnatal women's experiences of interacting with health care providers about their tobacco smoking: a qualitative systematic review protocol. *JBI Evid Synth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33186296>
- Li, M, Okamoto, R, Tada, A, & Kiya, M. (2020). Factors Associated with Prenatal Smoking Cessation Interventions among Public Health Nurses in Japan. *Int J Environ Res Public Health*, 17(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32846936>
- Bommele, J, Springvloet, L, Abouri, N, Djoyadhiningrat-Hol, K, van Laar, M, & Blankers, M. (2020). Stepped-wedge cluster randomised trial of a smoking cessation counselling training programme for midwives treating women with functional health illiteracy and low socioeconomic status (PROMISE): a study protocol. *Trials*, 21(1), 619. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32635933>
- Tobacco and Nicotine Cessation During Pregnancy: ACOG Committee Opinion Summary, Number 807. (2020). *Obstet Gynecol*, 135(5), 1244-1246. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32332411>
- Tobacco and Nicotine Cessation During Pregnancy: ACOG Committee Opinion, Number 807. (2020). *Obstet Gynecol*, 135(5), e221-e229. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32332417>
- Braillon, A. (2020). Letter to the Editor on 'Smoking cessation in pregnancy: An update for maternity care practitioners'. *Tob Induc Dis*, 18, 23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32265617>
- Katsaounou, P. A., & Papadakis, S. (2020). Reply to Letter to the Editor on 'Smoking cessation in pregnancy: An update for maternity care practitioners'. *Tob Induc Dis*, 18, 24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32265618>
- Passey, M. E., Longman, J. M., Adams, C., Johnston, J. J., Simms, J., & Rolfe, M. (2020). Factors associated with provision of smoking cessation support to pregnant women - a cross-sectional survey of midwives in New South Wales, Australia. *BMC Pregnancy Childbirth*, 20(1), 219. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32295541>
- Sontag, J. M., Singh, B., Ostfeld, B. M., Hegyi, T., Steinberg, M. B., & Delnevo, C. D. (2020). Obstetricians' and Gynecologists' Communication Practices around Smoking Cessation in Pregnancy, Secondhand Smoke and Sudden Infant Death Syndrome (SIDS): A Survey. *Int J Environ Res Public Health*, 17(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32340114>
- Lemola, S, Gkiouleka, A, Urfer-Maurer, N, Grob, A, Tritten Schwarz, K, & Meyer-Leu, Y. (2020). Midwives' engagement in smoking- and alcohol-prevention in prenatal care before and after the introduction of practice guidelines in Switzerland: comparison of survey findings from 2008 and 2018. *BMC Pregnancy Childbirth*, 20(1), 31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31931742>

- Reeks, R, Padmakumar, G, Andrew, B, Huynh, D, & Longman, J. (2019). Barriers and enablers to implementation of antenatal smoking cessation guidelines in general practice. *Aust J Prim Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31830432>
- Doherty, E, Kingsland, M, Wolfenden, L, Wiggers, J, Dray, J, Hollis, J et al. (2019). Implementation strategies to improve preconception and antenatal care for tobacco smoking, alcohol consumption and weight management: a systematic review protocol. *Syst Rev*, 8(1), 285. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31759397>
- Ordean, A, Forte, M, Selby, P, & Grennell, E. (2019). Screening, Brief Intervention, and Referral to Treatment for Prenatal Alcohol Use and Cigarette Smoking: A Survey of Academic and Community Health Care Providers. *J Addict Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31703018>
- Diamanti, A, Papadakis, S, Schoretsaniti, S, Rovina, N, Vivilaki, V, Gratziou, C, & Katsaounou, PA. (2019). Smoking cessation in pregnancy: An update for maternity care practitioners. *Tob Induc Dis*, 17, 57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582946>
- Ruta, F, Voidazan, S, Marginean, C, Avram, C, Sipos, R, Molnar, C et al (2019). Evidence-Based Practices to Promote Tobacco Cessation During Pregnancy in a Sample of Romanian General Practitioners. *J Community Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31641917>
- McDonnell, BP, Dicker, P, Keogan, S, Clancy, L, & Regan, C. (2019). Smoking cessation Through Optimisation of clinical care in Pregnancy: the STOP randomised controlled trial. *Trials*, 20(1), 550. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31481110>
- Gould, GS, Twyman, L, Stevenson, L, Gribbin, GR, Bonevski, B, Palazzi, K, & Bar Zeev, Y. (2019). What components of smoking cessation care during pregnancy are implemented by health providers? A systematic review and meta-analysis. *BMJ Open*, 9(8), e026037. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31427313>
- Wallin, HP, Gissler, M, Korhonen, PE, & Ekblad, M. (2019). Maternal Smoking and Hospital Treatment During Pregnancy. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31418024>
- Furray, A, Martino, S, Gilstad-Hayden, K, Kershaw, T, Ondersma, S, Olmstead, T, & Yonkers, KA. (2019). Assessment of an electronic and clinician-delivered brief intervention on cigarette, alcohol and illicit drug use among women in a reproductive healthcare clinic. *Addict Behav*, 96, 156-163. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31100713>
- McDonnell, BP, Keogan, S, Clancy, L, & Regan, C. (2019). Corrigendum to "Smoking cessation support and obstetric outcomes in an Irish maternity hospital" [Eur. J. Obstet. Gynecol. Reprod. Biol. 232 (2019) 1-4]. *Eur J Obstet Gynecol Reprod Biol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30929969>
- Bar-Zeev, Y, Skelton, E, Bonevski, B, Gruppetta, M, & Gould, GS. Overcoming Challenges to Treating Tobacco use During Pregnancy - A Qualitative study of Australian General Practitioners Barriers. *BMC Pregnancy Childbirth*, 2019. 19(1), 61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30732568>

- Bar-Zeev, Y, Bonevski, B, Lim, LL, Twyman, L, Skelton, E., Gruppetta, M et al. Improving health providers smoking cessation care in pregnancy: A systematic review and meta-analysis. *Addictive Behaviours*, 2019. 93, 29-38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30684819>
- Hopman, P, Springvloet, L, de Josselin de Jong, S, & van Laar, M. Quit-smoking counselling in Dutch midwifery practices: Barriers to the implementation of national guidelines. *Midwifery*, 2018. 71, 1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30623790>
- Bowden, C. Are We Justified in Introducing Carbon Monoxide Testing to Encourage Smoking Cessation in Pregnant Women? *Health Care Anal*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30519969>
- Drehmer, JE, Ossip, DJ, Nabi-Burza, E, Hipple Walters, B, Gorzkowski, JA, & Winickoff, JP. Pediatric Office Delivery of Smoking Cessation Assistance for Breast-Feeding Mothers. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30521040>
- Bobb-Semple, AA, Williams, AF, Boggs, ME, & Gold, KJ. Prenatal Point-of-Care Tobacco Screening and Clinical Relationships. *Ann Fam Med*, 2018. 16(6), 507-514. Available from: <http://www.annfammed.org/content/16/6/507.full.pdf>
- McDonnell, BP, Keogan, S, Clancy, L, & Regan, C. Smoking cessation support and obstetric outcomes in an Irish maternity hospital. *Eur J Obstet Gynecol Reprod Biol*, 2018. 232, 1-4. Available from: [https://www.ejog.org/article/S0301-2115\(18\)31079-0/fulltext](https://www.ejog.org/article/S0301-2115(18)31079-0/fulltext)
- Fullerton, J, Butler, M, Aman, C, Reid, T. Global competencies for midwives: external cephalic version; ultrasonography, and tobacco cessation intervention. *Women Birth*. 2018 Aug 30. pii: S1871-5192(18)30209-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30174206>
- McArdle, C, O'Duill, M, O'Malley, EG, Reynolds, CME, Kennedy, RAK, Turner, MJ. The identification of maternal smokers postnatally in an Irish maternity hospital. *Ir J Med Sci*, 2018. June 18, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29916132>
- Longman, JM, Adams, CM, Johnston, JJ, Passey, ME. Improving implementation of the smoking cessation guidelines with pregnant women: How to support clinicians? *Midwifery*. 2017 Dec 26;58:137-144. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29367150>
- Ghazal, S, Akhter, S, Ali, U, Rizvi, N. Knowledge of female doctors about smoking risks and their attitude toward cessation in antenatal clinics - perspective from tertiary care hospitals in Karachi. *J Pak Med Assoc*. 2017 Dec;67(12):1809-1813. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29256521>
- Gould, GS, Zeev, YB, Tywman, L, Oldmeadow, C, Chiu, S, Clarke, M, Bonevski, B. Do Clinicians Ask Pregnant Women about Exposures to Tobacco and Cannabis Smoking, Second-Hand-Smoke and E-Cigarettes? An Australian National Cross-Sectional Survey. *Int J Environ Res Public Health*. 2017 Dec 16;14(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29258185>
- Reynolds, CME, Egan, B, Cawley, S, Kennedy, R, Sheehan, SR, Turner, MJ. A National Audit of Smoking Cessation Services in Irish Maternity Units. *Ir Med J*. 2017 Jun 9;110(6):580. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28952670>

Forman, J, Harris, JM, Lorencatto, F, McEwen, A, Duaso, MJ. National Survey of Smoking and Smoking Cessation Education Within UK Midwifery School Curricula. *Nicotine Tob Res.* 2017 May 1;19(5):591-596. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403456>

Loree, AM, Ondersma, SJ, Grekin, ER. Toward Enhancing Treatment for Pregnant Smokers: Laying the Groundwork for the Use of Complementary and Alternative Medicine Approaches. *Nicotine Tob Res.* 2017 May 1;19(5):562-571. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403461>

Oude Wesselink, SF, Stoopendaal, A, Erasmus, V, Smits, D, Mackenbach, JP, Lingsma, HF, Robben, PB. Government supervision on quality of smoking-cessation counselling in midwifery practices: a qualitative exploration. *BMC Health Serv Res.* 2017 Apr 13;17(1):270. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28407765>

Scheuermann, TS, Richter, KP, Jacobson, LT, Shireman, TI. Medicaid Coverage of Smoking Cessation Counseling and Medication Is Underutilized for Pregnant Women. *Nicotine Tob Res.* 2017 May 1;19(5):656-659. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403462>

De Wilde, K et al. Which role do midwives and gynecologists have in smoking cessation in pregnant women? - A study in Flanders, Belgium. *Sexual & Reproductive Healthcare*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25998873>

7.11.5.3 Specialist smoking cessation services for pregnant women

Anderson, DD., & McKnight, TR. (2024). A Case for a Maternal Culturally Tailored Smoking Cessation Research Agenda. *Int J Environ Res Public Health*, 21(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39595681>

Tatton, C, & Lloyd, J. (2023). Understanding for whom, under what conditions and how smoking cessation services for pregnant women in the United Kingdom work-a rapid realist review. *BMC Public Health*, 23(1), 2488. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38096120>

McDaid, L, Emery, J, Thomson, R, Coleman, T, Cooper, S, Dickinson, A et al. (2023). Development of 'Baby, Me & NRT': A behavioural intervention to improve the effectiveness of nicotine replacement therapy in pregnancy. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37349134>

Avsar, TS, Jackson, L, Barton, P, Jones, M, & McLeod, H. (2022). Supporting pregnant women not ready to quit smoking: an economic evaluation. [MS Top Pick]. *BMC Pregnancy Childbirth*, 22(1), 865. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36419041>

Silva-Jose, C, Sanchez-Polan, M, Barakat, R, Diaz-Blanco, A, Mottola, MF, & Refoyo, I. (2022). A Virtual Exercise Program throughout Pregnancy during the COVID-19 Pandemic Modifies Maternal Weight Gain, Smoking Habits and Birth Weight-Randomized Clinical Trial. *J Clin Med*, 11(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35887809>

Griffiths, SE, Naughton, F, & Brown, KE. (2021). Accessing specialist support to stop smoking in pregnancy: A qualitative study exploring engagement with UK-based stop smoking services. *Br J Health Psychol.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34852182>

Jackson, MA, Baker, AL, Gould, GS, Brown, AL, Dunlop, AJ, & McCarter, K. (2021). Smoking cessation interventions for pregnant women attending treatment for substance use disorders: A systematic review. *Addiction.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34374145>

McCormick, R, & Seibenhener, SL. (2020). Influences of Antenatal Smoking Cessation Education on Smoking Rates of Incarcerated Women. *J Correct Health Care*, 1078345820953630. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32878548>

Patten, CA, Lando, HA, Desnoyers, CA, Barrows, Y, Klejka, J, Decker, PA et al. The Healthy Pregnancies Project: Study protocol and baseline characteristics for a cluster-randomized controlled trial of a community intervention to reduce tobacco use among Alaska Native pregnant women. *Contemp Clin Trials*, 2019. 78, 116-125. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703523>

Greaves, L, Poole, N, & Hemsing, N. Tailored Intervention for Smoking Reduction and Cessation for Young and Socially Disadvantaged Women During Pregnancy. *J Obstet Gynecol Neonatal Nurs*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30529052>

7.11.5.4 Electronic resources

Georgakopoulou, VE., & Diamanti, A. (2024). Artificial Intelligence for Smoking Cessation in Pregnancy. *Cureus*, 16(7), e63732. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39100043>

Belderson, P, McDaid, L, Emery, J, Coleman, T, Leonardi-Bee, J, & Naughton, F. (2024). Digitalising Specialist Smoking Cessation Support in Pregnancy: Views of Pregnant Smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39058259>

McDaid, L, Belderson, P, Emery, J, Coleman, T, Leonardi-Bee, J, & Naughton, F. (2024). Experts' views on translating NHS support to stop smoking in pregnancy into a comprehensive digital intervention. *PLOS Digit Health*, 3(3), e0000472. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38536890>

van Dijk, W, Oosterman, M, de Vente, W, Jansen, I, Blankers, M, & Huizink, AC. (2024). Smoking cessation in pregnant women: A randomized controlled trial investigating the effectiveness of an eHealth intervention including heart rate variability-biofeedback training. *Addict Behav*, 154, 108005. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38513327>

Agras-Guardia, M, Martinez-Torres, S, Granado-Font, E, Palleja-Millan, M, Villalobos, F, Patricio, D et al. (2022). Effectiveness of an App for tobacco cessation in pregnant smokers (TOBBGEST): study protocol. *BMC Pregnancy Childbirth*, 22(1), 933. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36514020>

Miller, CA, Jung Kim, S, Schwartz-Bloom, RD, Bloom, PN, Murphy, SK, & Fuemmeler, BF. (2022). Informing women about the risks of exposing babies to tobacco smoke: outreach and education efforts using Facebook "boost posts". *Transl Behav Med*, 12(5), 714-720. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35532323>

Balmumcu, A, & Unsal Atan, S. (2021). Smoking Cessation Programs for Pregnant Women: Utilizing WhatsApp Text Messaging. *J Addict Nurs*, 32(3), 188-196. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34473448>

Akhtar, WZ, Mundt, MP, Koepke, R, Krechel, S, Fiore, MC, Seal, DW, & Westergaard, RP. (2020). Prevalence of Tobacco Use Among Rural-Dwelling Individuals Who Inject Drugs. *JAMA Netw Open*, 3(3), e200493. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32154885>

Cheatle, MD, Falcone, M, Dhingra, L, & Lerman, C. (2020). Independent association of tobacco use with opioid use disorder in patients of European ancestry with chronic non-cancer pain. *Drug Alcohol Depend*, 209, 107901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32126454>

Rhodes, BE, & Gottfredson, NC. (2020). Effects of tobacco on affect and craving during opioid addiction recovery: An ecological momentary assessment study. *Addict Behav*, 106, 106358. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32151893>

Yoon, JH, Suchting, R, Cassidy, RN, Bolin, PK, Omar, Y, Brown, GS, & De La Garza, R. (2020). Assessment of demand for methamphetamine and cigarettes among individuals with methamphetamine use disorder. *Exp Clin Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32202813>

Dotson, JAW, Pineda, R, Cylkowski, H, Amiri, S. Development and Evaluation of an iPad Application to Promote Knowledge of Tobacco Use and Cessation by Pregnant Women. *Nurs Womens Health*. 2017 Jun - Jul;21(3):174-185. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28599739>

Derksen, ME, Jaspers, MW, van Strijp, S, & Fransen, MP. (2021). Mobile Health for Smoking Cessation Among Disadvantaged Young Women During and After Pregnancy: User-Centered Design and Usability Study. *JMIR Form Res*, 5(8), e24112. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34346895>

News reports:

Royal College of Paediatrics and Child Health. State of Child Health 2017 - full report. Available from: https://www.rcpch.ac.uk/sites/default/files/2018-09/soch_2017_uk_web_updated_11.09.18.pdf

Boseley, Sarah. Better care could save hundreds of babies from stillbirth, says report. *The Guardian*, 2015. Nov 18, 2015. Available from: <http://www.theguardian.com/lifeandstyle/2015/nov/19/better-care-could-save-hundreds-of-stillborn-babies-says-report>

No authors listed. New study finds financial incentives to help pregnant women stop smoking are highly cost-effective. *Medical News Today*, 2015. Nov 12, 2015. Available from: <http://www.medicalnewstoday.com/releases/302526.php?tw>

Brazier, Yvette. Why do so many mothers return to smoking after giving birth? *Medical News Today*, 2015. Sept 10, 2015. Available from: <http://www.medicalnewstoday.com/articles/299201.php?tw>

Cockerell, Jennifer. Which UK town has the most pregnant smokers? Stats show where expectant mums are still lighting up. June 18, 2015. *Daily Mirror*, 2015. Available from: <http://www.mirror.co.uk/news/uk-news/uk-town-most-pregnant-smokers-5908757>

McIntosh, James. Breastfeeding could reduce risk of mothers smoking again. *Medical News Today*, 2015. Apr 16, 2015. Available from: <http://www.medicalnewstoday.com/articles/292479.php?tw>

No authors listed. Huffing and puffing. *The Economist*, 2015. Apr 4, 2015. Available from <http://www.economist.com/news/international/21647651-some-expectant-mothers-struggle-quit-smoking-what-can-help-huffing-and-puffing>

No authors listed. Shopping vouchers could help 1 in 5 pregnant women quit smoking. *Medical News Today*, 2015. Feb 28, 2015. Available from: <http://www.medicalnewstoday.com/releases/290000.php?tw>

McKim, Clare. £400 'bribes' for pregnant women to quit smoking. *The Scotsman*, 2014. Nov 2, 2014. Available from: <http://www.scotsman.com/news/health/400-bribes-for-pregnant-women-to-quit-smoking-1-3591382>

7.11.1 Health risks of smoking during pregnancy and the benefits of quitting

No authors listed. Cot deaths at record low as winters get warmer and pregnant women stop smoking. The Telegraph, 2016. Aug 11, 2016. Available from:

<http://www.telegraph.co.uk/news/2016/08/11/cot-deaths-at-record-low-as-winters-get-warmer-and-pregnant-wome/>

7.11.2 Rates of smoking during pregnancy

Blanchard, S. How many pregnant women smoke in your town? Map reveals expectant mothers in North East Lincolnshire are 11 times more likely to have the bad habit than those in London. *Daily Mail Australia*, 2018. Dec 7, 2018. Available from: <https://www.dailymail.co.uk/health/article-6467901/How-pregnant-women-smoke-town.html>

Ducharme, J. More Women Are Using Marijuana During Pregnancy, Report Says. *Time*, 2018. Nov 5, 2018. Available from: <http://time.com/5443044/pregnancy-women-marijuana/>

No authors listed (Producer). (2018, 26/11/2018). Better statistics for better health for pregnant women and babies in Europe in 2015. *Science Magazine*, 2018. Nov 26, 2018. Available from: <https://scienmag.com/better-statistics-for-better-health-for-pregnant-women-and-babies-in-europe-in-2015/>

Rahhal, Natalie. One in 14 American women smoke while pregnant, CDC data reveals. *Daily Mail (UK)*. Mar 5, 2018. Available from: <http://www.mailonsunday.co.uk/health/article-5445913/One-14-American-women-smoke-pregnant-CDC-says.html>

Aubusson, Kate. The Sydney suburbs where one in 10 heavily pregnant women smoke. *The Sydney Morning Herald*, 2018. Feb 19, 2018. Available from: <http://www.smh.com.au/nsw/sydney-heavily-pregnant-women-smoke-20180213-p4z07x.html>

No authors listed. Pregnant Kiwis' smoking rate a concern. *Otago Daily Times*, 2016. Apr 1, 2016. Available from: <http://www.odt.co.nz/news/national/378179/pregnant-kiwis-smoking-rate-concern>

Smith, Jennifer. Nine of out 10 pregnant smokers are still addicted to cigarettes when their babies are born. *The Daily Mail and Mail on Sunday*, 2016. Mar 16, 2016. Available from: <http://www.dailymail.co.uk/news/article-3494772/Nine-10-pregnant-smokers-addicted-cigarettes-babies-born.html>

Reinberg, Steven. Many US women still smoke before, during pregnancy: report. *Medical Xpress*, 2016. Feb 10, 2016. Available from: <http://medicalxpress.com/news/2016-02-women-pregnancy.html>

7.11.2.1 Smoking during pregnancy and social disadvantage

Arnold, Stuart. North-East is pregnant smoking capital, figures show. *The Northern Echo*, 2016. Jun 17, 2016. Available from: http://www.thenorthernecho.co.uk/news/health/14562620.North_East_is_pregnant_smoking_capital_figures_show/

Das, Shanti. Shock stats show one in 10 women smoke during pregnancy - despite knowing the risks. *Mirror*, 2016. Jun 19, 2016. Available from: <http://www.mirror.co.uk/news/uk-news/shock-stats-show-one-10-8233450>

Davies, Madlen. More than a QUARTER of pregnant women light up in Blackpool: Town has highest rate of smoking mothers, while London has the lowest. Daily Mail, 2016. Jun 16, 2016. Available from: <http://www.dailymail.co.uk/health/article-3644420/More-QUARTER-pregnant-women-light-Blackpool-Town-highest-rates-smoking-mothers-London-lowest.html>

No authors listed. Charities call for Government action to maintain progress on smoking in pregnancy rates. Action on Smoking and Health, 2016. June 16, 2016. Available from: <http://ash.org.uk/media-room/press-releases/:charities-call-for-government-action-to-maintain-progress-on-smoking-in-pregnancy-rates>

7.11.3 Factors that predict success or failure to quit during and post pregnancy

Bagot, Martin. Number of pregnant women smoking goes UP for first time as more take risks with unborn babies' lives. Mirror UK, 2018. Aug 12, 2018. Available from: <https://www.mirror.co.uk/news/uk-news/pregnant-smoking-goes-up-first-13073612>

Orton, S, Coleman, T, Lewis, S, Cooper, S and Jones, LL. "I was a full time proper smoker": A qualitative exploration of smoking in the home after childbirth among women who relapse postpartum. PLoS One. 2016 Jun 16;11(6):e0157525. Available from: <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0157525>

Gregory, Andrew. Mums start smoking again as soon as they've given birth, new study shows. The Mirror, 2016. Mar 16, 2016. Available from: <http://www.mirror.co.uk/lifestyle/health/mums-start-smoking-again-soon-7564573>

Merrill, Jamie. Nine of out 10 pregnant smokers 'still use cigarettes when babies are born'. The Independent, 2016. Mar 16, 2016. Available from: <http://www.independent.co.uk/life-style/health-and-families/health-news/nine-of-out-10-pregnant-smokers-still-use-cigarettes-when-babies-are-born-a6933001.html>

No authors listed. 43% of women who quit smoking while pregnant 'start again after childbirth'. BT News, 2016. Mar 16, 2016. Available from: <http://home.bt.com/news/uk-news/43-of-women-who-quit-smoking-while-pregnant-start-again-after-childbirth-11364046315011>

7.11.4 Factors that must be addressed in reducing smoking during and post-pregnancy

Goodwin, RD, Cheslack-Postava, K, Nelson, DB, Smith, PH, Wall, MM, Hasin, DS, Nomura, Y and Galea, S. Smoking during pregnancy in the United States, 2005-2014: The role of depression. Drug Alcohol Depend. 2017 Jul 18;179:159-166. Available from: <http://www.sciencedirect.com/science/article/pii/S0376871617303459>

Zaccaro, Maria. Financial incentive scheme for smoking mums-to-be starts tomorrow - worth the money? Southern Daily Echo, 2017. Mar 5, 2017. Available from: http://www.dailyecho.co.uk/news/15132477.Financial_incentive_scheme_to_stop_pregnant_teens_smoking_starts_tomorrow_worth_the_money/

7.11.5 Interventions for reducing smoking during and post-pregnancy

London Tobacco Alliance, & National Health Service (Producer). (2024). London Smoke Free Pregnancy Week. Retrieved from <https://stopsmokinglondon.com/smoking-and-pregnancy/>

National Institute for Health and Care Excellence. (2021). *Tobacco: preventing uptake, promoting quitting and treating dependence* Retrieved from <https://www.nice.org.uk/guidance/ng209/resources/tobacco-preventing-uptake-promoting-quitting-and-treating-dependence-pdf-66143723132869>

Filippidis, F, Lavery, A, Millett, C, Been, J, Banerjee, A, Commar, AiAL et al(2021). *Tobacco control to improve child health and development: thematic brief*. Retrieved from <https://apps.who.int/iris/bitstream/handle/10665/340162/9789240022218-eng.pdf?sequence=1&isAllowed=y>

Centre of Research Excellence in Stillbirth. Safer Baby Bundle to Help Reduce the Rate of Stillbirth in Western Australia. Nov 3, 2020. Retrieved from <https://www.stillbirthcre.org.au/assets/Uploads/SBB-Launches-in-WA-final.pdf>

No authors listed. Extra help on the way to give up smoking for good. *Kalgoorlie Miner*, 2020. Sept 15, 2020. Retrieved from https://customreport.mediaportal.com/#/articlepresenter/1ee21c05-1431-4828-8a64-0987d138b4f8/635710257/1549680209?_k=3xibay

Gregory, A. All mothers-to-be will be tested for smoking. *The Times*, 2019. Mar 30, 2019. Available from: <https://www.thetimes.co.uk/edition/news/all-mothers-to-be-will-be-tested-for-smoking-zcr6gvjism>

Roberts, L. Rise in pregnant women quitting smoking when offered financial incentives. *Evening Times*, 2019. Mar 22, 2019. Available from: <https://www.eveningtimes.co.uk/news/17518526.rise-in-pregnant-women-quitting-smoking-when-offered-financial-incentives/>

Young, S. NHS to ask all mothers-to-be to take smoking test in bid to prevent stillbirths. *Independent*, 2019. Mar 31, 2019. Available from: <https://www.independent.co.uk/life-style/pregnancy-smoking-test-stillbirth-nhs-carbon-monoxide-a8847961.html>

No authors listed. Maternity units 'could prevent 600 stillbirths a year in England'. *The Guardian*, 2018. July 30, 2018. Available from: <https://www.theguardian.com/society/2018/jul/29/maternity-units-could-prevent-600-stillbirths-a-year-in-england>

Emery, JL, Coleman, T, Sutton, S, Cooper, S, Leonardi-Bee, J, Jones, M, Naughton, F. Uptake of Tailored Text Message Smoking Cessation Support in Pregnancy When Advertised on the Internet (MiQuit): Observational Study. *J Med Internet Res*. 2018 Apr 19;20(4):e146. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/29674308>

No authors listed. Online ads help pregnant smokers quit. *Medical Xpress*, 2018. Apr 24, 2018. Available from: <http://medicalxpress.com/news/2018-04-online-ads-pregnant-smokers.html>

Havard, A, Tran, DT, Kemp-Casey, A, Einarsdottir, K, Preen, DB and Jorm, LR. Tobacco policy reform and population-wide antismoking activities in Australia: the impact on smoking during pregnancy. *Tob Control*, 2017. Aug 4, 2017 Available from: <http://tobaccocontrol.bmj.com/content/early/2017/08/04/tobaccocontrol-2017-053715>

McCárthaigh, Seán. 'Inadequate' aid to help expectant mums quit smoking. *Irish Examiner*, 2017. Aug 1, 2017. Available from: <http://www.irishexaminer.com/ireland/inadequate-aid-to-help-expectant-mums-quit-smoking-456077.html>

Nelson, Nigel. Hospitals should 'test all pregnant women to find out if they smoke' in a bid to help them quit. Mirror, 2016. Dec 10, 2016. Available from: <http://www.mirror.co.uk/news/uk-news/hospitals-should-test-pregnant-women-9434210>

Vulliamy, Elsa. Pregnant French women could be paid €300 to stop smoking. The Independent, 2016. May 9, 2016. Available from: <http://www.independent.co.uk/news/world/europe/pregnant-french-women-smoking-quit-nicotine-could-be-paid-300-a7019366.html>

7.11.5.1 Role of pharmacotherapies

NHS Choices. Vaping and using nicotine patches in pregnancy linked to cot death. Pregnancy and child, 2018. July 19, 2018. Available from: <https://www.nhs.uk/news/pregnancy-and-child/vaping-and-using-nicotine-patches-pregnancy-linked-cot-death/>

Bar-Zeev, Yael , Li Lim, Ling, Bonevski, Billie, Gruppetta, Maree and Gould, Gillian S. Nicotine replacement therapy for smoking cessation in pregnancy. The Medical Journal of Australia, 2017. Available from: <https://www.mja.com.au/journal/2018/208/1/nicotine-replacement-therapy-smoking-cessation-pregnancy>

No authors listed. Researchers indicate nicotine replacement is safer for pregnant women than smoking. Medical Xpress, 2017. Dec 11, 2017. Available from: <https://medicalxpress.com/news/2017-12-nicotine-safer-pregnant-women.html>

No authors listed. Use of nicotine patches or Zyban drug during pregnancy benefits both mother and child. News Medical, 2016. July 19, 2016. Available from: <http://www.news-medical.net/news/20160719/Use-of-nicotine-patches-or-Zyban-drug-during-pregnancy-benefits-both-mother-and-child.aspx>

No authors listed. Quitting smoking while pregnant: what works. Health Day, 2016. July 27, 2016. Available from: <https://consumer.healthday.com/pregnancy-information-29/pregnancy-risks-news-546/quitting-smoking-in-pregnancy-what-works-713069.html>

7.11.5.2 Role of treating health professionals

Morris, L. NHS help 15,000 pregnant women quit smoking as national rates plummet. *NHE*, 2022. Aug 1st 2022 Retrieved from <https://www.nationalhealthexecutive.com/articles/nhs-help-15000-pregnant-women-quit-smoking-national-rates-plummet>

Spreall, David. Midwives given carbon monoxide detectors in fight to reduce smoking in pregnant women. Pontefract & Castleford, 2018. 17, 2018. Available from: <https://www.pontefractandcastlefordexpress.co.uk/news/midwives-given-carbon-monoxide-detectors-in-fight-to-reduce-smoking-in-pregnant-women-1-9163886>

No authors listed. Smokefree Skills: An assessment of maternity workforce training. ASH London, July, 2017. Available from: <http://ash.org.uk/wp-content/uploads/2017/07/Smokefree-skills-an-assessment-of-maternity-workforce-training.pdf>

7.11.5.3 Specialist smoking cessation services for pregnant women

Matthews, Stephen. Teen and pregnant smokers face Government crackdown under drastic new plans to slash rates as experts predict the 'end is in sight' for cigarettes. The Daily Mail and Mail on Sunday, 2017. July 18, 2017. Available from: <http://www.dailymail.co.uk/health/article-4706656/Government-crackdowns-smokers-new-plans.html>