

Tobacco in Australia

Facts & Issues

Relevant news and research

7.15 Individual and group-based cessation assistance

Last updated April 2021

Research:	2
7.15.1 Individual counselling	6
7.15.1.1 Cognitive behavioural therapy.....	9
7.15.1.2 Acceptance and commitment therapy	10
7.15.1.3 Motivational interviewing.....	10
7.15.1.5 Positive psychotherapy	13
7.15.2 Group therapy.....	14
7.15.3 Workplace-based interventions.....	15
7.15.4 Peer support programs	18
7.15.5 Residential treatments.....	19
News reports:	19
7.15.1 Individual counselling	19
7.15.2 Group therapy.....	19
7.15.3 Workplace-based interventions.....	19

Research:

Das, D, Menon, I, Gupta, R, Sharma, A, Ahsan, I, & Ashraf, A. (2021). Comparison of Interventional Methods to Motivate and Change the Behavioural Stage of Smokers to Quit Smoking- A Hospital Based Randomised Controlled Trial. *Asian Pac J Cancer Prev*, 22(3), 711-717. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33773533>

Moritz, S, Gehlenborg, J, Wirtz, J, Ascone, L, & Kuhn, S. (2021). A dismantling study on imaginal retraining in smokers. *Transl Psychiatry*, 11(1), 92. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33531467>

Pollak, KI, Oliver, JA, Pieper, C, Davis, JM, Gao, X, Noonan, D et al (2020). Cue-based treatment for light smokers: A proof of concept pilot. *Addict Behav*, 106717. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33109394>

Siemer, L, Brusse-Keizer, MG, Postel, MG, Ben Allouch, S, Sanderman, R, & Pieterse, ME. (2020). Adherence to Smoking Cessation Treatment and predictors of adherence: Comparing Blended Treatment with Face-To-Face Treatment. *J Med Internet Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32459643>

de Bruin, M, Black, N, Javornik, N, Viechtbauer, W, Eisma, MC, Hartman-Boyce, J et al. (2020). Underreporting of the active content of behavioural interventions: a systematic review and meta-analysis of randomised trials of smoking cessation interventions. *Health Psychol Rev*, 1-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31906781>

McLean, L, Cornett, NA. Nondrug treatments for smoking cessation. *JAAPA*. 2017 Oct;30(10):1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28953031>

Hayes, KA, Jackson, C, Dickinson, DM, Miller, AL. Providing Antismoking Socialization to Children After Quitting Smoking: Does It Help Parents Stay Quit? *Am J Health Promot*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28830204>

Hall, SM. Commentary on Laude et al. (2017): Extended treatment for cigarette smoking cessation. *Addiction*. 2017 Aug;112(8):1460-1461. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28691271>

Hefner, K., Valentine, G. and Sofuoglu, M. Electronic cigarettes and mental illness: Reviewing the evidence for help and harm among those with psychiatric and substance use disorders. *Am J Addict*. 2017 Feb 2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28152247>

Laude, JR, Bailey, SR, Crew, E, Varady, A, Lembke, A, McFall, D, Jeon, A, Killen, D, Killen, JD, David, SP. Extended treatment for cigarette smoking cessation: A randomized control trial. *Addiction*. 2017 Feb 26. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28239942>

Riad-Allen, L, Dermody, SS, Herman, Y, Bellissimo, K, Selby, P, George, TP. Becoming tobacco-free: Changes in staff and patient attitudes and incident reports in a large academic mental health and addictions hospital. *Am J Addict*. 2017 Mar;26(2):183-191. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28211960>

Watson, NL, Heffner, JL, McClure, JB, Mull, KE, Bricker, JB. Differential prevalence of established risk factors for poor cessation outcomes among smokers by level of social anxiety. *Am J Addict*. 2017 Mar;26(2):176-182. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28191916>

Krigel, SW, Grobe, JE, Goggin, K, Harris, KJ, Moreno, JL, Catley, D. Motivational interviewing and the decisional balance procedure for cessation induction in smokers not intending to quit. *Addict Behav*. 2016 Aug 31;64:171-178. Available from; <http://www.ncbi.nlm.nih.gov/pubmed/27619008>

Lindqvist, H, Forsberg, L, Enebrink, P, Andersson, G, Rosendahl, I. Relational skills and client language predict outcome in smoking cessation treatment. *Subst Use Misuse*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27617700>

Klemperer, EM, Hughes, JR, Solomon, LJ, Callas, PW, Fingar, JR. Motivational, reduction, and usual care interventions for smokers who are not ready to quit: A randomized controlled trial. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27566993>

Koyun, A, Eroglu, K. The effect of transtheoretical model-based individual counseling, training, and a 6-month follow-up on smoking cessation in adult women: a randomized controlled trial. *Turk J Med Sci*. 2016 Jan 5;46(1):105-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27511342>

Chen, TH, Huang, JJ, Chang, FC, Chang, YT, Chuang, HY. Effect of workplace counseling interventions launched by workplace health promotion and tobacco control centers in Taiwan: an evaluation based on the Ottawa charter. *PLoS One*. 2016 Mar 8;11(3):e0150710. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26954498>

Cheung, YT, Leung, JP, Cheung, CK, Li, WH, Wang, MP, Lam, TH. Motivating smokers at outdoor public smoking hotspots to have a quit attempt with a nicotine replacement therapy sample: study protocol for a randomized controlled trial. *Trials*. 2016 Jul 26;17(1):355. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27456342>

Hubbard, G, Gorely, T, Ozakinci, G, Polson, R, Forbat, L. A systematic review and narrative summary of family-based smoking cessation interventions to help adults quit smoking. *BMC Fam Pract*. 2016 Jun 24;17(1):73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27342987>

Copeland, AL. Characteristics of participants enrolled in a brief motivational enhancement for smokers. *Front Psychiatry*. 2016 May 2;7:77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27199784>

de Bruin, M, Viechtbauer, W, Eisma, MC, Hartmann-Boyce, J, West, R, Bull, E, Michie, S, Johnston, M. Identifying effective behavioural components of Intervention and Comparison group support provided in SMOKing cEssation (IC-SMOKE) interventions: a systematic review protocol. *Syst Rev*. 2016 May 4;5(1):77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27146038>

Armitage, CJ. Evidence that implementation intentions can overcome the effects of smoking habits. *Health Psychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27054302>

Bono, RS, Kendler, KS, Barnes, AJ. All in the family? A twin-based analysis of associations between occupational risk factors, drinking, and tobacco use in employed men. *Alcohol Clin Exp Res*. 2016 May;40(5):1136-47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27061186>

Pavey, TG et al. Assessing the effectiveness of High Intensity Interval Training (HIIT) for smoking cessation in women: HIIT to quit study protocol. BMC Public Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26714460>

Falcone, M et al. Transcranial direct current brain stimulation increases ability to resist smoking. Brain Stimul, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26572280>

Loprinzi, PD et al. Development of a conceptual model for smoking cessation: physical activity, neurocognition, and executive functioning. Res Q Exerc Sport, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26391913>

Gaskins, RB et al. Recruitment and initial interest of men in yoga for smoking cessation: QuitStrong, a randomized control pilot study. Translational Behavioral Medicine, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26029280>

Weinberger, AH et al. A behavioral smoking treatment based on perceived risks of quitting: A preliminary feasibility and acceptability study with female smokers. Addiction Research & Theory, 2015. Apr 24, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25904837>

Huang, FF et al. Effects of a family-assisted smoking cessation intervention based on motivational interviewing among low-motivated smokers in China. Patient Education and Counselling, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25766731>

Lindson-Hawley, N et al. Motivational interviewing for smoking cessation. The Cochrane Database of Systematic Reviews, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25726920>

Becker, J et al. Feasibility of a group cessation program for co-smokers of cannabis and tobacco. Drug and alcohol review, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25676414>

LaChance, H et al. Behavioral couples therapy for smoking cessation: a pilot randomized clinical trial. Psychology of Addictive Behaviors, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25642582>

Nachtigal, A, Kidron, CA. Existential multiplicity and the late-modern smoker: negotiating multiple identities in a support group for smoking cessation. Sociology of health & illness, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25683197>

Kahler, CW et al. Positive psychotherapy for smoking cessation: a pilot randomized controlled trial. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25646352>

Limsanon, T, Kalayasiri, R. Preliminary effects of progressive muscle relaxation on cigarette craving and withdrawal symptoms in experienced smokers in acute cigarette abstinence: a randomized controlled trial. Behavior Therapy, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25645166>

Becker J, Haug S, Kraemer T, and Schaub MP. Feasibility of a group cessation program for co-smokers of cannabis and tobacco. *Drug Alcohol Rev*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25676414>

LaChance H, Cioe PA, Tooley E, Colby SM, O'Farrell TJ, et al. Behavioral Couples Therapy for Smoking Cessation: A Pilot Randomized Clinical Trial. *Psychol Addict Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25642582>

Morean ME, Kong G, Camenga DR, Cavallo DA, Carroll KM, et al. Contingency management improves smoking cessation treatment outcomes among highly impulsive adolescent smokers relative to cognitive behavioral therapy. *Addict Behav*, 2015; 42:86-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25462659>

Ware JJ, Davies NM, and Munafo MR. Importance of national context in the translation of personalised treatments for smoking cessation. *Lancet Respir Med*, 2015; 3(2):91-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25588293>

Nachtigal A and Kidron CA. Existential multiplicity and the late-modern smoker: negotiating multiple identities in a support group for smoking cessation. *Sociol Health Illn*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25683197>

Kahler CW, Spillane NS, Day AM, Cioe PA, Parks A, et al. Positive Psychotherapy for Smoking Cessation: A Pilot Randomized Controlled Trial. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25646352>

Limsanon T and Kalayasiri R. Preliminary effects of progressive muscle relaxation on cigarette craving and withdrawal symptoms in experienced smokers in acute cigarette abstinence: a randomized controlled trial. *Behav Ther*, 2015; 46(2):166-76. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25645166>

Ramseier CA and Suvan JE. Behaviour change counselling for tobacco use cessation and promotion of healthy lifestyles. A systematic review. *J Clin Periodontol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25496370>

Dahne J, Hoffman EM, and MacPherson L. The Association Between Anxiety Sensitivity and Motivation to Quit Smoking Among Women and Men in Residential Substance Use Treatment. *Subst Use Misuse*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25265420>

Han YW, Mohammad M, and Liew SM. Effectiveness of a brief physician counselling session on improving smoking behaviour in the workplace. *Asian Pac J Cancer Prev*, 2014; 15(17):7287-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25227830>

Wittekind CE, Feist A, Schneider BC, Moritz S, and Fritzsche A. The approach-avoidance task as an online intervention in cigarette smoking: A pilot study. *J Behav Ther Exp Psychiatry*, 2014; 46C:115-120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25306247>

Yalcin BM, Unal M, Pirdal H, and Karahan TF. Effects of an anger management and stress control program on smoking cessation: a randomized controlled trial. *J Am Board Fam Med*, 2014; 27(5):645-60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25201934>

Codern-Bove N, Pujol-Ribera E, Pla M, Gonzalez-Bonilla J, Granollers S, et al. Motivational interviewing interactions and the primary health care challenges presented by smokers with low motivation to stop smoking: a conversation analysis. *BMC Public Health*, 2014; 14:1225. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25427643>

Dijkstra A, Zuidema R, Vos D, and van Kalken M. The effectiveness of the Allen Carr smoking cessation training in companies tested in a quasi-experimental design. *BMC Public Health*, 2014; 14(1):952. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25218267>

Sforzo GA, Kaye M, Ayers GD, Talbert B, and Hill M. Effective Tobacco Cessation via Health Coaching: An Institutional Case Report. *Glob Adv Health Med*, 2014; 3(5):37-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25568823>

Lipkus IM, Schwartz-Bloom R, Kelley MJ, and Pan W. A Preliminary Exploration of College Smokers' Reactions to Nicotine Dependence Genetic Susceptibility Feedback. *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25173776>

Kurti AN and Dallery J. A laboratory-based evaluation of exercise plus contingency management for reducing cigarette smoking. *Drug Alcohol Depend*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25263261>

7.15.1 Individual counselling

Coppo, A, Gattino, S, Faggiano, F, Gilardi, L, Capra, P, Tortone, C et al. (2020). Psychosocial empowerment-based interventions for smoking reduction: concepts, measures and outcomes. A systematic review. *Glob Health Promot*, 1757975920929400. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32583747>

Chawla, G, Kansal, AP, Deokar, K, Abrol, N, Chopra, V, Ish, P et al. (2020). Effects of stage-matched repeated individual behavioural counselling session (RIBCS) as an intervention for decreased and stopping smoking. *Monaldi Arch Chest Dis*, 90(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32253889>

Rogers, ES, Vargas, EA, & Voigt, E. (2020). Exploring the decoy effect to guide tobacco treatment choice: a randomized experiment. *BMC Research Notes*, 13(1), 3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31898550>

Shuter, J, Yang, A, Kim, RS, & Brownstein, JS. (2019). Interest in Tobacco Treatment Delivered During Rideshare Travel. *Mayo Clin Proc Innov Qual Outcomes*, 3(4), 461-465. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31993564>

Dogar, O, Boehnke, JR, Lorencatto, F, Sheldon, TA, & Siddiqi, K. (2019). Measuring fidelity to behavioural support delivery for smoking cessation and its association with outcomes. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31496033>

Chiu, YL, Chou, YC, Chang, YW, Chu, CM, Lin, FG, Lai, CH et al (2019). Using an extended theory of planned behaviour to predict smoking cessation counsellors' intentions to offer smoking cessation support in the Taiwanese military: a cross-sectional study. *BMJ Open*, 9(5), e026203. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31072854>

Payne, TJ, Sheffer, CE, Gaugh, NW, Sutton, MJ, Peebles, HH, Elci, OU et al. (2019). Enrollee Characteristics in an Intensive Tobacco Dependence Treatment Program: The Relationship of Race and Sex to Demographic Factors and Tobacco Use Patterns. *Front Psychiatry*, 10, 112. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30949071>

Staiger, PK, Hayden, MJ, Guo, K, Hughes, LK, Bos, J, & Lawrence, NS. A randomised controlled trial examining the efficacy of smoking-related response inhibition training in smokers: a study protocol. *BMC Public Health*, 2018. 18(1), 1226. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6215605/pdf/12889_2018_Article_6109.pdf

Agarwal, SD, Kerwin, M, Meindertsma, J, & Wolf, AMD. A Novel Decision Aid to Encourage Smoking Cessation Among Patients at an Urban Safety Net Clinic. *Prev Chronic Dis*, 2018. 15, E124. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6198679/pdf/PCD-15-E124.pdf>

Aida Maziha, Z, Imran, A, Azlina, I, & Harmacy, MY. Randomized controlled trial on the effect of Al-Quran recitation vs counseling on smoking intensity among Muslim men who are trying to quit smoking. *Malays Fam Physician*, 2018. 13(2), 19-25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30302179>

Gonzalez-Roz, A, Secades-Villa, R, Weidberg, S, Garcia-Perez, A, & Reed, DD. Latent structure of the CPT among treatment-seeking smokers with depression and its predictive validity on smoking abstinence. *Nicotine Tob Res*, 2018. Available from: <https://academic.oup.com/ntr/advance-article-abstract/doi/10.1093/ntr/nty236/5145312?redirectedFrom=fulltext>

Salisbury-Afshar, E. Individual Behavioral Counseling for Smoking Cessation. *Am Fam Physician*. 2018 Jul 1;98(1):21-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30215962>

Warlick, C, Richter, KP, Catley, D, Gajewski, BJ, Martin, LE, Mussulman, LM. Two brief valid measures of therapeutic alliance in counseling for tobacco dependence. *J Subst Abuse Treat*. 2018 Mar;86:60-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29415852>

Bhattacharya, A, Vilardaga, R, Kientz, JA, Munson, SA. Lessons from Practice: Designing Tools to Facilitate Individualized Support for Quitting Smoking. *ACM Trans Comput Hum Interact*. 2017;2017:3057-3070. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29123362>

Rivas, C, Sohanpal, R, MacNeill, V, Steed, L, Edwards, E, Antao, L, Griffiths, C, Eldridge, S, Taylor, S, Walton, R. Determining counselling communication strategies associated with successful quits in the National Health Service community pharmacy Stop Smoking programme in East London: a focused ethnography using recorded consultations. *BMJ Open*. 2017 Oct 27;7(10):e015664. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29079601>

Wang, MP, Suen, YN, Li, WH, Lam, CO, Wu, SY, Kwong, AC, Lai, VW, Chan, SS, Lam, TH. Intervention With Brief Cessation Advice Plus Active Referral for Proactively Recruited Community Smokers: A Pragmatic Cluster Randomized Clinical Trial. *JAMA Intern Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059277>

Webb Hooper, M, Antoni, MH, Okuyemi, K, Dietz, NA, Resnicow, K. Randomized controlled trial of group-based culturally specific cognitive behavioral therapy among African American smokers. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613941>

Gainforth, HL, Lorencatto, F, Erickson, K, West, R, Michie, S. Characterizing clients' verbal statements in behavioural support interventions: The case of smoking cessation. *Br J Health Psychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27061000>

McCarthy, DE et al. A randomized clinical trial of a tailored behavioral smoking cessation preparation program. *Behav Res Ther*, Mar 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26827293>

Catley, D et al. A randomized trial of motivational interviewing: cessation induction among smokers with low desire to quit. *Am J Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26711164>

Cook, JW et al. Comparative effectiveness of motivation phase intervention components for use with smokers unwilling to quit: a factorial screening experiment. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26582140>

Lorencatto, F et al. Assessing the quality of goal setting in behavioural support for smoking cessation and its association with outcomes. *Ann Behav Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26603626>

Piper, ME et al. Identifying effective intervention components for smoking cessation: a factorial screening experiment. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26582269>

Jalali, F et al. Comparing motivational interviewing-based treatment and its combination with Nicotine Replacement Therapy on smoking cessation in prisoners: a randomized controlled clinical trial. *Electron Physician*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26516436>

Lopez-Nunez, C et al. Cost-effectiveness of a voucher-based intervention for smoking cessation. *Am J Drug Alcohol Abuse*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26484869>

McCaul, M et al. Motivational interviewing for smoking cessation. *S Afr Med J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26449703>

Weidberg, S et al. Contingency management effects on delay discounting among patients receiving smoking cessation treatment. *Psicothema*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26493567>

Weidberg, S et al. Interaction effect of contingency management and sex on delay-discounting changes among treatment-seeking smokers. *Exp Clin Psychopharmacol*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26375514>

Wu, L et al. Relationship between education levels and booster counselling sessions on smoking cessation among Chinese smokers. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26246076>

Chan, SSC, Cheung, YTD, Wong, YMB, Kwong, A, Lai, V, Lam, TH. A Brief Smoking Cessation Advice by Youth Counselors for the Smokers in the Hong Kong Quit to Win Contest 2010: a Cluster Randomized Controlled Trial. *Prev Sci*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28755244>

Lancaster, T, Stead, LF. Individual behavioural counselling for smoking cessation. *Cochrane Database Syst Rev*. 2017 Mar 31;3:CD001292. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28361496>

Santoro, IL. The search for individualized smoking cessation therapy. *J Bras Pneumol*. 2017 Jan-Feb;43(1):3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28380181>

Dobbie, F et al. Evaluating long-term outcomes of NHS Stop Smoking Services (ELONS): a prospective cohort study. *Health Technol Assess*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26565129>

7.15.1.1 Cognitive behavioural therapy

Martinez-Vispo, C, Lopez-Duran, A, Senra, C, & Becona, E. (2020). Specific Relapse Predictors: Could Cognitive-Behavioral Treatment for Smoking Cessation Be Improved? *Int J Environ Res Public Health*, 17(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32560325>

Vinci, C. (2020). Cognitive Behavioral and Mindfulness-Based Interventions for Smoking Cessation: a Review of the Recent Literature. *Current Oncology Reports*, 22(6), 58. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32415381>

Goyal, J, Menon, I, Goyal, T, Passi, D, Gupta, U, & Gupta, R. (2020). Effectiveness of cognitive behavioral therapy and basic health education for tobacco cessation among adult tobacco users attending a private tobacco cessation center. *J Family Med Prim Care*, 9(2), 830-833. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32318429>

Black, N, Johnston, M, Michie, S, Hartmann-Boyce, J, West, R, Viechtbauer, W et al. (2020). Behaviour Change Techniques Associated with Smoking Cessation in Intervention and Comparator Groups of Randomised Controlled Trials: A Systematic Review and Meta-Regression. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32196796>

McDougal, JC, Ock, S, Demers, LB, & Sokolove, RL. (2019). Cognitive Behavioral Therapy and Pharmacotherapy for the Treatment of Tobacco Use Disorder in Primary Care for Resident Physicians. *MedEdPORTAL*, 15, 10812. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31139731>

Martinez-Vispo, C, Rodriguez-Cano, R, Lopez-Duran, A, Senra, C, Fernandez Del Rio, E, & Becona, E. (2019). Cognitive-behavioral treatment with behavioral activation for smoking cessation: Randomized controlled trial. *PLoS One*, 14(4), e0214252. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30958831>

Boffo, M, Zerhouni, O, Gronau, QF, van Beek, RJJ, Nikolaou, K, Marsman, M, & Wiers, RW. Cognitive Bias Modification for Behavior Change in Alcohol and Smoking Addiction: Bayesian Meta-Analysis of Individual Participant Data. *Neuropsychol Rev*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30644025>

Coughlin, LN, Tegge, AN, Sheffer, CE, & Bickel, WK. A machine-learning approach to predicting smoking cessation treatment outcomes. *Nicotine Tob Res*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30508122>

Gainforth, HL, Lorencatto, F, Erickson, K, Baxter, K, Owens, K, Michie, S, & West, R. Use of dynamic systems methods to characterize dyadic interactions in smoking cessation behavioural support sessions: A feasibility study. *Br J Health Psychol*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30489001>

Black, N, Williams, AJ, Javornik, N, Scott, C, Johnston, M, Eisma, MC, Michie, S, Hartmann-Boyce, J, West, R, Viechtbauer, W, de Bruin, M. Enhancing Behavior Change Technique Coding Methods: Identifying Behavioral Targets and Delivery Styles in Smoking Cessation Trials. *Ann Behav Med*, Sept 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30239563>

Webb Hooper, M, Lee, DJ, Simmons, VN, Brandon, KO, Antoni, MH, Unrod, M, Asfar, T, Correa, JB, Koru-Sengul, T, Brandon, TH. Reducing racial/ethnic tobacco cessation disparities via cognitive behavioral therapy: Design of a dualsite randomized controlled trial. *Contemp Clin Trials*. 2018 May;68:127-132. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29617633>

7.15.1.2 Acceptance and commitment therapy

Karekla, M, & Savvides, SN. (2019). Smoking cessation avatar-led Acceptance and Commitment Therapy digital intervention: feasibility and acceptability in young adults. *Transl Behav Med*.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31628476>

Singh, S, Starkey, NJ, Sargisson, RJ. Using SmartQuit(R), an Acceptance and Commitment Therapy Smartphone application, to reduce smoking intake. *Digit Health*. 2017 Sep 19;3:2055207617729535.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29942613>

Davoudi, M, Omid, A, Sehat, M, Sepehrmanesh, Z. The Effects of Acceptance and Commitment Therapy on Man Smokers' Comorbid Depression and Anxiety Symptoms and Smoking Cessation: A Randomized Controlled Trial. *Addict Health*. 2017 Jul;9(3):129-138. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29657693>

7.15.1.3 Motivational interviewing

Chen, YH, Wang, PC, Ko, YL, & Wang, HL. (2021). [Effects of Motivational Interview and Mobile Social Network Support on Smoking Cessation in Male Patients With Coronary Heart Disease]. *Hu Li Za Zhi. Journal of Nursing*, 68(2), 53-64. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33792019>

Gondel, O, Jungo, S, & Aubin, HJ. (2021). [Motivational interviewing : a useful technique for both smoking cessation and periodontal interventions]. *Revue Médicale de Liège*, 76(4), 287-291. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33830694>

Patel, K, Deshpande, A, Jain, A, Shah, Y, & Kalyan, P. (2020). Tobacco cessation effects on oral health by group and individualized motivational therapy in 12 to 18 years old boys - A randomized controlled study. *J Indian Soc Pedod Prev Dent*, 38(3), 280-288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33004727>

Caponnetto, P, Maglia, M, Floresta, D, Ledda, C, Vitale, E, Polosa, R, & Rapisarda, V. (2020). A randomized controlled trial to compare group motivational interviewing to very brief advice for the effectiveness of a workplace smoking cessation counseling intervention. *J Addict Dis*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32634052>

Benton, JZ, Lodh, A, Watson, AM, Tingen, MS, Terris, MK, Wallis, CJD, & Klaassen, Z. (2020). The association between physician trust and smoking cessation: Implications for motivational interviewing. *Prev Med*, 135, 106075. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32247011>

Klemperer, EM, Mermelstein, R, Baker, TB, Hughes, JR, Fiore, MC, Piper, ME et al. (2020). Predictors of smoking cessation attempts and success following motivation-phase interventions among people initially unwilling to quit smoking. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32236417>

Rasu, R, Thelen, J, Agbor Bawa, W, Goggin, K, Bradley-Ewing, A, & Catley, D. (2019). Motivational Interviewing to Encourage Quit Attempts among Smokers not ready to Quit: A Trial-Based Economic Analysis. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31820002>

Boykan, R, Gorzkowski, J, Marbin, J, & Winickoff, J. (2019). Motivational Interviewing: A High-Yield Interactive Session for Medical Trainees and Professionals to Help Tobacco Users Quit. *MedEdPORTAL*, 15, 10831. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31773059>

Kaufmann, A, Malloy, EJ, & Haaga, DAF. (2019). Examining outcome expectancies for smoking vs. abstinence among adult daily smokers. *Addict Behav*, 102, 106140. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31773059>

Caponnetto, P, DiPiazza, J, Cappello, GC, Demma, S, Maglia, M, & Polosa, R. (2019). Multimodal Smoking Cessation in a Real-Life Setting: Combining Motivational Interviewing With Official Therapy and Reduced Risk Products. *Tob Use Insights*, 12, 1179173X19878435. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31636483>

Grobe, JE, Goggin, K, Harris, KJ, Richter, KP, Resnicow, K, & Catley, D. (2019). Race moderates the effects of Motivational Interviewing on smoking cessation induction. *Patient Educ Couns*. Available from: Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31466882>

Lindson, N, Thompson, TP, Ferrey, A, Lambert, JD, & Aveyard, P. (2019). Motivational interviewing for smoking cessation. *Cochrane Database of Systematic Reviews*, 7, CD006936. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31425622>

Bani-Yaghoub, M, Elhomani, A, Catley, D. Effectiveness of motivational interviewing, health education and brief advice in a population of smokers who are not ready to quit. *BMC Med Res Methodol*. 2018 Jun 13;18(1):52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29895280>

Norris, AR, Estes Miller, J. Motivational interviewing or counseling, medical therapies or no intervention to improve tobacco cessation in adults and adolescents. *J Okla State Med Assoc.* 2017 Mar;110(3):142-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29298020>

Conway, LG, Harris, KJ, Catley, D, Gornick, LJ, Conway, KR, Repke, MA, Houck, SC. Cognitive complexity of clients and counsellors during motivation-based treatment for smoking cessation: an observational study on occasional smokers in a US college sample. *BMJ Open.* 2017 Oct 25;7(10):e015849. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29074509>

Lee, EJ. The Effect of Positive Group Psychotherapy and Motivational Interviewing on Smoking Cessation: A Qualitative Descriptive Study. *J Addict Nurs.* 2017 Apr/Jun;28(2):88-95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28582355>

Lindqvist, H, Forsberg, L, Enebrink, P, Andersson, G, Rosendahl, I. The relationship between counselors' technical skills, clients' in-session verbal responses, and outcome in smoking cessation treatment. *J Subst Abuse Treat.* 2017 Jun;77:141-149. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28245946>

Norris, AR, Miller, JE. Motivational interviewing or counseling, medical therapies or no intervention to improve tobacco cessation in adults and adolescents. *J Okla State Med Assoc.* 2017 Mar;110(3):142-143. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28649144>

7.15.1.4 Mindfulness

Chan, EY. (2021). Mindfulness and smoking frequency: An investigation with Australian students. *Addict Behav Rep*, 13, 100342. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33786361>

Hernandez, LM, Wetter, DW, Kumar, S, Sutton, SK, & Vinci, C. (2021). Smoking Cessation Using Wearable Sensors: Protocol for a Microrandomized Trial. *JMIR Res Protoc*, 10(2), e22877. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33625366>

Weng, X, Luk, TT, Lau, OS, Suen, YN, Lee, JJ, Li, WH et al (2020). Brief mindfulness training for smoking cessation in Chinese women in workplaces: A pilot randomized controlled trial. *Addict Behav*, 113, 106677. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33069106>

Otto, MW, Zvolensky, MJ, Rosenfield, D, Hoyt, DL, Witkiewitz, K, McKee, SA et al (2020). A randomized controlled trial protocol for engaging distress tolerance and working memory to aid smoking cessation in low socioeconomic status (SES) adults. *Health Psychol*, 39(9), 815-825. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32833483>

Gordon, JS, Bell, ML, Armin, JS, Giacobbi, PR, & Nair, US. (2020). A telephone-based guided imagery tobacco cessation intervention: results of a randomized feasibility trial. *Transl Behav Med.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32542352>

Do, VV, Spears, CA, Van Minh, H, Huang, J, Redmon, PB, Xuan Long, N, & Eriksen, MP. (2020). Perceptions about mindfulness and text messaging for smoking cessation in Vietnam: Results From a Qualitative Study. *JMIR Mhealth Uhealth.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32442140>

Vinci, C. (2020). Cognitive Behavioral and Mindfulness-Based Interventions for Smoking Cessation: a Review of the Recent Literature. *Current Oncology Reports*, 22(6), 58. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32415381>

Weiss de Souza, IC, Kozasa, EH, Bowen, S, Richter, KP, Sartes, LMA, Colugnati, FAB, & Noto, AR. (2020). Effectiveness of Mindfulness-based Relapse Prevention Program as an Adjunct to the Standard Treatment for Smoking: A Pragmatic Design Pilot Study. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32222767>

Lotfalian, S, Spears, CA, & Juliano, LM. (2019). The effects of mindfulness-based yogic breathing on craving, affect, and smoking behavior. *Psychol Addict Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31750699>

Charlot, M, D'Amico, S, Luo, M, Gemei, A, Kathuria, H, & Gardiner, P. (2019). Feasibility and Acceptability of Mindfulness-Based Group Visits for Smoking Cessation in Low-Socioeconomic Status and Minority Smokers with Cancer. *J Altern Complement Med*, 25(7), 762-769. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31314565>

Spears, CA, Abrams, LC, Glass, CR, Hedeker, D, Eriksen, MP, Cottrell-Daniels, C et al (2019). Mindfulness-Based Smoking Cessation Enhanced With Mobile Technology (iQuit Mindfully): Pilot Randomized Controlled Trial. *JMIR Mhealth Uhealth*, 7(6), e13059. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31237242>

Spears, CA, Bell, SA, Scarlett, CA, Anderson, NK, Cottrell-Daniels, C, Lotfalian, S et al. Text Messaging to Enhance Mindfulness-Based Smoking Cessation Treatment: Program Development Through Qualitative Research. *JMIR Mhealth Uhealth*, 2019. 7(1), e11246. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30617043>

Davis, JM, Goldberg, SB, Angel, KS, Silver, RH, Kragel, EA, Lagrew, DJ. Observational Study on a Mindfulness Training for Smokers within a Smoking Cessation Program. *Mindfulness (N Y)*. 2017 Dec;8(6):1698. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29576809>

Andreu, CI, Cosmelli, D, Slagter, HA, Franken, IHA. Effects of a brief mindfulness-meditation intervention on neural measures of response inhibition in cigarette smokers. *PLoS One*. 2018 Jan 25;13(1):e0191661. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370256>

Spears, CA, Hedeker, D, Li, L, Wu, C, Anderson, NK, Houchins, SC, Vinci, C, Hoover, DS, Vidrine, JI, Cinciripini, PM, Waters, AJ, Wetter, DW. Mechanisms Underlying Mindfulness-Based Addiction Treatment Versus Cognitive Behavioral Therapy and Usual Care for Smoking Cessation. *J Consult Clin Psychol*, 2017. Available from : <http://www.ncbi.nlm.nih.gov/pubmed/28650195>

7.15.1.5 Positive psychotherapy

Hoepfner, BB, Hoepfner, SS, Carlon, HA, Perez, GK, Helmuth, E, Kahler, CW, & Kelly, JF. (2019). Leveraging Positive Psychology to Support Smoking Cessation in Nondaily Smokers Using a Smartphone App: Feasibility and Acceptability Study. *JMIR Mhealth Uhealth*, 7(7), e13436. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31271147>

Kahler, CW, Surace, A, Rebecca, EF, Gordon, BA, Cioe, PA, Spillane, NS, Parks, A, Bock, BC, Brown, RA. Positive psychotherapy for smoking cessation enhanced with text messaging: Protocol for a randomized controlled trial. *Contemp Clin Trials*. 2018 Jun 21. pii: S1551-7144(18)30014-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29936125>

7.15.2 Group therapy

Dickreuter, J, Schmoor, C, Bengel, J, Jahne, A, & Leifert, JA. (2020). Efficacy of a short-term residential smoking cessation therapy versus standard outpatient group therapy ('START-Study'): study protocol of a randomized controlled trial. *Trials*, 21(1), 562. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32576275>

Kotsen, C, Santorelli, ML, Bloom, EL, Goldstein, AO, Ripley-Moffitt, C, Steinberg, MB, Burke, MV, Foulds, J. A Narrative Review of Intensive Group Tobacco Treatment: Clinical, Research, and U.S. Policy Recommendations. *Nicotine Tob Res*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30124924>

McClure, JB, Bricker, J, Mull, K, & Heffner, JL. Comparative-Effectiveness of Group-Delivered Acceptance and Commitment Therapy vs. Cognitive Behavioral Therapy for Smoking Cessation: A Randomized Controlled Trial. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30590810>

Monteiro Mantovani, V, Rodriguez Acelas, AL, Klockner Boaz, S, Canon-Montanez, W, Lucena, AF, Echer, IC. Evaluation of Patients in a Smoking Cessation Support Group Using the Nursing Outcomes Classification. *Int J Nurs Knowl*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29847016>

Grassi, MC, Alessandri, G, Pasquariello, S, Milioni, M, Enea, D, Ceccanti, M, Caprara, GV, La Torre, G. The synergistic effect between Positivity, socio-demographic factors and smoking cessation: results of a cohort study. *Clin Ter*. 2018 Jan-Feb;169(1):e14-e17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29446786>

Figueiro, LR, Barros, HM, Ferigolo, M, Dantas, DC. Assessment of factors related to smokers' adherence to a short-term support group for smoking cessation: a longitudinal study in a developing country. *Trends Psychiatry Psychother*. 2017 Jan-Mar;39(1):19-28. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403319>

Stead, LF, Carroll, AJ, Lancaster, T. Group behaviour therapy programmes for smoking cessation. *Cochrane Database Syst Rev*. 2017 Mar 31;3:CD001007. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28361497>

Hurtado, DA, Okechukwu, CA, Buxton, OM, Hammer, L, Hanson, GC, Moen, P, Klein, LC, Berkman, LF. Effects on cigarette consumption of a work-family supportive organisational intervention: 6-month results from the work, family and health network study. *J Epidemiol Community Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27225680>

Chen, TH, Huang, JJ, Chang, FC, Chang, YT, Chuang, HY. Effect of workplace counseling interventions launched by workplace health promotion and tobacco control centers in Taiwan: an evaluation based on the Ottawa charter. *PLoS One*. 2016 Mar 8;11(3):e0150710. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26954498>

Maarof, MF et al. Suitability of a group behavioural therapy module for workplace smoking cessation programs in Malaysia: a pilot study. *Asian Pac J Cancer Prev*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26838211>

Sorensen, G et al. Effects of a worksite tobacco control intervention in India: the Mumbai worksite tobacco control study, a cluster-randomised trial. *Tob Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26883793>

Friedrich, V et al. Worksite tobacco prevention: a randomized, controlled trial of adoption, dissemination strategies, and aggregated health-related outcomes across companies. *Biomed Res Int*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26504778>

Battle, RS et al. Smoking cessation among transit workers: beliefs and perceptions among an at-risk occupational group. *Substance Abuse Treatment, Prevention, and Policy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25962517>

7.15.3 Workplace-based interventions

Mai, Y, Ha, T, & Soulakova, JN. (2019). Workplace smoking restrictions and support for smoking cessation in the USA: state, region, and overall trends from 2010-11 to 2014-15. *J Smok Cessat*, 14(4), 211-220. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33777239>

Swilley, BR, Barnes, DM, & Wang, J. (2020). A Retrospective Study of Federal Employees' Outcomes Following A Smoking Cessation Intervention. *J Natl Black Nurses Assoc*, 31(2), 53-59. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33617708>

Swain, SK, Chatterjee, K, & Basannar, DR. (2021). Efficacy of group intervention on tobacco cessation among male employees in health-care setting: A randomized controlled trial. *Med J Armed Forces India*, 77(1), 32-37. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33487863>

Caponnetto, P, Maglia, M, Floresta, D, Ledda, C, Vitale, E, Polosa, R, & Rapisarda, V. (2020). A randomized controlled trial to compare group motivational interviewing to very brief advice for the effectiveness of a workplace smoking cessation counseling intervention. *J Addict Dis*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32634052>

Sun, MC, & Rathoa, L. (2020). Innovative call emerging from a qualitative study for workplace designated stop-smoking area. *Tob Prev Cessat*, 6, 9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32548346>

Feldman, RH, Villalobos-Perez, A, & Rodriguez, RG. (2020). Workplace Smoking Cessation in Costa Rica: Pilot Study Findings. *Workplace Health Saf*, 2165079920907933. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32208826>

Asfar, T, McClure, LA, Arheart, KL, Ruano-Herrera, EC, Gilford, CG, Jr, Moore, K et al. (2019). Integrating Worksite Smoking Cessation Services Into the Construction Sector: Opportunities and Challenges. *Health Educ Behav*, 1090198119866900. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31426671>

Cho, YM, Kim, HR, Kang, MY, Myong, JP, & Koo, JW. (2019). Fixed night workers and failed smoking cessation. *J Occup Med Toxicol*, 14, 23. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31404360>

van den Brand, FA, Nagtzaam, P, Nagelhout, GE, Winkens, B, & van Schayck, CP. (2019). The Association of Peer Smoking Behavior and Social Support with Quit Success in Employees Who Participated in a Smoking Cessation Intervention at the Workplace. *Int J Environ Res Public Health*, 16(16). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31398854>

Dietz, NA, Asfar, T, Caban-Martinez, AJ, Ward, KD, Santiago, K, Ruano-Herrera, EC et al (2019). Developing a Worksite-based Culturally Adapted Smoking Cessation Intervention for Male Hispanic/Latino Construction Workers. *J Smok Cessat*, 14(2), 73-82. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31073339>

Mache, S, Vitzthum, K, Groneberg, DA, & Harth, V. (2019). Effects of a multi-behavioral health promotion program at worksite on smoking patterns and quit behavior. *Work*, 62(4), 543-551. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31104040>

Garey, L, Neighbors, C, Leal, IM, Lam, CY, Wilson, WT, Kyburz, B et al. (2019). Tobacco-related knowledge following a comprehensive tobacco-free workplace program within behavioral health facilities: Identifying organizational moderators. *Patient Educ Couns*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31000352>

Syamlal, G, King, BA, & Mazurek, JM. Workplace Smoke-Free Policies and Cessation Programs Among U.S. Working Adults. *Am J Prev Med*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30772152>

Lim, JH, & Ha, Y. Effectiveness of a Workplace Smoking Cessation Program based on Self-Determination Theory Using Individual Counseling and Tailored Text Messaging: A Pilot Study. *Asian Nurs Res (Korean Soc Nurs Sci)*, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30659928>

Van den Brand, FA, Dohmen, LME, Van Schayck, OCP, & Nagelhout, GE. 'Secretly, it's a competition': a qualitative study investigating what helped employees quit smoking during a workplace smoking cessation group training programme with incentives. *BMJ Open*, 2018. 8(11), e023917. Available from: <https://bmjopen.bmj.com/content/bmjopen/8/11/e023917.full.pdf>

Wolfenden, L, Goldman, S, Stacey, FG, Grady, A, Kingsland, M, Williams, CM et al. Strategies to improve the implementation of workplace-based policies or practices targeting tobacco, alcohol, diet, physical activity and obesity. *Cochrane Database Syst Rev*, 2018. 11, CD012439. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30480770>

van den Brand, FA, Nagelhout, GE, Winkens, B, Chavannes, NH, & van Schayck, OCP. Effect of a workplace-based group training programme combined with financial incentives on smoking cessation: a cluster-randomised controlled trial. *Lancet Public Health*. doi:10.1016/S2468-2667(18)30185-3. Available from: [https://www.thelancet.com/pdfs/journals/lanpub/PIIS2468-2667\(18\)30185-3.pdf](https://www.thelancet.com/pdfs/journals/lanpub/PIIS2468-2667(18)30185-3.pdf)

Kava, CM, Parker, EA, Baquero, B, Curry, SJ, Gilbert, PA, Sauder, M, Sewell, DK. A qualitative assessment of the smoking policies and cessation activities at smaller workplaces. *BMC Public Health*. 2018 Sep 5;18(1):1094. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30185177>

McFadyen, T, Chai, LK, Wyse, R, Kingsland, M, Yoong, SL, Clinton-McHarg, T, Bauman, A, Wiggers, J, Rissel, C, Williams, CM, Wolfenden, L. Strategies to improve the implementation of policies, practices or programmes in sporting organisations targeting poor diet, physical inactivity, obesity, risky alcohol use or tobacco use: a systematic review. *BMJ Open*. 2018 Sep 21;8(9):e019151. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30244204>

Bold, KW, Kimmel, L, Hanrahan, TH, Romano, D, Rojewski, AM, Krishnan-Sarin, S, Fucito, LM, O'Malley, SS. A Pilot Clinical Trial of Smoking Cessation Services Implemented in the Workplace for Service Industry Employees. *Am J Health Promot*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30153737>

Dupuis, L, McKean, H, Chow, H. Quitting the smoke break: a successful partnership with the construction industry. *Can J Public Health*. 2018 Feb;109(1):128-133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29981060>

Collins BN, Lepore SJ, Winickoff JP, et al. An Office-Initiated Multilevel Intervention for Tobacco Smoke Exposure: A Randomized Trial. *Pediatrics*. 2018 Jun;141(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29853625>

Correa-Fernandez, V, Wilson, WT, Kyburz, B, O'Connor, DP, Stacey, T, Williams, T, Lam, CY, Reitzel, LR. Evaluation of the Taking Texas Tobacco Free Workplace Program within behavioral health centers. *Transl Behav Med*. 2018. Jun 28, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29955886>

Airagnes, G, Lemogne, C, Goldberg, M, Hoertel, N, Roquelaure, Y, Limosin, F, Zins, M. Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. *PLoS One*. 2018 May 1;13(5):e0196330. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29715268>

Pesko, MF, Bains, J, Maclean, JC, Cook, BL. Nearly Half Of Small Employers Using Tobacco Surcharges Do Not Provide Tobacco Cessation Wellness Programs. *Health Aff (Millwood)*. 2018 Mar;37(3):473-481. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29505370>

Street, TD, Lacey, SJ. Employee characteristics and health belief variables related to smoking cessation engagement attitudes. *Work*. 2018 May 1. pii: WOR2716. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29733037>

Pesko, MF, Bains, J, Maclean, JC, Cook, BL. Nearly Half Of Small Employers Using Tobacco Surcharges Do Not Provide Tobacco Cessation Wellness Programs. *Health Aff (Millwood)*. 2018 Mar;37(3):473-481. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29505370>

Asfar, T, Caban-Martinez, AJ, McClure, LA, Ruano-Herrera, EC, Sierra, D, Gilford Clark, G, Jr, Samano, D, Dietz, N A., Ward, KD, Arheart, KL, Lee, DJ. A cluster randomized pilot trial of a tailored worksite smoking cessation intervention targeting Hispanic/Latino construction workers: Intervention development and research design. *Contemp Clin Trials*. 2018 Feb 14;67:47-55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29454141>

Durrani, S, Lucik, M, Safeer, R. Enhanced Tobacco Control Initiative at Johns Hopkins Health System: Employee Fairness Perception. *Health Promot Pract*. 2018 Feb 1:1524839918759525. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29482343>

Gaikwad, R, Bhowate, R, Bajad, P, Gadail, AR, Gondivkar, S, Sarode, SC, Sarode, GS, Patil, S. Potential Predictor of Tobacco Cessation among Factory Workers: A Baseline Data of Worksite Tobacco Cessation Programs in the Central Part of India. *J Contemp Dent Pract*. 2017 Nov 1;18(11):1071-1077. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29109324>

Korzeniowska, E, Puchalski, K. Solving the problem of smoking in the Polish enterprises during 2003-2015. *Int J Occup Med Environ Health*. 2017 Nov 17. pii: 75292. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29149116>

Patel, RR, Schmidt, H. Should Employers Be Permitted not to Hire Smokers? A Review of US Legal Provisions. *Int J Health Policy Manag*. 2017 Mar 15;6(12):701-706. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29172377>

Wang, MP, Li, WHC, Suen, YN, Cheung, KC, Lau, OS, Lam, TH, Chan, SSC. Association between employer's knowledge and attitude towards smoking cessation and voluntary promotion in workplace: a survey study. *Tob Induc Dis*. 2017 Nov 14;15:44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29162997>

Hausherr, Y, Quinto, C, Grize, L, Schindler, C, Probst-Hensch, N. Smoking cessation in workplace settings: quit rates and determinants in a group behaviour therapy programme. *Swiss Med Wkly*. 2017 Sep 25;147:w14500. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28944936>

Nieva, G, Comin, M, Valero, S, Bruguera, E. Cigarette dependence and depressive symptoms as predictors of smoking status at five-year follow-up after a workplace smoking cessation program. *Addict Behav*. 2017 Oct;73:9-15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28431293>

Ransing, RS, Patil, DB, Desai, MB, Modak, A. Outcome of tobacco cessation in workplace and clinic settings: A comparative study. *J Int Soc Prev Community Dent*. 2016 Sep-Oct;6(5):487-492. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27891317>

7.15.4 Peer support programs

White, JS, Toussaert, S, Thrul, J, Bontemps-Jones, J, Abroms, L, & Westmaas, JL. (2019). Peer Mentoring and Automated Text Messages for Smoking Cessation: A Randomized Pilot Trial. *Nicotine Tob Res.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30892616>

7.15.5 Residential treatments

Kocak, ND, & Akturk, UA. (2019). What Factors Influence Non-Adherence to the Smoking Cessation Program? *Turk Thorac J.* Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30986171>

News reports:

Fanshawe, TR, Hartmann-Boyce, J, Perera, R, & Lindson, N. Competitions for smoking cessation. *Cochrane Database of Systematic Reviews*, 2019, (2). Available from: <https://doi.org/10.1002/14651858.CD013272>

No authors listed. Group therapy is an effective and cost-efficient way to promote cardiovascular health. *Medical News Today*, 2015. Nov 10, 2015. Available from: <http://www.medicalnewstoday.com/releases/302343.php?tw>

Donnelly, Laura. Number of smokers getting NHS help to quit has halved. *The Telegraph*, 2015. Mar 8, 2015. Available from: <http://www.telegraph.co.uk/news/nhs/11455381/Number-of-smokers-getting-NHS-help-to-quit-has-halved.html>

7.15.1 Individual counselling

Lifestyles Team, N. D. (2020). *Statistics on NHS Stop Smoking Services in England April 2019 to March 2020*. Retrieved from <https://digital.nhs.uk/data-and-information/publications/statistical/statistics-on-nhs-stop-smoking-services-in-england/april-2019-to-march-2020>

7.15.2 Group therapy

No authors listed. (2020). Decade of research to help long-term smokers quit. *Border Watch*. Retrieved from <https://customreport.mediaportal.com/#/articlepresenter/07326b03-330b-4aa9-9663-6efdd64d7731/558521232/1326814345? k=ghs3wf>

7.15.3 Workplace-based interventions

LaPlante, Margaret. Engaging the Disengaged with Quit-smoking Incentives. *The Ex Program*, 2018. June 12, 2018. Available from: <https://www.theexprogram.com/resources/blog/engaging-the-disengaged-with-quit-smoking-incentives/>

Burke, Michael. Want Smoking Cessation Programs in the Workplace that Work? The Ex Program, 2018. June 6, 2018. Available from: <https://www.theexprogram.com/resources/blog/want-smoking-cessation-programs-in-the-workplace-that-work/>

No authors listed. Japan firm gives non-smokers more leave. SBS, 2017. Nov 2, 2017. Available from: <http://www.sbs.com.au/news/article/2017/11/01/japan-firm-gives-non-smokers-more-leave>

Ryall, Julian. Non-smokers get six days extra paid leave to make up for smokers' cigarette breaks at Japanese firm. The Telegraph, 2017. Oct 30, 2017. Available from: <http://www.telegraph.co.uk/authors/julian-ryall/>

No authors listed. New Business Pulse focuses on helping businesses improve employee health by reducing tobacco use. PR Newswire, 2016. Oct 26, 2016. Available from: <http://www.prnewswire.com/news-releases/new-business-pulse-focuses-on-helping-businesses-improve-employee-health-by-reducing-tobacco-use-300351706.html>