

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 7.19 Interventions tailored for age and/or gender

Last updated December 2024

Research:	2
7.19.1 Younger smokers	2
7.19.1.1 Factors influencing smoking and quitting	21
7.19.1.2 Cessation interventions	23
7.19.1.3 Social marketing and public education campaigns	28
7.19.1.4 The role of health professionals	29
7.19.2 Older smokers	30
7.19.2.1 Factors influencing smoking and quitting	33
7.19.2.2 Cessation interventions	35
7.19.2.3 The role of health professionals	36
7.19.3 Women	36
News:	46
7.19.1 Younger smokers	46
7.19.1.2 Cessation interventions	47
7.19.2 Older smokers	47
7.19.3 Women	47

## Research:

Hersi, M, Beck, A, Hamel, C, Esmaeilisaraji, L, Pussegoda, K, Austin, B et al. (2024). Effectiveness of smoking cessation interventions among adults: an overview of systematic reviews. *Syst Rev*, 13(1), 179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38997788>

Guo, Y, Liu, DY, Wang, YJ, Huang, MJ, Jiang, N, Hou, Q et al. (2023). Family functioning and nicotine dependence among smoking fathers: a cross-sectional study. *BMC Public Health*, 23(1), 658. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37024859>

### 7.19.1 Younger smokers

Hersi, M, Beck, A, Hamel, C, Esmaeilisaraji, L, Pussegoda, K, Austin, B et al. (2024). Effectiveness of smoking cessation interventions among adults: an overview of systematic reviews. *Syst Rev*, 13(1), 179. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38997788>

Doran, N, Myers, M, Luczak, S, Trim, R, Strong, D, & Tully, L. (2022). Non-daily cigarette smoking: Stability and transition to abstinence in young adults. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35931100>

Massey ZB, Duong HT, Churchill V, and Popova L. Examining reactions to smoking and COVID-19 risk messages: An experimental study with people who smoke. *Int J Drug Policy*, 2022; 102:103607. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35180555>

Chan C, Kamke K, Assuah F, and El-Toukhy S. Dropout, response, and abstinence outcomes of a national text-messaging smoking cessation intervention for teens, SmokeFreeTeen. *Transl Behav Med*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32710628>

Gowarty MA, Kung NJ, Maher AE, Longacre MR, and Brunette MF. Perceptions of Mobile Apps for Smoking Cessation Among Young People in Community Mental Health Care: Qualitative Study. *JMIR Form Res*, 2020; 4(10):e19860. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33006560>

Poole R, Carver H, Anagnostou D, Edwards A, Moore G, et al. Tobacco use, smoking identities and pathways into and out of smoking among young adults: a meta-ethnography. *Substance Abuse Treatment, Prevention and Policy*, 2022; 17(1):24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35346260>

Zhang L, Gentzke A, Trivers KF, and VanFrank B. Tobacco Cessation Behaviors Among U.S. Middle and High School Students, 2020. *Journal of Adolescent Health*, 2022; 70(1):147-54. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34930566>

Deck S, Nagpal TS, Morava A, Farhat J, Cisneros Sanchez F, et al. Tobacco use among varsity athletes - why do they do it and how do we make it stop: a brief report. *Journal of American College Health*, 2021;1-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33760706>

Orsal O and Ergun A. The Effect of Peer Education on Decision-Making, Smoking-Promoting Factors, Self-Efficacy, Addiction, and Behavior Change in the Process of Quitting Smoking of Young People.

Risk Manag Healthc Policy, 2021; 14:925-45. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/33716513>

Smoking cessation in adolescence. Archives of Disease in Childhood, 2020; 105(11):1054. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33082170>

Berg CJ, Yang YT, Pratt-Chapman ML, Douglas Evans W, Cupertino AP, et al. Campus tobacco control policies and cessation interventions in college students: a commentary calling for research and action to address tobacco-related health disparities. Transl Behav Med, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32893870>

Fan T and Smith HJ. Primary Care Interventions for Prevention and Cessation of Tobacco Use in Children and Adolescents. American Family Physician, 2020; 102(4):241-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32803931>

Gray KM, Rubinstein ML, Prochaska JJ, DuBrava SJ, Holstein AR, et al. High-dose and low-dose varenicline for smoking cessation in adolescents: a randomised, placebo-controlled trial. Lancet Child Adolesc Health, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32979939>

Kang MJ, Lee H, and Jo M. Analysis of multidimensional factors in attempts to quit using tobacco by Korean adolescents. Environ Health Prev Med, 2020; 25(1):71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33218297>

Lachance C and Frey N. in Non-Pharmacological and Pharmacological Interventions for Smoking Cessation Programs in Youth: A Review of Clinical Effectiveness and Guidelines. Ottawa (ON): 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33048482>.

Lachance C and Frey N. in Non-Pharmacological and Pharmacological Interventions for Smoking Cessation Programs in Youth: A Review of Clinical Effectiveness and Guidelines. Ottawa (ON): 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33048482>.

Lee S and Park H. Effects of positive-negative antismoking messages to quit smoking among male college students: A randomized field study. Jpn J Nurs Sci, 2020:e12349. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32453510>

Maier LJ, Ramo DE, Kaur M, Meacham MC, and Satre DD. Factors associated with readiness to quit smoking among young adults enrolled in a Facebook-based tobacco and alcohol intervention study. Addictive Behaviors, 2020; 111:106524. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32791434>

Park JS, Lee SH, Lee GH, Yang MR, Park I, et al. Multidisciplinary Approach to Smoking Cessation in Late Adolescence: A Pilot Study. Glob Pediatr Health, 2020; 7:2333794X20944656. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33062806>

Arrazola RA, Seidenberg AB, and Ahluwalia IB. Percentage of current tobacco smoking students receiving help or advice to quit: Evidence from the Global Youth Tobacco Survey, 56 countries, 2012-2015. Tob Prev Cessat, 2019; 5:5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30793066>

Hofmeyr A, Kincaid H, and Rusch O. Incentivizing university students to quit smoking: a randomized controlled trial of a contingency management intervention in a developing country. American Journal of Drug and Alcohol Abuse, 2019;1-11. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31290698>

Padovano HT, Merrill JE, Colby SM, Kahler CW, and Gwaltney CJ. Affective and Situational Precipitants of Smoking Lapses among Adolescents. Nicotine and Tobacco Research, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30624745>

Piper ME, Mermelstein R, and Baker TB. Progress in Treating Youth Smoking: Imperative, Difficult, Slow. JAMA Pediatr, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31609441>

Wagner LA, Molina AL, Grizzle K, Hofto ME, Nassetta LB, et al. Quality Improvement Project to Improve Screening for Tobacco Use in Adolescent Inpatients at a Children's Hospital. Children (Basel), 2019; 6(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30823441>

Charakida M, Georgopoulos G, Dangardt F, Chiesa ST, Hughes AD, et al. Early vascular damage from smoking and alcohol in teenage years: the ALSPAC study. European Heart Journal, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30169581>

McClure EA, Tomko RL, Carpenter MJ, Treiber FA, and Gray KM. Acceptability and compliance with a remote monitoring system to track smoking and abstinence among young smokers. American Journal of Drug and Alcohol Abuse, 2018;1-10. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29737885>

Plotnikoff RC, Costigan SA, Kennedy SG, Robards S, Germov J, et al. Efficacy of interventions targeting alcohol, drug and smoking behaviors in university and college students: A review of randomized controlled trials. Journal of American College Health, 2018;1-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29652638>

West JC, Villanti AC, Graham AL, Mays D, Mermelstein RJ, et al. Tobacco Use and Cessation Behaviors in Young Adults: 2016 National Health Interview Survey. American Journal of Public Health, 2018:e1-e4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30571308>

Yang Y, Jin G, Yao LY, and Niu YY. A retrospective study of smoking cessation intervention among university students. Medicine, 2018; 97(26):e11259. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29952996>

Brick LA, Redding CA, Paiva AL, and Velicer WF. Intervention Effects on Stage Transitions for Adolescent Smoking and Alcohol Use Acquisition. Psychology of Addictive Behaviors, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28714725>

Fanshawe T, Halliwell W, Lindson N, Aveyard P, Livingstone-Banks J, et al. Tobacco cessation interventions for young people. Cochrane Database of Systematic Reviews, 2017; 11:CD003289. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/29148565>

Fanshawe TR, Halliwell W, Lindson N, Aveyard P, Livingstone-Banks J, et al. Tobacco cessation interventions for young people. Cochrane Database of Systematic Reviews, 2017; 11:CD003289. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29148565>

Haug S, Paz Castro R, Kowatsch T, Filler A, and Schaub MP. Efficacy of a technology-based, integrated smoking cessation and alcohol intervention for smoking cessation in adolescents: Results of a cluster-randomised controlled trial. *Journal of Substance Abuse Treatment*, 2017; 82:55-66.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29021116>

Hong RM, Guo SE, Huang CS, and Yin C. Examining the Effects of Art Therapy on Reoccurring Tobacco Use in a Taiwanese Youth Population: A Mixed-Method Study. *Substance Use and Misuse*, 2017;1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28910185>

Kong G, Goldberg AL, Dallery J, and Krishnan-Sarin S. An open-label pilot study of an intervention using mobile phones to deliver contingency management of tobacco abstinence to high school students. *Experimental and Clinical Psychopharmacology*, 2017; 25(5):333-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29048181>

Maslowsky J, Whelan Capell J, Moberg DP, and Brown RL. Universal School-Based Implementation of Screening Brief Intervention and Referral to Treatment to Reduce and Prevent Alcohol, Marijuana, Tobacco, and Other Drug Use: Process and Feasibility. *Subst Abuse*, 2017; 11:1178221817746668.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29317825>

Merianos AL, Jandarov RA, Khoury JC, and Mahabee-Gittens EM. Tobacco Smoke Exposure Association With Lipid Profiles and Adiposity Among U.S. Adolescents. *Journal of Adolescent Health*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29224987>

Peterson AV, Jr. and Marek PM. Late smoking relapse among adolescent quitters. *Addictive Behaviors*, 2017; 65:171-3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27816042>

Saw A, Steltenpohl CN, Bankston-Lee K, and Tong EK. A Community-Based "Street Team" Tobacco Cessation Intervention by and for Youth and Young Adults. *Journal of Community Health*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29071569>

Towns S, DiFranza JR, Jayasuriya G, Marshall T, and Shah S. Smoking Cessation in Adolescents: targeted approaches that work. *Paediatric Respiratory Reviews*, 2017; 22:11–22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26187717>

Harvey J and Chadi N. Strategies to promote smoking cessation among adolescents. *Paediatr Child Health*, 2016; 21(4):201–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27429574>

Heffner JL, Kealey KA, Marek PM, Bricker JB, Ludman EJ, et al. Proactive telephone counseling for adolescent smokers: Comparing regular smokers with infrequent and occasional smokers on treatment receptivity, engagement, and outcomes. *Drug and Alcohol Dependence*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27344195>

Loprinzi PD and Walker JF. Association of Longitudinal Changes of Physical Activity on Smoking Cessation Among Young Daily Smokers. *Journal of Physical Activity and Health*, 2016; 13(1):1–5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25966498>

Mason M, Mennis J, Way T, Zaharakis N, Campbell LF, et al. Text Message Delivered Peer Network Counseling for Adolescent Smokers: A Randomized Controlled Trial. *Journal of Primary Prevention*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27388626>

Palmer AM, Correa JB, Heckman BW, Brandon TH, and Simmons VN. Health, Stigma, and the Burden of Smoking in College: A Thematic Analysis. *American Journal of Health Behavior*, 2016; 40(3):381–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27103417>

Peirson L, Ali MU, Kenny M, Raina P, and Sherifali D. Interventions for prevention and treatment of tobacco smoking in school-aged children and adolescents: A systematic review and meta-analysis. *Preventive Medicine*, 2016; 85:20–31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26743631>

Yip SW, Balodis IM, Carroll KM, Krishnan-Sarin S, and Potenza MN. Intra-individual changes in Stroop-related activations linked to cigarette abstinence in adolescent tobacco smokers: Preliminary findings. *Drug and Alcohol Dependence*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27567966>

Yurasek AM, Robinson LA, and Parra G. Ethnic and Gender differences in Strategies Used by Adolescents when Attempting to Quit or Reduce Smoking. *J Child Adolesc Subst Abuse*, 2016; 25(3):252-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27917033>

Guiney H, Li J, and Walton D. Barriers to successful cessation among young late-onset smokers. *New Zealand Medical Journal*, 2015; 128(1416):51–61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26117676>

King JL, Pomeranz JL, and Merten JW. A systematic review and meta-evaluation of adolescent smoking cessation interventions that utilized nicotine replacement therapy. *Addictive Behaviors*, 2015; 52:39–45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26355397>

Kong G, Larsen H, Cavallo DA, Becker D, Cousijn J, et al. Re-training automatic action tendencies to approach cigarettes among adolescent smokers: a pilot study. *American Journal of Drug and Alcohol Abuse*, 2015;1:1–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26186485>

Lantini R, McGrath AC, Stein LA, Barnett NP, Monti PM, et al. Misreporting in a randomized clinical trial for smoking cessation in adolescents. *Addictive Behaviors*, 2015; 45C:57–62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25644588>

Mason M, Mennis J, Way T, Lanza S, Russell M, et al. Time-varying effects of a text-based smoking cessation intervention for urban adolescents. *Drug and Alcohol Dependence*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26507175>

Mason MJ, Mennis J, Zaharakis NM, and Way T. The Dynamic Role of Urban Neighborhood Effects in a Text-Messaging Adolescent Smoking Intervention. *Nicotine and Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547062>

Pepper JK, Gilkey MB, and Brewer NT. Physicians' Counseling of Adolescents Regarding E-Cigarette Use. *Journal of Adolescent Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26297135>

Shaikh W, Nugawela MD, and Szatkowski L. What are the main sources of smoking cessation support used by adolescent smokers in England? A cross-sectional study. *BMC Public Health*, 2015; 15:562. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26088601>

Simon P, Kong G, Cavallo DA, and Krishnan-Sarin S. Update of Adolescent Smoking Cessation Interventions: 2009-2014. *Curr Addict Rep*, 2015; 2(1):15–23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26295017>

Thomas JL, Bengtson JE, Wang Q, Luo X, Marigi E, et al. Abstinence rates among college cigarette smokers enrolled in a randomized clinical trial evaluating Quit and Win contests: The impact of concurrent hookah use. *Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25773472>

Thrul J, Stemmler M, Goecke M, and Buhler A. Are you in or out? Recruitment of adolescent smokers into a behavioral smoking cessation intervention. *Addictive Behaviors*, 2015; 45C:150–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25678303>

Tombor I, Shahab L, Herbec A, Neale J, Michie S, et al. Smoker Identity and Its Potential Role in Young Adults' Smoking Behavior: A Meta-ethnography. *Health Psychology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25622078>

Tuisku A, Salmela M, Nieminen P, and Toljamo T. Varenicline and Nicotine Patch Therapies in Young Adults Motivated to Quit Smoking: A Randomised, Placebo-controlled, Prospective Study. *Basic and Clinical Pharmacology and Toxicology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26709238>

Branstetter SA, Mercincavage M, Dino G, and Horn K. Development and Validation of a Smoking Expectancies Measure for Adolescents Seeking to Quit Smoking. *Subst Abus*, 2014;0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24635745>

Brown T, Platt S, and Amos A. Equity impact of interventions and policies to reduce smoking in youth: systematic review. *Tobacco Control*, 2014; 23(e2):e98–105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24842855>

Camenga DR, Kong G, Bagot K, Hoff RA, Potenza MN, et al. Marijuana, Alcohol Use and Attempted Smoking Cessation in Adolescent Boys and Girls. *Subst Abus*, 2014;0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25174418>

Guo JL, Liao JY, Chang LC, Wu HL, and Huang CM. The effectiveness of an integrated multicomponent program for adolescent smoking cessation in Taiwan. *Addictive Behaviors*, 2014; 39(10):1491–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24949950>

Harris M, Penfold RB, Hawkins A, Maccombs J, Wallace B, et al. Dimensions of impulsive behavior and treatment outcomes for adolescent smokers. *Experimental and Clinical Psychopharmacology*, 2014; 22(1):57–64. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24417209>

Haug S, Schaub MP, and Schmid H. Predictors of adolescent smoking cessation and smoking reduction. *Patient Education and Counseling*, 2014; 95(3):378–83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24674150>

Jiang N, Lee YO, and Ling PM. Young adult social smokers: Their co-use of tobacco and alcohol, tobacco-related attitudes, and quitting efforts. *Preventive Medicine*, 2014; 69C:166–71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25280439>

Keyser MM and Goebel LJ. Update on adolescent tobacco cessation. West Virginia Medical Journal, 2014; 110(4):46–52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25322588>

Minor M and Sondike S. Adolescent smoking cessation methods: a review article. West Virginia Medical Journal, 2014; 110(4):16–20. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25322583>

O'Loughlin JL, Sylvestre MP, Dugas EN, and Karp I. Predictors of the occurrence of smoking discontinuation in novice adolescent smokers. Cancer Epidemiology, Biomarkers and Prevention, 2014; 23(6):1090–101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24895443>

Ramic-Catak A and Maksumic-Dizdarevic A. Smoking cessation in school children in the Federation of bosnia and herzegovina. Mater Sociomed, 2014; 26(6):389–91. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/25685084>

Thrul J, Stemmler M, Buhler A, and Goecke M. The role of participants' self-selected future smoking goals in adolescent smoking cessation interventions. Drug and Alcohol Dependence, 2014; 141:118–23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24928478>

Tworek C, Schauer GL, Wu CC, Malarcher AM, Jackson KJ, et al. Youth tobacco cessation: quitting intentions and past-year quit attempts. American Journal of Preventive Medicine, 2014; 47(2 Suppl 1):S15–27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25044192>

Witkiewitz K, Desai SA, Bowen S, Leigh BC, Kirouac M, et al. Development and evaluation of a mobile intervention for heavy drinking and smoking among college students. Psychology of Addictive Behaviors, 2014; 28(3):639–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25000269>

Lewis AL, Baker N, Carpenter M, Klintworth E, and Gray KM. Does physician continuity within a clinical trial increase retention and compliance among adolescent smokers? Adolesc Psychiatry (Hilversum), 2013; 3(2). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24349962>

McClure EA and Gray KM. The Remote Monitoring of Smoking in Adolescents. Adolesc Psychiatry (Hilversum), 2013; 3(2):156–62. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24834379>

Cengelli S, O'Loughlin J, Lauzon B, and Cornuz J. A systematic review of longitudinal population-based studies on the predictors of smoking cessation in adolescent and young adult smokers. Tobacco Control, 2012; 21(3):355–62. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/21846777>

Dehay T, Morris C, May M, Devine K, and Waxmonsky J. Tobacco use in youth with mental illnesses. Journal of Behavioral Medicine, 2012; 35(2):139–48. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/21479646>

Ringlever L, Otten R, Van Schayck OC, and Engels RC. Early smoking in school-aged children with and without a diagnosis of asthma. European Journal of Public Health, 2012; 22(3):394–8. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/21746750>

Anesetti-Rothermel A, Noerachmanto N, Horn K, and Dino G. Beyond reach and effectiveness: evaluating the Not-On-Tobacco (N-O-T) program in West Virginia from 2000 to 2005. Health

Promotion Practice, 2011; [Epub ahead of print]. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/21441206>

Dalum P, Schaalma H, and Kok G. The development of an adolescent smoking cessation intervention—an Intervention Mapping approach to planning. Health Education Research, 2011; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/hec.1763/full>

Horn K, Dino G, Branstetter SA, Zhang J, Noerachmanto N, et al. Effects of physical activity on teen smoking cessation. Pediatrics, 2011; 128(4):e801–11. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/21930544>

Houser-Marko L, Curry S, Mermelstein R, Emery S, and Pugach O. A comparison of mandated versus volunteer adolescent participants in youth tobacco cessation programs. Addictive Behaviors, 2011; 36(9):937–40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21550728>

Kim Y, Myung S, Jeon Y, Lee E, Park C, et al. Effectiveness of pharmacologic therapy for smoking cessation in adolescent smokers: meta-analysis of randomized controlled trials. American Journal of Health-System Pharmacy, 2011; 68(3):219–26. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/21258027>

Lane N, Leatherdale S, and Ahmed R. Use of nicotine replacement therapy among Canadian youth: data from the 2006-2007 National Youth Smoking survey. Nicotine and Tobacco Research, 2011; [Epub ahead of print]. Available from:

<http://ntr.oxfordjournals.org/content/early/2011/05/12/ntr.ntr091.full?sid=83063cf5-42ac-42b1-ad43-fbb82b99fad0>

Langley T, Huang Y, Lewis S, McNeill A, Coleman T, et al. Prescribing of nicotine replacement therapy to adolescents in England. Addiction, 2011; [Epub ahead of print]. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/21466605>

Myers MG, Gwaltney CJ, Strong DR, Ramsey SE, Brown RA, et al. Adolescent first lapse following smoking cessation: situation characteristics, precipitants and proximal influences. Addictive Behaviors, 2011; 36(12):1253–60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21903332>

Schuck K, Otten R, Engels R, and Kleinjan M. The relative role of nicotine dependence and smoking-related cognitions in adolescents' process of smoking cessation. Psychology & Health, 2011; 26(10):1310–26. Available from:

<http://www.informaworld.com/smpp/content~db=all~content=a937776978>

Song A and Ling P. Social smoking among young adults: investigation of intentions and attempts to quit. American Journal of Public Health, 2011; [Epub ahead of print]. Available from:

<http://ajph.aphapublications.org/cgi/reprint/AJPH.2010.300012v1?view=long&pmid=21566040>

Botello-Harbaum M, Schroeder J, Collins C, and Moolchan E. Nicotine replacement therapy use among adolescent smokers seeking cessation treatment. Ethnicity and Disease, 2010; 20(2):180–4. Available from: <http://www.ishib.org/journal/20-2/ethn-20-02-180ab.pdf>

Cavallo D, Nich C, Schepis T, Smith A, Liss T, et al. Preliminary examination of adolescent spending in a contingency management based smoking cessation program. Journal of Child & Adolescent

- Substance Abuse, 2010; 19(4):335–42. Available from:  
<http://www.informaworld.com/smpp/ftinterface~content=a926020600~fulltext=713240928~frm=content>
- Cavazos-Rehg P, Spitznagel E, Krauss M, Shootman M, Bucholz K, et al. Understanding adolescent parenthood from a multisystemic perspective. The Journal of Adolescent Health, 2010; 46(6):525–31. Available from: <http://www.jahonline.org/article/PIIS1054139X09006338/fulltext>
- Emery S, Lee J, Curry S, Johnson T, Sporer A, et al. Finding needles in a haystack: a methodology for identifying and sampling community-based youth smoking cessation programs. Evaluation Review, 2010; 34(1):35–51. Available from: <http://erx.sagepub.com/cgi/reprint/34/1/35>
- Guo S-E, Ratner PA, Johnson JL, Okoli CT, and Hossain S. Correlates of smoking among adolescents with asthma. Journal of Clinical Nursing, 2010; 19(5–6):701–11. Available from:  
<http://www.ingentaconnect.com/content/bsc/jcn/2010/00000019/F0020005/art00013;jsessionid=tqcp5fdmsaim.alexandra>
- Houser-Marko L, Sporer A, Emery S, Hund L, Lee J, et al. Use of program evaluation in community youth tobacco cessation programs. American Journal of Health Behavior, 2010; 34(2):177–85. Available from: <http://www.ajhb.org/issues/2010/2/02MarApr0510Houser-Marko.pdf>
- Tait R and Christensen H. Internet-based interventions for young people with problematic substance use: a systematic review. The Medical Journal of Australia, 2010; 192(11 Suppl):S15–21. Available from: [http://www.mja.com.au/public/issues/192\\_11\\_070610/tai10832\\_fm.html](http://www.mja.com.au/public/issues/192_11_070610/tai10832_fm.html)
- Van Zundert R, Ferguson S, Shiffman S, and Engels R. Dynamic effects of self-efficacy on smoking lapses and relapse among adolescents. Health Psychology, 2010; 29(3):246–54. Available from:  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=20496978](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20496978)
- Villanti A, McKay H, Abrams D, Holtgrave D, and Bowie J. Smoking-cessation interventions for US young adults: a systematic review. American Journal of Preventive Medicine, 2010; 39(6):564–74. Available from: <http://www.ajpm-online.net/article/S0749-3797%2810%2900475-7/fulltext>
- Werch C, Bian H, Diclemente C, Moore M, Thombs D, et al. A brief image-based prevention intervention for adolescents. Psychology of Addictive Behaviors, 2010; 24(1):170–5. Available from:  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2845326/?tool=pubmed>
- Bowles H, Maher A, and Sage R. Helping teenagers stop smoking: Comparative observations across youth settings in Cardiff. Health Education Journal, 2009; 68(2):111–8. Available from:  
<http://hej.sagepub.com/cgi/reprint/68/2/111>
- Burton D, Chakravorty B, Weeks K, Flay B, Dent C, et al. Outcome of a tobacco use cessation randomized trial with high-school students. Substance Use and Misuse, 2009; 44(7):965–80. Available from: <http://informahealthcare.com/doi/full/10.1080/10826080802490766>
- Carpenter M, Garrett-Mayer E, Vitoc C, Cartmell K, Biggers S, et al. Adolescent nondaily smokers: Favorable views of tobacco yet receptive to cessation. Nicotine and Tobacco Research 2009; 11(4):348–55. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/4/348>

Faessel H, Ravva P, and Williams K. Pharmacokinetics, safety, and tolerability of varenicline in healthy adolescent smokers: A multicenter, randomized, double-blind, placebo-controlled, parallel-group study. *Clinical Therapeutics*, 2009; 31(1):177–89. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/19243716>

Gough B, Fry G, Grogan S, and Conner M. Why do young adult smokers continue to smoke despite the health risks? A focus group study. *Psychol Health*, 2009; 24(2):203–20. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/20186652>

Guo B, Aveyard P, Fielding A, and Sutton S. Do the Transtheoretical Model processes of change, decisional balance and temptation predict stage movement? Evidence from smoking cessation in adolescents. *Addiction*, 2009; 104(5):828–38. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/19413796>

Heale R and Griffin M. Self-efficacy with application to adolescent smoking cessation: a concept analysis. *Journal of Advanced Nursing* 2009; 65(4):912–8. Available from:

<http://www3.interscience.wiley.com/user/accessdenied?ID=122211095&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122211095/HTMLSTART>

Heikkinen A, Broms U, Pitkaniemi J, Koskenvuo M, and Meurman J. Key factors in smoking cessation intervention among 15-16-year-olds. *Behavioral Medicine* 2009; 35(3):93–9. Available from:

<http://heldref.metapress.com/app/home/contribution.asp?referrer=parent&backto=issue,3,3;journal,1,24;linkingpublicationresults,1:119957,1>

Horn K, Branstetter S, Dino G, Jarrett T, Tworek C, et al. Potential effects of active parental consent: Enrolling teen smokers into a school-based cessation program. *Nicotine and Tobacco Research*, 2009; 11(11):1359–67. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/11/1359>

Jarrett T, Horn K, and Zhang J. Teen perceptions of facilitator characteristics in a school-based smoking cessation program. *The Journal of School Health*, 2009; 79(7):297–303. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19527411>

Joffe A, McNeely C, Colantuoni E, An M, Wang W, et al. Evaluation of school-based smoking-cessation interventions for self-described adolescent smokers. *Pediatrics*, 2009; 124(2):e187–94. Available from:

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19651564](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19651564)

Kealey K, Ludman E, Marek P, Mann S, Bricker J, et al. Design and implementation of an effective telephone counseling intervention for adolescent smoking cessation. *Journal of the National Cancer Institute*, 2009; 101(20):1393–405. Available from:

<http://jnci.oxfordjournals.org/cgi/content/full/101/20/1393>

Kealey KA, Ludman EJ, Marek PM, Mann SL, Bricker JB, et al. Design and implementation of an effective telephone counseling intervention for adolescent smoking cessation. *Journal of the National Cancer Institute*, 2009; 101(20):1393–405. Available from:

<http://jnci.oxfordjournals.org/cgi/content/full/101/20/1393>

Leischow S and Matthews E. Helping adolescent smokers quit: can telephone quitlines lead the way? Journal of the National Cancer Institute, 2009; 101(20):1367–8. Available from: <http://jnci.oxfordjournals.org/cgi/content/full/101/20/1367>

Lipkus I and Shepperd J. College smokers' estimates of their probabilities of remaining a smoker in the near future. Journal of Health Psychology, 2009; 14(4):547–55. Available from: <http://hpq.sagepub.com/cgi/reprint/14/4/547>

Malarcher A, Jones S, Morris E, Kann L, and Buckley R. High school students who tried to quit smoking cigarettes--United States, 2007. MMWR. Morbidity and Mortality Weekly Report, 2009; 58(16):428–31. Available from: <http://www.cdc.gov/mmwr/PDF/wk/mm5816.pdf>

McDermott L, Dobson A, and Owen N. Determinants of continuity and change over 10 years in young women's smoking. Addiction, 2009; 104(3):478–87. Available from: <http://www3.interscience.wiley.com/journal/121685314/abstract>

McVea K, Miller D, Creswell J, McEntarrfer R, and Coleman M. How adolescents experience smoking cessation. Qualitative Health Research, 2009; 19(5):580–92. Available from: <http://qhr.sagepub.com/cgi/reprint/19/5/580>

Minary L, Martini H, Wirth N, Thouvenot F, Acouetey D, et al. TABADO: "evaluation of a smoking cessation program among adolescents in vocational training centers": study protocol. BMC Public Health, 2009; 9:411. Available from: <http://www.biomedcentral.com/1471-2458/9/411>

Myers M and Macpherson L. Coping with temptations and adolescent smoking cessation: an initial investigation. Nicotine and Tobacco Research, 2009; 11(8):940–4. Available from: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&doct=Citation&list\\_uids=19602571](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&doct=Citation&list_uids=19602571)

Peterson AV, Jr., Kealey KA, Mann SL, Marek PM, Ludman EJ, et al. Group-randomized trial of a proactive, personalized telephone counseling intervention for adolescent smoking cessation. Journal of the National Cancer Institute, 2009; 101(20):1378–92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19822836>

Riehman K, Stephens R, and Schurig M. Substance use patterns and mental health diagnosis among youth in mental health treatment: a latent class analysis. Journal of Psychoactive Drugs, 2009; 41(4):363–8. Available from: [http://www.unboundmedicine.com/medline/ebm/record/20235443/full\\_citation/Substance\\_use\\_patterns\\_and\\_mental\\_health\\_diagnosis\\_among\\_youth\\_in\\_mental\\_health\\_treatment:\\_a\\_latent\\_class\\_analysis](http://www.unboundmedicine.com/medline/ebm/record/20235443/full_citation/Substance_use_patterns_and_mental_health_diagnosis_among_youth_in_mental_health_treatment:_a_latent_class_analysis)

Scioli E, Biller H, Rossi J, and Riebe D. Personal motivation, exercise, and smoking behaviors among young adults. Behavioral Medicine (Washington, D.C.), 2009; 35(2):57–66. Available from: <http://heldref.metapress.com/app/home/contribution.asp?referrer=parent&backto=issue,2,3;journal,1,23;linkingpublicationresults,1:119957,1>

Shelef K, Diamond G, Diamond G, and Myers M. Changes in tobacco use among adolescent smokers in substance abuse treatment. Psychology of Addictive Behaviors, 2009; 23(2):355–61. Available

from:

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19586153](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19586153)

Sterling K, Curry S, Sporer A, Emery S, and Mermelstein R. Implementation fidelity of packaged teen smoking cessation treatments delivered in community-based settings. *Health Education Research*, 2009; 24(6):941–8. Available from:

<http://her.oxfordjournals.org/cgi/content/abstract/24/6/941?etoc>

Sterling KL, Curry SJ, Emery S, Sporer AK, Mermelstein RJ, et al. Internally-developed teen smoking cessation programs: characterizing the unique features of programs developed by community-based organizations. *International Journal of Environmental Research and Public Health*, 2009; 6(3):1026–40. Available from: <http://www.mdpi.com/1660-4601/6/3/1026>

Stevens SL, Pailler ME, Diamond GS, Levy SA, Latif S, et al. Providers' experiences caring for adolescents who smoke cigarettes. *Health Psychology*, 2009; 28(1):66–72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19210019>

Sussman S and Sun P. Youth tobacco use cessation: 2008 update. *Tobacco Induced Diseases* 2009; 5:3. Available from: <http://www.tobaccoinduceddiseases.com/content/5/1/3>

Travis H and Lawrence K. Randomized controlled trial examining the effectiveness of a tailored self-help smoking-cessation intervention for postsecondary smokers. *Journal of American College Health : J of ACH*, 2009; 57(4):437–44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19114383>

Ursprung W, DiFranza S, Costa A, and DiFranza J. Might expectations explain early self-reported symptoms of nicotine dependence? . *Addictive Behaviors*, 2009; 34(2):227–31. Available from: [http://www.sciencedirect.com/science?\\_ob=MImg&\\_imagekey=B6VC9-4TNGB3-2-5&\\_cdi=5949&\\_user=10&\\_orig=browse&\\_coverDate=02%2F28%2F2009&\\_sk=999659997&view=c&wchp=dGLbVlW-zSkzV&md5=498da0e8e151df60bd5822b95e623dfe&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6VC9-4TNGB3-2-5&_cdi=5949&_user=10&_orig=browse&_coverDate=02%2F28%2F2009&_sk=999659997&view=c&wchp=dGLbVlW-zSkzV&md5=498da0e8e151df60bd5822b95e623dfe&ie=/sdarticle.pdf)

van Zundert R and Engels R. Parental factors in association with adolescent smoking relapse. *European Addiction Research*, 2009; 15(4):209–15. Available from: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=19657196](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19657196)

Welch D and Poulton R. Personality influences on change in smoking behavior. *Health Psychology*, 2009; 28(3):292–9. Available from: <http://psycnet.apa.org/index.cfm?fa=search.displayRecord&uid=2009-06704-004>

White V SG. Australian secondary school students' use of tobacco, alcohol, and over-the-counter and illicit substances in 2008. 2009. Available from: <http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/Publishing.nsf/content/school08>

Abroms L, Windsor R, and Simons-Morton B. Getting young adults to quit smoking: a formative evaluation of the X-Pack Program. *Nicotine and Tobacco Research*, 2008; 10(1):27–33. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200701767852>

Best D. Bupropion assists with tobacco cessation in adolescents but relapse is high. *The Journal of pediatrics*, 2008; 152(5):738–9. Available from:

<http://linkinghub.elsevier.com/retrieve/pii/S0022347608001273>

Costello D, Dierker L, Jones B, and Rose J. Trajectories of smoking from adolescence to early adulthood and their psychosocial risk factors. *Health Psychology*, 2008; 27(6):811–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19025277>

Curry S, Mermelstein R, and Sporer A. Therapy for specific problems: youth tobacco cessation. *Annual Review of Psychology*, 2008; 60:229–55. Available from:

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2811429/>

Fontaine N, Carbonneau R, Barker ED, Vitaro F, Hébert M, et al. Girls' hyperactivity and physical aggression during childhood and adjustment problems in early adulthood: a 15-Year longitudinal study. *Arch Gen Psychiatr*, 2008; 65(3):320–8. Available from: <http://archpsyc.ama-assn.org/>...

Gwaltney CJ, Bartolomei R, Colby SM, and Kahler CW. Ecological momentary assessment of adolescent smoking cessation: A feasibility study. *Nicotine and Tobacco Research*, 2008; 10(7):1185–90. Available from:

<http://www.informaworld.com/smpp/content~content=a794976499~db=all~order=page>

Martin C, Cook C, Woodring J, Burkhardt G, Guenthner G, et al. Caffeine use: association with nicotine use, aggression, and other psychopathology in psychiatric and pediatric outpatient adolescents. *TheScientificWorldJournal*, 2008; 8:512–6. Available from:

<http://www.thescientificworld.co.uk/headeradmin/upload/2008.01.82.pdf>

Myers MG and MacPherson L. Adolescent reasons for quitting smoking: Initial psychometric evaluation. *Psychology of Addictive Behaviors*, 2008; 22(1):129–34. Available from:

<http://content.apa.org/journals/adb/22/1/129.html>

O'Loughlin J, Karp I, Henderson M, and Gray-Donald K. Does cigarette use influence adiposity or height in adolescence? *Annals of Epidemiology*, 2008; 18(5):395–402. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/18346909>

Patten C, Decker P, Dornelas E, Barbagallo J, Rock E, et al. Changes in readiness to quit and self-efficacy among adolescents receiving a brief office intervention for smoking cessation. *Psychology, Health and Medicine*, 2008; 13(3):326–36. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/13548500701426703>

Pbert L, Flint AJ, Fletcher KE, Young MH, Druker S, et al. Effect of a pediatric practice-based smoking prevention and cessation intervention for adolescents: a randomized, controlled trial. *Pediatrics*, 2008; 121(4):738–47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18381502>

Rubinstein ML, Benowitz NL, Auerback GM, and Moscicki A-B. A randomized trial of nicotine nasal spray in adolescent smokers. *Pediatrics*, 2008; 122(3):e595–600. Available from:

<http://pediatrics.aappublications.org/cgi/content/full/122/3/e595>

Smith AE, Cavallo DA, McFetridge A, Liss T, and Krishnan-Sarin S. Preliminary examination of tobacco withdrawal in adolescent smokers during smoking cessation treatment. *Nicotine and Tobacco Research*, 2008; 10(7):1253–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18629736>

Traylor A, Bordnick P, and Carter B. Assessing craving in young adult smokers using virtual reality. *American Journal on Addictions* 2008; 17(5):436–40. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/10550490802268876>

Tyc V. Introduction to the special issue: tobacco control strategies for medically at-risk youth. *Journal of Pediatric Psychology*, 2008; 33(2):113–8. Available from: <http://jpepsy.oxfordjournals.org/cgi/reprint/33/2/113>

Zanis DA, Derr D, Hollm R, and Ibrahim J. Variability of healthcare practitioner intervention among 18- to 24-year-old tobacco users. *The Journal of Adolescent Health*, 2008; 42(6):634–6. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S1054139X0700643X>

Audrain-McGovern J, Hughes Halbert C, Rodriguez D, Epstein LH, and Tercyak KP. Predictors of participation in a smoking cessation program among young adult smokers. *Cancer Epidemiology Biomarkers & Prevention*, 2007; 16(3):617–9. Available from: [http://www.ncbi.nlm.nih.gov/pubmed/17337647?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/17337647?ordinalpos=1&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum)

Bader P, Travis H, and Skinner H. Knowledge synthesis of smoking cessation among employed and unemployed young adults. *American Journal of Public Health*, 2007; 97(8):1434–43. Available from: <http://www.ajph.org/cgi/reprint/97/8/1434>

Bancej C, O'Loughlin J, Platt RW, Paradis G, and Gervais A. Smoking cessation attempts among adolescent smokers: a systematic review of prevalence studies. *Tobacco Control*, 2007; 16(6). Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/full/16/6/e8>

Barrueco M, Gómez Cruz G, Torrecilla M, Pérez Trullén A, and Bartolomé Moreno C. Benefit of brief interventions and pharmacotherapies for smoking cessation in teenagers. *Archivos de Bronconeumología*, 2007; 43(6):334–9. Available from: [http://external.doyma.es/prepdf/water.asp?pident\\_articulo=13106879&pident\\_usuario=0&pident\\_revista=260&fichero=260v43n06a13106879pdf001.pdf&ty=71&accion=S&origen=abneng&web=www.archbronconeumol.org&lan=en](http://external.doyma.es/prepdf/water.asp?pident_articulo=13106879&pident_usuario=0&pident_revista=260&fichero=260v43n06a13106879pdf001.pdf&ty=71&accion=S&origen=abneng&web=www.archbronconeumol.org&lan=en)

Fagan P, Augustson E, Backinger C, O'Connell M, Vollinger R, et al. Quit attempts and intention to quit cigarette smoking among young adults in the United States. *American Journal of Public Health*, 2007; 97(8):1412–20. Available from: <http://www.ajph.org/cgi/reprint/97/8/1412>

Falkin G, Fryer C, and Mahadeo M. Smoking cessation and stress among teenagers. *Qualitative Health Research*, 2007; 17(6):812–23. Available from: <http://qhr.sagepub.com/cgi/reprint/17/6/812>

Forster JL, Widome R, and Bernat DH. Policy interventions and surveillance as strategies to prevent tobacco use in adolescents and young adults. *American Journal of Preventive Medicine*, 2007; 33(6 Suppl):S335–9. Available from:

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=18021908](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=18021908)

Husten C. Smoking cessation in young adults. American Journal of Public Health, 2007; 97(8):1354–6. Available from: <http://www.ajph.org/cgi/reprint/97/8/1354>

Jannone L and O'Connell K. Coping strategies used by adolescents during smoking cessation. Journal of School Nursing, 2007; 23(3):177 – 84. Available from:

<http://nasn.allenpress.com/nasnonline/?request=get-document&issn=1059-8405&volume=023&issue=03&page=0177>

Kealey KA, Ludman EJ, Mann SL, Marek PM, Phares MM, et al. Overcoming barriers to recruitment and retention in adolescent smoking cessation Nicotine and Tobacco Research, 2007; 9(2):257–70. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200601080315>

Leatherdale S. What Modifiable Factors Are Associated With Cessation Intentions Among Smoking Youth? Addictive Behaviors, 2007; 33(1):217–23. Available from:

[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6VC9-4PMJK5G-9&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_urIVersion=0&\\_userid=10&md5=3b6aabe8dd49c9a8eefc84a0ffb4d876](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VC9-4PMJK5G-9&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=3b6aabe8dd49c9a8eefc84a0ffb4d876)

Leatherdale S and McDonald P. Youth smokers' beliefs about different cessation approaches: Are we providing cessation interventions they never intend to use? Cancer Causes and Control, 2007; 18(7):783–91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17549592>

McDermott L, Dobson A, and Owen N. Occasional tobacco use among young adult women: a longitudinal analysis of smoking transitions. Tobacco Control, 2007; 16(4):248–54. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/16/4/248>

Milne B and Towns S. Do paediatricians provide brief intervention for adolescents who smoke? Journal of Paediatrics and Child Health, 2007; 43(6):464–8. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=117968945&Act=2138&Code=4719&Page=/cgi-bin/fulltext/117968945/HTMLSTART>

Muramoto ML, Leischow SJ, Sherrill D, Matthews E, and Strayer LJ. Randomized, double-blind, placebo-controlled trial of 2 dosages of sustained-release bupropion for adolescent smoking cessation. Archives of Pediatrics and Adolescent Medicine, 2007; 161 (11):1068–74. Available from: <http://archpedi.ama-assn.org/cgi/content/abstract/161/11/1068>

Patten C, Rock E, Meis T, Decker P, Colligan R, et al. Frequency and Type of Use of a Home-based, Internet Intervention for Adolescent Smoking Cessation Journal of Adolescent Health, 2007; 41(5):437–43. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T80-4PJ0C2K-1&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_urIVersion=0&\\_userid=10&md5=1fc22a7b7c173dae32bc457e984c7913](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T80-4PJ0C2K-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=1fc22a7b7c173dae32bc457e984c7913)

Price J, Jordan T, and Dake J. Pediatricians' use of the 5A's and nicotine replacement therapy with adolescent smokers. *Journal of Community Health*, 2007; 32(2):85–101. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/17571523>

Solberg L, Boyle R, McCarty M, Asche S, and Thoelle M. Young adult smokers: are they different? *The American Journal of Managed Care*, 2007; 13(11):626–32. Available from:  
<http://www.ncbi.nlm.nih.gov/pubmed/17988188>

Thomas RE, Baker P, and Lorenzetti D Family-based programmes for preventing smoking by children and adolescents. *Cochrane Database of Systematic Reviews* 2007 DOI: 10.1002/14651858.CD004493.pub2. Available from:  
<http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD004493/frame.html>

Elin R, Nick R, Alison C, Sarah L, and John B. Use of nicotine replacement therapy in socioeconomically deprived young smokers: a community-based pilot randomised controlled trial. *Tobacco Control*, 2006; 15(5):373–6. Available from:  
<http://ejournals.ebsco.com/direct.asp?ArticleID=47B3970FE1458C036B27>

Franken FH, Pickworth WB, Epstein DH, and Moolchan ET. Smoking rates and topography predict adolescent smoking cessation following treatment with nicotine replacement therapy. *Cancer Epidemiology, Biomarkers & Prevention* : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology, 2006; 15(1):154–7. Available from: <http://www.mrw.interscience.wiley.com/cochrane/clcentral/articles/635/CN-00554635/frame.html>

Grimshaw GM and Stanton A Tobacco cessation interventions for young people. *Cochrane Database of Systematic Reviews* 2006 DOI: 10.1002/14651858.CD003289.pub4. Available from:  
<http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD003289/frame.html>

Smarter than Smoking SA, Smoke-free education and child care guidelines. 2nd ed Adelaide, SA: Quit South Australia, Government of South Australia SA Health, Heart Foundation, Cancer Council SA, OxyGen.org.au; 2006. Available from: <http://www.smarterthansmoking.org.au>

Sussman S, Sun P, and Clyde W. A meta-analysis of teen cigarette smoking cessation. *Health Psychology*, 2006; 25(5):549–57. Available from:  
<http://psycnet.apa.org/index.cfm?fa=search.displayRecord&uid=2006-12729-001>

White V and Hayman J. Smoking behaviours of Australian secondary students in 2005. Canberra: Drug Strategy Branch, Australian Government Department of Health and Ageing, 2006. Available from:  
<http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/mono59>.

Barylak M, Smith B, Oliver L, Davis B, Duigan P, et al., Intervention matters: a policy statement and procedural framework for the management of suspected drug-related incidents in schools. Adelaide, SA: Australian Government, Department of Education, Science and Training, Government of South Australia, Department of Education and Children's Services, Drug Strategy with our eyes open; 2005.

Eureka Strategic Research for the Australian Government Department of Health and Ageing. Youth Tobacco Prevention Literature Review. 2005. Available from:

<http://www.health.gov.au/internet/main/publishing.nsf/Content/phd-pub-tobacco-literature-cnt.htm>

Hamilton G, Cross D, Resnicow K, and Hall M. A school-based harm minimization smoking intervention trial: outcome results. *Addiction*, 2005; 100(5):689–700. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/15847627>

Pierce JP, White MM, and Gilpin EA. Adolescent smoking decline during California's tobacco control programme. *Tobacco Control*, 2005; 14(3):207–12. Available from:

<http://tc.bmjjournals.com/cgi/content/abstract/14/3/207>

Hamilton G, O'Connell M, and Cross D. Adolescent smoking cessation: development of a school nurse intervention. *Journal of School Nursing*, 2004; 20(3):169–74. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/15147225>

Hight G. The role of cannabis in supporting young people's cigarette smoking: a qualitative exploration. *Health Educational Research*, 2004; 19(6):635–43. Available from:

<http://her.oxfordjournals.org/cgi/content/full/19/6/635>

Bellhouse B, Johnston G, Deed C, and Taylor N. Smoke-free schools: tobacco prevention and management guidelines for Victorian schools. Melbourne, Vic: The State of Victoria, Department of Education & Training, Australian Government, Department of Education, Science and Training; 2003. Available from:

<http://www.sofweb.vic.edu.au/edulibrary/public/stratman/Policy/schoolgov/druged/SmokeFreeSchools.pdf>.

Degenhardt L and Hall W. Patterns of co-morbidity between alcohol use and other substance use in the Australian population. *Drug and Alcohol Review*, 2003; 22(1):7–13. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/12745353>

Lovato C, Linn G, Stead L, and Best A. Impact of tobacco advertising and promotion on increasing adolescent smoking behaviours. *Cochrane Database of Systematic Reviews*, 2003; (15 May 2008). Available from: <http://www.cochrane.org/reviews/en/ab003439.html>

Mermelstein R. Teen smoking cessation. *Tobacco Control*, 2003; 12(Suppl 1):i25–34. Available from: [http://tobaccocontrol.bmjjournals.com/cgi/content/abstract/12/suppl\\_1/i25](http://tobaccocontrol.bmjjournals.com/cgi/content/abstract/12/suppl_1/i25)

Renaud L, O'Loughlin J, and Dery V. The St-Louis du Parc Heart Health Project: a critical analysis of the reverse effects on smoking. *Tobacco Control*, 2003; 12(3):302–9. Available from:

<http://tobaccocontrol.bmjjournals.com/cgi/content/abstract/12/3/302>

Stotts RC, Roberson PK, Hanna EY, Jones SK, and Smith CK. A randomised clinical trial of nicotine patches for treatment of spit tobacco addiction among adolescents. *Tobacco Control*, 2003; 12(suppl. 4):iv11–5. Available from:

<http://www.mrw.interscience.wiley.com/cochrane/clcentral/articles/597/CN-00466597/frame.html>

Vuckovic N, Polen MR, and Hollis JF. The problem is getting us to stop. What teens say about smoking cessation. *Preventive Medicine*, 2003; 37(3):209–18. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/12914826>

White V, Tan N, Wakefield M, and Hill D. Do adult focused anti-smoking campaigns have an impact on adolescents? The case of the Australian National Tobacco Campaign. *Tobacco Control*, 2003; 12(Suppl 2):ii23–ii9. Available from: [http://tobaccocontrol.bmjjournals.org/content/12/suppl\\_2/ii23.short](http://tobaccocontrol.bmjjournals.org/content/12/suppl_2/ii23.short)

Soldz S, Clark TW, Stewart E, Celebucki C, and Klein Walker D. Decreased youth tobacco use in Massachusetts 1996 to 1999: evidence of tobacco control effectiveness. *Tobacco Control*, 2002; 11(suppl. 2):ii14–9. Available from:

[http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/11/suppl\\_2/ii14](http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/11/suppl_2/ii14)

Tercyak KP, Goldman P, Smith A, and Audrain J. Interacting effects of depression and tobacco advertising receptivity on adolescent smoking. *Journal of Pediatric Psychology*, 2002; 27(2):145–54. Available from: <http://jpepsy.oxfordjournals.org/cgi/content/abstract/27/2/145>

Backinger CL and Leischow SJ. Advancing the science of adolescent tobacco use cessation. *American Journal of Health Behavior*, 2001; 25(3):183–90. Available from: <http://www.atyponline.com/PNG/doi/abs/10.5555/ajhb.2001.25.3.183?journalCode=ajhb>

Chen PH, White HR, and Pandina RJ. Predictors of smoking cessation from adolescence into young adulthood. *Addictive Behaviors*, 2001; 26(4):517–29. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/11456075>

Sussman S. School-based tobacco use prevention and cessation: where are we going? *American Journal of Health Behavior*, 2001; 25(3):191–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11322617>

Fritz DJ. Adolescent smoking cessation: how effective have we been? *Journal of Pediatric Nursing*, 2000; 15(5):299–306. Available from:

[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6WKM-45SJHD2-5&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_uriVersion=0&\\_userid=10&md5=d8d3c9c14fcfc7e25ee3d4c1de22d057](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WKM-45SJHD2-5&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_uriVersion=0&_userid=10&md5=d8d3c9c14fcfc7e25ee3d4c1de22d057)

Henningfield J, Michaelides T, and Sussman S. Developing treatment for tobacco addicted youth—Issues and challenges, in Nicotine Addiction among Adolescents. Wagner E, Editor New York, NY: The Haworth Press; 2000.

Leslie F. Do young brains react differently to nicotine? in Promoting a Future Without Tobacco; 11th World Conference on Tobacco or Health. Chicago. Year.

Prochaska J. Stages of change model for smoking prevention and cessation in schools. *BMJ (Clinical Research Ed.)*, 2000; 320(7232):447. Available from:

<http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=1117557&blobtype=pdf>

Wood L. Preventing teenage smoking what works best: a review of international behavioural interventions relevant to efforts to reduce smoking among young people. Adelaide, Australia: SA Smoking and Health Project, 1999.

Zhu SH, Sun J, Billings SC, Choi WS, and Malarcher A. Predictors of smoking cessation in U.S. adolescents. American Journal of Preventive Medicine, 1999; 16(3):202–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10198659>

Engels R, Knibbe R, de Vries H, and Drop M. Antecedents of smoking cessation among adolescents: who is motivated to change? Preventative Medicine, 1998; 27(3):348–57. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6WPG-45JB1WV-1H&\\_user=559483&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000028178&\\_version=1&\\_urlVersion=0&\\_userid=559483&md5=b88e51e9ac9ff36b6eb6b67dee883007](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-45JB1WV-1H&_user=559483&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000028178&_version=1&_urlVersion=0&_userid=559483&md5=b88e51e9ac9ff36b6eb6b67dee883007)

Lamkin L, Davis B, and Kamen A. Rationale for tobacco cessation interventions for youth. Preventive Medicine, 1998; 27(5 Pt 3):A3–8. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6WPG-45S4917-D&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=1926ec4b5a371ebdec4f0497f994a176](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-45S4917-D&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=1926ec4b5a371ebdec4f0497f994a176)

Rutger C, Engels M, Knibbe A, de Vries H, and Drop M. Antecedents of smoking cessation among adolescents: who is motivated to change? Preventive Medicine, 1998; 27(3):348–57. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6WPG-45JB1WV-1H&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=0838d6a4de586b7f565ee8e3c0411401](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-45JB1WV-1H&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=0838d6a4de586b7f565ee8e3c0411401)

Breslau N and Peterson E. Smoking cessation in young adults: age at initiation of cigarette smoking and other suspected influences. American Journal of Public Health, 1996; 86(2):214–20. Available from: <http://www.ajph.org/cgi/reprint/86/2/214>

Hines D. Young smokers' attitudes about methods for quitting smoking: barriers and benefits to using assisted methods. Addictive Behaviours, 1996; 21(4):531–5. Available from: [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6VC9-3VW8JMT-D&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=1d42398324c8eac2fb1d40db46cfa4f3](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VC9-3VW8JMT-D&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=1d42398324c8eac2fb1d40db46cfa4f3)

Stanton WR, Lowe JB, and Gillespie AM. Adolescents' experiences of smoking cessation. Drug and Alcohol Dependence, 1996; 43(1-2):63–70. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/8957144>

Flay B, Miller T, Hedeker D, Siddiqui O, Brotton C, et al. The television, school, and family smoking prevention and cessation project. VIII. Student outcomes and mediating variables. Preventive Medicine, 1995; 24(1):29–40. Available from:

[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6WPG-45R8B0M-3C&\\_user=10&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&view=c&\\_acct=C000050221&\\_version=1&\\_urlVersion=0&\\_userid=10&md5=be3d23661b70869ad727e2fb84b8ca4d](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-45R8B0M-3C&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=be3d23661b70869ad727e2fb84b8ca4d)

Gillespie A, Stanton W, Lowe J, and Hunter B. Feasibility of school-based smoking cessation programs. Journal of School Health, 1995; 65(10):432–7.

Sussman S, Dent C, Stacy A, Burton D, and Flay B. Developing school based tobacco use prevention and cessation programs. Thousand Oaks, CA: Sage Publications Inc; 1995.

Breslau N, Kilbey MM, and Andreski P. DSM-III-R nicotine dependence in young adults: prevalence, correlates and associated psychiatric disorders. *Addiction*, 1994; 89(6):743–54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/8069175>

Ferretter I, Seven steps to a smokefree school. Carlton South, Vic: Victorian Smoking and Health Program; 1994. Available from: <http://www.oxygen.org.au/images/upload/7steps.pdf>.

Erschler J, Leventhal H, Fleming R, and Glynn K. The quitting experience for smokers in sixth through twelfth grades. *Addictive Behaviors*, 1989; 14(4):365–78.

Rosenberg M, *Conceiving the Self*. New York, New York: Basic Books; 1979.

Bandura A. Self-efficacy: towards a unifying theory of behavioral change. *Psychological Review*, 1977; 84:191–215.

Braillon A. Smoking cessation treatment in substance use disorder treatment settings: an emergency too. *American Journal of Drug and Alcohol Abuse*, 2017;1. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28410003>

Burford O, Kindarji S, Parsons R, and Falcoff H. Using visual demonstrations in young adults to promote smoking cessation: Preliminary findings from a French pilot study. *Res Social Adm Pharm*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28495124>

Karekla M, Savvides SN, and Gloster A. An Avatar-Led Intervention Promotes Smoking Cessation in Young Adults: A Pilot Randomized Clinical Trial. *Annals of Behavioral Medicine*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32383736>

#### *7.19.1.1 Factors influencing smoking and quitting*

Kundu, A, Sultana, N, Felsky, D, Moraes, TJ, Selby, P, & Chatton, M. (2024). An overview of systematic reviews on predictors of smoking cessation among young people. *PLoS One*, 19(3), e0299728. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38466736>

Shinde, S, Kumari, S, Prakash, M, M, PG, Khajuria, A, Modi, N et al. (2023). A Cross-Sectional Survey on the Use of Tobacco, Attempts on Cessation, and Locus of Control Among College Students. *Cureus*, 15(9), e46195. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37905250>

Rasmussen, SKB, & Pisinger, C. (2023). Nationwide experiences with youth-targeted smoking and nicotine product cessation. *Tob Prev Cessat*, 9, 27. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37545489>

Bitar, S, Collonnaz, M, O'Loughlin, J, Kestens, Y, Ricci, L, Martini, H et al. (2023). A systematic review of qualitative studies on factors associated with smoking cessation among adolescents and young adults. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37648287>

Wei, LC. (2023). Commentary on "The Role of Emotion Differentiation in the Association Between Momentary Affect and Tobacco/Nicotine Craving in Young Adults". *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37589540>

Alalwan, MA, Keller-Hamilton, B, Long, L, Lipkus, I, Wagener, TL, & Mays, D. (2023). Correlates of motivation to quit waterpipe tobacco smoking among US young adults: implications for cessation interventions. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36880171>

Lam KK, Ho KY, Wu CS, Tong MN, Tang LN, et al. Exploring Factors Contributing to the Smoking Behaviour among Hong Kong Chinese Young Smokers during COVID-19 Pandemic: A Qualitative Study. *International Journal of Environmental Research and Public Health*, 2022; 19(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35409831>

Lam KK, Ho KY, Wu CS, Tong MN, Tang LN, et al. Exploring Factors Contributing to the Smoking Behaviour among Hong Kong Chinese Young Smokers during COVID-19 Pandemic: A Qualitative Study. *International Journal of Environmental Research and Public Health*, 2022; 19(7). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35409831>

Gill VS, Chaudhary N, Randhawa A, Verma M, Rai GK, et al. A Prospective Study to Assess the Outcome of Motivational Interviewing Among Male Students of Haryana, India: A Strive Towards Smoking Cessation in the Youth. *Cureus*, 2022; 14(2):e22642. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35371670>

Chaiton M, Dubray J, Kundu A, and Schwartz R. Perceived Impact of COVID on Smoking, Vaping, Alcohol and Cannabis Use Among Youth and Youth Adults in Canada. *Canadian Journal of Psychiatry*, 2021;7067437211042132. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34482759>

Bataineh BS, Wilkinson AV, Case KR, Clendennen SL, Sumbe A, et al. Emotional symptoms and sensation seeking: Implications for tobacco interventions for youth and young adults. *Tob Prev Cessat*, 2021; 7:37. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34046534>

Vallata A, O'Loughlin J, Cengelli S, and Alla F. Predictors of Cigarette Smoking Cessation in Adolescents: A Systematic Review. *Journal of Adolescent Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33191057>

Sokolovsky AW, Hertel AW, Micalizzi L, White HR, Hayes KL, et al. Preliminary impact of the COVID-19 pandemic on smoking and vaping in college students. *Addictive Behaviors*, 2020; 115:106783. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33360444>

Ng'ombe JN, Nedson NR, and Tembo NFP. "Look at Me, I Plan to Quit Smoking": Bayesian Hierarchical Analysis of Adolescent Smokers' Intention to Quit Smoking. *Healthcare (Basel)*, 2020; 8(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32230923>

Kim H and Lee KS. Success Factors for Tobacco Smoking Cessation Among Korean Female College Student Smokers. *Journal of Community Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32303921>

Chen-Sankey JC, Broun A, Duarte DA, Ajith A, Jewett B, et al. Exploring changes in cigar smoking patterns and motivations to quit cigars among black young adults in the time of COVID-19. *Addict Behav Rep*, 2020; 12:100317. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33364325>

Almogbel Y. Smoking Cessation Beliefs Among Saudi University Students in Qassim Region, Saudi Arabia. *Risk Manag Healthc Policy*, 2020; 13:1123-34. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/32884374>

Lee Y, Lee KS, and Kim H. Predictors of Abstinence from Smoking: A Retrospective Study of Male College Students Enrolled in a Smoking Cessation Service. *International Journal of Environmental Research and Public Health*, 2019; 16(18). Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31547229>

Butler KM, Ickes MJ, Rayens MK, Wiggins AT, Ashford K, et al. Intention to quit smoking and polytobacco use among college student smokers. *Prev Med Rep*, 2018; 10:72-5. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/29560301>

Wellman RJ, O'Loughlin EK, Dugas EN, Montreuil A, Dutczak H, et al. Reasons for quitting smoking in young adult cigarette smokers. *Addictive Behaviors*, 2017; 77:28-33. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/28946012>

#### *7.19.1.2 Cessation interventions*

Fahey, MC. (2024). Author's Reply: Expanding the Scope: Reflections on Digital Smoking Cessation Strategies for Diverse Age Groups. *J Med Internet Res*, 26, e67749. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/39556811>

Lund, L, Ritz, C, Sofie Bast, L, Pil Jensen, M, & Andersen, S. (2024). Preventing the transitions in poly-tobacco use among young adults: A latent transition analysis of a smoking reduction intervention trial. *Addict Behav*, 161, 108195. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/39489043>

Rajvong, W, Tarasenko, Y, & Ciobanu, A. (2024). Tobacco cessation, anti-tobacco education, and smoke-free schools: Findings from the Global Youth Tobacco Survey. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39575320>

Wei, B, Hu, X, & Wu, X. (2024). Expanding the Scope: Reflections on Digital Smoking Cessation Strategies for Diverse Age Groups. *J Med Internet Res*, 26, e65929. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/39556825>

Silva, JPD, Padua, AI, Silva, R, Santos, FLD, Oliveira, PS, Araujo-Betetti, PN et al. (2024). Risk of smoking cessation treatment dropout: a cohort to help (re)think care. *Rev Bras Enferm*, 77Suppl 2(Suppl 2), e20230537. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39230096>

Shirazi, A, Radgoudarzi, N, & Brody, AL. (2024). Adolescent Tobacco/Nicotine Use and the Potential Role of Contingency Management-Based Interventions. *J Addict Med*. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/38197859>

Braciszewski, JM, Colby, SM, Franklin, MJ, Stout, RL, Vose-O'Neal, A, & Bock, BC. (2024). Technology-Based Smoking Cessation for Youth Exiting Foster Care: A Pilot Randomized Trial. *J Public Child Welf*, 18(1), 61-79. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38144460>

Lin, C, Mathur Gaiha, S, & Halpern-Felsher, B. (2024). E-cigarette and combustible cigarette cessation patterns, reasons, and methods among adolescents, young adults, and adults. *Addict Behav*, 150, 107918. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38070362>

Gupta, PC, Narake, S, Sinha, DN, Nagler, E, Pednekar, MS, & Sorensen, G. (2023). Upscaling a behavioural intervention program for tobacco use cessation - A randomised controlled study. *Prev Med Rep*, 36, 102476. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37908199>

Nemeth, JM, Glasser, AM, Macisco, J, Hinton, A, Wermert, A, Patterson, JG et al. (2023). Identifying Novel Motivation Phase-Specific Cessation Targets for Youth Experiencing Homelessness in the USA. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37725951>

Zhou, X, Wei, X, Cheng, A, Liu, Z, Su, Z, Li, J et al. (2023). Mobile Phone-Based Interventions for Smoking Cessation Among Young People: Systematic Review and Meta-Analysis. *JMIR Mhealth Uhealth*, 11, e48253. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37706482>

Choi, SH, & Templin, T. (2023). College students' preferences for tobacco treatment: a discrete choice experiment. *Health Educ Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37639385>

Ho, KY, Lam, KKW, Wu, C, Leung, DYP, Belay, GM, Liu, Q, & Mak, YW. (2023). An integrated smoking cessation and alcohol intervention among Hong Kong Chinese young people: Study protocol for a feasibility randomized controlled trial. *PLoS One*, 18(8), e0289633. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37535667>

Sussman, S, Galimov, A, & Meza, L. (2023). Commentary: Pilot study of the adaptation of an alcohol, tobacco, and illicit drug use intervention for vulnerable urban young adults. *Front Public Health*, 11, 1203699. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37546312>

Choi, SH, Templin, T, & Marrocco, A. (2023). Development of an online discrete choice experiment to elicit preferences for tobacco treatment among college students. *J Am Coll Health*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37437187>

Park, E, Zhou, Y, Chen, C, Chacko, T, Mahoney, M, & Chang, YP. (2023). Systematic review: interventions to quit tobacco products for young adults. *BMC Public Health*, 23(1), 1233. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37365562>

Setchodus, K, Pichayapinyo, P, Lapvongwatana, P, & Chansatitporn, N. (2023). The effectiveness of tobacco cessation programs for university students: A systematic review and meta-analysis. *Tob Induc Dis*, 21, 73. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37275243>

Sazegar, P, Martinez, AN, & Varallo, MD. (2023). Smoking Cessation in Adolescents. *Am Fam Physician*, 107(5), Online. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37192064>

Abdul Halim, NA, Wee, LH, Mohd Saat, NZ, Jit Singh, SJ, Siau, CS, & Chan, CMH. (2022). Application of the Logic Model to the School-Based Fit and Smart Adolescent Smoking Cessation Programme. *Malays J Med Sci*, 29(5), 133-145. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36474542>

Gakkhar, A, Mehendale, A, & Mehendale, S. (2022). Tobacco Cessation Intervention for Young People. [MS Top Pick]. *Cureus*, 14(10), e30308. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/36407239>

Kaufmann, A, & Haaga, DAF. (2023). Modifying outcome expectancies and behavioral reinforcers to induce quit attempts among young adult smokers. [MS Top Pick]. *Addict Behav*, 137, 107542. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36356395>

Egan L, Gardner LA, Newton N, and Champion K. eHealth Interventions Targeting Poor Diet, Alcohol Use, Tobacco Smoking, and Vaping Among Disadvantaged Youth: Protocol for a Systematic Review. *JMIR Res Protoc*, 2022; 11(5):e35408. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/35560002>

Gill VS, Chaudhary N, Randhawa A, Verma M, Rai GK, et al. A Prospective Study to Assess the Outcome of Motivational Interviewing Among Male Students of Haryana, India: A Strive Towards Smoking Cessation in the Youth. *Cureus*, 2022; 14(2):e22642. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/35371670>

Bendtsen M, Bendtsen P, and Mussener U. Six-Month Outcomes from the NEXit Junior Trial of a Text Messaging Smoking Cessation Intervention for High School Students: Randomized Controlled Trial With Bayesian Analysis. *JMIR Mhealth Uhealth*, 2021; 9(10):e29913. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/34673532>

Berg CJ, Romm KF, Patterson B, Wysota C, and Abrams LC. Appeal of novel cessation intervention approaches among young-adult users of traditional and alternative tobacco products. *Tob Use Insights*, 2021; 14:1179173X211041123. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/34658625>

Chen KL, Hsu YC, Li YH, Guo FR, Tsai JS, et al. Shared Decision-Making Model for Adolescent Smoking Cessation: Pilot Cohort Study. *International Journal of Environmental Research and Public Health*, 2021; 18(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34682716>

Choi Y, Lee CM, Cho B, Lee ES, Oh SW, et al. Behavioral interventions for smoking cessation among adolescents: a rapid review and meta-analysis for the Korea Preventive Services Task Force. *Osong Public Health Res Perspect*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34102051>

Chulasai P, Chinwong D, Chinwong S, Hall JJ, and Vientong P. Feasibility of a Smoking Cessation Smartphone App (Quit with US) for Young Adult Smokers: A Single Arm, Pre-Post Study. *International Journal of Environmental Research and Public Health*, 2021; 18(17). Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/34501966>

Fediuk DJ, Sweeney K, Sahasrabudhe V, McRae T, and Byon W. Population pharmacokinetics and exposure-response analyses of varenicline in adolescent smokers. *CPT Pharmacometrics Syst Pharmacol*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34062053>

Gray KM, Rubinstein ML, Prochaska JJ, DuBrava SJ, Holstein AR, et al. Effect of varenicline for smoking cessation in adolescents - Authors' reply. *Lancet Child Adolesc Health*, 2021; 5(2):e4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33484669>

Mertens AEJ, Kunst AE, Lorant V, Alves J, Rimpela A, et al. Smoking cessation among adolescents in Europe: The role of school policy and programmes. *Drug and Alcohol Dependence*, 2021; 227:108945. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34333281>

Panda PK and Sharawat IK. Effect of varenicline for smoking cessation in adolescents. *Lancet Child Adolesc Health*, 2021; 5(2):e3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33484668>

Wang F, Chen Y, and Li S. The effect of art therapy on reoccurring smoking among youths. *American Journal of Translational Research*, 2021; 13(9):10633-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34650736>

Yan T and Goldman RD. Bupropion for smoking cessation in adolescents. *Canadian Family Physician*, 2021; 67(10):743-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34649897>

Primary Care Interventions for Prevention and Cessation of Tobacco Use in Children and Adolescents: Recommendation Statement. *American Family Physician*, 2020; 102(4):234-40. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32803935>

Conroy HE, Jacquart J, Baird SO, Rosenfield D, Davis ML, et al. Age and pre quit-day attrition during smoking cessation treatment. *Cognitive Behaviour Therapy*, 2020;1-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32343190>

Guo JL, Hsu HP, Lin MH, Lin CY, and Huang CM. Testing the Usability of Digital Educational Games for Encouraging Smoking Cessation. *International Journal of Environmental Research and Public Health*, 2020; 17(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32295202>

Morphett K and Connor JP. Varenicline for smoking cessation in young people: is there more we need to know? *Lancet Child Adolesc Health*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32979940>

Mussener U, Linderoth C, Thomas K, and Bendtsen M. mHealth smoking cessation intervention among high school students: 3-month primary outcome findings from a randomized controlled trial. *PLoS ONE*, 2020; 15(3):e0229411. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32142514>

Pbert L, Druker S, Crawford S, Frisard C, Trivedi M, et al. Feasibility of a Smartphone App with Mindfulness Training for Adolescent Smoking Cessation: Craving to Quit (C2Q)-Teen. *Mindfulness (N Y)*, 2020; 11(3):720-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33343761>

Rios LE and Freire M. Opinion of adolescent school smokers about smoking cessation counseling and treatment in health services: a cross-sectional study, Goias, Brazil, 2018. *Epidemiol Serv Saude*, 2020; 29(4):e2019604. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32756831>

Selph S, Patnode CD, Bailey SR, Pappas M, Stoner R, et al. in Primary Care Interventions for Prevention and Cessation of Tobacco Use in Children and Adolescents: A Systematic Review for the U.S. Preventive Services Task Force. Rockville (MD): 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32407042>.

Sim I, Hwang E, and Sin B. A Self-Reflection Program for Smoking Cessation in Adolescents: A Phenomenological Study. International Journal of Environmental Research and Public Health, 2020; 17(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32046338>

Tran TPT, Park J, Park E, Shin SH, Paek YJ, et al. Effect of Additional Motivational Interviewing on Smoking Abstinence for 1-Year among Korean Adolescents: Results from A Comparative Retrospective Study in Quitline. International Journal of Environmental Research and Public Health, 2020; 17(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33142682>

Villanti AC, West JC, Klemperer EM, Graham AL, Mays D, et al. Smoking-Cessation Interventions for U.S. Young Adults: Updated Systematic Review. American Journal of Preventive Medicine, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32418800>

Caponnetto P, Maglia M, Lombardo D, Demma S, and Polosa R. The role of virtual reality intervention on young adult smokers' motivation to quit smoking: a feasibility and pilot study. Journal of Addictive Diseases, 2019;1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31613186>

Graham AL, Jacobs MA, and Amato MS. Engagement and 3-month outcomes from a digital e-cigarette cessation program in a cohort of 27,000 teens and young adults. Nicotine and Tobacco Research, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31197320>

Gray KM, Baker NL, McClure EA, Tomko RL, Squeglia LM, et al. Efficacy and Safety of Varenicline for Adolescent Smoking Cessation: A Randomized Clinical Trial. JAMA Pediatr, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31609433>

Khalil GE, Wang H, Calabro KS, and Prokhorov AV. Revealing users' experience and social interaction outcomes following a web-based smoking prevention intervention for adolescents: A qualitative study. PLoS ONE, 2019; 14(10):e0223836. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31622397>

Watkins SL, Thrul J, Max W, and Ling PM. Real-world effectiveness of smoking cessation strategies for young and older adults: Findings from a nationally representative cohort. Nicotine and Tobacco Research, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31807784>

Yu S, Galimov A, Sussman S, Jeong GC, and Shin SR. Three-month effects of Project EX: A smoking intervention pilot program with Korean adolescents. Addict Behav Rep, 2019; 9:100152. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193802>

Zhao X, White KM, and Young RM. Future Smoking Intentions at Critical Ages among Students in Two Chinese High Schools. Int J Behav Med, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30607537>

Harvanko A, Slone S, Shelton B, Dallery J, Fields S, et al. Web-Based Contingency Management for Adolescent Tobacco Smokers: A Clinical Trial. Nicotine and Tobacco Research, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30452705>

Harvanko AM, Strickland JC, Slone SA, Shelton BJ, and Reynolds BA. Dimensions of impulsive behavior: Predicting contingency management treatment outcomes for adolescent smokers.

Addictive Behaviors, 2018; 90:334-40. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30508743>

Leiva A, Estela A, Bennasar-Veny M, Aguiló A, Llobera J, et al. Effectiveness of a complex intervention on smoking in adolescents: A cluster-randomized controlled trial. Preventive Medicine, 2018.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29940292>

Myung SK and Park JY. Efficacy of Pharmacotherapy for Smoking Cessation in Adolescent Smokers: A Meta-analysis of Randomized Controlled Trials. Nicotine and Tobacco Research, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30165705>

Thomas K, Bendtsen M, Linderoth C, and Mussener U. mHealth smoking cessation intervention among high-school pupils (NEXit Junior): study protocol for a randomized controlled trial. Trials, 2018; 19(1):648. Available from:

[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6249762/pdf/13063\\_2018\\_Article\\_3028.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6249762/pdf/13063_2018_Article_3028.pdf)

Zhao X, White KM, and Mc Dyr. A TPB-Based Smoking Intervention among Chinese High School Students. Substance Use and Misuse, 2018;1-13. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30595056>

#### *7.19.1.3 Social marketing and public education campaigns*

Chen, H, Yip, AON, Cheung, YTD, Chan, SSC, Lam, TH, Wang, MP, & Luk, TT. (2024). Reaching Youth Smokers Through a Multipronged Approach: Comparison of Three Recruitment Methods of a Youth Quitline in Hong Kong. *J Adolesc Health*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/39340497>

Ye, L, Ye, Y, & Gao, H. (2023). Effectiveness of social video platforms in promoting smoking cessation among youth: A content-specific analysis of smoking cessation topic videos on the social platform Bilibili. *Tob Induc Dis*, 21, 105. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37605770>

Kumari, L, Sood, M, & Gupta, S. (2023). Motivation to quit tobacco; Impact of different types of Anti-tobacco state-sponsored media propaganda messages. *J Family Med Prim Care*, 12(4), 708-716. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37312770>

Ismail I, Sidiq R, and Bustami B. The Effectiveness of Health Education Using Audiovisual on the Santri Smokers' Motivation to Stop Smoking. Asian Pacific Journal of Cancer Prevention, 2021; 22(8):2357-61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34452546>

Ling PM, Lisha NE, Neilands TB, and Jordan JW. Join the Commune: A Controlled Study of Social Branding Influencers to Decrease Smoking Among Young Adult Hipsters. American Journal of Health Promotion, 2020:890117120904917. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32077305>

Lazard AJ, Horrell L, Pikowski J, Cornacchione Ross J, Noar SM, et al. Message and Delivery Preferences for Online Tobacco Education among Adolescents and Young Adults. Journal of Health Communication, 2018; 23(8):735-42. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30280989>

Sanders A, Robinson C, Taylor SC, Post SD, Goldfarb J, et al. Using a Media Campaign to Increase Engagement With a Mobile-Based Youth Smoking Cessation Program. American Journal of Health Promotion, 2017;890117117728608. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28925292>

#### *7.19.1.4 The role of health professionals*

Mercincavage, M, Chen, C, Trenholm, I, Gonsalves, NJ, Young, WJ, Bover Manderski, MT et al. (2024). Associations of demographic and tobacco use characteristics with young adults' self-reported clinical encounters: Implications for cessation efforts. *Prev Med Rep*, 45, 102834. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39156724>

Thakur, J, & Choudhari, SG. (2024). Effectiveness of Healthcare Interventions on Smoking Cessation in Adolescents in Low- and Middle-Income Countries: A Narrative Review. *Cureus*, 16(2), e54051. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38481929>

Mays, D, Macisco, JM, Hawkins, KB, Sleiman, MM, Jr, Yockel, MR, Xie, S et al. (2024). A multilevel intervention in pediatric primary care for youth tobacco control: Outcomes of implementing an Ask, Advise, and Connect model. *Transl Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38330454>

Alexander A, Honan R, Molina A, Rahman A, and Walley SC. Tobacco Screening and Use in Hospitalized Adolescents at a Children's Hospital. *Hosp Pediatr*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34016650>

Groner J and Balk SJ. Addressing Teenage Tobacco Use: Still an Urgent Issue for Pediatricians. *Pediatrics*, 2020; 146(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32989083>

Merianos AL and Mahabee-Gittens EM. Screening, Counseling, and Health Care Utilization Among a National Sample of Adolescent Smokers. *Clinical Pediatrics*, 2020;9922820905875. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32054291>

Selph S, Patnode C, Bailey SR, Pappas M, Stoner R, et al. Primary Care-Relevant Interventions for Tobacco and Nicotine Use Prevention and Cessation in Children and Adolescents: Updated Evidence Report and Systematic Review for the US Preventive Services Task Force. *JAMA*, 2020; 323(16):1599-608. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32343335>

LeLaurin JH, Theis RP, Thompson LA, Tan ASL, Young-Wolff KC, et al. Tobacco-related counseling and documentation in adolescent primary care practice: Challenges and opportunities. *Nicotine and Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31074792>

Clawson AH, Robinson LA, and Berlin KS. Race, sex, and physician communication about tobacco as predictors of adolescent smoking trajectories in a primarily African American sample. *Journal of Ethnicity in Substance Abuse*, 2018;1-18. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30453849>

### *7.19.2 Older smokers*

Fahey, MC, Dahne, J, Wahlquist, AE, & Carpenter, MJ. (2023). The Impact of Older Age on Smoking Cessation Outcomes After Standard Advice to Quit. *J Appl Gerontol*, 7334648231158228. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36797652>

Hunt, LJ, Covinsky, KE, Cenzer, I, Espejo, E, Boscardin, WJ, Leutwyler, H et al. (2022). The Epidemiology of Smoking in Older Adults: A National Cohort Study. [MS Top Pick]. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36538157>

Kleykamp, BA, & Kulak, JA. (2022). Cigarette Use Among Older Adults: A Forgotten Population. [MS Top Pick]. *Am J Public Health*, e1-e3. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36413703>

Avila JC, Berg CJ, Robinson J, and Ahluwalia JS. Short and Long-Term Cigarette and Tobacco Abstinence among Daily and Non-Daily Older Smokers. *Nicotine and Tobacco Research*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35511741>

Lopes de Oliveira T, Oliveira RVC, Griep RH, Moreno AB, Melo ECP, et al. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Factors Related to Smoking Cessation. *Int J Behav Med*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34984649>

Yang J, Yockey RA, Chu Y, and Lee JGL. The Influence of Loneliness on the Smoking and Physical Activity of Community-Dwelling Older Adults: Results from the Health and Retirement Study. *American Journal of Health Promotion*, 2022:8901171221081136. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35325583>

Australian Institute of Health and Welfare. Older Australians. Canberra: AIHW, 2021. Available from: <https://www.aihw.gov.au/reports/older-people/older-australians>.

Eystone E, Williams RM, Luta G, Kim E, Toll BA, et al. Predictors of Enrollment of Older Smokers in Six Smoking Cessation Trials in the Lung Cancer Screening Setting: The Smoking Cessation at Lung Examination (SCALE) Collaboration. *Nicotine and Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34077535>

Kalousova L. Tobacco control policy and smoking among older Americans: An analysis of a nationally-representative longitudinal sample (1992-2014). *Preventive Medicine*, 2020:106127. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32417216>

Cataldo JK. Double Whammy for Older Smokers: Marginalized by Tobacco Control and Valued by the Tobacco Industry. *Western Journal of Nursing Research*, 2019:193945919845376. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31035868>

Glenny L. Too old to stop smoking? *British Journal of Community Nursing*, 2018; 23(10):477. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30290724>

Hsu CL, Hsueh KC, Chou MY, Yu HC, Mar GY, et al. Long-term smoking cessation rates in elderly versus other adult smokers: A 3-year follow-up study in Taiwan. *Addict Behav Rep*, 2018; 8:62-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30094324>

Jeong S and Cho SI. Effects of living alone versus with others and of housemate type on smoking, drinking, dietary habits, and physical activity among elderly people. *Epidemiol Health*, 2017; 39:e2017034. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29121710>

Jordan H, Hidajat M, Payne N, Adams J, White M, et al. What are older smokers' attitudes to quitting and how are they managed in primary care? An analysis of the cross-sectional English Smoking Toolkit Study. *BMJ Open*, 2017; 7(11):e018150. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29146649>

Bandiera FC, Assari S, Livaudais-Toman J, and Perez-Stable EJ. Latino and Black smokers in the Health and Retirement Study are more likely to quit: the role of light smoking. *Tob Induc Dis*, 2016; 14:23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27436994>

Cohen-Mansfield J. Predictors of Smoking Cessation in Old-Old Age. *Nicotine and Tobacco Research*, 2016; 18(7):1675–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26783294>

Isenberg JY, Quinones AR, Slatore CG, Bryson WC, and Thielke SM. Trends in cigarette smoking and cessation among Medicare managed care recipients, 2005–2012. *Addictive Behaviors*, 2016; 58:155–60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26946446>

Nadruz W, Jr., Claggett B, Goncalves A, Querejeta-Roca G, Fernandes-Silva MM, et al. Smoking and Cardiac Structure and Function in the Elderly: The ARIC Study (Atherosclerosis Risk in Communities). *Circ Cardiovasc Imaging*, 2016; 9(9):e004950. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27625349>

Phillips A. Supporting smoking cessation in older patients: a continuing challenge for community nurses. *British Journal of Community Nursing*, 2016; 21(9):457-61. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27594061>

Scholz J, Lima Santos PC, Buzo CG, Moreira Lopes NH, Abe TM, et al. Effects of aging on the effectiveness of smoking cessation medication. *Oncotarget*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27166253>

Brown LM. Tobacco myths: the older adult perspective. *Journal of Gerontological Nursing*, 2015; 41(5):9–13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25642695>

Cataldo JK, Hunter M, Petersen AB, and Sheon N. Positive and instructive anti-smoking messages speak to older smokers: a focus group study. *Tob Induc Dis*, 2015; 13(1):2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25653578>

Cawkwell PB, Blaum C, and Sherman SE. Pharmacological Smoking Cessation Therapies in Older Adults: A Review of the Evidence. *Drugs and Aging*, 2015; 32(6):443–51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26025119>

Chen D and Wu LT. Smoking cessation interventions for adults aged 50 or older: A systematic review and meta-analysis. *Drug and Alcohol Dependence*, 2015; 154:14–24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26094185>

Choi NG and DiNitto DM. Role of New Diagnosis, Social Isolation, and Depression in Older Adults' Smoking Cessation. *Gerontologist*, 2015; 55(5):793–801. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24904055>

Huddlestone L, Walker GM, Hussain-Mills R, and Ratschen E. Treating tobacco dependence in older adults: a survey of primary care clinicians' knowledge, attitudes, and practice. *BMC Fam Pract*, 2015; 16:97. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26246080>

Kehlet M, Schroeder TV, and Tonnesen H. The Gold Standard Program for smoking cessation is effective for participants over 60 years of age. *International Journal of Environmental Research and Public Health*, 2015; 12(3):2574–87. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25734789>

Pothirat C, Phetsuk N, Liwsrisakun C, and Deesomchok A. Real-world comparative study of behavioral group therapy program vs education program implemented for smoking cessation in community-dwelling elderly smokers. *Clinical Interventions in Aging*, 2015; 10:725–30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25926726>

Shahab L, Gilchrist G, Hagger-Johnson G, Shankar A, West E, et al. Reciprocal associations between smoking cessation and depression in older smokers: findings from the English Longitudinal Study of Ageing. *British Journal of Psychiatry*, 2015; 207(3):243–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25999339>

Tran B, Falster MO, Douglas K, Blyth F, and Jorm LR. Smoking and potentially preventable hospitalisation: the benefit of smoking cessation in older ages. *Drug and Alcohol Dependence*, 2015; 150:85–91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25769393>

Barnett PG, Wong W, Jeffers A, Munoz R, Humfleet G, et al. Cost-effectiveness of extended cessation treatment for older smokers. *Addiction*, 2014; 109(2):314–22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24329972>

Almeida OP, Garrido GJ, Alfonso H, Hulse G, Lautenschlager NT, et al. 24-month effect of smoking cessation on cognitive function and brain structure in later life. *Neuroimage*, 2011; 55(4):1480–9. Available from: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list\\_uids=21281718](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21281718)

McVay MA and Copeland AL. Smoking cessation in peri- and postmenopausal women: a review. *Experimental and Clinical Psychopharmacology*, 2011; 19(3):192–202. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21480728>

Medbo A, Melbye H, and Rudebeck CE. "I did not intend to stop. I just could not stand cigarettes any more." A qualitative interview study of smoking cessation among the elderly. *BMC Fam Pract*, 2011; 12(1):42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21627833>

Rowa-Dewar N and Ritchie D. Smoking cessation for older people: neither too little nor too late. *British Journal of Community Nursing*, 2010; 15(12):578–82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21240081>

Sachs-Ericsson N, Collins N, Schmidt B, and Zvolensky M. Older adults and smoking: characteristics, nicotine dependence and prevalence of DSM-IV 12-month disorders. *Aging and Mental Health*, 2010;1–10. Available from:

<http://www.informaworld.com/smpp/ftinterface~content=a927615103~fulltext=713240928~frm=content>

Breitling L, Rothenbacher D, Stegmaier C, Raum E, and Brenner H. Older smokers' motivation and attempts to quit smoking: Epidemiological insight into the question of lifestyle versus addiction. *Deutsches Ärzteblatt International*, 2009; 106(27):451–5. Available from:

<http://www.aerzteblatt.de/int/article.asp?id=65282>

Martin R and O'Neill D. What determines the ability to stop smoking in old age? *Age and Ageing*, 2009; 38(2):248. Available from: <http://ageing.oxfordjournals.org/cgi/content/full/38/2/248>

Abdullah A, Lam T, Chan S, Leung G, Chi I, et al. Effectiveness of a mobile smoking cessation service in reaching elderly smokers and predictors of quitting. *BMC Geriatrics*, 2008; 8(1):25. Available from: <http://www.biomedcentral.com/content/pdf/1471-2318-8-25.pdf>

Doolan DM and Froelicher ES. Smoking cessation interventions and older adults. *Progress in Cardiovascular Nursing*, 2008; 23(3):119–27. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/19039892>

Lang I, Rice N, Wallace R, Guralnik J, and Melzer D. Smoking cessation and transition into retirement: analyses from the English Longitudinal Study of Ageing. *Age and Ageing*, 2007; 36(6):638-43(6):638–43. Available from: <http://ageing.oxfordjournals.org/cgi/content/full/36/6/638>

Yong HH, Borland R, and Siahpush M. Quitting-related beliefs, intentions, and motivations of older smokers in four countries: findings from the International Tobacco Control Policy Evaluation Survey. *Addictive Behaviors*, 2005; 30(4):777–88. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/15833581>

#### *7.19.2.1 Factors influencing smoking and quitting*

Cetinkaya, PD, Turan, A, Deniz, PP, Cetinkaya, F, Arpaç, S, Uysal, AG et al. (2023). Smoking Cessation Success and Affecting Factors in Geriatric Patients. *Iran J Public Health*, 52(12), 2583-2589. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38435773>

Ariaratnam, S, Kee, CC, Krishnapillai, AD, Sanaudi, R, Tohit, NM, Ho, KB et al. (2023). Smoking status and its relationship with depression among the elderly population in Malaysia: Findings from the National Health and Morbidity Survey 2018. *Tob Induc Dis*, 21, 109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37654502>

Jia, Z, Li, S, Luo, Z, Tong, M, & Gao, T. (2023). The Dunning-Kruger effect: subjective health perceptions on smoking behavior among older Chinese adults. *BMC Public Health*, 23(1), 1703. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37667218>

Luo, M, Bauman, A, Phongsavan, P, & Ding, D. (2023). Retirement transition and smoking and drinking behaviors in older Chinese adults: Analysis from the CHARLS study. *Prev Med Rep*, 36, 102408. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37744741>

Krishnapillai, A, Kee, CC, Ariaratnam, S, Jaffar, A, Omar, MA, Sanaudi, RB et al. (2023). Social Support among Older Persons and Its Association with Smoking: Findings from the National Health and Morbidity Survey 2018. *Healthcare (Basel)*, 11(16). Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/37628448>

Gao, M, Park, S, & Lee, C. (2023). Social Participation and Persistent Smoking Among Older Chinese with Smoking-related Morbidity. *J Gerontol B Psychol Sci Soc Sci*. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/37210675>

Bertuccio, P, Vigezzi, GP, Mosconi, G, Gallus, S, & Odone, A. (2023). Transition to retirement impact on smoking habit: results from a longitudinal analysis within the Survey of Health, Ageing and Retirement in Europe (SHARE) project. *Aging Clin Exp Res*, 35(5), 1117-1126. Retrieved from  
<https://www.ncbi.nlm.nih.gov/pubmed/37067672>

Fahey MC, Talcott WG, Robinson LA, Mallawaarachchi I, Klesges RC, et al. Predictors of Cessation Outcomes Among Older Adult Smokers Enrolled in a Proactive Tobacco Quitline Intervention. *Journal of Aging and Health*, 2022:8982643221097679. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/35506995>

Cordon M, Eyestone E, Hutchison S, Dunlap D, Smith L, et al. A qualitative study exploring older smokers' attitudes and motivation toward quitting during the COVID-19 pandemic. *Prev Med Rep*, 2021; 22:101359. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33868901>

Mistry SK, Ali AM, Rahman MA, Yadav UN, Gupta B, et al. Changes in Tobacco Use Patterns during COVID-19 and Their Correlates among Older Adults in Bangladesh. *International Journal of Environmental Research and Public Health*, 2021; 18(4). Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/33673087>

Monroe DC, McDowell CP, Kenny RA, and Herring MP. Dynamic associations between anxiety, depression, and tobacco use in older adults: Results from The Irish Longitudinal Study on Ageing. *Journal of Psychiatric Research*, 2021; 139:99-105. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/34058656>

Smith P, Daniel R, Murray RL, Moore G, Nelson A, et al. Psychosocial determinants of quit motivation in older smokers from deprived backgrounds: a cross-sectional survey. *BMJ Open*, 2021; 11(5):e044815. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33952547>

Xie L, Xu W, and Zhou Y. Spillover effects of adult children's schooling on parents' smoking cessation: evidence from China's compulsory schooling reform. *Journal of Epidemiology and Community Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33893183>

Abdel-Hady D and El-Gilany AH. Tobacco use and its associated factors among older people: a community-based study in Egypt. *Eastern Mediterranean Health Journal*, 2020; 26(1):68-74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32043548>

Chang CP, Huang WH, You CH, Hwang LC, Lu IJ, et al. Factors Correlated with Smoking Cessation Success in Older Adults: A Retrospective Cohort Study in Taiwan. *International Journal of*

Environmental Research and Public Health, 2019; 16(18). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31540355>

Henley SJ, Asman K, Momin B, Gallaway MS, Culp MB, et al. Smoking cessation behaviors among older U.S. adults. Prev Med Rep, 2019; 16:100978. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31660285>

Serrano-Alarcon M, Kunst AE, Bosdriesz JR, and Perelman J. Retiring from smoking: Reply to Kleykamp, B (2019) "Letter in response to Serrano-Alarcon et al., 2019: Tobacco control policy and smokers 65 years and older". Addiction, 2019. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31691438>

Kulak JA and LaValley S. Cigarette use and smoking beliefs among older Americans: findings from a nationally representative survey. Journal of Addictive Diseases, 2018:1-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30574840>

Pulakka A, Halonen JI, Pentti J, Kivimaki M, Vahtera J, et al. Changes in Smoking During Retirement Transition: A Longitudinal Cohort Study. Scandinavian Journal of Public Health, 2018:1403494818804408. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30301413>

### *7.19.2.2 Cessation interventions*

Johnson, AL, Popova, L, Kaye, JT, & Mahoney, J. (2024). Examination of a hope- and fear-based message targeting older adults who smoke: A randomized trial. *Geriatr Nurs*, 60, 533-540. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39442415>

Fahey, MC, Carpenter, MJ, O'Neal, R, Pebbley, K, Schick, MR, Ware, E et al. (2024). Expectations and Preferences for Digital Cessation Treatment: Multimethods Study Among Older Adults Who Smoke Cigarettes. *J Med Internet Res*, 26, e52919. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39196628>

Johnson, AL, Doyle, S, Gleason, CE, Cook, J, Mahoney, J, & Piper, ME. (2024). Qualitative Message Development to Motivate Quitting Smoking in Older Adults: Dementia May Motivate Quitting. *Inquiry*, 61, 469580241236416. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38462843>

Zeren, OG, Ilknur, D, Rumeysa, DH, & Gunher, AS. (2022). The Evaluation Of Smoking Cessation Treatment Success and Related Factors in Adults Age 65 Years and Older. [MS Top Pick]. *Clin Gerontol*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36576075>

Lee, JK, Kim, YI, Kweon, SS, Oh, IJ, Kwon, YS, Shin, HJ et al(2022). Smoking cessation rates in elderly and nonelderly smokers after participating in an intensive care smoking cessation camp. *Medicine (Baltimore)*, 101(30), e29886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35905242>

Peek J, Hay K, Hughes P, Kostellar A, Kumar S, et al. Feasibility and Acceptability of a Smoking Cessation Smartphone App (My QuitBuddy) in Older Persons: Pilot Randomized Controlled Trial. *JMIR Form Res*, 2021; 5(4):e24976. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33851923>

### *7.19.2.3 The role of health professionals*

Song, J, Jin, C, & Cheng, X. (2022). The association between cigarette smoking and health care service utilization among middle-aged and elderly adults in China. [MS Top Pick]. *Front Public Health*, 10, 952357. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36408002>

de Graaf, L, Roelofs, T, Janssen, M, & Luijx, K. (2022). Live and let live: Residents' perspectives on alcohol and tobacco (mis)use in residential care facilities. *Int J Older People Nurs*, e12508. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36229901>

Cusack L, Kelly J, Groenkjaer M, Wilkinson C, and Harland J. Acceptability and suitability of Alcohol, Smoking and Substance Involvement Screening Test for older people in the community. *Contemporary Nurse*, 2019:1-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31469048>

### *7.19.3 Women*

**Keady, JV, Hessing, MC, Songraday, JC, McLaurin, K, & Turner, JR. (2024). Sex differences in contextual fear conditioning and extinction after acute and chronic nicotine treatment. Biol Sex Differ, 15(1), 88.** Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39482781>

Higgins, ST. (2024). Behavior change, health, and health disparities 2024: Smoking and other tobacco use among women and girls. *Prev Med*, 108155. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39433134>

Melamed, OC, Mehra, K, Panda, R, Minian, N, Veldhuizen, S, Zawertailo, L et al . (2024). A Gender-Informed Smoking Cessation App for Women: A Protocol for an Acceptability and Feasibility Study. *JMIR Res Protoc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39433391>

Black, DS, Ioannidis, JPA, Phei Wee, C, & Kirkpatrick, MG. (2024). Sex differences in cigarette smoking following a mindfulness-based cessation randomized controlled trial. *Addict Behav*, 160, 108177. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39326230>

Walker, L, Grogan, S, Denovan, A, Scholtens, K, McMillan, B, Conner, M et al. (2024). An Age-Progression Intervention for Smoking Cessation: A Pilot Study Investigating the Influence of Two Sets of Instructions on Intervention Efficacy. *Int J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38724879>

Roczen, J, Bolte, G, Reineke, B, Kuhnert, R, Starker, A, & Mena, E. (2024). Gender equality and smoking among 15 to 25 year olds-a time-based ecological analysis of developments in Germany from 1960 to 2005. *Front Public Health*, 12, 1295050. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38435291>

Minue-Lorenzo, C, Olano-Espinosa, E, Minue-Estirado, M, Vizcaino-Sanchez, JM, Camarelles-Guillem, F, Granados-Garrido, JA et al. (2024). Gender, smoking, and tobacco cessation with pharmacological treatment in a cluster randomized clinical trial. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38362269>

Werts-Pelter, SJ, Choi, BM, Mallahan, S, Person-Rennell, N, & Allen, A. (2024). Acceptability of Hormonal Contraceptives as a Smoking Cessation Aid for Women of Reproductive Age: A Web-Based

Cross-Sectional Survey. *Womens Health Rep (New Rochelle)*, 5(1), 161-169. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38414889>

David, JC, Fonte, D, Sutter-Dallay, AL, Auriacombe, M, Serre, F, Rascle, N, & Loyal, D. (2023). The stigma of smoking among women: A systematic review. *Soc Sci Med*, 340, 116491. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38096599>

Manns, A, Torregrossa, H, Mahdjoub, S, Gomajee, R, Melchior, M, & El-Khoury Lesueur, F. (2023). Do Determinants of Smoking Cessation and Relapse Differ between Men and Women? Data from a French National Study. *Subst Use Misuse*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37813814>

Wiener, RC, Waters, C, Gaydos, MS, Bastin, M, Abdulhay, N, & Bhandari, R. (2023). Sex gaps in perception of tobacco conversations between adult patients who now smoke cigarettes and oral health care providers: National Health and Nutrition Examination Survey 2017-March 2020 pre pandemic. *J Am Dent Assoc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37831025>

Correa, P, Sales, RKB, Knorst, MM, Pinto, S, Ragnini, LFQ, Tourinho, CAP et al. (2023). The challenge of tobacco and nicotine use among women. *Rev Assoc Med Bras (1992)*, 69(suppl 1), e2023S2124. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37556643>

Liu, C, Yong, HH, Gravely, S, East, K, Kasza, K, Gartner, C et al. (2023). Gender differences in cigarette smoking cessation attempts among adults who smoke and drink alcohol at high levels: Findings from the 2018-2020 International Tobacco Control Four Country Smoking and Vaping Surveys. *Addict Behav*, 147, 107817. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37536221>

Wiener, RC. (2023). Nicotine Dependence and Postpartum Depression: A Multicenter Research Network Study. *Subst Use Misuse*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37545109>

Peltier, MR, & McKee, SA. (2023). The role of sex hormones in targeting stress-induced tobacco craving, stress-reactivity, and smoking with guanfacine among women who smoke. *Addict Neurosci*, 7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37396408>

Schick, MR, Baker, NL, Hood, CO, Tomko, RL, Gray, KM, Ramakrishnan, VR et al. (2023). Effects of Ovarian Hormone Levels on Stress, Cigarette Craving, and Smoking in a Laboratory Relapse Paradigm among Females who Smoke Daily. *Nicotine Tob Res*. . Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37493638>

Suh, M, Im, B, Lee, HJ, Kim, KS, & Sohn, M. (2023). Smoking cessation strategies for women: An analysis of smoking cessation determinants among Korean female smokers participating in a smoking cessation outreach program. *Health Promot Perspect*, 13(1), 54-60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37309429>

Zakiniaeiz, Y, Gueorguieva, R, Peltier, MR, Verplaetse, TL, Roberts, W, McKee, SA, & Cosgrove, KP. (2023). Sex steroid hormone levels associated with dopamine D(2/3) receptor availability in people

who smoke cigarettes. *Front Behav Neurosci*, 17, 1192740. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37358969>

Davis, DR, Krishnan-Sarin, S, & Mazure, CM. (2023). Considerations of Sex and Gender in FDA Tobacco Regulation. *JAMA*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37233997>

Jones, SK, Alberg, AJ, Wallace, K, Froeliger, B, Carpenter, MJ, & Wolf, B. (2023). Genetic Associations with Smoking Relapse and Proportion of Follow-up in Smoking Relapse throughout Adulthood in Pre- and Postmenopausal Women. *Cancer Prev Res (Phila)*, 16(5), 269-279. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37070666>

Zawertailo, L, Kabir, T, Voci, S, Tanzini, E, Attwells, S, Malat, L et al. (2023). Coordinating smoking cessation treatment with menstrual cycle phase to improve quit outcomes (MC-NRT): study protocol for a randomized controlled trial. *Trials*, 24(1), 251. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37005655>

Franklin, TR, Spilka, NH, Keyser, H, Maron, M, Jagannathan, K, & Wetherill, RR. (2022). Impact of the natural hormonal milieu on ventral striatal responses to appetitive cigarette smoking cues: A prospective longitudinal study. *Drug Alcohol Depend Rep*, 5, 100119. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36844172>

Jones, SK, Alberg, AJ, Wallace, K, Froeliger, B, Carpenter, MJ, & Wolf, BJ. (2023). CHRNA5-A3-B4 and DRD2 genes and smoking cessation throughout adulthood: A longitudinal study of women. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36794842>

Stewart, SA, Peltier, MR, Roys, MR, & Copeland, AL. (2022). The association between hormonal contraceptive use and smoking, negative affect, and cessation attempts in college females. *Drug Alcohol Depend Rep*, 3, 100063. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36845992>

Long, JD, Gehlsen, MP, Moody, J, Weeks, G, & Philibert, R. (2022). Predictors of Smoking in Older Adults and an Epigenetic Validation of Self-Report. *Genes (Basel)*, 14(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36672765>

LaRowe, LR, Dunsiger, SI, & Williams, DM. (2022). Acute exercise-induced changes in motivation and behavioral expectation for quitting smoking as predictors of smoking behavior in women. *Psychol Addict Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36455006>

Ji, Y, Zhang, Y, Yun, Q, & Chang, C. (2022). Gender differences in social environmental changes associated with smoking: a cross-sectional study from Chinese internal migrants. *BMJ Open*, 12(11), e058097. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36414285>

Lee, D, Lee, KS, Kim, H, Lee, Y, Lee, MJ, Lee, H et al. (2022). Awareness and Needs of Smoking Cessation Services for Female Emotional Laborers, Parcel Delivery Workers, Transportation Workers, and Construction Workers in South Korea. *Int J Environ Res Public Health*, 19(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36429938>

Al Dharman, S, Safar, K, Al Enezi, F, Al Bahar, H, Ali, A, Al Qallaf, Z et al. (2022). An experimental vignette study to assess stigmatized attitudes towards tobacco smokers in Kuwait. *Tob Prev Cessat*, 8, 32. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36118613>

Vaid, I, Blum, E, & Ahmed, K. (2022). Smoking Cessation Efforts Among WISEWOMAN Program Participants, 2014-2018. *J Womens Health (Larchmt)*, 31(7), 911-916. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35849753>

Allen A, Skobic I, Bell ML, Medvescek K, Allen S, et al. Feasibility and acceptability of testing a menstrual-cycle timed smoking cessation intervention for women of reproductive age (Project Phase): Results of a pilot randomized control trial. *Addictive Behaviors*, 2022; 125:107153. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34739974>

Castaldelli-Maia JM, Nesoff ED, Lima DR, Sanchez ZM, and Martins SS. The first day of smoking abstinence is more challenging for women than men: A meta-analysis and meta-regression across 12 low- and middle-income countries. *Addictive Behaviors*, 2022; 128:107234. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35007914>

Castello S, Darker C, Vance J, Dougall N, Bauld L, et al. The We Can Quit2 Smoking Cessation Trial: Knowledge Exchange and Dissemination Following a Community-Based Participatory Research Approach. *International Journal of Environmental Research and Public Health*, 2022; 19(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35206521>

Lee EH, Shin SH, and Jeong GC. Smoking Awareness and Intention to Quit Smoking in Smoking Female Workers: Secondary Data Analysis. *International Journal of Environmental Research and Public Health*, 2022; 19(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35270534>

Scarinci IC, Kienen N, Wiltenburg TD, Bittencourt L, and Person SD. Efficacy of a Gender-Relevant Smoking Cessation Intervention among Women in Brazil: Findings from a Group Randomized Controlled Trial. *J Womens Health (Larchmt)*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35580140>

Washio Y, Hayashi Y, Atreyapurapu S, Chang K, Ma T, et al. A Scoping Review of Computer-Based and Telecommunication Technology Interventions to Address Drug and Alcohol Misuse and Smoking in Women. *Substance Use and Misuse*, 2022; 57(8):1257-72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35582861>

Wen Z, Han X, Wang Y, Ding W, Sun Y, et al. Sex-Dependent Alterations of Regional Homogeneity in Cigarette Smokers. *Front Psychiatry*, 2022; 13:874893. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35546937>

Beguinot E, Huber L, and Romeo-Stuppy K. Women, tobacco and human rights in France. *Tob Induc Dis*, 2021; 19:90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34899117>

Borger TN, Puleo GE, Rivera Rivera JN, Montgomery D, Bowling WR, et al. A descriptive study of cervical cancer survivors' persistent smoking behavior and perceived barriers to quitting. *Psychology of Addictive Behaviors*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33764090>

Dieleman LA, van Peet PG, and Vos HMM. Gender differences within the barriers to smoking cessation and the preferences for interventions in primary care a qualitative study using focus groups in The Hague, The Netherlands. *BMJ Open*, 2021; 11(1):e042623. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33514579>

Ethier AR, McKinney TL, Tottenham LS, and Gordon JL. The effect of reproductive hormones on women's daily smoking across the menstrual cycle. *Biol Sex Differ*, 2021; 12(1):41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34112267>

Guimaraes-Pereira BBS, da Silva ASM, Lima DR, Carvalho CFC, Loreto AR, et al. Sex differences in smoking cessation: A Retrospective Cohort Study in a Psychosocial Care Unit in Brazil. *Trends Psychiatry Psychother*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35213112>

Hayes CB, Patterson J, Castello S, Burke E, O'Connell N, et al. Peer-Delivery of a Gender-Specific Smoking Cessation Intervention for Women Living in Disadvantaged Communities in Ireland We Can Quit2 (WCQ2)-A Pilot Cluster Randomized Controlled Trial. *Nicotine and Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34939119>

Jeong BY, Lim MK, Shin SH, Han YR, Oh JK, et al. Factors Associated with the 30-Day and 1-Year Smoking Abstinence of Women in Korea: The Effect of Nicotine Dependency, Self-Efficacy, and Mental Illness. *International Journal of Environmental Research and Public Health*, 2021; 18(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34769690>

Kim H and Lee KS. Association of Stress Management with Success of Smoking Cessation in Korean Female Emotional Labor Workers for Service and Sales. *International Journal of Environmental Research and Public Health*, 2021; 18(6). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33804218>

Kim H, Yoo J, Han K, Fava M, Mischoulon D, et al. Associations Between Smoking, Alcohol Consumption, Physical Activity and Depression in Middle-Aged Premenopausal and Postmenopausal Women. *Front Psychiatry*, 2021; 12:761761. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35002797>

Lee A, Lee KS, Lee D, Ahn H, Lee HK, et al. The Utilization of National Tobacco Cessation Services among Female Smokers and the Need for a Gender-Responsive Approach. *International Journal of Environmental Research and Public Health*, 2021; 18(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34067704>

Lee D, Lee KS, Lee A, Ahn H, Lee HK, et al. Successful Smoking Cessation among Women Smokers Based on Utilizing National Smoking Cessation Service Type in Korea. *International Journal of Environmental Research and Public Health*, 2021; 18(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34207330>

Liu YC, Yen LC, Liaw FY, Lin MH, Chiang SH, et al. Gender Differences in the Extended Theory of Planned Behaviour on Smoking Cessation Intention in Young Soldiers. *International Journal of Environmental Research and Public Health*, 2021; 18(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34360123>

Martinez Leal I, Taing M, Correa-Fernandez V, Obasi EM, Kyburz B, et al. Addressing Smoking Cessation among Women in Substance Use Treatment: A Qualitative Approach to Guiding Tailored Interventions. *International Journal of Environmental Research and Public Health*, 2021; 18(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34072064>

Perez Diaz M, Pochon JB, Ghahremani DG, Dean AC, Faulkner P, et al. Sex Differences in the Association of Cigarette Craving with Insula Structure. International Journal of Neuropsychopharmacology, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33830218>

Placek CD, Magnan RE, Srinivas V, Jaykrishna P, Ravi K, et al. The impact of information about tobacco-related reproductive vs. general health risks on South Indian women's tobacco use decisions. Evol Hum Sci, 2021; 3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33778367>

Romeo-Stuppy K, Huber L, Lambert P, Aghi MB, Yoon SY, et al. Women, tobacco, and human rights. Tob Induc Dis, 2021; 19:48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34163315>

Sy D and Mackay J. Women and the Tobacco Industry STOP (Stopping Tobacco Organizations and Products), 2021. Available from: <https://exposetobacco.org/wp-content/uploads/Women-and-the-Tobacco-Industry-3.5.21.pdf>.

Voci S, Veldhuizen S, Tien S, Barker M, Minian N, et al. A comparison of quit outcomes for men and women in a smoking cessation program offering personalized nicotine replacement therapy and counselling in primary care clinics. Nicotine and Tobacco Research, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33912963>

Weiland S, Warmelink JC, Peters LL, Berger MY, Erwich J, et al. The needs of women and their partners regarding professional smoking cessation support during pregnancy: A qualitative study. Women Birth, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33781708>

Wetherill RR, Spilka NH, Maron M, Keyser H, Jagannathan K, et al. Influence of the natural hormonal milieu on brain and behavior in women who smoke cigarettes: Rationale and methodology. Contemp Clin Trials Commun, 2021; 21:100738. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33718654>

Action on S, Health, Comite National Contre le Tabagisme ECPCFCSGBHHSIoPHICS-DIAoWJHC, and Health SHFT-FAJTFAoZPRfDA. Using human rights measures to advance tobacco control- Japan and the Committee on the Elimination of Discrimination Against Women. Tob Induc Dis, 2020; 18:19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32210743>

Baker NL, Gray KM, Ramakrishnan V, Tomko RL, McClure EA, et al. Increases in endogenous progesterone attenuate smoking in a cohort of nontreatment seeking women: An exploratory prospective study. Addiction Biology, 2020:e12918. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32476209>

Castellani V, Goncalves PD, Castaldelli-Maia JM, and Malbergier A. Investigating gender differences for effectiveness and side effects of varenicline during smoking cessation treatment. Rev Assoc Med Bras (1992), 2020; 66(2):146-52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32428148>

Chai SH, Leventhal AM, Kirkpatrick MG, Eisenlohr-Moul TA, Rapkin AJ, et al. Effectiveness of transdermal nicotine patch in premenopausal female smokers is moderated by within-subject severity of negative affect and physical symptoms. Psychopharmacology, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32157328>

Conti AA, Tolomeo S, Steele JD, and Baldacchino AM. Severity of negative mood and anxiety symptoms occurring during acute abstinence from tobacco: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2020. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32454051>

Couture MC, Garcia D, Whaley R, and Grinshteyn E. Effect of fear of victimization on hazardous alcohol drinking, tobacco, and marijuana use among university students: A tale of two sexes. Addictive Behaviors, 2020; 106:106355. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32088422>

Guliani H and Cule M. The case for gender considerate tobacco control policies in Albania. Glob Health Res Policy, 2020; 5:15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32313841>

Jayakumar N, Chatton M, Zhang B, Selby P, and Schwartz R. Sex Differences in Use of Smoking Cessation Services and Resources: A Real-World Study. Tob Use Insights, 2020; 13:1179173X20901500. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32030067>

Manavi KR, Alston-Mills BP, and Thompson MP. History of tobacco, vitamin D and women. International Journal for Vitamin and Nutrition Research, 2020:1-6. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/32091316>

Nair US, Miller ES, Bell ML, Allen S, Collins BN, et al. Feasibility and acceptability of testing a menstrual-cycle timed smoking cessation intervention for women of reproductive age (Project Phase): Protocol of a pilot randomized controlled trial. Contemp Clin Trials Commun, 2020; 18:100569. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32435718>

Pribadi ET and Devy SR. Application of the Health Belief Model on the intention to stop smoking behavior among young adult women. J Public Health Res, 2020; 9(2):1817. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/32728563>

Spinella TC, Perry RN, Schlagintweit HE, and Barrett SP. The generalizability of clinical and experimental tobacco research: Do exclusion criteria impact men and women differently? J Psychopharmacol, 2020:269881119900984. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31965900>

Women's Smoking: Relationships Among Emotional Labor, Occupational Stress, and Health Promotion. Workplace Health Saf, 2019; 67(7):371. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31266427>

Allen S, Petersen A, Harrison K, Tosun N, and Cameron J. Response to nicotine following overnight smoking abstinence during short-term progesterone treatment in women. Experimental and Clinical Psychopharmacology, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31464476>

Australian Institute of Health and Welfare, Australia's mothers and babies 2017—in brief. Perinatal statistics series no. 35. Cat no. PER 100 Canberra: AIHW; 2019. Available from:  
<https://www.aihw.gov.au/reports/mothers-babies/australias-mothers-and-babies-2017-in-brief/contents/table-of-contents>.

Chiang SL, Nithianantham S, Velmurugan BK, Tu HP, Lee CH, et al. A haplotype-specific linkage disequilibrium pattern of monoamine oxidase A gene associated with regular smoking in women. Journal of Gene Medicine, 2019:e3142. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31721380>

Houghton F, O'Rourke Scott L, Houghton S, O'Doherty D, McInerney D, et al. Room 101: are gender-specific cigarette packets the way forward? Irish Journal of Medical Science, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30666588>

Hunt D, Hefler M, and Freeman B. Tobacco industry exploiting International Women's Day on social media. Tobacco Control, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31462581>

Kienen ND, Wiltenburg T, Bittencourt L, and Scarinci IC. Development of a gender-relevant tobacco cessation intervention for women in Brazil-an intervention mapping approach to planning. Health Education Research, 2019; 34(5):505-20. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31495883>

McClure EA, Baker NL, Gray KM, Hood CO, Tomko RL, et al. The influence of gender and oxytocin on stress reactivity, cigarette craving, and smoking in a randomized, placebo-controlled laboratory relapse paradigm. Psychopharmacology, 2019. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31792646>

Pang RD, Guillot CR, Liautaud MM, Bello MS, Kirkpatrick MG, et al. Subjective effects from the first cigarette of the day vary with precigarette affect in premenopausal female daily smokers. Experimental and Clinical Psychopharmacology, 2019. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31368771>

Parizadeh D, Moazzeni SS, Hasheminia M, Khaloo P, Mansournia MA, et al. Sex-specific initiation rates of tobacco smoking and its determinants among adults from a Middle Eastern population: a cohort study. International Journal of Public Health, 2019. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31620810>

Peltier MR and McKee SA. Commentary on Tosun et al. (2019): Dynamic changes in sex hormones and smoking cessation. Addiction, 2019. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31347245>

Tosun NL, Fieberg AM, Eberly LE, Harrison KA, Tipp AR, et al. Exogenous progesterone for smoking cessation in men and women: a pilot double-blind, placebo-controlled randomized clinical trial. Addiction, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31059177>

Zakiniaeiz Y, Hillmer AT, Matuskey D, Nabulsi N, Ropchan J, et al. Sex differences in amphetamine-induced dopamine release in the dorsolateral prefrontal cortex of tobacco smokers. Neuropsychopharmacology, 2019. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/31269510>

Allen AM, Carlson S, Eberly LE, Hatsukami D, and Piper ME. Use of hormonal contraceptives and smoking cessation: A preliminary report. Addictive Behaviors, 2018; 76:236-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28863316>

Bandyopadhyay A and Irfan M. Gender-based tobacco policies in Bangladesh and India: A prerequisite to counter the smokeless tobacco epidemic. *Women and Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29630490>

Cruz RC, Person SD, Bittencourt L, Efing AC, and Scarinci IC. Development and evaluation of a capacity building program in gender-relevant tobacco control research: A Brazilian experience. *Evaluation and Program Planning*, 2018; 68:1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29428544>

Farris SG, Abrantes AM, and Zvolensky MJ. Emotional distress and tobacco demand during the menstrual cycle in female smokers. *Cognitive Behaviour Therapy*, 2018;1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30064348>

Garey L, Peraza N, Smit T, Mayorga NA, Neighbors C, et al. Sex differences in smoking constructs and abstinence: The explanatory role of smoking outcome expectancies. *Psychology of Addictive Behaviors*, 2018; 32(6):660-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30211586>

Ignacio de Granda-Orive J, Pascual-Lledo JF, Asensio-Sanchez S, Solano-Reina S, Garcia-Rueda M, et al. Should tobacco interventions be different in men and women? *Pulmonology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30470635>

Lammert S, Harrison K, Tosun N, and Allen S. Menstrual Cycle in Women Who Co-use Marijuana and Tobacco. *J Addict Med*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29381494>

McCarthy JM, Dumais KM, Zegel M, Pizzagalli DA, Olson DP, et al. Sex differences in tobacco smokers: Executive control network and frontostriatal connectivity. *Drug and Alcohol Dependence*, 2018; 195:59-65. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30592997>

Munoz Martinez H and Pederson A. Global frameworks, local strategies: Women's rights, health, and the tobacco control movement in Argentina. *Global Public Health*, 2018;1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29473460>

Pang RD, Bello MS, Liautaud MM, Weinberger AH, and Leventhal AM. Gender differences in negative affect during acute tobacco abstinence differ between African American and White adult cigarette smokers. *Nicotine and Tobacco Research*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29917091>

Parizadeh D, Momenan AA, Amouzegar A, Azizi F, and Hadaegh F. Tobacco Smoking: Findings from 20 Years of the Tehran Lipid and Glucose Study. *Int J Endocrinol Metab*, 2018; 16(4 Suppl):e84738. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30584430>

Peltier MR, Roys MR, Waters AF, Vinci C, Waldo KM, et al. Motivation and readiness for tobacco cessation among nicotine dependent postmenopausal females: A pilot study. *Experimental and Clinical Psychopharmacology*, 2018; 26(2):125-31. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29648860>

Petersen N and London ED. Addiction and Dopamine: Sex Differences and Insights from Studies of Smoking. *Curr Opin Behav Sci*, 2018; 23:150-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30746429>

Riahi M, Mohammadi AA, Rohani H, and Bidkori M. Dataset on the prevalence of tobacco smoking in men and women of selected countries with difference human development. Data Brief, 2018; 18:506-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29900209>

Sylvestre MP, Chagnon M, Wellman RJ, Dugas EN, and O'Loughlin J. Sex differences in attaining cigarette smoking and nicotine dependence milestones in novice smokers. American Journal of Epidemiology, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29522067>

Verplaetse TL, Morris ED, McKee SA, and Cosgrove KP. Sex differences in the nicotinic acetylcholine and dopamine receptor systems underlying tobacco smoking addiction. Curr Opin Behav Sci, 2018; 23:196-202. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31341936>

Tobacco Use and Women's Health. Nursing for Women's Health, 2017; 21(5):406-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28987214>

Allen AM, Lundein K, Eberly LE, Allen SS, al'Absi M, et al. Hormonal contraceptive use in smokers: Prevalence of use and associations with smoking motives. Addictive Behaviors, 2017; 77:187-92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29055207>

Allen AM, Weinberger AH, Wetherill RR, Howe CL, and McKee SA. Oral Contraceptives and Cigarette Smoking: A Review of the Literature and Future Directions. Nicotine and Tobacco Research, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29165663>

Association of Women's Health O and Neonatal N. Tobacco Use and Women's Health. Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28754473>

Carlson SC, Allen AM, Allen SS, and al'Absi M. Differences in mood and cortisol by menstrual phase during acute smoking abstinence: A within-subject comparison. Experimental and Clinical Psychopharmacology, 2017; 25(5):338-45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29048182>

Chen A, Krebs NM, Zhu J, Sun D, Stennett A, et al. Sex/Gender Differences in Cotinine Levels Among Daily Smokers in the Pennsylvania Adult Smoking Study. J Womens Health (Larchmt), 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28872928>

Meijer E, Verbiest MEA, Chavannes NH, Kaptein AA, Assendelft WJJ, et al. Smokers' identity and quit advice in general practice: General practitioners need to focus more on female smokers. Patient Education and Counseling, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29174388>

Mezquita L, Sanchez-Romera JF, Ibanez MI, Morosoli JJ, Colodro-Conde L, et al. Effects of Social Attitude Change on Smoking Heritability. Behavior Genetics, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28948422>

Pang RD, Andrabi N, and Leventhal AM. Premenstrual Symptoms and Factors Implicated in Smoking Cessation Among Woman Smokers. Experimental and Clinical Psychopharmacology, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28682101>

Pang RD, Liautaud MM, Kirkpatrick MG, Huh J, Monterosso J, et al. Ovarian Hormones and Transdermal Nicotine Administration Independently and Synergistically Suppress Tobacco Withdrawal Symptoms and Smoking Reinstatement in the Human Laboratory. *Neuropsychopharmacology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28905874>

Schoenaker D, Ploubidis GB, Goodman A, and Mishra GD. Factors across the life course predict women's change in smoking behaviour during pregnancy and in midlife: results from the National Child Development Study. *Journal of Epidemiology and Community Health*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28983062>

Smith PH, Zhang J, Weinberger AH, Mazure CM, and McKee SA. Gender differences in the real-world effectiveness of smoking cessation medications: Findings from the 2010-2011 Tobacco Use Supplement to the Current Population Survey. *Drug and Alcohol Dependence*, 2017; 178:485-91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28715776>

Allen A, Vogel RI, Meier E, Anderson A, Jensen J, et al. Gender differences in snus versus nicotine gum for cigarette avoidance among a sample of US smokers. *Drug and Alcohol Dependence*, 2016; 168:8-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27610935>

Smith PH, Bessette AJ, Weinberger AH, Sheffer CE, and McKee SA. Sex/gender differences in smoking cessation: A review. *Preventive Medicine*, 2016; 92:135-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27471021>

Triandafyllid Z, Ussher JM, Perz J, and Huppert K. An Intersectional Analysis of Women's Experiences of Smoking-Related Stigma. *Qualitative Health Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27738259>

Walker NJ, van Woerden HC, Kiparoglou V, Yang Y, Robinson H, et al. Gender difference and effect of pharmacotherapy: findings from a smoking cessation service. *BMC Public Health*, 2016; 16(1):1038. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27716223>

McDermott L, Russell A, and Dobson A. Cigarette smoking among women in Australia. Canberra: Commonwealth Department of Health and Ageing, 2002.

US Department of Health and Human Services. Women and smoking. A report of the Surgeon General. Atlanta, Georgia: US Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2001. Available from: [http://www.cdc.gov/tobacco/data\\_statistics/sgr/index.htm](http://www.cdc.gov/tobacco/data_statistics/sgr/index.htm).

## News:

### 7.19.1 Younger smokers

Cassels C. Smoking Cessation Drug Not for Kids, FDA Says, in MedScape2019. Available from: <https://www.medscape.com/viewarticle/909468>.

No authors listed. Ontario Providing Free Counselling and Medication to Help Youth Quit Smoking, in Ontario Newsroom2018. Available from: <https://news.ontario.ca/mohltc/en/2018/01/ontario-providing-free-counselling-and-medication-to-help-youth-quit-smoking.html>.

U.S. Food and Drug Administration. Eliminating Youth Electronic Cigarette and Other Tobacco Product Use: The Role for Drug Therapies; New Date for Public Hearing; Request for Comments, in Federal Register2018. Available from:  
<https://www.federalregister.gov/documents/2018/12/18/2018-27352/eliminating-youth-electronic-cigarette-and-other-tobacco-product-use-the-role-for-drug-therapies-new>.

#### *7.19.1.2 Cessation interventions*

Ramsbottom T. New ChatHealth SMS initiative for children and young people in Dorset, in Somerset Live2017. Available from: <http://www.somersetlive.co.uk/news/health/new-chathealth-sms-initiative-children-296362>.

#### *7.19.2 Older smokers*

No authors listed. It's time to support older people in giving up smoking, in Medical News Today 2015. Available from: <http://www.medicalnewstoday.com/releases/294278.php?tw>.

#### *7.19.3 Women*

Munro C. Number of women smoking in Aberdeen drops by almost half in just seven years, in Evening Express2020. Available from: <https://www.eveningexpress.co.uk/fp/news/local/number-of-women-smoking-in-aberdeen-drops-by-almost-half-in-just-seven-years1/>.

No authors listed. The facts about women and tobacco, in Truth Initiative2019. Available from: [https://truthinitiative.org/sites/default/files/media/files/2019/03/Truth\\_Women%20and%20Tobacco\\_FactSheet\\_final.pdf](https://truthinitiative.org/sites/default/files/media/files/2019/03/Truth_Women%20and%20Tobacco_FactSheet_final.pdf).

No authors listed. How tobacco companies have used women's history and equality struggles to sell cigarettes, in Truth Initiative2018. Available from: [https://truthinitiative.org/news/how-tobacco-companies-have-used-womens-equality-struggles-sell-cigarettes?utm\\_source=Truth+Initiative+Mailing+List&utm\\_campaign=d3d9155e49-Newsletter\\_090\\_2018\\_03\\_01&utm\\_medium=email&utm\\_term=0\\_c91fd8a5c5-d3d9155e49-86454907](https://truthinitiative.org/news/how-tobacco-companies-have-used-womens-equality-struggles-sell-cigarettes?utm_source=Truth+Initiative+Mailing+List&utm_campaign=d3d9155e49-Newsletter_090_2018_03_01&utm_medium=email&utm_term=0_c91fd8a5c5-d3d9155e49-86454907).