

Tobacco in Australia

Facts & Issues

Relevant news and research

7.1 Health and other benefits of quitting

Last updated July 2021

Research:	3
7.1.1 Heart disease	20
7.1.1.1 Stroke	21
7.1.1.2 Peripheral vascular disease	21
7.1.2 Cancer	21
7.1.2.2 Lung cancer	21
7.1.3 Respiratory diseases.....	22
7.1.3.1 Chronic obstructive pulmonary disease (COPD).....	22
7.1.4 Pregnancy complications and fertility problems.....	22
7.1.5 Oral diseases	23
7.1.6 Blindness	24
7.1.7 Dementia.....	24
7.1.8 Overall health and quality of life.....	24
7.1.9 Other benefits of quitting.....	25
7.1.10 Cutting down: are there health benefits?	26
7.1.11 Health problems that may be temporarily exacerbated by quitting	26
7.1.11.1 Mouth ulcers and colds	28
7.1.11.2 Diabetes	28
7.1.11.3 Quitting and weight gain	28

7.1.11.4 Mental health problems.....	38
News reports:	39
7.1.1 Heart disease	40
7.1.1.1 Stroke	40
7.1.1.2 Peripheral vascular disease	40
7.1.2 Cancer	40
7.1.2.2 Lung cancer	40
7.1.3 Respiratory diseases.....	40
7.1.3.1 Chronic obstructive pulmonary disease (COPD).....	40
7.1.4 Pregnancy complications and fertility problems.....	40
7.1.5 Oral diseases	40
7.1.6 Blindness	40
7.1.7 Dementia.....	40
7.1.8 Overall health and quality of life.....	40
7.1.9 Other benefits of quitting.....	40
7.1.10 Cutting down: are there health benefits?	40
7.1.11 Health problems that may be temporarily exacerbated by quitting	40
7.1.11.1 Mouth ulcers and colds	40
7.1.11.2 Diabetes	40
7.1.11.3 Quitting and weight gain	40
7.1.11.4 Mental health problems.....	41

Research:

Yang, JJ, Yu, D, Shu, XO, Wen, W, Rahman, S, Abe, S et al (2021). Reduction in total and major cause-specific mortality from tobacco smoking cessation: a pooled analysis of 16 population-based cohort studies in Asia. *Int J Epidemiol*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34009320>

Choi, JW, Kim, TH, & Han, E. (2020). Smoking Cessation, Weight Change, Diabetes, and Hypertension in Korean Adults. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33153837>

Yang, JJ, Yu, D, Shu, XO, Freedman, ND, Wen, W, Rahman, S et al. (2020). Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. *Tobacco Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32546664>

Alshahrani A. The effects of smoking cessation on diabetes mellitus patients. *Curr Diabetes Rev*, 2020; 16(2):137-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31362677>

Zhao L, Zou LY, Cheng BF, Yu XJ, Zou JH, et al. Chronic obstructive pulmonary disease risk and smoking cessation changes induced by chrna5-a3 and chrnb3-a6 variation in a chinese male population. *Balkan J Med Genet*, 2019; 22(2):51-8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31942417>

Xue C, Chen QZ, Bian L, Yin ZF, Xu ZJ, et al. Effects of smoking cessation with nicotine replacement therapy on vascular endothelial function, arterial stiffness, and inflammation response in healthy smokers. *Angiology*, 2019;3319719853458. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31137942>

Wang C, Shen Z, Huang P, Qian W, Zhou C, et al. Increased interregional functional connectivity of anterior insula is associated with improved smoking cessation outcome. *Brain Imaging and Behavior*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31494823>

van den Berg MJ, van der Graaf Y, Deckers JW, de Kanter W, Algra A, et al. Smoking cessation and risk of recurrent cardiovascular events and mortality after a first manifestation of arterial disease. *American Heart Journal*, 2019; 213:112-22. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31132583>

Tran CT, Felber Medlin L, Lama N, Taranu B, Ng W, et al. Biological and functional changes in healthy adult smokers who are continuously abstinent from smoking for one year: Protocol for a prospective, observational, multicenter cohort study. *JMIR Res Protoc*, 2019; 8(6):e12138. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31199335>

SSY AL, Natto ZS, Midle JB, Gyurko R, O'Neill R, et al. Association between time since quitting smoking and periodontitis in former smokers in the national health and nutrition examination surveys (nhanes) 2009 to 2012. *Journal of Periodontology*, 2019; 90(1):16-25. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30102767>

Souto MLS, Rovai ES, Villar CC, Braga MM, and Pannuti CM. Effect of smoking cessation on tooth loss: A systematic review with meta-analysis. *BMC Oral Health*, 2019; 19(1):245. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31718636>

Schmidt KMT, Hansen KM, Johnson AL, Gepner AD, Korcarz CE, et al. Longitudinal effects of cigarette smoking and smoking cessation on aortic wave reflections, pulse wave velocity, and carotid artery distensibility. *J Am Heart Assoc*, 2019; 8(24):e013939. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31795823>

Roelsgaard IK, Ikdahl E, Rollefstad S, Wibetoe G, Esbensen BA, et al. Smoking cessation is associated with lower disease activity and predicts cardiovascular risk reduction in rheumatoid arthritis patients. *Rheumatology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31782789>

Rigotti NA and McDermott MM. Smoking cessation and cardiovascular disease: It's never too early or too late for action. *Journal of the American College of Cardiology*, 2019; 74(4):508-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31345424>

Pezzuto A, D'Ascanio M, Grieco A, and Ricci A. Functional benefit of smoking cessation in severe copd patients undergoing bronchial valve implantation. *Eur J Intern Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31387842>

Otavova M, Van Oyen H, Yokota RTC, Charafeddine R, Joossens L, et al. Potential impact of reduced tobacco use on life and health expectancies in belgium. *International Journal of Public Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31781804>

Mitchell C, Piper ME, Smith SS, Korcarz CE, Fiore MC, et al. Changes in carotid artery structure with smoking cessation. *Vascular Medicine*, 2019:1358863X19867762. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31422759>

Li Y, Tindle HA, Hendryx MS, Xun P, He K, et al. Smoking cessation and the risk of bladder cancer among postmenopausal women. *Cancer Prev Res (Phila)*, 2019; 12(5):305-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31043379>

Leite FRM, Nascimento GG, Baake S, Pedersen LD, Scheutz F, et al. Impact of smoking cessation on periodontitis: A systematic review and meta-analysis of prospective longitudinal observational and interventional studies. *Nicotine and Tobacco Research*, 2019; 21(12):1600-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30011036>

Kayali Dinc AS, Cayonu M, Sengezer T, and Sahin MM. Smoking cessation improves the symptoms and the findings of laryngeal irritation. *Ear, Nose, and Throat Journal*, 2019:145561319881559. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31608685>

Jaspers NEM, Blaha MJ, Matsushita K, van der Schouw YT, Wareham NJ, et al. Prediction of individualized lifetime benefit from cholesterol lowering, blood pressure lowering, antithrombotic therapy, and smoking cessation in apparently healthy people. *European Heart Journal*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31102402>

Hijazi K, Malyszko B, Steiling K, Xiao X, Liu G, et al. Tobacco-related alterations in airway gene expression are rapidly reversed within weeks following smoking-cessation. *Sci Rep*, 2019; 9(1):6978. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31061400>

Head S. Smoking cessation is better than drugs for mild copd. *BMJ*, 2019; 365:l2152. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31088781>

Gemine RE, Ghosal R, Collier G, Parry D, Campbell I, et al. Longitudinal study to assess impact of smoking at diagnosis and quitting on 1-year survival for people with non-small cell lung cancer. *Lung Cancer*, 2019; 129:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30797485>

Duncan MS, Freiberg MS, Greevy RA, Jr., Kundu S, Vasan RS, et al. Association of smoking cessation with subsequent risk of cardiovascular disease. *JAMA*, 2019; 322(7):642-50. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31429895>

Cole TB. Smoking cessation and reduction of cardiovascular disease risk. *JAMA*, 2019; 322(7):651. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31429880>

Bolckmans R, Kalman D, Singh S, Ratnatunga K, Myreid P, et al. Does smoking cessation reduce surgical recurrence after primary ileocolic resection for crohn's disease? *Diseases of the Colon and Rectum*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31842162>

Bohm R, Sedlak A, Bulko M, and Holy K. Lung regeneration in abstaining smokers. *Radiation Protection Dosimetry*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31793636>

Ansah JP, Inn RLH, and Ahmad S. An evaluation of the impact of aggressive hypertension, diabetes and smoking cessation management on cvd outcomes at the population level: A dynamic simulation analysis. *BMC Public Health*, 2019; 19(1):1105. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31412830>

van Osch FHM, Jochems SHJ, Reulen RC, Pirrie SJ, Nekeman D, et al. The association between smoking cessation before and after diagnosis and non-muscle-invasive bladder cancer recurrence: A prospective cohort study. *Cancer Causes and Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29846846>

Tse LA, Lin X, Li W, Qiu H, Chan CK, et al. Smoking cessation sharply reduced lung cancer mortality in a historical cohort of 3185 chinese silicotic workers from 1981 to 2014. *British Journal of Cancer*, 2018. Available from: <https://www.nature.com/articles/s41416-018-0292-6>

Tse LA, Lin X, Li W, Qiu H, Chan CK, et al. Smoking cessation sharply reduced lung cancer mortality in a historical cohort of 3185 chinese silicotic workers from 1981 to 2014. *British Journal of Cancer*, 2018. Available from: <https://www.nature.com/articles/s41416-018-0292-6>

Toffolo MCF, Gomes ADS, Van Keulen HV, Louro MB, Silva F, et al. Alteration of inflammatory adipokines after four months of smoking abstinence in multidisciplinary intervention program. *Nutricion Hospitalaria*, 2018; 0(0):434-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29756980>

Smith MA and Jackson A. Tobacco use, tobacco cessation, and musculoskeletal health. *Orthop Nurs*, 2018; 37(5):280-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30247409>

Shin HS, Oh JE, and Cho YJ. The association between smoking cessation period and metabolic syndrome in Korean men. *Asia-Pacific Journal of Public Health*, 2018:1010539518786517. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29969909>

Pezzuto A, Stellato M, Catania G, Mazzara C, Tonini S, et al. Short-term benefit of smoking cessation along with glycopyrronium on lung function and respiratory symptoms in mild COPD patients: A retrospective study. *Journal of Breath Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29967309>

Munakomi S. Reader response: Smoking cessation and outcome after ischemic stroke or TIA. *Neurology*, 2018; 90(23):1082. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29866936>

Mai ZM, Ho SY, Lo CM, Wang MP, Peto R, et al. Mortality reduction from quitting smoking in Hong Kong: Population-wide proportional mortality study. *International Journal of Epidemiology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29438481>

Levy DE, Chang Y, Regan S, Tindle HA, Singer DE, et al. Improvements in health-related quality of life among smokers who quit after hospitalization. *Preventive Medicine*, 2018; 110:38-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29427673>

Kucuk B and Akkaya S. The effect of smoking cessation on posterior ocular structures. *Arquivos Brasileiros de Oftalmologia*, 2018; 81(5):361-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30208136>

Kamizono Y, Shiga Y, Suematsu Y, Imaizumi S, Tsukahara H, et al. Impact of cigarette smoking cessation on plasma alpha-klotho levels. *Medicine*, 2018; 97(35):e11947. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30170389>

Jobst BJ, Weinheimer O, Buschulte T, Trauth M, Tremper J, et al. Longitudinal airway remodeling in active and past smokers in a lung cancer screening population. *European Radiology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30552475>

Goettel M, Niessner R, Scherer M, Scherer G, and Pluym N. Analysis of urinary eicosanoids by LC-MS/MS reveals alterations in the metabolic profile after smoking cessation. *Chemical Research in Toxicology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29400456>

Gallus S, Lugo A, Suatoni P, Taverna F, Bertocchi E, et al. Effect of tobacco smoking cessation on C-reactive protein levels in a cohort of low-dose computed tomography screening participants. *Sci Rep*, 2018; 8(1):12908. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30150729>

Djurdjevic S, Sponsiello-Wang Z, Lee PN, Fry JS, Weitkunat R, et al. Modeling the impact of changes in tobacco use on individual disease risks. *Regulatory Toxicology and Pharmacology*, 2018; 97:88-97. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29894733>

Cuschieri S, Vassallo J, Calleja N, and Mamo J. Relationship between past, present and passive smokers to socio-demographic, anthropometric, biochemical and dysglycaemic profiles. *Journal of Diabetes*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30144285>

Cole AL, Schmidt-Owens M, Beavis AC, Chong CF, Tarwater PM, et al. Cessation from smoking improves innate host defense and clearance of experimentally inoculated nasal *S. Aureus*. *Infection and Immunity*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29311241>

Choi D, Choi S, and Park SM. Effect of smoking cessation on the risk of dementia: A longitudinal study. *Ann Clin Transl Neurol*, 2018; 5(10):1192-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30349854>

Cho MH, Lee K, Park SM, Chang J, Choi S, et al. Effects of smoking habit change on all-cause mortality and cardiovascular diseases among patients with newly diagnosed diabetes in Korea. *Sci Rep*, 2018; 8(1):5316. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29593229>

Braillon A. Long-term smoking cessation: From general practice to public health. *International Journal of Epidemiology*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29741622>

Boehme A. Author response: Smoking cessation and secondary stroke prevention. *Neurology*, 2018; 90(18):860-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29712810>

Bloom JA, Rashad R, and Chatterjee A. The impact on mortality and societal costs from smoking cessation in aesthetic plastic surgery in the United States. *Aesthetic Surgery Journal*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30010771>

Alexandridi F, Tsantila S, and Pepelassi E. Smoking cessation and response to periodontal treatment. *Australian Dental Journal*, 2018; 63(2):140-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28921548>

Alcauskas M and Galetta S. Editors' note: Smoking cessation and secondary stroke prevention. *Neurology*, 2018; 90(18):860. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29712808>

Zvolska K, Kralikova E, Pankova A, and Stepankova L. The most effective intervention to lower atherosclerosis progression: Treatment of tobacco dependence. *Atherosclerosis*, 2017; 263:e108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29365449>

Weinhold D and Chaloupka FJ. Smoking status and subjective well-being. *Tobacco Control*, 2017; 26(2):195-201. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27098008>

Turan A, Koyuncu O, Egan C, You J, Ruetzler K, et al. Effect of various durations of smoking cessation on postoperative outcomes: A retrospective cohort analysis. *European Journal of Anaesthesiology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29023246>

Su VY and Yang KY. Smoking cessation changing the mortality risk. *Journal of the Chinese Medical Association*, 2017; 80(5):273-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28314595>

Soares Peres F, Barreto SM, Camelo LD, Ribeiro AL, Vidigal PG, et al. Time from smoking cessation and inflammatory markers: New evidence from a cross-sectional analysis of elsa-brasil. *Nicotine and Tobacco Research*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28164227>

Saito E, Inoue M, Tsugane S, Ito H, Matsuo K, et al. Smoking cessation and subsequent risk of cancer: A pooled analysis of eight population-based cohort studies in japan. *Cancer Epidemiology*, 2017; 51:98-108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29102692>

Roelsgaard IK, Thomsen T, Ostergaard M, Christensen R, Hetland ML, et al. The effect of an intensive smoking cessation intervention on disease activity in patients with rheumatoid arthritis: Study protocol for a randomised controlled trial. *Trials*, 2017; 18(1):570. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29183347>

Phillips KM, Hoehle L, Bergmark RW, Caradonna DS, Gray ST, et al. Reversal of smoking effects on chronic rhinosinusitis after smoking cessation. *Otolaryngol Head Neck Surg*, 2017:194599817717960. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28699423>

Pechacek TF, Nayak P, Slovic P, Weaver SR, Huang J, et al. Reassessing the importance of 'lost pleasure' associated with smoking cessation: Implications for social welfare and policy. *Tobacco Control*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29183920>

Lima CF, Crastechini E, Dos Santos NC, Prado Ribeiro AC, Brandao TB, et al. Smoking cessation leads to changes in survivin expression in oral mucosa. *Journal of Oral Pathology and Medicine*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29160903>

Koshiaris C, Aveyard P, Oke J, Ryan R, Szatkowski L, et al. Smoking cessation and survival in lung, upper aero-digestive tract and bladder cancer: Cohort study. *British Journal of Cancer*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28898236>

Kim S. Effect of complex training on carbon monoxide, cardiorespiratory function, and body mass among college students at the initial stage of stopping smoking. *J Phys Ther Sci*, 2017; 29(8):1297-300. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28878451>

Epstein KA, Viscoli CM, Spence JD, Young LH, Inzucchi SE, et al. Smoking cessation and outcome after ischemic stroke or tia. *Neurology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28887378>

Chang SS. Re: Refraining from smoking for 15 years or more reduced the risk of tumor recurrence in non-muscle invasive bladder cancer patients. *Journal of Urology*, 2017; 198(5):979-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059772>

Boehme A. Smoking cessation and secondary stroke prevention. *Neurology*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28887376>

Bai JW, Chen XX, Liu S, Yu L, and Xu JF. Smoking cessation affects the natural history of copd. *International Journal of Chronic Obstructive Pulmonary Disease*, 2017; 12:3323-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29180862>

Quitting smoking: The benefits. *Breathe (Sheff)*, 2017; 13(3):263-5. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28894493>

Tofield A. Cardiopulse: Exercise and stop smoking to improve depression after myocardial infarction. *European Heart Journal*, 2016; 37(3):214–5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27471762>

To N, Gracie DJ, and Ford AC. The importance of smoking cessation in improving disease course in crohn's disease. *American Journal of Gastroenterology*, 2016; 111(8):1198. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27481416>

Rodrigues LM, Magrini TD, Lima CF, Scholz J, da Silva Martinho H, et al. Effect of smoking cessation in saliva compounds by ftir spectroscopy. *Spectrochimica Acta. Part A, Molecular and Biomolecular Spectroscopy*, 2016; 174:124-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27888782>

Parker BA and Pierce JP. Importance of smoking cessation to reduce breast cancer mortality. *Journal of Clinical Oncology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26951316>

Nunes T, Etchevers MJ, Garcia-Sanchez V, Ginard D, Marti E, et al. Impact of smoking cessation on the clinical course of crohn's disease under current therapeutic algorithms: A multicenter prospective study. *American Journal of Gastroenterology*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26856753>

Mach L, Bedanova H, Soucek M, Karpisek M, Nemecek P, et al. Tobacco smoking and cytokine levels in human epicardial adipose tissue: Impact of smoking cessation. *Atherosclerosis*, 2016; 255:37-42.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27816807>

Komiyama M, Shimada S, Wada H, Yamakage H, Satoh-Asahara N, et al. Time-dependent changes of atherosclerotic ldl complexes after smoking cessation. *J Atheroscler Thromb*, 2016; 23(11):1270-5.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27298048>

Kohata Y, Fujiwara Y, Watanabe T, Kobayashi M, Takemoto Y, et al. Correction: Long-term benefits of smoking cessation on gastroesophageal reflux disease and health-related quality of life. *PLoS ONE*, 2016; 11(3):e0150554. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26930217>

Kohata Y, Fujiwara Y, Watanabe T, Kobayashi M, Takemoto Y, et al. Long-term benefits of smoking cessation on gastroesophageal reflux disease and health-related quality of life. *PLoS ONE*, 2016;

11(2):e0147860. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26845761>

Kinoshita Y, Watanabe K, Sakamoto A, and Hidaka K. Pulmonary langerhans cell histiocytosis-associated pulmonary hypertension showing a drastic improvement following smoking cessation. *Internal Medicine*, 2016; 55(5):491–5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26935369>

Kato T, Takiuchi H, Sugiyama S, Makino M, Noguchi S, et al. Measurement of reduced gingival melanosis after smoking cessation: A novel analysis of gingival pigmentation using clinical oral photographs. *International Journal of Environmental Research and Public Health*, 2016; 13(6).

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27322294>

Gasparini B, Barbadoro P, Cherubini A, Pierri F, D'Errico MM, et al. The earlier the better: Health-related quality of life is inversely related to age of smoking cessation in older former Italian smokers. *Aging Clinical and Experimental Research*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27456679>

Eugen-Olsen J, Ladelund S, and Sorensen LT. Plasma super is lowered by smoking cessation - a randomised controlled study. *European Journal of Clinical Investigation*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26799247>

Buchholz EM, Beckman AL, Kiefe CI, and Krumholz HM. Life years gained from smoking-cessation counseling after myocardial infarction. *American Journal of Preventive Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27692757>

Brown J, West R, Beard E, Brennan A, Drummond C, et al. Are recent attempts to quit smoking associated with reduced drinking in England? A cross-sectional population survey. *BMC Public Health*, 2016; 16:535. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27443348>

Zhao J, Pachanee CA, Yiengprugsawan V, Seubsman SA, Sleigh A, et al. Smoking, smoking cessation, and 7-year mortality in a cohort of Thai adults. *Popul Health Metr*, 2015; 13:30. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26512212>

Taylor G, Girling A, McNeill A, and Aveyard P. Does smoking cessation result in improved mental health? A comparison of regression modelling and propensity score matching. *BMJ Open*, 2015; 5(10):e008774. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26490099>

Stickley A, Koyanagi A, Roberts B, Leinsalu M, Goryakin Y, et al. Smoking status, nicotine dependence and happiness in nine countries of the former Soviet Union. *Tobacco Control*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25564285>

Shinohara T, Kadota N, Hino H, Naruse K, Ohtsuki Y, et al. Improvement in idiopathic nonspecific interstitial pneumonia after smoking cessation. *Respir Med Case Rep*, 2015; 14:7–9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26029566>

Roach MC, Rehman S, DeWees TA, Abraham CD, Bradley JD, et al. It's never too late: Smoking cessation after stereotactic body radiation therapy for non-small cell lung carcinoma improves overall survival. *Pract Radiat Oncol*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26598909>

Postolache P, Nemes RM, Petrescu O, and Merisanu IO. Smoking cessation, pulmonary rehabilitation and quality of life at smokers with COPD. *Revista Medico-Chirurgicala a Societatii de Medici si Naturalisti Din Iasi*, 2015; 119(1):77–80. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25970946>

Ogihara K, Kikuchi E, Yuge K, Ito Y, Tanaka N, et al. Refraining from smoking for 15 years or more reduced the risk of tumor recurrence in non-muscle invasive bladder cancer patients. *Annals of Surgical Oncology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26671037>

Kryfti M, Dimakou K, Toumbis M, Daniil Z, Hatzoglou C, et al. Effects of smoking cessation on serum leptin and adiponectin levels. *Tob Induc Dis*, 2015; 13:30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26869871>

Jha P. Commentary on lam et al. 2015: The slow hazards of smoking and the rapid benefits of cessation. *Addiction*, 2015; 110(3):511–2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25678294>

Guaraldi G, Raggi P, Gomes A, Zona S, Marchi E, et al. Lung and heart diseases are better predicted by pack-years than by smoking status or duration of smoking cessation in hiv patients. *PLoS ONE*, 2015; 10(12):e0143700. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26650682>

Girard D, Delgado-Eckert E, Schaffner E, Hacki C, Adam M, et al. Long-term smoking cessation and heart rate dynamics in an aging healthy cohort: Is it possible to fully recover? *Environmental Research*, 2015; 143(Pt A):39–48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26432956>

Feinberg JH, Ryan MA, Johns M, Marvin BA, Reading JE, et al. Smoking cessation and improvement in physical performance among young men. *Military Medicine*, 2015; 180(3):343–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25735027>

Courville CA, Raju SV, Liu B, Accurso FJ, Dransfield MT, et al. Recovery of acquired cystic fibrosis transmembrane conductance regulator dysfunction after smoking cessation. *American Journal of Respiratory and Critical Care Medicine*, 2015; 192(12):1521–4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26669476>

Berkovitch A, Kivity S, Klempfner R, Segev S, Milwidsky A, et al. Time-dependent relation between smoking cessation and improved exercise tolerance in apparently healthy middle-age men and women. *Eur J Prev Cardiol*, 2015; 22(6):807-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24817697>

Banks E, Joshy G, Weber MF, Liu B, Grenfell R, et al. Tobacco smoking and all-cause mortality in a large australian cohort study: Findings from a mature epidemic with current low smoking prevalence. *BMC Medicine*, 2015; 13(1):38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25857449>

Ahmed AA, Patel K, Nyaku MA, Kheirbek RE, Bittner V, et al. Risk of heart failure and death after prolonged smoking cessation: Role of amount and duration of prior smoking. *Circulation. Heart Failure*, 2015; 8(4):694-701. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26038535>

Sleep changes in smokers before, during and 3 months after nicotine withdrawal. *Addiction Biology*, 2015; 20(6):1056. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26810257>

4. Foundations of care: Education, nutrition, physical activity, smoking cessation, psychosocial care, and immunization. *Diabetes Care*, 2015; 38(Supplement 1):S20–S30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25537702>

Yanagi M, Misumi M, Kawasaki R, Takahashi I, Itakura K, et al. Is the association between smoking and the retinal venular diameter reversible following smoking cessation? *Investigative*

Ophthalmology and Visual Science, 2014; 55(1):405–11. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24302587>

Wong JA, Pickworth WB, Waters AJ, al'Absi M, and Leventhal AM. Cortisol levels decrease after acute tobacco abstinence in regular smokers. *Human Psychopharmacology*, 2014; 29(2):152–62.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24399662>

Won WY, Lee CU, Chae JH, Kim JJ, Lee C, et al. Changes of plasma adiponectin levels after smoking cessation. *Psychiatry Investig*, 2014; 11(2):173–8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24843373>

Westergaard CG, Porsbjerg C, and Backer V. The effect of smoking cessation on airway inflammation in young asthma patients. *Clinical and Experimental Allergy*, 2014; 44(3):353–61. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24286379>

Vlaanderen J, Portengen L, Schuz J, Olsson A, Pesch B, et al. Effect modification of the association of cumulative exposure and cancer risk by intensity of exposure and time since exposure cessation: A flexible method applied to cigarette smoking and lung cancer in the synergy study. *American Journal of Epidemiology*, 2014; 179(3):290–8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24355332>

Truntzer J, Vopat B, Feldstein M, and Matityahu A. Smoking cessation and bone healing: Optimal cessation timing. *Eur J Orthop Surg Traumatol*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24879610>

Tomioka H, Sekiya R, Nishio C, and Ishimoto G. Impact of smoking cessation therapy on health-related quality of life. *BMJ Open Respir Res*, 2014; 1(1):e000047. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25478191>

Slomski A. Gastroesophageal reflux symptoms abate when smoking stops. *JAMA*, 2014; 311(4):349.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24449300>

Sicras-Mainar A, Rejas-Gutierrez J, Navarro-Artieda R, and Ibanez-Nolla J. The effect of quitting smoking on costs and healthcare utilization in patients with chronic obstructive pulmonary disease: A comparison of current smokers versus ex-smokers in routine clinical practice. *Lung*, 2014; 192(4):505-18. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/24816902>

Rodrigues FM, Ramos D, Xavier RF, Ito JT, Souza AP, et al. Nasal and systemic inflammatory profile after short term smoking cessation. *Respiratory Medicine*, 2014; 108(7):999–1006. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24863424>

Prochaska JJ. Quitting smoking is associated with long term improvements in mood. *BMJ*, 2014; 348:g1562. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24534077>

O'Malley SS, Wu R, Mayne ST, and Jatlow PI. Smoking cessation is followed by increases in serum bilirubin, an endogenous antioxidant associated with lower risk of lung cancer and cardiovascular disease. *Nicotine and Tobacco Research*, 2014; 16(8):1145–9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24812024>

- Maci E, Comito F, Frezza AM, Tonini G, and Pezzuto A. Lung nodule and functional changes in smokers after smoking cessation short-term treatment. *Cancer Investigation*, 2014; 32(8):388–93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24941266>
- Lee PN, Fry JS, and Forey BA. Estimating the decline in excess risk of chronic obstructive pulmonary disease following quitting smoking - a systematic review based on the negative exponential model. *Regulatory Toxicology and Pharmacology*, 2014; 68(2):231-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24361344>
- Jha P and Peto R. Global effects of smoking, of quitting, and of taxing tobacco. *New England Journal of Medicine*, 2014; 370(1):60–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24382066>
- Jandikova H, Duskova M, Simunkova K, Racz B, Hill M, et al. How smoking cessation influence hormonal levels in postmenopausal women? *Prague Medical Report*, 2014; 115(1-2):60–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24874935>
- Ito JT, Ramos D, Lima FF, Rodrigues FM, Gomes PR, et al. Nasal mucociliary clearance in subjects with copd after smoking cessation. *Respiratory Care*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25389352>
- Dhariwal J, Tennant RC, Hansell DM, Westwick J, Walker C, et al. Smoking cessation in copd causes a transient improvement in spirometry and decreases micronodules on high-resolution ct imaging. *Chest*, 2014; 145(5):1006–15. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24522562>
- Clancy L. Reducing lung cancer and other tobacco-related cancers in europe: Smoking cessation is the key. *Oncologist*, 2014; 19(1):16–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24319017>
- Cho SY, You E, Lee HJ, Lee WI, and Park TS. Smoking cession decreases mean platelet volume in healthy korean populations. *Clin Lab*, 2014; 60(8):1413–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25185431>
- Carrozzi L, Falcone F, Carreras G, Pistelli F, Gorini G, et al. Life gain in italian smokers who quit. *International Journal of Environmental Research and Public Health*, 2014; 11(3):2395-406. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24577282>
- Brook JS, Rubenstone E, Zhang C, and Brook DW. Better late than never: The perceived benefits of smoking cessation among women in late midlife. *Journal of Addictive Diseases*, 2014; 33(3):266-73. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25115276>
- Biedermann L, Brulisauer K, Zeitz J, Frei P, Scharl M, et al. Smoking cessation alters intestinal microbiota: Insights from quantitative investigations on human fecal samples using fish. *Inflammatory Bowel Diseases*, 2014; 20(9):1496–501. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25072500>
- Behrend C, Schonbach E, Coombs A, Coyne E, Prasarn M, et al. Smoking cessation related to improved patient-reported pain scores following spinal care in geriatric patients. *Geriatr Orthop Surg Rehabil*, 2014; 5(4):191–4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26246941>

Bass F and Naish B. Advancing preventive care with clinical tobacco intervention. *Canadian Family Physician*, 2014; 60(3):221–2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24627371>

Auer R, Vittinghoff E, Kiefe C, Reis JP, Rodondi N, et al. Change in physical activity after smoking cessation: The coronary artery risk development in young adults (cardia) study. *Addiction*, 2014; 109(7):1172–83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24690003>

Smoking and women's health: Tips on why and how to quit. *Journal of Midwifery and Women's Health*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25196402>

Pill-free ways to improve your sex life. Exercise, smoking cessation, and alcohol moderation can help bring sexual activity back into the bedroom. *Harvard Health Letter*, 2014; 39(10):4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25230408>

Wozniak A, Gorecki D, Szpinda M, Mila-Kierzenkowska C, and Wozniak B. Oxidant-antioxidant balance in the blood of patients with chronic obstructive pulmonary disease after smoking cessation. *Oxidative Medicine and Cellular Longevity*, 2013; 2013:897075. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24089631>

Spanos K, Georgiou E, Saleptsis V, Athanasoulas A, Sakkas L, et al. Effectiveness of intravenous ilomedin infusion and smoking cessation in the treatment of acutely symptomatic buerger disease. *Angiology*, 2013. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24366824>

Shields M and Wilkins K. Smoking, smoking cessation and heart disease risk: A 16-year follow-up study. *Health Reports*, 2013; 24(2):12-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24257906>

Shields M, Garner RE, and Wilkins K. Dynamics of smoking cessation and health-related quality of life among Canadians. *Health Reports*, 2013; 24(2):3–11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24257905>

Pezzuto A, Spoto C, Vincenzi B, and Tonini G. Short-term effectiveness of smoking-cessation treatment on respiratory function and cea level. *J Comp Eff Res*, 2013; 2(3):335–43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24236632>

Forey BA, Fry JS, Lee PN, Thornton AJ, and Coombs KJ. The effect of quitting smoking on hdl-cholesterol - a review based on within-subject changes. *Biomark Res*, 2013; 1(1):26. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24252691>

Dogar O, Bullen C, Novotny TE, and Siddiqi K. Smoking cessation and respiratory disease in low-income and middle-income countries. *Lancet Respir Med*, 2013; 1(5):e23–4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24429210>

Fight kidney disease with a better diet, weight loss and smoking cessation. *Harvard Health Letter*, 2013; 38(9):8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24409545>

Stepien E, Miszalski-Jamka T, Kapusta P, Tylko G, and Pasowicz M. Beneficial effect of cigarette smoking cessation on fibrin clot properties. *Journal of Thrombosis and Thrombolysis*, 2011; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21538069>

Ramos E, de Toledo A, Xavier R, Fosco L, Vieira R, et al. Reversibility of impaired nasal mucociliary clearance in smokers following a smoking cessation program. *Respirology*, 2011; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1440-1843.2011.01985.x/pdf>

Proenca M, Fagundes Xavier R, Ramos D, Cavalheri V, Pitta F, et al. Immediate and short term effects of smoking on nasal mucociliary clearance in smokers. *Revista Portuguesa de Pneumologia*, 2011; [Epub ahead of print]. Available from: <http://www.elsevier.es/sites/default/files/elsevier/eop/S0873-2159%2811%2900005-5.pdf>

Herrero J, Pardo F, D'Avola D, Alegre F, Rotellar F, et al. Risk factors of lung, head and neck, esophageal, and kidney and urinary tract carcinomas after liver transplantation: The effect of smoking withdrawal. *Liver Transplant*, 2011; 17(4):402–8. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/lt.22247/full>

Gepner A, Piper M, Johnson H, Fiore M, Baker T, et al. Effects of smoking and smoking cessation on lipids and lipoproteins: Outcomes from a randomized clinical trial. *American Heart Journal*, 2011; 161(1):145–51. Available from: <http://www.ahjonline.com/article/PIIS0002870310008926/fulltext>

Capewell S and O'Flaherty M. Rapid mortality falls after risk-factor changes in populations. *The Lancet*, 2011; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21414659>

Box H, O'Connor R, Patrzyc H, Iijima H, Dawidzik J, et al. Reduction in oxidatively generated DNA damage following smoking cessation. *Tobacco Induced Diseases*, 2011; 9(1):5. Available from: <http://www.tobaccoinduceddiseases.com/content/9/1/5>

US Department of Health and Human Services. How tobacco smoke causes disease: The biology and behavioral basis for smoking-attributable disease: A report of the surgeon general. Atlanta, GA: Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2010. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK53017/>.

Roux A, Motreff P, Perriot J, Pereira B, Lussan JR, et al. Early improvement in peripheral vascular tone following smoking cessation using nicotine replacement therapy: Aortic wave reflection analysis. *Cardiology*, 2010; 117(1):37-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20881393>

Louhelainen N, Stark H, Mazur W, Ryttila P, Djukanovic R, et al. Elevation of sputum matrix metalloproteinase-9 persists up to 6 months after smoking cessation: A research study. *BMC Pulmonary Medicine*, 2010; 10:13. Available from: <http://www.biomedcentral.com/1471-2466/10/13>

Jang AS, Park SW, Kim DJ, Uh S, Kim YH, et al. Effects of smoking cessation on airflow obstruction and quality of life in asthmatic smokers. *Allergy Asthma Immunol Res*, 2010; 2(4):254-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20885910>

Sales MP, Oliveira MI, Mattos IM, Viana CM, and Pereira ED. The impact of smoking cessation on patient quality of life. *J Bras Pneumol*, 2009; 35(5):436-41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19547852>

Pfaff K, El-Masri M, and Fox-Wasylyshyn S. Comparing the psychological stress between non-smoking patients and smoking patients who experience abrupt smoking cessation during hospitalization for acute myocardial infarction: A pilot study. *Canadian Journal of Cardiovascular Nursing*, 2009; 19(4):26–32. Available from: <http://www.cccn.ca/eng/journal.cfm>

Nakamura K, Huxley R, Ansary-Moghaddam A, and Woodward M. The hazards and benefits associated with smoking and smoking cessation in asia: A meta-analysis of prospective studies. *Tobacco Control*, 2009; 18(5):345–53. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/18/5/345>

Mason D, Subramanian S, Nowicki E, Grab J, Murthy S, et al. Impact of smoking cessation before resection of lung cancer: A society of thoracic surgeons general thoracic surgery database study. *The Annals of Thoracic Surgery*, 2009; 88(2):362–71. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19632374

Johansson A, Dickman P, Kramer M, and Cnattingius S. Maternal smoking and infant mortality: Does quitting smoking reduce the risk of infant death? *Epidemiology*, 2009; 20(4):590–7. Available from: www.ncbi.nlm.nih.gov/pubmed/19289964

Hodge P and Binnie V. Smoking cessation and periodontal health--a missed opportunity? *Evidence-based Dentistry*, 2009; 10(1):18-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19322225>

Chen-Yuan C. After uplift: Smoking cessation remains the best intervention in smokers with copd. *The International Journal of Tuberculosis and Lung Disease*, 2009; 13(2):151–2. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19146740

Boms N, Yonai Y, Molnar S, Rosengarten B, Bornstein N, et al. Effect of smoking cessation on visually evoked cerebral blood flow response in healthy volunteers. *Journal of Vascular Research*, 2009; 47(3):214–20. Available from: <http://content.karger.com/produktedb/produkte.asp?typ=fulltext&file=000255964#kw>

Bjartveit K and Tverdal A. Health consequences of sustained smoking cessation. *Tobacco Control*, 2009; 18:197–205. Available from: <http://tobaccocontrol.bmj.com/content/18/3/197.full>

Au DH, Bryson CL, Chien JW, Sun H, Udris EM, et al. The effects of smoking cessation on the risk of chronic obstructive pulmonary disease exacerbations. *Journal of General Internal Medicine*, 2009; 24(4):457-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19194768>

van Domburg R, op Reimer W, Hoeks S, Kappetein A, and Bogers A. Three life-years gained from smoking cessation after coronary artery bypass surgery: A 30-year follow-up study. *American Heart Journal*, 2008; 156(3):473–6. Available from: <http://www.ahjonline.com/article/PIIS0002870308002858/fulltext>

Shibly O, Cummings K, and Zambon J. Resolution of oral lesions after tobacco cessation. *Journal of Periodontology*, 2008; 79(9):1797–801. Available from: <http://www.joponline.org/doi/pdf/10.1902/jop.2008.070544>

Frothingham S, Smith P, Payne T, and Meadows S. Clinical inquiries: How much does smoking cessation cut chd risk? *The Journal of Family Practice*, 2008; 57(10):675–6. Available from: <http://www.ncbi.nlm.nih.gov/sites/entrez>

Cesaroni G, Forastiere F, Agabiti N, Valente P, Zuccaro P, et al. Effect of the italian smoking ban on population rates of acute coronary events *Circulation*, 2008; 117(9):1183–8. Available from: <http://circ.ahajournals.org/cgi/reprint/CIRCULATIONAHA.107.729889v1>

[No authors listed]. Women who stop smoking reduce risk of death rather quickly. *Mayo Clinic Women's Healthsource*, 2008; 12(10):3. Available from: http://www.unboundmedicine.com/medline/ebm/record/18772834/full_citation/Women_who_stop_smoking_reduce_risk_of_death_rather_quickly

International Agency for Research on Cancer. Reversal of risk after quitting smoking. IARC handbooks of cancer prevention, Tobacco Control, 11 Lyon, France: IARC, 2007. Available from: <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=76&codcch=22>.

Huxley R, Jamrozik K, Lam TH, Barzi F, Ansary-Moghaddam A, et al. Impact of smoking and smoking cessation on lung cancer mortality in the asia-pacific region. *American Journal of Epidemiology*, 2007; 165(11):1280-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17369610>

Wen CP, Cheng TY, Lin CL, Wu HN, Levy DT, et al. The health benefits of smoking cessation for adult smokers and for pregnant women in taiwan. *Tobacco Control*, 2005; 14(Suppl 1):i56–61. Available from: http://tc.bmjournals.com/cgi/content/abstract/14/suppl_1/i56

Tonnesen P, Pisinger C, Hvidberg S, Wennike P, Bremann L, et al. Effects of smoking cessation and reduction in asthmatics. *Nicotine and Tobacco Research*, 2005; 7(1):139-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15804686>

Doll R, Peto R, Boreham J, and Sutherland I. Mortality in relation to smoking: 50 years' observations on male british doctors. *BMJ*, 2004; 328(7455):1519. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15213107>

Critchley J and Capewell S. Smoking cessation for the secondary prevention of coronary heart disease. *Cochrane Database of Systematic Reviews*, 2004; (1):CD003041. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14974003

Sham AS, Cheung LK, Jin LJ, and Corbet EF. The effects of tobacco use on oral health. *Hong Kong Med J*, 2003; 9(4):271-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/12904615>

Goldenberg I, Jonas M, Tenenbaum A, Boyko V, Matetzky S, et al. Current smoking, smoking cessation, and the risk of sudden cardiac death in patients with coronary artery disease. *Archives of Internal Medicine*, 2003; 163(19):2301-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/14581249>

Taylor DH, Jr., Hasselblad V, Henley SJ, Thun MJ, and Sloan FA. Benefits of smoking cessation for longevity. *American Journal of Public Health*, 2002; 92(6):990-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/12036794>

Lang UE, Gallinat J, Kuhn S, Jockers-Scherubl C, and Hellweg R. Nerve growth factor and smoking cessation. *American Journal of Psychiatry*, 2002; 159(4):674–5. Available from: <http://ajp.psychiatryonline.org/cgi/content/full/159/4/674-a>

Jolobe O. Recurrent diarrhoea and weight loss associated with cessation of smoking in undiagnosed coeliac disease. *Gut*, 2002; 50(4):582. Available from: <http://gut.bmj.com/cgi/content/full/50/4/582>

Shaw J, Coons S, Foster S, Leischow S, and Hays R. Responsiveness of the smoking cessation quality of life (scqol) questionnaire. *Clinical Therapeutics*, 2001; 23(6):957–69. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VRS-43MTNR2-J&_user=559483&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000028178&_version=1&_urlVersion=0&_userid=559483&md5=cbe0555a7eeb5fcb281f851e79375c30

Pelkonen M, Notkola I, Tukiainen H, Tervahauta M, Tuomilehto J, et al. Smoking cessation, decline in pulmonary function and total mortality: A 30 year follow up study among the finnish cohorts of the seven countries study. *Thorax*, 2001; 56(9):703–7. Available from: <http://thorax.bmj.com/cgi/content/full/56/9/703>

Mulder I, Tjhuis M, Smit HA, and Kromhout D. Smoking cessation and quality of life: The effect of amount of smoking and time since quitting. *Preventive Medicine*, 2001; 33(6):653–60. Available from: www.ncbi.nlm.nih.gov/pubmed/11716663

Kanner RE, Anthonisen NR, and Connett JE. Lower respiratory illnesses promote fev₁ decline in current smokers but not ex-smokers with mild chronic obstructive pulmonary disease: Results from the lung health study. *American Journal of Respiratory Critical Care Medicine*, 2001; 164(3):358–64. Available from: PM:11500333

Johnson GK and Slach NA. Impact of tobacco use on periodontal status. *Journal of Dental Education*, 2001; 65(4):313-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11336116>

Banoczy J, Gintner Z, and Dombi C. [effect of smoking on the development of oral leukoplakia]. *Fogorvosi Szemle*, 2001; 94(3):91-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11480242>

Peto R, Darby S, Deo H, Silcocks P, Whitley E, et al. Smoking, smoking cessation, and lung cancer in the uk since 1950: Combination of statistics with two case-control studies. *BMJ*, 2000; 321(7257):323–9. Available from: <http://www.bmj.com/cgi/reprint/321/7257/323>

Naidoo B, Stevens W, and McPherson K. Modelling the short term consequences of smoking cessation in england on the hospitalisation rates for acute myocardial infarction and stroke. *Tobacco Control*, 2000; 9(4):397–400. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/9/4/397>

Mirbod SM and Ahing SI. Tobacco-associated lesions of the oral cavity: Part ii. Malignant lesions. J Can Dent Assoc, 2000; 66(6):308-11. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/10927896>

Burns D. Changes in disease risks following cessation of cigarette smoking. in 11th World Conference on Tobacco OR Health. Chicago. 2000.

Wagner E, Curry S, Grothaus L, Saunders K, and McBride C. The impact of smoking and quitting on health care use. Archives of Internal Medicine, 1995; 155(16):1789–95. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/7654113>

Herlitz J, Bengston A, Hjalmarson A, and Karlson B. Smoking habits in consecutive patients with acute myocardial infarction: Prognosis in relation to other risk indicators and whether or not they quit smoking. Cardiology, 1995; 86(6):496–502. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/7585761>

Kawachi I, Colditz GA, Stampfer MJ, Willett WC, Manson JE, et al. Smoking cessation and time course of decreased risks of coronary heart disease in middle-aged women. Archives of Internal Medicine, 1994; 154(2):169-75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/8285812>

Hirdes J and Maxwell C. Smoking cessation and quality of life outcomes among older adults in the cambell survey on well-being. Canadian Journal of Public Health, 1994; 85(2):99–102. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/8012927>

Doll R, Peto R, Wheatley K, Gray R, and Sutherland I. Mortality in relation to smoking: 40 years' observations on male british doctors. BMJ, 1994; 309(6959):901-11. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/7755693>

Christen AG. The impact of tobacco use and cessation on oral and dental diseases and conditions. American Journal of Medicine, 1992; 93(1A):25S-31S. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/1497000>

Dobson AJ, Alexander HM, Heller RF, and Lloyd DM. How soon after quitting smoking does risk of heart attack decline? Journal of Clinical Epidemiology, 1991; 44(11):1247–53. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T84-4BP6N31-4S&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=6801a2aafb3d5725e23019d244a0d945

US Department of Health and Human Services. The health benefits of smoking cessation. A report of the surgeon general. Atlanta, GA: Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1990. Available from:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1580165/>.

Doll R and Hill AB. The mortality of doctors in relation to their smoking habits: A preliminary report. British Medical Journal, 1954; 1(4877):1451–5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/13160495>

Nordstrom BL, Kinnunen T, Quiles ZN, and Garvey AJ. Association between reduced smoking and long-term mortality risk.

7.1.1 Heart disease

Komiyama, M, Ozaki, Y, Miyazaki, Y, Katanasaka, Y, Sunagawa, Y, Funamoto, M et al. (2021). Neutrophil/lymphocyte ratio is correlated with levels of inflammatory markers and is significantly reduced by smoking cessation. *J Int Med Res*, 49(6), 3000605211019223. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34187206>

Leopold, JA, & Antman, EM. (2021). Ideal Cardiovascular Health in Former Smokers. *J Clin Med*, 10(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34205862>

Noubiap, JJ, Fitzgerald, JL, Gallagher, C, Thomas, G, Middeldorp, ME, & Sanders, P. (2021). Rates, Predictors, and Impact of Smoking Cessation after Stroke or Transient Ischemic Attack: A Systematic Review and Meta-Analysis. *J Stroke Cerebrovasc Dis*, 30(10), 106012. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34330020>

Yeh, HY, Hung, SH, Chen, SC, Guo, FR, Huang, HL, Peng, JK et al (2021). The Expression of Toll-Like Receptor 4 mRNA in PBMCs Is Upregulated in Smokers and Decreases Upon Smoking Cessation. *Front Immunol*, 12, 667460. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33995400>

Lee, MJ, Park, JT, Chang, TI, Joo, YS, Yoo, TH, Park, SK et al (2021). Smoking Cessation and Coronary Artery Calcification in CKD. *Clinical Journal of the American Society of Nephrology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33879501>

Stein, JH, Smith, SS, Hansen, KM, Korcarz, CE, Piper, ME, Fiore, MC, & Baker, TB. (2020). Longitudinal effects of smoking cessation on carotid artery atherosclerosis in contemporary smokers: The Wisconsin Smokers Health Study. *Atherosclerosis*, 315, 62-67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33227549>

Kato, T. (2020). Which is the best method in clinical practice for assessing improvement in vascular endothelial function after successful smoking cessation - Flow-mediated dilation (FMD) or reactive hyperemic peripheral arterial tonometry (RH-PAT)? *Hypertens Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33093638>

Thomson, B, Emberson, J, Lacey, B, Peto, R, Woodward, M, & Lewington, S. (2020). Childhood Smoking, Adult Cessation, and Cardiovascular Mortality: Prospective Study of 390 000 US Adults. *J Am Heart Assoc*, e018431. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33108954>

Sublette, MG, Cross, TL, Korcarz, CE, Hansen, KM, Murga-Garrido, SM, Hazen, SL et al. (2020). Effects of Smoking and Smoking Cessation on the Intestinal Microbiota. *J Clin Med*, 9(9). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32937839>

Chang, JT, Anic, GM, Rostron, BL, Tanwar, M, & Chang, CM. (2020). Cigarette Smoking Reduction and Health Risks: A Systematic Review and Meta-Analysis. *Nicotine & Tobacco Research*. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32803250>

Gallucci, G, Tartarone, A, Lerose, R, Lalinga, AV, & Capobianco, AM. (2020). Cardiovascular risk of smoking and benefits of smoking cessation. *J Thorac Dis*, 12(7), 3866-3876. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32802468>

Onuma, T, Iida, M, Kito, Y, Tanabe, K, Kojima, A, Nagase, K et al (2020). Cigarette Smoking Cessation Temporarily Enhances the Release of Phosphorylated-HSP27 from Human Platelets. *Intern Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32350194>

7.1.1.1 Stroke

Lee, SR, Choi, EK, Jung, JH, Han, KD, Oh, S, & Lip, GYH. (2021). Smoking Cessation after Diagnosis of New-Onset Atrial Fibrillation and the Risk of Stroke and Death. *J Clin Med*, 10(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34064089>

7.1.1.2 Peripheral vascular disease

7.1.2 Cancer

Karlsson, A, Ellonen, A, Irgala, H, Valiaho, V, Mattila, K, Nissi, L et al (2021). Impact of deep learning-determined smoking status on mortality of cancer patients: never too late to quit. *ESMO Open*, 6(3), 100175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34091262>

von Kroge, PR, Bokemeyer, F, Ghandili, S, Bokemeyer, C, & Seidel, C. (2020). The Impact of Smoking Cessation and Continuation on Recurrence and Survival in Patients with Head and Neck Cancer: A Systematic Review of the Literature. *Oncology Research and Treatment*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32950990>

Heberg, J, Simonsen, MK, Thomsen, T, Zoffmann, V, & Danielsen, AK. (2020). Smoking cessation prolongs survival in female cancer survivors - the Danish nurse cohort. *Eur J Oncol Nurs*, 47, 101796. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32682286>

Yang, S, Liu, T, & Liang, G. (2020). The benefits of smoking cessation on survival in cancer patients by integrative analysis of multi-omics data. *Mol Oncol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32580248>

Serretta, V, Di Maida, F, Baiamonte, D, Vella, M, Pavone, C, Cacciatore, L et al. (2020). Does Smoking Cessation at Primary Diagnosis Reduce the Recurrence Risk of Nonmuscle-Invasive Bladder Cancer? Results of a Prospective Study. *Urol Int*, 1-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32369816>

Tomar, SL. (2020). Duration of Cigarette Smoking Is a Stronger Risk Factor Than Number of Cigarettes Smoked per Day for Head and Neck Cancer, and Quitting Dramatically Lowers the Risk. *J Evid Based Dent Pract*, 20(1), 101419. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32381417>

7.1.2.2 Lung cancer

Sheikh, M, Mukeriya, A, Shangina, O, Brennan, P, & Zaridze, D. (2021). Postdiagnosis Smoking Cessation and Reduced Risk for Lung Cancer Progression and Mortality : A Prospective Cohort Study. *Ann Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34310171>

Summary for Patients: Postdiagnosis Smoking Cessation and Reduced Risk for Lung Cancer Progression and Death. (2021). *Ann Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34310168>

Ruppert, AM, Amrioui, F, & Fallet, V. (2020). [Impact for smoking cessation in lung cancer patients]. *Rev Prat*, 70(8), 857-858. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33739685>

Reitsma, M, Kendrick, P, Anderson, J, Arian, N, Feldman, R, Gakidou, E, & Gupta, V. (2020). Reexamining Rates of Decline in Lung Cancer Risk after Smoking Cessation: A meta-analysis. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32603182>

7.1.3 Respiratory diseases

Chu, AL, Lecca, LW, Calderon, RI, Contreras, CC, Yataco, RM, Zhang, Z et al (2021). Smoking cessation in tuberculosis patients and the risk of tuberculosis infection in child household contacts. *Clin Infect Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34049397>

Nemmar, A, Al-Salam, S, Beegam, S, Zaaba, NE, & Ali, BH. (2021). Effect of smoking cessation on chronic waterpipe smoke inhalation-induced airway hyperresponsiveness, inflammation and oxidative stress. *Am J Physiol Lung Cell Mol Physiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33719568>

7.1.3.1 Chronic obstructive pulmonary disease (COPD)

Lindsay, HG, Wamboldt, FS, Holm, KE, Make, BJ, Hokanson, J, Crapo, JD et al (2021). Impact of a Medical Diagnosis on Decision to Stop Smoking and Successful Smoking Cessation. *Chronic Obstr Pulm Dis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34010545>

Polosa, R. (2021). Cessation of smoking in COPD: a reality check. *Intern Emerg Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33970427>

Qin, R, Liu, Z, Zhou, X, Cheng, A, Cui, Z, Li, J et al (2021). Adherence and Efficacy of Smoking Cessation Treatment Among Patients with COPD in China. *Int J Chron Obstruct Pulmon Dis*, 16, 1203-1214. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33958864>

Kramarow, EA. (2020). Health of Former Cigarette Smokers Aged 65 and Over: United States, 2018. *Natl Health Stat Report*(145), 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32730739>

7.1.4 Pregnancy complications and fertility problems

Pereira, B, Figueiredo, B Pinto, TM, & Miguez, MC. (2020). Effects of Tobacco Consumption and Anxiety or Depression during Pregnancy on Maternal and Neonatal Health. *Int J Environ Res Public Health*, 17(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33158085>

Sahin, MO, Sen, V, Gunduz, G, & Ucer, O. (2020). Effect of smoking cessation on sexual functions in men aged 30 to 60 years. *Int Braz J Urol*, 46(4), 642-648. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32374127>

Kim HH, Monteiro K, Larson E, and Derisier DM. Effects of smoking and smoking cessation during pregnancy on adverse birth outcomes in rhode island, 2012-2014. *R I Med J* (2013), 2017; 100(6):50-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28564671>

Polakowski LL, Akinbami LJ, and Mendola P. Prenatal smoking cessation and the risk of delivering preterm and small-for-gestational-age newborns. *Obstetrics and Gynecology*, 2009; 114(2 Pt 1):318–25. Available from: <http://journals.lww.com/greenjournal/pages/articleviewer.aspx?year=2009&issue=08000&article=00018&type=abstract>

McCowan L, Dekker G, Chan E, Stewart A, Chappell L, et al. Spontaneous preterm birth and small for gestational age infants in women who stop smoking early in pregnancy: A prospective cohort study. *BMJ (Clinical Research Ed.)*, 2009; 338:b1081. Available from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=19325177>

Andersen M, Simonsen U, Uldbjerg N, Aalkjaer C, and Stender S. Smoking cessation early in pregnancy and birth weight, length, head circumference, and endothelial nitric oxide synthase activity in umbilical and chorionic vessels: An observational study of healthy singleton pregnancies. *Circulation*, 2009; 119(6):857–64. Available from: <http://circ.ahajournals.org/cgi/content/full/119/6/857>

Shea AK and Steiner M. Cigarette smoking during pregnancy. *Nicotine and Tobacco Research*, 2008; 10(2):267–78. Available from: www.ncbi.nlm.nih.gov/pubmed/18236291

Lightwood J, Phibbs C, and Glantz S. Short term health and economic benefits of smoking cessation: Low birthweight. *Pediatrics*, 1999; 104(6):1312–20. Available from: <http://pediatrics.aappublications.org/cgi/content/full/104/6/1312>

7.1.5 Oral diseases

Duarte, PM, Nogueira, CFP, Silva, SM, Pannuti, CM, Schey, KC, & Miranda, TS. (2021). Impact of Smoking Cessation on Periodontal Tissues. *Int Dent J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33653595>

Brignardello-Petersen, R. (2020). Evidence regarding effects of smoking cessation on tooth loss is low quality and insufficient to support the presence of a benefit. *J Am Dent Assoc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32245572>

7.1.6 Blindness

7.1.7 Dementia

Dougherty, RJ, Moonen, J, Yaffe, K, Sidney, S, Davatzikos, C, Habes, M, & Launer, LJ. (2020). Smoking mediates the relationship between SES and brain volume: The CARDIA study. *PLoS One*, 15(9), e0239548. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32956388>

7.1.8 Overall health and quality of life

Moayeri, F, Hsueh, YA, Dunt, D, & Clarke, P. (2021). Smoking Cessation and Quality of Life: Insights From Analysis of Longitudinal Australian Data, an Application for Economic Evaluations. *Value Health*, 24(5), 724-732. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33933242>

Li, W, Xue, X, Li, D, Pan, Y, Shen, W, Wang, D, & Jiang, G. (2021). Smoking cessation-associated mortality reduction: A case-control study in Tianjin city, China. *Tob Induc Dis*, 19, 17. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33688316>

Mahase, E. (2021). Stopping smoking may improve mental health, Cochrane review finds. *BMJ*, 372, n676. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33692034>

Zhu, D, Zhao, G, & Wang, X. (2021). Association of Smoking and Smoking Cessation With Overall and Cause-Specific Mortality. *Am J Prev Med*, 60(4), 504-512. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33745522>

Hammett, PJ, Businelle, MS, Taylor, BC, Erbes, CR, Bastian, L, Doran, N et al (2021). The Association Between Smoking Abstinence and Pain Trajectory among Veterans Engaged in VA Mental Health Care. *Pain Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33502511>

Vestergaard, JH, Sivapalan, P, Sorensen, R, Eklof, J, Achir Alispahic, I, von Bulow, A et al (2020). Depressive symptoms among patients with COPD according to smoking status: a Danish nationwide case-control study of 21 184 patients. *ERJ Open Res*, 6(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33294426>

Amiri, S. (2020). The prevalence of depression symptoms after smoking cessation: a systematic review and meta-analysis. *J Addict Dis*, 1-16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33084511>

Celikhisar, H, Ilkhan Dasedemir, G, & Irer, B. (2020). Effects of smoking cessation on sexual functions and health quality of life in premenopausal women: A prospective case - controlled study. *Int J Clin Pract*, e13796. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33111367>

Komiyama, M, Ozaki, Y, Miyazaki, Y, Yasoda, A, Wada, H, Yamakage, H et al (2020). Short-term Changes in Self-rating Depression Scale Scores after Smoking Cessation in Neurotic Patients. *Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33055476>

Parkerson, HA, Sareen, J, & Asmundson, GJG. (2020). Breaking the cycle of smoking and pain: do pain-related anxiety and pain reduction expectancies sabotage attempts to quit smoking and can

smoking cessation improve pain and pain-related disability outcomes? *Cogn Behav Ther*, 1-18. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32852241>

7.1.9 Other benefits of quitting

Darabseh, MZ Maden-Wilkinson, TM, Welbourne, G, Wust, RCI, Ahmed, N, Aushah, H et al. (2021). Fourteen days of smoking cessation improves muscle fatigue resistance and reverses markers of systemic inflammation. *Sci Rep*, 11(1), 12286. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34112815>

Green, MJ. (2021). Potential biases when observing increased mortality risk in association with smoking cessation among older adults. *Age Ageing*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33677511>

Cruz, BS, Schwarzmeier, L, Carvalho, B, Alves, M, Carta, C, Balducci, I et al (2021). Association between DNA ploidy and micronucleus frequency in chronic smokers and impact of smoking cessation. *Hum Exp Toxicol*, 960327121991904. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33541126>

Kiyota, Y, Muramatsu, H, Sato, Y, Kobayashi, T, Miyamoto, K, Iwamoto, T et al (2020). Smoking cessation increases levels of osteocalcin and uncarboxylated osteocalcin in human sera. *Sci Rep*, 10(1), 16845. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33033284>

Patrick Engkasan, J. (2020). Can smoking cessation interventions reduce disease activity in persons with chronic autoimmune inflammatory diseases? A Cochrane Review summary with commentary. *Int J Rheum Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32525275>

Harakeh, S, Angelakis, E, Karamitros, T, Bachar, D, Bahijri, S, Ajabnoor, G et al. (2020). Impact of smoking cessation, coffee and bread consumption on the intestinal microbial composition among Saudis: A cross-sectional study. *PLoS One*, 15(4), e0230895. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32348307>

Sharath SE, Lee M, Kougiass P, Taylor WC, Zamani N, et al. Successful smoking cessation associated with walking behavior in patients with claudication. *Annals of Vascular Surgery*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30500660>

Bray BC, Smith RA, Piper ME, Roberts LJ, and Baker TB. Transitions in smokers' social networks after quit attempts: A latent transition analysis. *Nicotine and Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613925>

Covey LS, Hu MC, Winhusen T, Lima J, Berlin I, et al. Anxiety and depressed mood decline following smoking abstinence in adult smokers with attention deficit hyperactivity disorder. *Journal of Substance Abuse Treatment*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26272693>

Chen PC, Kuo RN, Lai CK, Tsai ST, and Lee YC. The relationship between smoking status and health-related quality of life among smokers who participated in a 1-year smoking cessation programme in taiwan: A cohort study using the eq-5d. *BMJ Open*, 2015; 5(5):e007249. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25953727>

Wang MP, Wang X, Lam TH, Viswanath K, and Chan SS. Ex-smokers are happier than current smokers among chinese adults in hong kong. *Addiction*, 2014; 109(7):1165–71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24588872>

Hawkshead B, Liebel S, Schwarz N, and Sweet L. C-12working memory and fmri correlates of smoking cessation treatment outcome. *Archives of Clinical Neuropsychology*, 2014; 29(6):577. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25176855>

Milberger SM, Davis RM, and Holm AL. Pet owners' attitudes and behaviours related to smoking and second-hand smoke: A pilot study. *Tobacco Control*, 2009; 18(2):156–8. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/18/2/156>

Wakefield M, Freeman J, and Inglis G. Ch 5 changes associated with the national tobacco campaign: Results of the third and fourth follow-up surveys, in Australia's national tobacco campaign, evaluation volume 3. Hassard K, Editor Canberra: Department of Health and Ageing; 2004. Available from: <http://www.quitnow.info.au/internet/quitnow/publishing.nsf/Content/evaluation-reports>.

Chernichko L, Saunders LD, and Tough S. Unintentional house fire deaths in alberta 1985-1990: A population study. *Canadian Journal of Public Health*, 1993; 84(5):317-20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/8269379>

7.1.10 Cutting down: are there health benefits?

Qin, W, Magnussen, CG, Li, S, Steffen, LM, Xi, B, & Zhao, M. (2020). Light Cigarette Smoking Increases Risk of All-Cause and Cause-Specific Mortality: Findings from the NHIS Cohort Study. *International Journal of Environmental Research and Public Health*, 17(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32679883>

Tverdal A and Bjartveit K. Health consequences of reduced daily cigarette consumption. *Tobacco Control*, 2006; 15(6):472-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17130377>

McNeill A. Harm reduction. Review. *BMJ*, 2004; 328(7444):885–7. Available from: <http://www.bmj.com/cgi/content/full/328/7444/885>

McNeill A and White P. Editorial: The case for harm reduction in smoking. *Drugs: Education, Prevention and Policy*, 1998; 59:125–27. Available from: www.tandfonline.com/doi/pdf/10.3109/09687639809006677

7.1.11 Health problems that may be temporarily exacerbated by quitting

Chu, PJ, Chang, IC, & Cheng-Chung Wei, J. (2021). Comments on 'Does smoking cessation increase risk of knee replacement? A general population-based cohort study', by G. Lei, Y. Zhang, et al. *Osteoarthritis Cartilage*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34273533>

Barrangou-Pouey-Darlas, M, Guerlais, M, Laforgue, EJ, Bellouard, R, Istvan, M, Chauvin, P et al (2020). CYP1A2 and tobacco interaction: a major pharmacokinetic challenge during smoking cessation. *Drug Metab Rev*, 1-24. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33325257>

Lydon-Staley, DM, Leventhal, AM, Piper, ME Schnoll, R A, & Bassett, DS. (2020). Temporal networks of tobacco withdrawal symptoms during smoking cessation treatment. *J Abnorm Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33252918>

Wang, Y, Tse, LA, Li, G, Yin, L, Chen, T, Zhao, Y et al (2020). The Role of Diabetes Mellitus as an Effect Modifier of the Association Between Smoking Cessation and Its Clinical Prognoses: An Observational Cohort Study. *Angiology*, 3319720949784. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32812445>

Chang, JT, Anic, GM, Rostron, BL, Tanwar, M, & Chang, CM. (2020). Cigarette Smoking Reduction and Health Risks: A Systematic Review and Meta-Analysis. *Nicotine & Tobacco Research*. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32803250>

Ueha R, Ueha S, Kondo K, Nito T, Fujimaki Y, et al. Laryngeal mucus hypersecretion is exacerbated after smoking cessation and ameliorated by glucocorticoid administration. *Toxicology Letters*, 2017; 265:140-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27916735>

Ashare RL, Lerman C, Tyndale RF, Hawk LW, George TP, et al. Sleep disturbance during smoking cessation: Withdrawal or side effect of treatment? *J Smok Cessat*, 2017; 12(2):63-70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28553407>

Sung YT, Hsiao CT, Chang IJ, Lin YC, and Yueh CY. Smoking cessation carries a short-term rising risk for newly diagnosed diabetes mellitus independently of weight gain: A 6-year retrospective cohort study. *J Diabetes Res*, 2016; 2016:3961756. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27478846>

Kleykamp B, Jennings J, and Eissenberg T. Effects of transdermal nicotine and concurrent smoking on cognitive performance in tobacco-abstinent smokers. *Experimental and Clinical Psychopharmacology*, 2011; 19(1):75–84. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2011-03057-008>

Audrain-McGovern J and Benowitz N. Cigarette smoking, nicotine, and body weight. *Clinical Pharmacology and Therapeutics*, 2011; 90:164–8. Available from: <http://www.nature.com/clpt/journal/vaop/ncurrent/full/clpt2011105a.html>

Arnoldi J and Repking N. Olanzapine-induced parkinsonism associated with smoking cessation. *American Journal of Health-System Pharmacy*, 2011; 68(5):399–401. Available from: <http://www.ajhp.org/content/68/5/399.long>

Mumenthaler MS, Benowitz NL, Taylor JL, Friedman L, Noda A, et al. Nicotine deprivation and pilot performance during simulated flight. *Aviation, Space, and Environmental Medicine*, 2010; 81(7):660–4(5). Available from: <http://www.ingentaconnect.com/content/asma/ase/2010/00000081/00000007/art00006>

Hajek P. Introduction: Recognition and management of some possible consequences of stopping smoking. *Current Medical Research and Opinion*, 2009; 25(2):509–10. Available from: <http://www.informapharmascience.com/doi/abs/10.1185/03007990802707543>

Gratziou C. Respiratory, cardiovascular and other physiological consequences of smoking cessation. *Current Medical Research and Opinion*, 2009; 25(2):535-45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19193001>

Pan AX, Yeo KP, Chan C, Loh MT, Wise SD, et al. Effects of smoking cessation, acute re-exposure and nicotine replacement in smokers on air[®] inhaled insulin pharmacokinetics and glucodynamics. *British Journal of Clinical Pharmacology*, 2008; 65(4):480–7. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2125.2007.03041.x>

Ussher M, West R, Steptoe A, and McEwen A. Increase in common cold symptoms and mouth ulcers following smoking cessation. *Tobacco Control*, 2003; 12(1):86-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/12612369>

Hall S, Munoz R, and Reus V. Smoking cessation, depression and dysphoria. *NIDA Research Monograph*, 1991; 105:312–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/1876024>

Bittoun R. Recurrent aphthous ulcers and nicotine. *Medical Journal of Australia*, 1991; 154(7):471–2.

Dorsey C. More observations on relief of aphthous stomatitis on resumption of cigarette smoking: A report of three cases. *California Medicine*, 1963; 101(5):377–8. Available from: <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=1515817&blobtype=pdf>

Bookman R. Relief of cancer sores on resumption of cigarette smoking. *California Medicine*, 1960; 93(4):235–6.

7.1.11.1 Mouth ulcers and colds

7.1.11.2 Diabetes

Yatsuya, H. (2020). Avoid clinical inertia: Importance of asking and advising patients with diabetes who smoke about quitting. *J Diabetes Investig*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33016511>

7.1.11.3 Quitting and weight gain

Callison, K, Schiman, C, & Schiman, JC. (2021). Smoking cessation and weight gain: Evidence from China. *Econ Hum Biol*, 43, 101045. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34330065>

Patriota, P, Guessous, I, & Marques-Vidal, P. (2021). No changes in dietary intake after quitting smoking; a prospective study in Switzerland. *BMC Nutr*, 7(1), 34. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34256867>

Anker, JJ, Nakajima, M, Raatz, S, Allen, S, & al'Absi, M. (2021). Tobacco withdrawal increases junk food intake: The role of the endogenous opioid system. *Drug Alcohol Depend*, 225, 108819. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34182373>

- Wang, X, Dong, JY, Cui, R, Muraki, I, Shirai, K, Yamagishi, K et al (2021). Smoking cessation, weight gain and risk of cardiovascular disease. *Heart*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34083407>
- Frallonardo, FP, Lima, DR, Carvalho, CFC, Loreto, AR, Guimaraes-Pereira, BBS, Ismael, F et al (2021). Effect of BMI on Prolonged Abstinence after Smoking Cessation Treatment: A Retrospective Cohort Study. *Curr Drug Res Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34011261>
- Sahle, BW Chen, W., Rawal, LB, & Renzaho, AMN. (2021). Weight Gain After Smoking Cessation and Risk of Major Chronic Diseases and Mortality. *JAMA Netw Open*, 4(4), e217044. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33904915>
- Wang, X, Qin, L Q, Arafa, A, Eshak, ES, Hu, Y, & Dong, JY. (2021). Smoking cessation, weight gain, cardiovascular risk, and all-cause mortality: a meta-analysis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33876246>
- Svensden, M, Heggen, E, Klemsdal, TO, & Tonstad, S. (2021). Diet, eating behaviour and weight gain in men and women with overweight/obesity receiving varenicline for smoking cessation. *Clin Obes*, e12447. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33751845>
- Zeng, C, Nguyen, UDT, Wu, J Wei, J., Luo, X, Hu, S et al (2021). Does smoking cessation increase risk of knee replacement? A general population-based cohort study. *Osteoarthritis Cartilage*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33621706>
- Fahey, MC, Little, MA, Klesges, RC, Talcott, GW, Richey, PA, Mehmet, K, & Krukowski, RA. (2020). Use of Tobacco for Weight Control across Products among Young Adults in the U.S. Military. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33183122>
- Salman, A, & Doherty, P. (2020). Is Weight Gain Inevitable for Patients Trying to Quit Smoking as Part of Cardiac Rehabilitation? *Int J Environ Res Public Health*, 17(22). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33218147>
- Zhou, C, Tran, NG, & Chen, TC. (2020). Effect of Tobacco Cessation on Weight in a Veteran Population. *J Prim Care Community Health*, 11, 2150132720963653. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33047998>
- Blau, LE, Orloff, N, & Hormes, JM. (2020). The Transdiagnostic Nature of Cravings: Smoking Cessation and Food Craving in Pregnancy. *Midwifery*, 87, 102730. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32434103>
- Ellison-Barnes, A, Pollack, CE, Levine, D, Latkin, C, Clark, JM, & Gudzone, KA. (2020). Potential for unintended consequences: The association between smoking and body mass index among public housing residents in Baltimore, MD. *Prev Med Rep*, 18, 101081. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32368434>
- Liu G, Hu Y, Zong G, Pan A, Manson JE, et al. Smoking cessation and weight change in relation to cardiovascular disease incidence and mortality in people with type 2 diabetes: A population-based

cohort study. *Lancet Diabetes Endocrinol*, 2020; 8(2):125-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31924561>

Kos K. Smoking cessation, weight gain, and cardiovascular risk. *Lancet Diabetes Endocrinol*, 2020; 8(2):93-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31924565>

Salk RH, Germeroth LJ, Emery RL, Conlon RPK, Wang Z, et al. Predictive utility of subtyping women smokers on depression, eating, and weight-related symptoms. *Health Psychology*, 2019; 38(3):248-58. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30762404>

Kim K, Choi S, Lee G, Jeong SM, Kim SM, et al. Weight gain after smoking cessation and cardiovascular events in young adults. *Journal of the American College of Cardiology*, 2019; 73(25):3356-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31248559>

Jeremias-Martins E and Chatkin JM. Does everyone who quit smoking gain weight? A real-world prospective cohort study. *J Bras Pneumol*, 2019; 45(1):e20180010. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30810645>

Jain P, Danaei G, Manson JE, Robins JM, and Hernan MA. Weight gain after smoking cessation and lifestyle strategies to reduce it. *Epidemiology*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31569119>

Hasegawa K, Komiyama M, and Takahashi Y. Obesity and cardiovascular risk after quitting smoking: The latest evidence. *Eur Cardiol*, 2019; 14(1):60-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31131038>

Walker JF and Loprinzi PD. Association of bmi changes between adolescence and young adulthood with smoking cessation. *American Journal of Health Promotion*, 2018:890117118772492. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30105914>

Wakiya T, Ishido K, Kudo D, Kimura N, Sato K, et al. Impact of smoking cessation in donor candidates for living donor liver transplantation. *Transplantation Proceedings*, 2018; 50(9):2593-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30401357>

Tan MM, Okuyemi KS, Resnicow K, Dietz NA, Antoni MH, et al. Association between smoking cessation and weight gain in treatment-seeking african americans. *Addictive Behaviors*, 2018; 81:84-90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29452980>

Signorini FJ, Polero V, Viscido G, Navarro L, Obeide L, et al. Long-term relationship between tobacco use and weight loss after sleeve gastrectomy. *Obesity Surgery*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29611107>

Schroeder SA. Heavier but healthier - diabetes and smoking cessation. *New England Journal of Medicine*, 2018; 379(7):684-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30110593>

Rigotti NA and Clair C. Weight gain after smoking cessation: More data to refute concerns. *European Heart Journal*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29529292>

Pankova A, Kralikova E, Zvolaska K, Stepankova L, Blaha M, et al. Early weight gain after stopping smoking: A predictor of overall large weight gain? A single-site retrospective cohort study. *BMJ Open*, 2018; 8(12):e023987. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30559159>

Murphy CM, Rohsenow DJ, Johnson KC, and Wing RR. Smoking and weight loss among smokers with overweight and obesity in look ahead. *Health Psychology*, 2018; 37(5):399-406. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29698015>

Luo J, Manson JE, Hendryx M, Shadyab AH, Johnson KC, et al. Physical activity and weight gain after smoking cessation in postmenopausal women. *Menopause*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29994975>

Linke SE, Strong DR, Myers MG, Edland SD, Hofstetter CR, et al. Re: Letter to the editor of public health in response to 'the relationships among physical activity, sedentary behaviour, obesity, and quitting behaviours within a cohort of smokers in california'. *Public Health*, 2018; 164:159. Available from: [https://www.publichealthjrn.com/article/S0033-3506\(18\)30187-2/fulltext](https://www.publichealthjrn.com/article/S0033-3506(18)30187-2/fulltext)

Linke SE, Strong DR, Myers MG, Edland SD, Hofstetter CR, et al. Re: Letter to the editor of public health in response to 'the relationships among physical activity, sedentary behaviour, obesity, and quitting behaviours within a cohort of smokers in california'. *Public Health*, 2018; 164:159. Available from: [https://www.publichealthjrn.com/article/S0033-3506\(18\)30187-2/fulltext](https://www.publichealthjrn.com/article/S0033-3506(18)30187-2/fulltext)

Linke SE, Strong DR, Myers MG, Edland SD, Hofstetter CR, et al. Re: Letter to the editor of public health in response to 'the relationships among physical activity, sedentary behaviour, obesity, and quitting behaviours within a cohort of smokers in california'. *Public Health*, 2018; 164:159. Available from: [https://www.publichealthjrn.com/article/S0033-3506\(18\)30187-2/fulltext](https://www.publichealthjrn.com/article/S0033-3506(18)30187-2/fulltext)

Komiyama M, Wada H, Yamakage H, Satoh-Asahara N, Sunagawa Y, et al. Analysis of changes on adiponectin levels and abdominal obesity after smoking cessation. *PLoS ONE*, 2018; 13(8):e0201244. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30086171>

Komiyama M, Ozaki Y, Wada H, Yamakage H, Satoh-Asahara N, et al. The effects of dietary instruction on cardiovascular risk markers after smoking cessation: Study protocol for a multicenter randomized controlled trial in japan. *Trials*, 2018; 19(1):538. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30286787>

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6172844/pdf/13063_2018_Article_2919.pdf

Kim K, Park SM, and Lee K. Weight gain after smoking cessation does not modify its protective effect on myocardial infarction and stroke: Evidence from a cohort study of men. *European Heart Journal*, 2018; 39(17):1523-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29324990>

Hu Y, Zong G, Liu G, Wang M, Rosner B, et al. Smoking cessation, weight change, type 2 diabetes, and mortality. *New England Journal of Medicine*, 2018; 379(7):623-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30110591>

Dinh PC, Schrader LA, Svensson CJ, Margolis KL, Silver B, et al. Smoking cessation, weight gain, and risk of stroke among postmenopausal women. *Preventive Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30359645>

https://ac.els-cdn.com/S0091743518303372/1-s2.0-S0091743518303372-main.pdf?_tid=478373ca-d950-421c-952c-c46aa73bc561&acdnat=1543449572_33dd7bc5ac2e4c2127561e0e4b1e2b99

Yannakoulia M, Anastasiou CA, Zachari K, Sidiropoulou M, Katsaounou P, et al. Acute effect of smoking and smoking abstinence on energy intake and appetite-related hormones blood concentrations. *Physiology and Behavior*, 2017; 184:78-82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29128523>

Takayama S, Takase H, Tanaka T, Sugiura T, Ohte N, et al. Smoking cessation without educational instruction could promote the development of metabolic syndrome. *J Atheroscler Thromb*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28592705>

Pisinger C, Nielsen HO, Kuhlmann C, and Rosthoj S. Obesity might be a predictor of weight reduction after smoking cessation. *J Obes*, 2017; 2017:2504078. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28890832>

Tian J, Venn A, Otahal P, and Gall S. The association between quitting smoking and weight gain: A systemic review and meta-analysis of prospective cohort studies. *Obesity Reviews*, 2016; 17(10):1014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27612637>

Tian J, Gall SL, Smith KJ, Dwyer T, and Venn AJ. Worsening dietary and physical activity behaviors do not readily explain why smokers gain weight after cessation: A cohort study in young adults. *Nicotine and Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613937>

Sharma A. Smoking cessation and changes in body mass index among middle aged and older adults. *Journal of Applied Gerontology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27353834>

Pankova A, Kralikova E, Kavalkova P, Stepankova L, Zvolaska K, et al. No change in serum incretins levels but rise of leptin levels after smoking cessation: A pilot study. *Physiological Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26988157>

Mombach KD, de Souza Brito CL, Padoin AV, Casagrande DS, and Mottin CC. Emotional and affective temperaments in smoking candidates for bariatric surgery. *PLoS ONE*, 2016; 11(3):e0150722. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26987115>

Krukowski RA, Bursac Z, Little MA, and Klesges RC. The relationship between body mass index and post-cessation weight gain in the year after quitting smoking: A cross-sectional study. *PLoS ONE*, 2016; 11(3):e0151290. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26977598>

Kabat GC, Heo M, Allison M, Johnson KC, Ho GY, et al. Smoking habits and body weight over the adult lifespan in postmenopausal women. *American Journal of Preventive Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27939236>

Jain P, Danaei G, Robins JM, Manson JE, and Hernan MA. Smoking cessation and long-term weight gain in the framingham heart study: An application of the parametric g-formula for a continuous outcome. *European Journal of Epidemiology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27704230>

lida M. Weight gain after smoking cessation and atherosclerotic low-density lipoprotein marker. *J Atheroscler Thromb*, 2016; 23(11):1257-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27629390>

Harris KK, Zopey M, and Friedman TC. Metabolic effects of smoking cessation. *Nature Reviews. Endocrinology*, 2016; 12(11):684. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27688045>

Bush T, Lovejoy JC, Deprey M, and Carpenter KM. The effect of tobacco cessation on weight gain, obesity, and diabetes risk. *Obesity (Silver Spring)*, 2016; 24(9):1834-41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27569117>

Ben Taleb Z, Ward KD, Asfar T, Jaber R, Bahelah R, et al. Smoking cessation and changes in body mass index: Findings from the first randomized cessation trial in a low-income country setting. *Nicotine and Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613912>

Bacha S, Skandagi W, Khemiri M, Oueslati S, Chaouch N, et al. Assessment of eating behavior after smoking cessation. *Tunisie Medicale*, 2016; 94(5):406-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27801494>

Veldheer S, Yingst J, Zhu J, and Foulds J. Ten-year weight gain in smokers who quit, smokers who continued smoking and never smokers in the united states, nhanes 2003-2012. *International Journal of Obesity*, 2015; 39(12):1727-32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26155918>

Tian J, Venn A, Otahal P, and Gall S. The association between quitting smoking and weight gain: A systematic review and meta-analysis of prospective cohort studies. *Obesity Reviews*, 2015; 16(10):883-901. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26114839>

Song YM, Chang WD, Hsu HY, and Chen M. A short-term smoking cessation may increase the risk of developing metabolic syndrome. *Diabetes Metab Syndr*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25795164>

Scherr A, Seifert B, Kuster M, Meyer A, Fagerstroem KO, et al. Predictors of marked weight gain in a population of health care and industrial workers following smoking cessation. *BMC Public Health*, 2015; 15:520. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26025035>

Rom O, Reznick AZ, Keidar Z, Karkabi K, and Aizenbud D. Smoking cessation-related weight gain--beneficial effects on muscle mass, strength and bone health. *Addiction*, 2015; 110(2):326-35. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25312589>

Pieroni L, Minelli L, and Salmasi L. Economic evaluation of the effect of quitting smoking on weight gains: Evidence from the united kingdom. *Value in Health*, 2015; 18(6):791-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26409606>

Pankova A, Kralikova E, Fraser K, Lajka J, Svacina S, et al. No difference in hypertension prevalence in smokers, former smokers and non-smokers after adjusting for body mass index and age: A cross-sectional study from the czech republic, 2010. *Tob Induc Dis*, 2015; 13(1):24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26265902>

Koster-Rasmussen R, Permin CA, Siersma V, Henriksen JE, Heitmann BL, et al. Back on track-smoking cessation and weight changes over 9years in a community-based cohort study. *Preventive Medicine*, 2015; 81:320–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26441298>

Tuovinen EL, Saarni S, Kinnunen T, Haukkala A, Jousilahti P, et al. Associations of weight concerns with self-efficacy and motivation to quit smoking: A population-based study among finnish daily smokers. *Nicotine and Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25542916>

Stadler M, Tomann L, Storka A, Wolzt M, Peric S, et al. Effects of smoking cessation on beta-cell function, insulin sensitivity, body weight, and appetite. *European Journal of Endocrinology*, 2014; 170(2):219–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24179100>

Robertson L, McGee R, and Hancox RJ. Smoking cessation and subsequent weight change. *Nicotine and Tobacco Research*, 2014; 16(6):867-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24463712>

Locatelli I, Collet TH, Clair C, Rodondi N, and Cornuz J. The joint influence of gender and amount of smoking on weight gain one year after smoking cessation. *International Journal of Environmental Research and Public Health*, 2014; 11(8):8443-55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25153470>

Lange K, Thamotharan S, Racine M, Hirko C, and Fields S. The relationship between weight and smoking in a national sample of adolescents: Role of gender. *J Health Psychol*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24423576>

Kovacs MA, Correa JB, and Brandon TH. Smoking as alternative to eating among restrained eaters: Effect of food prime on young adult female smokers. *Health Psychology*, 2014; 33(10):1174–84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25243718>

Kmetova A, Kralikova E, Stepankova L, Zvolaska K, Blaha M, et al. Factors associated with weight changes in successful quitters participating in a smoking cessation program. *Addictive Behaviors*, 2014; 39(1):239-45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24140303>

Issa JS, Santos PC, Vieira LP, Abe TO, Kuperszmidt CS, et al. Smoking cessation and weight gain in patients with cardiovascular disease or risk factor. *International Journal of Cardiology*, 2014; 172(2):485–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24512881>

Grandi SM, Filion KB, Gervais A, Joseph L, O'Loughlin J, et al. Weight change in patients attempting to quit smoking post-myocardial infarction. *American Journal of Medicine*, 2014; 127(7):641–9 e1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24608017>

Gonseth S, Locatelli I, Bize R, Nussle S, Clair C, et al. Leptin and smoking cessation: Secondary analyses of a randomized controlled trial assessing physical activity as an aid for smoking cessation. *BMC Public Health*, 2014; 14(1):911. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25187423>

Gonseth S, Dugas L, Viswanathan B, Forrester T, Lambert V, et al. Association between smoking and total energy expenditure in a multi-country study. *Nutr Metab (Lond)*, 2014; 11(1):48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25309614>

Gennuso KP, Thraen-Borowski KM, Schlam TR, LaRowe TL, Fiore MC, et al. Smokers' physical activity and weight gain one year after a successful versus unsuccessful quit attempt. *Preventive Medicine*, 2014; 67:189-92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25091879>

Emery RL, Levine MD, Cheng Y, and Marcus MD. Change in body weight does not mediate the relationship between exercise and smoking cessation among weight-concerned women smokers. *Nicotine and Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25542920>

Cawley J, Dragone D, and Von Hinke Kessler Scholder S. The demand for cigarettes as derived from the demand for weight loss: A theoretical and empirical investigation. *Health Economics*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25346511>

Bush T, Hsu C, Levine MD, Magnusson B, and Miles L. Weight gain and smoking perceptions and experiences of obese quitline participants. *BMC Public Health*, 2014; 14(1):1229. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25428130>

White M. Smoking for weight control and its associations with eating disorder symptomatology. *Comprehensive Psychiatry*, 2011; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21741037>

Rubinstein M and Low M. The smoking gun in nicotine-induced anorexia. *Cell Metabolism*, 2011; 14(2):145–7. Available from: <http://download.cell.com/cell-metabolism/pdf/PIIS1550413111002683.pdf>

Kukuvitis A, Froudarakis M, Tryfon S, Tzouveleakis A, Saroglou M, et al. Acute effect of smoking on plasma obestatin levels. *Tobacco Induced Diseases* 2010; 8(1):2. Available from: <http://www.tobaccoinduceddiseases.com/content/pdf/1617-9625-...>

Kadota K, Takeshima F, Inoue K, Takamori K, Yoshioka S, et al. Effects of smoking cessation on gastric emptying in smokers. *Journal of Clinical Gastroenterology*, 2010; 44(4):e71-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20305466>

Saules K, Collings A, Hoodin F, Angelella N, Alschuler K, et al. The contributions of weight problem perception, bmi, gender, mood, and smoking status to binge eating among college students. *Eating Behaviors*, 2009; 10(1):1–9. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6W77-4T84K3J-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=c5b643b2ad7d20d1742e3176a2ae75f9

Pepino MY, Finkbeiner S, and Mennella JA. Similarities in food cravings and mood states between obese women and women who smoke tobacco. *Obesity (Silver Spring)*, 2009; 17(6):1158-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19247281>

Parsons AC, Shraim M, Inglis J, Aveyard P, and Hajek P. Interventions for preventing weight gain after smoking cessation. Cochrane Database of Systematic Reviews, 2009; (1):CD006219. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19160269

Parsons A, Lycett D, and Aveyard P. Behavioural interventions to prevent weight gain on smoking cessation: A response. *Addiction*, 2009; 104(12):2119–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19922579>

Munafo MR, Tilling K, and Ben-Shlomo Y. Smoking status and body mass index: A longitudinal study. *Nicotine and Tobacco Research*, 2009; 11(6):765-71. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19443785>

Keenan P. Smoking and weight change after new health diagnoses in older adults. *Archives of Internal Medicine*, 2009; 169(3):237–42. Available from: <http://archinte.ama-assn.org/cgi/content/full/169/3/237>

Pomerleau CS and Snedecor SM. Validity and reliability of the weight control smoking scale. *Eating Behaviors*, 2008; 9(3):376–80. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6W77-4RFJ4KX-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=e2aac5f903b0cd904d61f2a33db77736

Pomerleau CS and Saules K. Body image, body satisfaction, and eating patterns in normal-weight and overweight/obese women current smokers and never-smokers. *Addictive Behaviors*, 2007; 32(10):2329-34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17320305>

Pisinger C and Jorgensen T. Waist circumference and weight following smoking cessation in a general population: The inter99 study. *Preventive Medicine*, 2007; 44(4):290-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17222450>

Shraim M, Parsons A, Aveyard P, and Hajek P. Interventions for preventing weight gain after smoking cessation (protocol) Cochrane Database of Systematic Reviews, 2006; 4. Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD006219/frame.html>

Saules K, Levine M, Marcus M, and Pomerleau C. Differences in smoking patterns among women smokers with childhood versus later onset of weight problems *Eating Behaviors*, 2006; 8(3):418–22. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6W77-4MK0XXH-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=6900e2e1ad22d76ba1dd0e6320496e4b

Kadowaki T, Watanabe M, Okayama A, Hishida K, Okamura T, et al. Continuation of smoking cessation and following weight change after intervention in a healthy population with high smoking prevalence. *J Occup Health*, 2006; 48(5):402-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17053308>

Eisenberg D and Quinn BC. Estimating the effect of smoking cessation on weight gain: An instrumental variable approach. *Health Services Research*, 2006; 41(6):2255-66. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17116119>

Clark MM, Hays JT, Vickers KS, Patten CA, Croghan IT, et al. Body image treatment for weight concerned smokers: A pilot study. *Addictive Behaviors*, 2005; 30(6):1236–40. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15925132

Canoy D, Wareham N, Luben R, Welch A, Bingham S, et al. Cigarette smoking and fat distribution in 21,828 british men and women: A population-based study. *Obesity Research*, 2005; 13(8):1466-75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16129730>

Filozof C, Fernandez Pinilla MC, and Fernandez-Cruz A. Smoking cessation and weight gain. *Obesity Reviews*, 2004; 5(2):95-103. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/15086863>

Pomerleau CS, Zucker AN, and Stewart AJ. Characterizing concerns about post-cessation weight gain: Results from a national survey of women smokers. *Nicotine and Tobacco Research*, 2001; 3(1):51-60. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11260811>

Perkins KA, Marcus MD, Levine MD, D'Amico D, Miller A, et al. Cognitive-behavioral therapy to reduce weight concerns improves smoking cessation outcome in weight-concerned women. *Journal of Consulting and Clinical Psychology*, 2001; 69(4):604–13. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11550727

Hudmon KS, Gritz ER, Clayton S, and Nisenbaum R. Eating orientation, postcessation weight gain, and continued abstinence among female smokers receiving an unsolicited smoking cessation intervention. *Health Psychology*, 1999; 18(1):29–36. Available from: <http://psycnet.apa.org/index.cfm?fa=main.landing>

O'Hara P, Connett JE, Lee WW, Nides M, Murray R, et al. Early and late weight gain following smoking cessation in the lung health study. *American Journal of Epidemiology*, 1998; 148(9):821-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/9801011>

Klesges RC, Ward KD, Ray JW, Cutter G, Jacobs DR, Jr., et al. The prospective relationships between smoking and weight in a young, biracial cohort: The coronary artery risk development in young adults study. *Journal of Consulting and Clinical Psychology*, 1998; 66(6):987-93. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/9874912>

Froom P, Melamed S, and Benbassat J. Smoking cessation and weight gain. *Journal of Family Practice*, 1998; 46(6):460-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/9638109>

Klesges RC, Winders SE, Meyers AW, Eck LH, Ward KD, et al. How much weight gain occurs following smoking cessation? A comparison of weight gain using both continuous and point prevalence abstinence. *Journal of Consulting and Clinical Psychology*, 1997; 65(2):286–91. Available from: <http://psycnet.apa.org/index.cfm?fa=main.landing>

Kawachi I, Troisi RJ, Rotnitzky AG, Coakley EH, and Colditz GA. Can physical activity minimize weight gain in women after smoking cessation? *American Journal of Public Health*, 1996; 86(7):999–1004. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/8669525>

Swan GE and Carmelli D. Characteristics associated with excessive weight gain after smoking cessation in men. *American Journal of Public Health*, 1995; 85(1):73-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/7832265>

Parker L and Docet K. The effects of nicotine withdrawal on taste reactivity. *Pharmacology, Biochemistry, and Behavior*, 1995; 52(1):125–9. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0N-3YJT7FR-3W&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=3254f0c12ce45f99366f0aa84f8729fe

Flegal KM, Troiano RP, Pamuk ER, Kuczmarski RJ, and Campbell SM. The influence of smoking cessation on the prevalence of overweight in the united states. *New England Journal of Medicine*, 1995; 333(18):1165-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/7565970>

Perkins KA. Weight gain following smoking cessation. *Journal of Consulting and Clinical Psychology*, 1993; 61(5):768-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/8245274>

Chen Y, Horne SL, and Dosman JA. The influence of smoking cessation on body weight may be temporary. *American Journal of Public Health*, 1993; 83(9):1330-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/8363012>

Pirie PL, McBride CM, Hellerstedt W, Jeffery RW, Hatsukami D, et al. Smoking cessation in women concerned about weight. *American Journal of Public Health*, 1992; 82(9):1238-43. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/1503165>

Lissner L, Bengtsson C, Lapidus L, and Bjorkelund C. Smoking initiation and cessation in relation to body fat distribution based on data from a study of swedish women. *American Journal of Public Health*, 1992; 82(2):273-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/1739163>

Williamson DF, Madans J, Anda RF, Kleinman JC, Giovino GA, et al. Smoking cessation and severity of weight gain in a national cohort. *New England Journal of Medicine*, 1991; 324(11):739-45. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/1997840>

Pomerleau C, Garcia A, Drewnowski A, and Pomerleau O. Sweet taste preference in women smokers; comparison with nonsmokers and effects of menstrual phase and nicotine abstinence. *Pharmacology, Biochemistry, and Behavior*, 1991; 40(4):995–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/1816587>

7.1.11.4 Mental health problems

Kertes, J, Stein Reisner, O, Grunhaus, L, & Neumark, Y. (2021). The Impact of Smoking Cessation on Hospitalization and Psychiatric Medication Utilization among People with Serious Mental Illness. *Subst Use Misuse*, 56(10), 1543-1550. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34193007>

Gyeong Son, H. (2020). Effects of smoking behaviour changes on depression in older people: a retrospective study. *Australas J Ageing*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32881229>

Taylor, GM, Lindson, N, Farley, A, Leinberger-Jabari, A, Sawyer, K, Te Water Naude, R et al. (2021). Smoking cessation for improving mental health. *Cochrane Database of Systematic Reviews*, 3, CD013522. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33687070>

News reports:

No authors listed. Lung cancer risk 'drops dramatically within five years of quitting smoking'. Health Insurance Daily, 2018. Available from: <https://www.healthinsurancedaily.com/health-insurance/product-area/life-critical-illness/article485589.ece>

American College of Cardiology. Prevention and cessation best options to reduce tobacco-related heart disease Eurek Alert!, 2018. Available from: https://www.eurekalert.org/pub_releases/2018-08/acoc-pac081618.php

No authors listed. Stop smoking! Quitting at any age reduces the risk of death after 70. Medical News Today 2016. Available from: <http://www.medicalnewstoday.com/releases/314494.php>

listed Na. Ex-smokers are happier than smokers, according to a new survey. North Devon Journal, 2016. Available from: <http://www.northdevonjournal.co.uk/Ex-smokers-happier-smokers-according-new-survey/story-28665141-detail/story.html>

Davies M. How quitting smoking can be good for your liver: Those who have given up cigarettes 'drink less alcohol too'. Daily Mail 2016. Available from: <http://www.dailymail.co.uk/health/article-3701603/How-quitting-smoking-good-LIVER-given-cigarettes-drink-alcohol-too.html>

No authors listed. Quit smoking at age 60: Lower risk for heart attack and stroke within the first five years Bright Surf 2015. Available from: http://www.brightsurf.com/news/headlines/109198/Quit_smoking_at_age_60_Lower_risk_for_heart_attack_and_stroke_within_the_first_five_years_.html

No authors listed. The comprehensive quitting smoking timeline. myfinalsmoke.com, 2015. Available from: <http://myfinalsmoke.com/quitting-smoking-timeline/>

No authors listed. Smoking speeds up brain ageing, research shows. Warrington Guardian, 2015. Available from: http://www.warringtonguardian.co.uk/news/national/14038028.Smoking_speeds_up_brain_ageing_research_shows/

No authors listed. Exercise and stop smoking to improve depression after heart attack. Medical XPress, 2015. Available from: <http://medicalxpress.com/news/2015-10-depression-heart.html>

No authors listed. Quitting smoking post heart attack improves quality of life, mental health. ANI News, 2015. Available from: <http://www.aninews.in/newsdetail10/story230608/quitting-smoking-post-heart-attack-improves-quality-of-life-mental-health.html>

Bennett R. Quitting can reverse effects of smoking. The Times, 2015. Available from: www.thetimes.co.uk/tto/news/uk/article4616727.ece

No authors listed. Smokers who quit cut heart disease risk faster than previous estimates. Science Daily, 2013. Available from: <http://www.sciencedaily.com/releases/2013/11/131120111952.htm>

7.1.1 Heart disease

American Heart Association. Smokers, especially those who begin young, are three times more likely to die prematurely. *Medical Express*, 2020. Oct 28, 2020. Retrieved from <https://medicalxpress.com/news/2020-10-smokers-young-die-prematurely.html>

7.1.1.1 Stroke

7.1.1.2 Peripheral vascular disease

7.1.2 Cancer

7.1.2.2 Lung cancer

7.1.3 Respiratory diseases

7.1.3.1 Chronic obstructive pulmonary disease (COPD)

7.1.4 Pregnancy complications and fertility problems

7.1.5 Oral diseases

7.1.6 Blindness

7.1.7 Dementia

7.1.8 Overall health and quality of life

7.1.9 Other benefits of quitting

Rapaport L. Brain chemical dopamine bounces back after quitting smoking. Reuters, 2016. Available from: <http://www.reuters.com/article/us-health-dopamine-smoking-idUSKCN10L2LQ>

Doyle K. Quitting smoking may actually widen social network. Reuters, 2016. Available from: <http://www.reuters.com/article/us-health-smoking-networking-idUSKCN10K1UZ>

NSW Retail Tobacco Traders' Association. Ref cigarette price lists, in The Australian Retail Tobacconist2010. p. 1–4. Available from: www.c-store.com.au/industry/tobacco.phpCached

7.1.10 Cutting down: are there health benefits?

7.1.11 Health problems that may be temporarily exacerbated by quitting

7.1.11.1 Mouth ulcers and colds

7.1.11.2 Diabetes

7.1.11.3 Quitting and weight gain

listed Na. Heavy smokers and smokers who are obese gain more weight after quitting Medical News Today 2015. Available from: <http://www.medicalnewstoday.com/releases/298171.php?tw>

No authors listed. Quitting smoking has favorable metabolic effects. Medical News Today, 2015.
Available from: <http://www.medicalnewstoday.com/releases/290551.php?tw>

7.1.11.4 Mental health problems