

Tobacco in Australia

Facts & Issues

Relevant news and research

7.3 Theories about smoking and quitting

Last updated October 2024

Research:	2
7.3.1 Behavioural theories	4
7.3.2 Social cognitive theory	5
7.3.3 Theory of planned behaviour	6
7.3.5 Social–ecological model	7
7.3.6 Transtheoretical model/Stages of change	7
7.3.8 Physiological models of addiction	8
7.3.9 Smoking and quitting as products of social and environmental influences	9
7.3.10 Religious views on smoking	13
News reports:	14
7.3.3 Theory of planned behaviour	15
7.3.4 Health belief model	15
7.3.7 Psychoanalytic theory	15
7.3.9 Smoking and quitting as products of social and environmental influences	15

Research:

Jalli, VV, Sreepradha, C, Halemani, S, Mutha, A, Sharma, R, Joshi, H, & Chhabra, KG. (2024). Impact of nicotine dependence on self-efficacy and readiness to quit among tobacco consumers in rural areas. *J Family Med Prim Care*, 13(3), 1079-1084. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38736831>

Lin, H, Lin, H, Zhang, L, Zhang, C, Yang, X, Cao, W, & Chang, C. (2024). Development and psychometric assessment of Health Action Process Approach (HAPA) in terms of smoking cessation among Chinese smokers. *Sci Rep*, 14(1), 4056. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38374426>

Rabade-Castedo, C, Zamarron-Sanz, C, Hermida-Ameijeiras, A, Abelleira-Paris, R, Casal-Mourino, A, Ferreiro-Fernandez, L et al. (2024). Effect of an intensive tobacco cessation program on the smoker narrative: A content analysis and grounded theory. *Tob Induc Dis*, 22. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38362270>

Shiratani, K, Shimasawa, J, & Mizutani, M. (2024). Experiences with smoking habits and the need for cessation among habitual smokers in Japan: a qualitative study based on semi-structured interviews. *BMC Prim Care*, 25(1), 1. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38163889>

File, D, Bothe, B, & Demetrovics, Z. (2023). Examining the impact of perceived psychological distances of quitting and continuing tobacco smoking on antismoking intention: a cross-sectional study. *Sci Rep*, 13(1), 22993. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38151498>

Hong, Q, Liao, Y, & Zhang, N. (2023). Implicit Theories of Smoking and Intention to Quit: A Serial Mediation Model. *Nicotine Tob Res*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37878750>

Nikose, Y, Madhu, PP, Reche, A, Agarwal, P, Jidewar, N, Sayyed, M, & Chhabra, KG. (2022). Markov model- Quantifying outlook towards success of tobacco cessation counseling. *J Family Med Prim Care*, 11(8), 4263-4266. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36352913>

Littman, D, Sherman, SE, Troxel, AB, & Stevens, ER. (2022). Behavioral Economics and Tobacco Control: Current Practices and Future Opportunities. *Int J Environ Res Public Health*, 19(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35805833>

Khosravani, V, Spada, MM, Samimi Ardestani, SM, & Sharifi Bastan, F. (2022). Desire thinking as an underlying mechanism in alcohol use disorder and nicotine dependence. *Clin Psychol Psychother*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35649288>

Lin, H, Chen, M, Yun, Q, Zhang, L, & Chang, C. (2022). Protection motivation theory and smoking quitting intention: findings based on structural equation modelling and mediation analysis. *BMC Public Health*, 22(1), 838. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35473619>

Jones, CM, & Schuz, B. (2021). Stable and momentary psychosocial correlates of everyday smoking: An application of Temporal Self-Regulation Theory. *J Behav Med*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34363146>

Hitsman, B. (2020). Re-evaluating and Expanding Tobacco Dependence-related Constructs Enables Better Prediction of Smoking Cessation Milestones and Provides Clearer Targets for Treatment. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33269381>

Zhu, N, Lin, S, Cao, C, Xu, N, Yu, X, & Chen, X. (2020). Nomogram to predict successful smoking cessation in a Chinese outpatient population. *Tob Induc Dis*, 18, 86. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33117113>

Karches, K. (2019). Temperance, Moral Friendship, and Smoking Cessation. *J Med Philos*, 44(3), 299-313. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31102454>

Pisinger, C, Jorgensen, T, Toft, U. A multifactorial approach to explaining the stagnation in national smoking rates. *Dan Med J*. 2018 Feb;65(2). pii: A5448. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29393038>

Scheuermann, TS, Nollen, NL, Luo, X, Cox, LS, Ahluwalia, JS. Intent to quit, quit attempts, and perceived health risk reduction among African American, Latino, and White nondaily and daily smokers in the United States. *Ethn Health*. 2017 Oct 16:1-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29035089>

Falcone, M et al. Brain responses to smoking cues differ based on nicotine metabolism rate. *Biol Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26805583>

Farris, SG et al. Sustained smoking abstinence is associated with reductions in smoking-specific experiential avoidance among treatment-seeking smokers. *J Behav Ther Exp Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26773342>

Karimy, M et al. An extended Theory of Planned Behavior (TPB) used to predict smoking behavior among a sample of Iranian medical students. *Int J High Risk Behav Addict*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26495261>

Mbulu, L et al. The process of cessation among current tobacco smokers: a cross-sectional data analysis from 21 countries, Global Adult Tobacco Survey, 2009-2013. *Prev Chronic Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26378897>

Allen, AM et al. Gender Differences in smoking behavior and dependence motives among daily and nondaily smokers. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26136526>

Reis, I et al. Characterizing a population of smokers: An observational, transversal, non-randomized pilot study based on smoking history and spirometry changes. *Revista Portuguesa de Pneumologia*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25926259>

Ashare, RL, Kable, JW. Sex differences in time perception during smoking abstinence. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25762755>

Romanowich, P, Lamb, R J. The effects of fixed versus escalating reinforcement schedules on smoking abstinence. *Journal of Applied Behavior Analysis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25640764>

Shiffman, S et al. Stimulus control in intermittent and daily smokers. *Psychology of Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25706335>

Machulska, A et al. "A cigarette a day keeps the goodies away": smokers show automatic approach tendencies for smoking-but not for food-related stimuli. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25692468>

Roewer, I et al. Nicotine deprivation, temporal discounting and choice consistency in heavy smokers. *Journal of the experimental analysis of behaviour*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25641080>

Flemming JA, Kim WR, and Terrault NA. Reply to prediction of hepatocellular carcinoma: Using a complex risk model or assisting for smoking cessation? *Cancer*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25470366>

Timms KP, Rivera DE, Collins LM, and Piper ME. Continuous-Time System Identification of a Smoking Cessation Intervention. *Int J Control*, 2014; 87(7):1423-1437. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25382865>

Timms KP, Rivera DE, Piper ME, and Collins LM. A Hybrid Model Predictive Control Strategy for Optimizing a Smoking Cessation Intervention. *Proc Am Control Conf*, 2014; 2014:2389-2394. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25400326>

7.3.1 Behavioural theories

Soutschek, A, & Wittekind, CE. (2024). Lower motivation for rewarded mental effort in tobacco dependence. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38815109>

Schell, C, Godinho, A, & Cunningham, JA. (2022). Learning to quit: can reinforcement theories predict the success of smoking cessation attempts using nicotine replacement therapy patches in a general population sample of smokers at 8-weeks and 6-months follow-up? *Psychol Health Med*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36203394>

Bhatt, G, Goel, S, Soundappan, K, & Kaur, R. (2022). Theoretical constructs of smoking cessation among current tobacco smokers in India: a secondary analysis of Global Adult Tobacco Survey-2 (2016-2017). *BMJ Open*, 12(1), e050916. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35105617>

Selby, K, Marti, J, & Durand, MA. (2022). We are all choice architects: using behavioral economics to improve smoking cessation in primary care. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35018565>

Berardi, V, Bellettiere, J, Nguyen, B, Klepeis, NE, Hughes, SC, Adams, MA, & Hovell, M. (2021). Assessing reinforcing versus aversive consequences in a real-time secondhand smoke intervention. *Translational Behavioral Medicine*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33823045>

Lydon-Staley, DM, MacLean, RR, Falk, EB, Bassett, DS, & Wilson, SJ. (2021). The feasibility of an in-scanner smoking lapse paradigm to examine the neural correlates of lapses. *Addict Biol*, e13001. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33508880>

Tamburin, S, Dal Lago, D, Armani, F, Turatti, M, Sacca, R, Campagnari, S, & Chiamulera, C. (2020). Smoking-related cue reactivity in a virtual reality setting: association between craving and EEG measures. *Psychopharmacology (Berl)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33263158>

Nahar, VK, Wilkerson, AH, Patel, FC, Kim, RW, Stephens, PM, & Sharma, M. (2019). Utilizing Multi-Theory Model in Determining Intentions to Smoking Cessation Among Smokers. *Tob Use Insights*, 12, 1179173X19843524. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065217>

Grigutsch, LA, Lewe, G, Rothermund, K, & Koranyi, N. Implicit 'wanting' without implicit 'liking': A test of incentive-sensitization-theory in the context of smoking addiction using the wanting-implicit-association-test (W-IAT). *J Behav Ther Exp Psychiatry*, 2019. 64, 9-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30711827>

Baker, TE, Zeighami, Y, Dagher, A, Holroyd, CB. Smoking decisions: Altered reinforcement learning signals induced by nicotine state. *Nicotine Tob Res*, July 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29982681>

Sharma, M, Khubchandani, J, Nahar, VK. Applying a new theory to smoking cessation: case of multi-theory model (MTM) for health behavior change. *Health Promot Perspect*. 2017 Mar 5;7(2):102-105. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28326291>

Audrain-McGovern, J, Strasser, AA, Wileyto, EP. Can repetitive mental simulation of smoking engender habituation? *Exp Clin Psychopharmacol*. 2016 Dec;24(6):415-422. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27929344>

Kamboj, SK, Das, RK. Behavioral and Pharmacological Strategies for Weakening Maladaptive Reward Memories: A New Approach to Treating a Core Disease Mechanism in Tobacco Use Disorder. *JAMA Psychiatry*. 2017 Mar 1;74(3):209-211. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28146262>

Motschman, CA, Tiffany, ST. *Psychol Addict Behav*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26866781>

Treur, JL et al. Associations between smoking and caffeine consumption in two European cohorts. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26750569>

7.3.2 Social cognitive theory

McLaughlin, C, Fu, QX, Na, S, Heflin, M, Chung, D, Fiore, VG, & Gu, X. (2024). Aberrant neural computation of social controllability in nicotine-dependent humans. *Commun Biol*, 7(1), 988. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39143128>

Brinken, L, Schuz, B, Ferguson, SG, Scholz, U, & Schuz, N. (2019). Social cognitions and smoking behaviour: Temporal resolution matters. *Br J Health Psychol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31814262>

Thai, CL, Rice, EL, Taber, JM, Kaufman, AR, & Klein, WMP. (2019). Implicit theories of smoking and association with interest in quitting among current smokers. *J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31111356>

7.3.3 Theory of planned behaviour

Blonde, J, Desrichard, O, Falomir-Pichastor, JM, Felder, M, Folly, L, & Riedo, G. (2022). Cohabitation with a smoker and efficacy of cessation programmes: the mediating role of the theory of planned behaviour. *Psychol Health*, 1-18. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35275033>

Lareyre, O, Gourlan, M, Stoebner-Delbarre, A, & Cousson-Gelie, F. (2020). Characteristics and impact of theory of planned behavior interventions on smoking behavior: A systematic review of the literature. *Prev Med*, 143, 106327. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33227344>

Lee, CG, Middlestadt, SE, Seo, DC, Lin, HC, Macy, JT, & Park, S. Incorporating environmental variables as precursor background variables of the theory of planned behavior to predict quitting-related intentions: a comparative study between adult and young adult smokers. *Arch Public Health*, 2018. 76, 66. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6211396/pdf/13690_2018_Article_311.pdf

Ruslan, NH, Yasin, SM, Isa, MR, Mohd Nasir, N, Ahing, T, & Rajikin, MH. Reliability and Construct Validity of the Malay Version of Theory of Planned Behaviour (TPB) for Smoking Cessation. *Asian Pac J Cancer Prev*, 2018.19(10), 2815-2820. Available from: http://journal.waocp.org/article_70491_8155dd136f80dfbc05af6c443c06fb43.pdf

Hanson, MJS. Attitudes and perceptions about cigarette smoking among nonsmoking high school students. *J Am Assoc Nurse Pract*. 2018 Feb;30(2):60-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29757816>

Tseng, YF, Wang, KL, Lin, CY, Lin, YT, Pan, HC, Chang, CJ. Predictors of smoking cessation in Taiwan: using the theory of planned behaviour. *Psychol Health Med*. 2017 Sep 20:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28931309>

Alanazi, NH, Lee, JW, Dos Santos, H, Job, JS, Bahjri, K. The use of planned behavior theory in predicting cigarette smoking among Waterpipe smokers. *Tob Induc Dis*. 2017 Jul 3;15:29. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28690480>

Do, ES, Choi, E. [Structural Equation Modeling on Smoking Cessation Intention in Male Technical High School Students]. *J Korean Acad Nurs*. 2017 Apr;47(2):211-221. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28470158>

Hummel, K, Candel, M, Nagelhout, GE, Brown, J, van den Putte, B, Kotz, D, Willemsen, MC, Fong, GT, West, R, de Vries, H. Construct and predictive validity of three measures of intention to quit

smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. *Nicotine Tob Res*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472427>

Ismail, S, Abdul Rahman, H, Abidin, EZ, Isha, AS, Abu Bakar, S, Zulkifley, NA, Fuad, AF. The effect of faith-based smoking cessation intervention during Ramadan among Malay smokers. *Qatar Med J*. 2017 Feb 7;2016(2):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28293538>

7.3.4 Health belief model

Halliday, DM, Zawadzki, MJ, & Song, AV. (2024). Variances in Smoking Expectancies Predict Moment-to-Moment Smoking Behaviors in Everyday Life. *Int J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38570426>

Kueh, MTW, Rahim, FF, & Rashid, A. (2022). Development and validation of the health belief model questionnaire to promote smoking cessation for nasopharyngeal cancer prevention: a cross-sectional study. *BMJ Open*, 12(9), e057552. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36104123>

7.3.5 Social-ecological model

DiFranza, JR et al. Tobacco use disorder: a family disease. *J Addict Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26900668>

Darden, M, Gilleskie, D. The effects of parental health shocks on adult offspring smoking behavior and self-assessed health. *Health Economics*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25981179>

7.3.6 Transtheoretical model/Stages of change

Miskimins, K, Kaufmann, A, & Haaga, DAF. (2023). Comparative Analysis of Alternate Measures of Readiness to Quit Smoking: Stages of Change and the Contemplation Ladder. *Subst Abuse Rehabil*, 14, 167-171. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38089114>

Ravi, K, Indrapriyadharshini, K, & Madankumar, PD. (2021). Application of Health Behavioral Models in Smoking Cessation - A Systematic Review. *Indian J Public Health*, 65(2), 103-109. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34135176>

Ivey, MA, Maguire, GP, Toelle, BG, Marks, GB, Abramson, MJ, & Wood-Baker, R. (2019). Characteristics in Stages of Change and Decisional Balance among Smokers: The Burden of Obstructive Lung Diseases (BOLD)-Australia Study. *Int J Environ Res Public Health*, 16(18). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31547255>

Rios, LE, Herval, AM, Ferreira, RC, & Freire, M. Prevalences of Stages of Change for Smoking Cessation in Adolescents and Associated Factors: Systematic Review and Meta-Analysis. *J Adolesc Health*, 2018. Available from: [https://www.jahonline.org/article/S1054-139X\(18\)30420-8/fulltext](https://www.jahonline.org/article/S1054-139X(18)30420-8/fulltext)

Andrews, ME, Sabado, M, Choi, K. Prevalence and characteristics of young adult smokers in the U.S. in the precontemplation stage of smoking cessation. *Addict Behav.* 2018 Apr 9;84:167-170. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29689471>

7.3.8 Physiological models of addiction

Mattioni, L, Sestieri, C, Perrucci, MG, Spada, MM, & Ferri, F. (2024). The role of interoceptive awareness in shaping the relationship between desire thinking and cigarette consumption. *Int J Psychophysiol*, 201, 112369. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38768660>

Wang, X, Chen, Y, Dong, J, Ge, J, Liu, X, & Liu, J. (2024). Neurobiology of Stress-Induced Nicotine Relapse. *Int J Mol Sci*, 25(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38338760>

Cheung, F, Calakos, KC, Gueorguieva, R, Hillmer, AT, Cosgrove, KP, & Zakariaeiz, Y. (2024). Lower dorsal putamen D2/3 receptor availability and amphetamine-induced dopamine release are related to poorer cognitive function in recently abstinent people who smoke and healthy controls. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38367211>

Proskynitopoulos, PJ, Bleich, S, Muschler, MAN, Buchholz, V, Frieling, H, Glahn, A, & Rhein, M. (2024). Methylation of the Oxytocin, Oxytocin Receptor, and Vasopressin Gene Promoters in Tobacco Use Disorder during Cessation. *Neuropsychobiology*, 1-13. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38185116>

Zhao, H, Ge, M, Turel, O, Bechara, A, & He, Q. (2023). Brain modular connectivity interactions can predict proactive inhibition in smokers when facing smoking cues. *Addict Biol*, 28(6), e13284. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37252878>

Truman, P. (2022). Editorial: The role of monoamine oxidase inhibition in smokers: Toward understanding their potential effects in reinforcing nicotine dependence. *Front Neurosci*, 16, 1094549. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36478880>

Versace, F, Sambuco, N, Deweese, MM, & Cinciripini, PM. (2022). Electrophysiological normative responses to emotional, neutral, and cigarette-related images. *Psychophysiology*, e14196. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36316228>

Liu, H, Guan, L, Nie, Y, Li, Q, Xue, J, Yang, Y et al. (2022). Brain Magnetic Resonance Imaging Features of Nicotine-Dependent Individuals and Its Correlation with Polymorphisms of Dopamine D Receptor Gene. *Contrast Media Mol Imaging*, 2022, 2296776. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36082055>

Potretzke, S, Lemieux, A, Nakajima, M, & al'Absi, M. (2022). Circulating ghrelin changes as a biomarker of the stress response and craving in abstinent smokers. *Pharmacol Biochem Behav*, 218, 173423. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35750154>

Calakos, KC, Hillmer, AT, Angarita, GA, Baldassarri, SR, Najafzadeh, S, Emery, PR et al. (2021). Recently abstinent smokers exhibit mood-associated dopamine dysfunction in the ventral striatum compared to nonsmokers: a [11C]-(+)-PHNO PET study. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34628508>

Di Ciano, P, de Wit, H, Mansouri, E, Houle, S, Boileau, I, & Le Foll, B. (2021). The influence of conditioned stimuli on [(11)C]-(+)-PHNO PET binding in tobacco smokers after a one week abstinence. *Sci Rep*, 11(1), 11667. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34083612>

al'Absi, M, DeAngelis, B, Nakajima, M, Hatsukami, D, & Allen, S. (2021). Early life adversity and appetite hormones: The effects of smoking status, nicotine withdrawal, and relapse on ghrelin and peptide YY during smoking cessation. *Addict Behav*, 118, 106866. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33640833>

Xue, Y, Zhou, H, Jiang, C, Liu, X, Zhou, Z, & Wang, J. (2020). Two-Hour Tobacco Abstinence Has No Effect on Cognitive Control in Male Patients With Nicotine Dependence: An ERP Study. *Front Psychiatry*, 11, 604684. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33424667>

Omeroglu Simsek, G, Kilinc, G, Ergan, B, & Kilinc, O. (2020). Effects of Oral pH Changes on Smoking Desire. *Balkan Med J*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33355743>

Nakajima, M, Lemieux, AM, Fiecas, M, Chatterjee, S, Sarker, H, Saleheen, N et al (2020). Using novel mobile sensors to assess stress and smoking lapse. *Int J Psychophysiol*, 158, 411-418. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33189770>

Acquavita, SP, Talks, A, Fiser, K. Facilitators and Barriers to Cigarette Smoking While Pregnant for Women With Substance Use Disorders. *Nicotine Tob Res*. 2017 May 1;19(5):555-561. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403463>

Mohammadi, S, Ghajari, H, Valizade, R, Ghaderi, N, Yousefi, F, Taymoori, P, Nouri, B. Predictors of Smoking among the Secondary High School Boy Students Based on the Health Belief Model. *Int J Prev Med*. 2017 Apr 13;8:24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28479966>

Walton, AL, LePrevost, CE, Linnan, L, Sanchez-Birkhead, A, Mooney, K. Benefits, Facilitators, Barriers, and Strategies to Improve Pesticide Protective Behaviors: Insights from Farmworkers in North Carolina Tobacco Fields. *Int J Environ Res Public Health*. 2017 Jun 23;14(7). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28644414>

Abdolahi, A et al. Smoking cessation behaviors three months following acute insular damage from stroke. *Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26188468>

Lemieux, A et al. Changes in circulating leptin levels during the initial stage of cessation are associated with smoking relapse. *Psychopharmacology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26156634>

7.3.9 Smoking and quitting as products of social and environmental influences

Helweg-Larsen, M, & Tjitra, C. (2024). Does Ostracism Help Smokers Quit? *Stigma Health*, 9(1), 30-38. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38617892>

Asare, S, Majmundar, A, Islami, F, Bandi, P, Fedewa, S., Westmaas, LJ, & Nargis, N. (2021). Changes in Cigarette Sales in the United States During the COVID-19 Pandemic. *Ann Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34662148>

Bourdas, DI, Zacharakis, ED Travlos, AK, Souglis, A, Georgali, TI, Gofas, D C et al. (2021). Impact of lockdown on smoking and sleeping in the early COVID-19 presence: Datasets of Greek Adults sample. *Data Brief*, 39, 107480. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34664028>

Chen, L, Li, J, Xia, T, Matthews, TA, Tseng, TS, Shi, L et al. (2021). Changes of Exercise, Screen Time, Fast Food Consumption, Alcohol, and Cigarette Smoking during the COVID-19 Pandemic among Adults in the United States. *Nutrients*, 13(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34684357>

Minian, N, Veldhuizen, S, Tanzini, E, Duench, S, deRuijter, WK, Barker, M et al. (2021). Changes in the reach of a smoking cessation program in Ontario, Canada, during the COVID-19 pandemic: a cross-sectional study. *CMAJ Open*, 9(4), E957-E965. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34667076>

Naik, BN, Biswas, B, Singh, C, Pandey, S, Nirala, SK, & Chaudhary, N. (2021). Tobacco use pattern and quitting behaviour among healthcare professionals during the COVID-19 pandemic: Insights from a pan India online survey. *Clin Epidemiol Glob Health*, 12, 100838. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34693078>

Benschop, A, van Bakkum, F, & Noijen, J. (2021). Changing Patterns of Substance Use During the Coronavirus Pandemic: Self-Reported Use of Tobacco, Alcohol, Cannabis, and Other Drugs. *Front Psychiatry*, 12, 633551. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34122170>

Gravelly, S, Craig, LV, Cummings, KM, Ouimet, J, Loewen, R, Martin, N et al (2021). Smokers' cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. *PLoS One*, 16(6), e0252427. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34086706>

Melamed, OC, Zawertailo, L, Schwartz, R, Buckley, L, & Selby, P. (2021). Protecting vulnerable groups from tobacco-related harm during and following the COVID-19 pandemic. *Health Promot Chronic Dis Prev Can*, 41(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34164973>

O'Donnell, R, Eadie, D, Stead, M, Dobson, R, & Semple, S. (2021). 'I Was Smoking a Lot More during Lockdown Because I Can': A Qualitative Study of How UK Smokers Responded to the Covid-19 Lockdown. *Int J Environ Res Public Health*, 18(11). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34071475>

Rigotti, NA, Chang, Y, Regan, S, Lee, S, Kelley, JHK, Davis, E et al (2021). Cigarette Smoking and Risk Perceptions During the COVID-19 Pandemic Reported by Recently Hospitalized Participants in a Smoking Cessation Trial. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34100230>

Rossato, M, Vincenzo, AD, & Vettor, R. (2021). COVID-19 and Smoking: An Opportunity to Quit... When Vaccinated! *Arch Bronconeumol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34054193>

Martinez-Cao, C, de la Fuente-Tomas, L, Menendez-Miranda, I, Velasco, A, Zurrón-Madera, P, García-Alvarez, L et al (2021). Factors associated with alcohol and tobacco consumption as a coping strategy

to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. *Addict Behav*, 121, 107003. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34111653>

Schnitzer, K, Jones, S, Kelley, JHK, Tindle, HA, Rigotti, NA, & Kruse, GR. (2021). A Qualitative Study of the Impact of COVID-19 on Smoking Behavior for Participants in a Post-Hospitalization Smoking Cessation Trial. *Int J Environ Res Public Health*, 18(10). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34069350>

Alqahtani, JS, Aldhahir, AM Oyelade, T., Alghamdi, SM, & Almamary, AS. (2021). Smoking cessation during COVID-19: the top to-do list. *NPJ Prim Care Respir Med*, 31(1), 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33958597>

Firat, M, Demir Gokmen, B, & Karakurt, P. (2021). An investigation of smoking habits and mental well-being in healthcare personnel during COVID-19. *Perspect Psychiatr Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33931894>

Gonzalez, M, Epperson, AE, Halpern-Felsher, B, Halliday, DM, & Song, AV. (2021). Smokers Are More Likely to Smoke More after the COVID-19 California Lockdown Order. *International Journal of Environmental Research and Public Health*, 18(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33807503>

Guignard, R, Andler, R, Quatremere, G, Pasquereau, A, du Roscoat, E, Arwidson, P et al (2021). Changes in smoking and alcohol consumption during COVID-19-related lockdown: A cross-sectional study in France. *European Journal of Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33826721>

Jaklevic, MC. (2021). COVID-19 and the "Lost Year" for Smokers Trying to Quit. *JAMA*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33909021>

Koopmann, A, Georgiadou, E, Reinhard, I, Muller, A, Lemenager, T, Kiefer, F, & Hillemecher, T. (2021). The Effects of the Lockdown during the COVID-19 Pandemic on Alcohol and Tobacco Consumption Behavior in Germany. *European Addiction Research*, 1-15. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33902030>

Malta, DC, Gomes, CS, Souza Junior, PRB, Szwarcwald, CL, Barros, MBA, Machado, IE et al (2021). Factors associated with increased cigarette consumption in the Brazilian population during the COVID-19 pandemic. *Cadernos de Saúde Pública*, 37(3), e00252220. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33852666>

Manthey, J, Kilian, C, Carr, S, Bartak, M, Bloomfield, K, Braddick, F et al (2021). Use of alcohol, tobacco, cannabis, and other substances during the first wave of the SARS-CoV-2 pandemic in Europe: a survey on 36,000 European substance users. *Substance Abuse Treatment, Prevention, and Policy*, 16(1), 36. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33902668>

Pastor Espla, E, Castello Faus, C, Jorda Baldo, A, Boira Enrique, I, & Chiner Vives, E. (2021). COVID-19 and Smoking: An Opportunity to Quit. *Archivos de Bronconeumologia*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33832793>

Reynolds, CME, Purdy, J, Rodriguez, L, & McAvoy, H. (2021). Factors associated with changes in consumption among smokers and alcohol drinkers during the COVID-19 'lockdown' period. *European Journal of Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33839763>

Yang, H & Ma, J. (2021). How the COVID-19 pandemic impacts tobacco addiction: Changes in smoking behavior and associations with well-being. *Addictive Behaviors*, 119, 106917. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33862579>

Peckham, E, Allgar, V, Crosland, S, Heron, P, Johnston, G, Newbronner, E et al (2021). Investigating smoking and nicotine dependence among people with severe mental illness during the COVID-19 pandemic: analysis of linked data from a UK Closing the Gap cohort. *BJPsych Open*, 7(3), e86. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33888178>

Bar-Zeev, Y, Shauly, M, Lee, H, & Neumark, Y. (2021). Changes in Smoking Behaviour and Home-Smoking Rules during the Initial COVID-19 Lockdown Period in Israel. *Int J Environ Res Public Health*, 18(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33671203>

Carreras, G, Lugo, A, Stival, C, Amerio, A, Odone, A, Pacifici, R et al (2021). Impact of COVID-19 lockdown on smoking consumption in a large representative sample of Italian adults. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33782199>

El-Toukhy, S. (2021). Insights From the SmokeFree.gov Initiative Regarding the Use of Smoking Cessation Digital Platforms During the COVID-19 Pandemic: Cross-sectional Trends Analysis Study. *J Med Internet Res*, 23(3), e24593. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33646963>

Koyama, S, Tabuchi, T, Okawa, S, Kadobayashi, T, Shirai, H, Nakatani, T, & Miyashiro, I. (2021). Changes in smoking behavior since the declaration of the COVID-19 state of emergency in Japan : A cross sectional study from the Osaka health app. *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33746148>

Mistry, SK, Ali, AM, Rahman, MA, Yadav, UN, Gupta, B, Rahman, MA, & Huque, R. (2021). Changes in Tobacco Use Patterns during COVID-19 and Their Correlates among Older Adults in Bangladesh. *Int J Environ Res Public Health*, 18(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33673087>

Rebollar Alvarez, A, Nuez Vicente, C, Lozano Polo, A, Perez Rios, M, Pola Ferrandez, E, Furio Martinez, AM et al (2021). [Tobacco use in Spain during COVID-19 lockdown: an evaluation through social media.]. *Rev Esp Salud Publica*, 95. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33724261>

Veeraiah, S, Sudhakar, R, Tripathy, JP, Sankar, D, Usharani, A, Ramakrishnan, S et al (2021). Tobacco use and quitting behaviour during COVID-19 lockdown. *Int J Tuberc Lung Dis*, 25(3), 247-249. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33688818>

Yingst, JM, Krebs, NM, Bordner, CR, Hobkirk, AL, Allen, SI, & Foulds, J. (2021). Tobacco Use Changes and Perceived Health Risks among Current Tobacco Users during the COVID-19 Pandemic. *Int J Environ Res Public Health*, 18(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33673207>

Minian, N, Corrin, T, Lingam, M, deRuiter, WK, Rodak, T, Taylor, VH et al (2020). Identifying contexts and mechanisms in multiple behavior change interventions affecting smoking cessation success: a

rapid realist review. *BMC Public Health*, 20(1), 918. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32532233>

7.3.10 Religious views on smoking

Pavlikova, B, & van Dijk, JP. (2021). Jehovah's Witnesses and Their Compliance with Regulations on Smoking and Blood Treatment. *Int J Environ Res Public Health*, 19(1). Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/35010645>

Unal, M, Ozturk, O, Ozturk, G, Fidanci, I, Atayoglu, AT, Sonmez, CI et al. (2021). Effect of Fasting on Smoking Addiction: A Multicentered Primary Care Research. *J Addict Nurs*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/34593700>

Martinez, EZ, Bueno-Silva, CC, Bartolomeu, IM, Ribeiro-Pizzo, LB, & Zucoloto, ML. (2021). Relationship between religiosity and smoking among undergraduate health sciences students. *Trends Psychiatry Psychother*, 43(1), 17-22. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33681901>

Hershkop, E, & Bisharat, B. (2020). Call to action: Ramadan and smoking cessation. *Isr Med Assoc J*, 22(4), 264. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32286035>

Sartor, CE, Hipwell, AE, & Chung, T. (2020). Public and private religious involvement and initiation of alcohol, cigarette, and marijuana use in Black and White adolescent girls. *Social Psychiatry and Psychiatric Epidemiology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31927596>

Banazadeh, N., Sabahi, A., Ziaadini, H., Jalali-Khalilabadi, A., & Banazadeh, M. (2019). The Relationship between Extrinsic and Intrinsic Religious Orientation with Perceived Stress and Cigarette Addiction among University Students. *Addict Health*, 11(2), 73-80. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31321004>

Nunziata, L, & Toffolutti, V. (2019). "Thou Shalt not Smoke": Religion and smoking in a natural experiment of history. *SSM Popul Health*, 8, 100412. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31338409>

Cartwright, K. (2019). Delivered from the Temptation of Smoking: An Examination of Religion and Health Behaviors of New US Immigrants. *J Relig Health*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31154592>

French, DC, Purwono, U, Zhao, S, Shen, M, & Eisenberg, N. (2019). Religiosity and Effortful Control as Predictors of Indonesian Adolescents' Tobacco and Alcohol Use: Moderation and Mediation. *J Res Adolesc*, 29(2), 321-333. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31206874>

Nie, F, & Yang, XY. (2019). Smoking in the temple of the holy spirit? Geographic location matters.

Health Place, 58, 102139. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31154161>

Dogan, M, Cetinkaya, F, Senol, V, & Nacar, M. (2019). Smoking Behaviors and Viewpoints of Smoking by Erciyes University, Faculty of Theology Students. *J Relig Health*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31098829>

Mehrotra, R, & Singh, PK. (2019). Mahatma Gandhi's Perspective on Tobacco. *Indian J Med Res*, 149(Suppl), S137-S139. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31070190>

Alturki, K, Hamza, A, Walton, P. Islam and Motivation to Quit Smoking: Public Health Policy Implications. *J Relig Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29948792>

Mughal, F, Kingstone, T. Encouraging smoking cessation in Ramadan in primary care. *Addiction*, 2018. Jun 6, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29873134>

Gallus, S, Cattaruzza, MS, Gorini, G, Faggiano, F, Italian Tobacco Endgame, Group. Vatican beats Italy 1-0 in the tobacco endgame. *Tob Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29695460>

Morphett, K, Carter, A, Hall, W, Lucke, J, Partridge, B, Gartner, C. Do neurobiological understandings of smoking influence quitting self-efficacy or treatment intentions? *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28645199>

Waters, EA, Ball, L, Gehlert, S. "I don't believe it." Acceptance and skepticism of genetic health information among African-American and White smokers. *Soc Sci Med*. 2017 Jul;184:153-160. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527373>

Alexander, AC et al. Religious beliefs against smoking among black and white urban youth. *J Relig Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26510855>

Elkalmi, RM et al. Effect of religious beliefs on the smoking behaviour of university students: quantitative findings from Malaysia. *J Relig Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26429730>

Hussain, M, Walker, C, Moon, G. Smoking and Religion: Untangling Associations Using English Survey Data. *J Relig Health*. Jun 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28667475>

Parenteau, SC. Depressive Symptoms and Tobacco Use: Does Religious Orientation Play a Protective Role? *J Relig Health*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28432499>

News reports:

Coleman, David. How to quit smoking - for good: Psychologist David Coleman on his own nicotine addiction. *Independent*, 2018. Feb 21, 2018. Available from: <https://www.independent.ie/life/health-wellbeing/how-to-quit-smoking-for-good-psychologist-david-coleman-on-his-own-nicotine-addiction-36586298.html>

McIntosh, James. Stroke brain damage could reveal key to treating addiction. *Medical News Today*, 2015. Sept 8, 2015. Available from: <http://www.medicalnewstoday.com/articles/299177.php?tw>

7.3.1 Behavioural theories

Devlin, Hannah. 'Extinction therapy' could help smokers kick habit, study suggests. The Guardian, 2017. Feb 4, 2017. Available from: <https://www.theguardian.com/society/2017/feb/03/extinction-therapy-could-help-smokers-kick-habit-study-suggests>

7.3.3 Theory of planned behaviour

Webb, Sam. Five million adults have tried to stop smoking in the last year – but one in five didn't last a month. The Scottish Sun, 2017Nov 7, 2017. Available from: <https://www.thescottishsun.co.uk/news/1793609/five-million-adults-have-tried-to-stop-smoking-in-the-last-year-but-one-in-five-didnt-last-a-month/>

Brown, Jamie and West, Robert. Quit success rates in England 2007-2017. Smoking in Britain Journal, 2017. Sept 19, 2017. Available from: <http://www.smokinginbritain.co.uk/read-paper/draft/8/Quit%20success%20rates%20in%20England%202007-2017>

Busby, Mattha. Success rates for people quitting smoking hit record high. The Guardian, 2017. Sept 21, 2017. Available from: <https://www.theguardian.com/society/2017/sep/20/success-rates-for-people-quitting-smoking-hit-record-high>

Wilson, Caroline. Number of people quitting smoking rises by 15% in Glasgow. Evening Times, 2017. Aug 24, 2017. Available from: http://www.eveningtimes.co.uk/news/15490609.Number_of_people_quitting_smoking_rises_by_15_in_Glasgow/

7.3.4 Health belief model

Brazier, Yvette. 'Breakthrough' discovery could help beat nicotine addiction. Medical News Today, 2016. Oct 4, 2016. Available from: <http://www.medicalnewstoday.com/articles/313247.php>

7.3.7 Psychoanalytic theory

Canadian Addiction Recovery Network. Canadian addiction recovery network reviews 12 step addiction programs. PR Newswire, 2017. Feb 3, 2017. Available from: <http://www.prnewswire.com/news-releases/canadian-addiction-recovery-network-reviews-12-step-addiction-programs-300402074.html>

7.3.9 Smoking and quitting as products of social and environmental influences

Concerns about COVID blip as smokers quit quitting during lockdown. (2021, 14/05/2021). *Quit*, 2021. May 14, 2021. Retrieved from <https://www.quit.org.au/news/concerns-about-covid-blip-smokers-quit-quitting-during-lockdown/>

Hymas, C. Lockdown reverses 40-year decline in smoking. *The Telegraph*, 2021. May 17, 2021. Retrieved from <https://www.telegraph.co.uk/news/2021/05/17/lockdown-reverses-40-year-decline-smoking/>

Eun-ji, B. Underage smoking, drinking rates lower amid pandemic *Korea Times*, 2021. April 21, 2021. Retrieved from https://www.koreatimes.co.kr/www/nation/2021/04/119_307532.html

Media, P. Covid stress leads to increase in smoking numbers – survey. April 15, 2021. Retrieved from <https://www.itv.com/news/2021-04-14/covid-stress-leads-to-increase-in-smoking-numbers--survey>