

Tobacco in Australia

Facts & Issues

Relevant news and research

7.3 Theories about smoking and quitting

Last updated January 2021

Research:	2
7.3.1 Behavioural theories	3
7.3.2 Social cognitive theory	4
7.3.3 Theory of planned behaviour	4
7.3.5 Social–ecological model	5
7.3.6 Transtheoretical model/Stages of change	5
7.3.8 Physiological models of addiction	6
7.3.9 Smoking and quitting as products of social and environmental influences	6
7.3.10 Religious views on smoking	6
News reports:	8
7.3.3 Theory of planned behaviour	8
7.3.4 Health belief model	9
7.3.7 Psychoanalytic theory	9

Research:

Hitsman, B. (2020). Re-evaluating and Expanding Tobacco Dependence-related Constructs Enables Better Prediction of Smoking Cessation Milestones and Provides Clearer Targets for Treatment. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33269381>

Zhu, N, Lin, S, Cao, C, Xu, N, Yu, X, & Chen, X. (2020). Nomogram to predict successful smoking cessation in a Chinese outpatient population. *Tob Induc Dis*, 18, 86. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33117113>

Karches, K. (2019). Temperance, Moral Friendship, and Smoking Cessation. *J Med Philos*, 44(3), 299-313. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31102454>

Pisinger, C, Jorgensen, T, Toft, U. A multifactorial approach to explaining the stagnation in national smoking rates. *Dan Med J*. 2018 Feb;65(2). pii: A5448. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29393038>

Scheuermann, TS, Nollen, NL, Luo, X, Cox, LS, Ahluwalia, JS. Intent to quit, quit attempts, and perceived health risk reduction among African American, Latino, and White nondaily and daily smokers in the United States. *Ethn Health*. 2017 Oct 16:1-19. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29035089>

Falcone, M et al. Brain responses to smoking cues differ based on nicotine metabolism rate. *Biol Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26805583>

Farris, SG et al. Sustained smoking abstinence is associated with reductions in smoking-specific experiential avoidance among treatment-seeking smokers. *J Behav Ther Exp Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26773342>

Karimy, M et al. An extended Theory of Planned Behavior (TPB) used to predict smoking behavior among a sample of Iranian medical students. *Int J High Risk Behav Addict*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26495261>

Mbulu, L et al. The process of cessation among current tobacco smokers: a cross-sectional data analysis from 21 countries, Global Adult Tobacco Survey, 2009-2013. *Prev Chronic Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26378897>

Allen, AM et al. Gender Differences in smoking behavior and dependence motives among daily and nondaily smokers. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26136526>

Reis, I et al. Characterizing a population of smokers: An observational, transversal, non-randomized pilot study based on smoking history and spirometry changes. *Revista Portuguesa de Pneumologia*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25926259>

Ashare, RL, Kable, JW. Sex differences in time perception during smoking abstinence. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25762755>

Romanowich, P, Lamb, R J. The effects of fixed versus escalating reinforcement schedules on smoking abstinence. *Journal of Applied Behavior Analysis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25640764>

Shiffman, S et al. Stimulus control in intermittent and daily smokers. *Psychology of Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25706335>

Machulska, A et al. "A cigarette a day keeps the goodies away": smokers show automatic approach tendencies for smoking-but not for food-related stimuli. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25692468>

Roewer, I et al. Nicotine deprivation, temporal discounting and choice consistency in heavy smokers. *Journal of the experimental analysis of behaviour*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25641080>

Flemming JA, Kim WR, and Terrault NA. Reply to prediction of hepatocellular carcinoma: Using a complex risk model or assisting for smoking cessation? *Cancer*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25470366>

Timms KP, Rivera DE, Collins LM, and Piper ME. Continuous-Time System Identification of a Smoking Cessation Intervention. *Int J Control*, 2014; 87(7):1423-1437. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25382865>

Timms KP, Rivera DE, Piper ME, and Collins LM. A Hybrid Model Predictive Control Strategy for Optimizing a Smoking Cessation Intervention. *Proc Am Control Conf*, 2014; 2014:2389-2394. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25400326>

7.3.1 Behavioural theories

Tamburin, S, Dal Lago, D, Armani, F, Turatti, M, Sacca, R, Campagnari, S, & Chiamulera, C. (2020). Smoking-related cue reactivity in a virtual reality setting: association between craving and EEG measures. *Psychopharmacology (Berl)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33263158>

Nahar, VK, Wilkerson, AH, Patel, FC, Kim, RW, Stephens, PM, & Sharma, M. (2019). Utilizing Multi-Theory Model in Determining Intentions to Smoking Cessation Among Smokers. *Tob Use Insights*, 12, 1179173X19843524. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31065217>

Grigutsch, LA, Lewe, G, Rothermund, K, & Koranyi, N. Implicit 'wanting' without implicit 'liking': A test of incentive-sensitization-theory in the context of smoking addiction using the wanting-implicit-association-test (W-IAT). *J Behav Ther Exp Psychiatry*, 2019. 64, 9-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30711827>

Baker, TE, Zeighami, Y, Dagher, A, Holroyd, CB. Smoking decisions: Altered reinforcement learning signals induced by nicotine state. *Nicotine Tob Res*, July 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29982681>

Sharma, M, Khubchandani, J, Nahar, VK. Applying a new theory to smoking cessation: case of multi-theory model (MTM) for health behavior change. *Health Promot Perspect*. 2017 Mar 5;7(2):102-105. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28326291>

Audrain-McGovern, J, Strasser, AA, Wileyto, EP. Can repetitive mental simulation of smoking engender habituation? *Exp Clin Psychopharmacol*. 2016 Dec;24(6):415-422. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27929344>

Kamboj, SK, Das, RK. Behavioral and Pharmacological Strategies for Weakening Maladaptive Reward Memories: A New Approach to Treating a Core Disease Mechanism in Tobacco Use Disorder. *JAMA Psychiatry*. 2017 Mar 1;74(3):209-211. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28146262>

Motschman, CA, Tiffany, ST. *Psychol Addict Behav*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26866781>

Treur, JL et al. Associations between smoking and caffeine consumption in two European cohorts. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26750569>

7.3.2 Social cognitive theory

Brinken, L, Schuz, B, Ferguson, SG, Scholz, U, & Schuz, N. (2019). Social cognitions and smoking behaviour: Temporal resolution matters. *Br J Health Psychol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31814262>

Thai, CL, Rice, EL, Taber, JM, Kaufman, AR, & Klein, WMP. (2019). Implicit theories of smoking and association with interest in quitting among current smokers. *J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31111356>

7.3.3 Theory of planned behaviour

Lareyre, O, Gourlan, M, Stoebner-Delbarre, A, & Cousson-Gelie, F. (2020). Characteristics and impact of theory of planned behavior interventions on smoking behavior: A systematic review of the literature. *Prev Med*, 143, 106327. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33227344>

Lee, CG, Middlestadt, SE, Seo, DC, Lin, HC, Macy, JT, & Park, S. Incorporating environmental variables as precursor background variables of the theory of planned behavior to predict quitting-related intentions: a comparative study between adult and young adult smokers. *Arch Public Health*, 2018. 76, 66. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6211396/pdf/13690_2018_Article_311.pdf

Ruslan, NH, Yasin, SM, Isa, MR, Mohd Nasir, N, Ahing, T, & Rajikin, MH. Reliability and Construct Validity of the Malay Version of Theory of Planned Behaviour (TPB) for Smoking Cessation. *Asian Pac J Cancer Prev*, 2018.19(10), 2815-2820. Available from: http://journal.waocp.org/article_70491_8155dd136f80dfbc05af6c443c06fb43.pdf

Hanson, MJS. Attitudes and perceptions about cigarette smoking among nonsmoking high school students. *J Am Assoc Nurse Pract*. 2018 Feb;30(2):60-63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29757816>

Tseng, YF, Wang, KL, Lin, CY, Lin, YT, Pan, HC, Chang, CJ. Predictors of smoking cessation in Taiwan: using the theory of planned behaviour. *Psychol Health Med*. 2017 Sep 20:1-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28931309>

Alanazi, NH, Lee, JW, Dos Santos, H, Job, JS, Bahjri, K. The use of planned behavior theory in predicting cigarette smoking among Waterpipe smokers. *Tob Induc Dis*. 2017 Jul 3;15:29. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28690480>

Do, ES, Choi, E. [Structural Equation Modeling on Smoking Cessation Intention in Male Technical High School Students]. *J Korean Acad Nurs*. 2017 Apr;47(2):211-221. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28470158>

Hummel, K, Candel, M, Nagelhout, GE, Brown, J, van den Putte, B, Kotz, D, Willemsen, MC, Fong, GT, West, R, de Vries, H. Construct and predictive validity of three measures of intention to quit smoking: Findings from the International Tobacco Control (ITC) Netherlands Survey. *Nicotine Tob Res*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28472427>

Ismail, S, Abdul Rahman, H, Abidin, EZ, Isha, AS, Abu Bakar, S, Zulkifley, NA, Fuad, AF. The effect of faith-based smoking cessation intervention during Ramadan among Malay smokers. *Qatar Med J*. 2017 Feb 7;2016(2):16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28293538>

7.3.5 Social–ecological model

DiFranza, JR et al. Tobacco use disorder: a family disease. *J Addict Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26900668>

Darden, M, Gilleskie, D. The effects of parental health shocks on adult offspring smoking behavior and self-assessed health. *Health Economics*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25981179>

7.3.6 Transtheoretical model/Stages of change

Ivey, MA, Maguire, GP, Toelle, BG, Marks, GB, Abramson, MJ, & Wood-Baker, R. (2019). Characteristics in Stages of Change and Decisional Balance among Smokers: The Burden of Obstructive Lung Diseases (BOLD)-Australia Study. *Int J Environ Res Public Health*, 16(18). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31547255>

Rios, LE, Herval, AM, Ferreira, RC, & Freire, M. Prevalences of Stages of Change for Smoking Cessation in Adolescents and Associated Factors: Systematic Review and Meta-Analysis. *J Adolesc Health*, 2018. Available from: [https://www.jahonline.org/article/S1054-139X\(18\)30420-8/fulltext](https://www.jahonline.org/article/S1054-139X(18)30420-8/fulltext)

Andrews, ME, Sabado, M, Choi, K. Prevalence and characteristics of young adult smokers in the U.S. in the precontemplation stage of smoking cessation. *Addict Behav.* 2018 Apr 9;84:167-170. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29689471>

7.3.8 Physiological models of addiction

Omeroglu Simsek, G, Kilinc, G, Ergan, B, & Kilinc, O. (2020). Effects of Oral pH Changes on Smoking Desire. *Balkan Med J.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33355743>

Nakajima, M, Lemieux, AM, Fiecas, M, Chatterjee, S, Sarker, H, Saleheen, N et al (2020). Using novel mobile sensors to assess stress and smoking lapse. *Int J Psychophysiol*, 158, 411-418. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33189770>

Acquavita, SP, Talks, A, Fiser, K. Facilitators and Barriers to Cigarette Smoking While Pregnant for Women With Substance Use Disorders. *Nicotine Tob Res.* 2017 May 1;19(5):555-561. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403463>

Mohammadi, S, Ghajari, H, Valizade, R, Ghaderi, N, Yousefi, F, Taymoori, P, Nouri, B. Predictors of Smoking among the Secondary High School Boy Students Based on the Health Belief Model. *Int J Prev Med.* 2017 Apr 13;8:24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28479966>

Walton, AL, LePrevost, CE, Linnan, L, Sanchez-Birkhead, A, Mooney, K. Benefits, Facilitators, Barriers, and Strategies to Improve Pesticide Protective Behaviors: Insights from Farmworkers in North Carolina Tobacco Fields. *Int J Environ Res Public Health.* 2017 Jun 23;14(7). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28644414>

Abdolahi, A et al. Smoking cessation behaviors three months following acute insular damage from stroke. *Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26188468>

Lemieux, A et al. Changes in circulating leptin levels during the initial stage of cessation are associated with smoking relapse. *Psychopharmacology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26156634>

7.3.9 Smoking and quitting as products of social and environmental influences

Minian, N, Corrin, T, Lingam, M, deRuiter, WK, Rodak, T, Taylor, VH et al (2020). Identifying contexts and mechanisms in multiple behavior change interventions affecting smoking cessation success: a rapid realist review. *BMC Public Health*, 20(1), 918. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32532233>

7.3.10 Religious views on smoking

Hershkop, E, & Bisharat, B. (2020). Call to action: Ramadan and smoking cessation. *Isr Med Assoc J*, 22(4), 264. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32286035>

Sartor, CE, Hipwell, AE, & Chung, T. (2020). Public and private religious involvement and initiation of alcohol, cigarette, and marijuana use in Black and White adolescent girls. *Social Psychiatry and Psychiatric Epidemiology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31927596>

Banazadeh, N., Sabahi, A., Ziaadini, H., Jalali-Khalilabadi, A., & Banazadeh, M. (2019). The Relationship between Extrinsic and Intrinsic Religious Orientation with Perceived Stress and Cigarette Addiction among University Students. *Addict Health*, 11(2), 73-80. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31321004>

Nunziata, L, & Toffolutti, V. (2019). "Thou Shalt not Smoke": Religion and smoking in a natural experiment of history. *SSM Popul Health*, 8, 100412. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31338409>

Cartwright, K. (2019). Delivered from the Temptation of Smoking: An Examination of Religion and Health Behaviors of New US Immigrants. *J Relig Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31154592>

French, DC, Purwono, U, Zhao, S, Shen, M, & Eisenberg, N. (2019). Religiosity and Effortful Control as Predictors of Indonesian Adolescents' Tobacco and Alcohol Use: Moderation and Mediation. *J Res Adolesc*, 29(2), 321-333. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31206874>

Nie, F, & Yang, XY. (2019). Smoking in the temple of the holy spirit? Geographic location matters. *Health Place*, 58, 102139. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31154161>

Dogan, M, Cetinkaya, F, Senol, V, & Nacar, M. (2019). Smoking Behaviors and Viewpoints of Smoking by Erciyes University, Faculty of Theology Students. *J Relig Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31098829>

Mehrotra, R, & Singh, PK. (2019). Mahatma Gandhi's Perspective on Tobacco. *Indian J Med Res*, 149(Suppl), S137-S139. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31070190>

Alturki, K, Hamza, A, Walton, P. Islam and Motivation to Quit Smoking: Public Health Policy Implications. *J Relig Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29948792>

Mughal, F, Kingstone, T. Encouraging smoking cessation in Ramadan in primary care. *Addiction*, 2018. Jun 6, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29873134>

Gallus, S, Cattaruzza, MS, Gorini, G, Faggiano, F, Italian Tobacco Endgame, Group. Vatican beats Italy 1-0 in the tobacco endgame. *Tob Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29695460>

Morphett, K, Carter, A, Hall, W, Lucke, J, Partridge, B, Gartner, C. Do neurobiological understandings of smoking influence quitting self-efficacy or treatment intentions? *Nicotine Tob Res*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28645199>

Waters, EA, Ball, L, Gehlert, S. "I don't believe it." Acceptance and skepticism of genetic health information among African-American and White smokers. *Soc Sci Med*. 2017 Jul;184:153-160. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527373>

Alexander, AC et al. Religious beliefs against smoking among black and white urban youth. J Relig Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26510855>

Elkalmi, RM et al. Effect of religious beliefs on the smoking behaviour of university students: quantitative findings from Malaysia. J Relig Health, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26429730>

Hussain, M, Walker, C, Moon, G. Smoking and Religion: Untangling Associations Using English Survey Data. J Relig Health. Jun 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28667475>

Parenteau, SC. Depressive Symptoms and Tobacco Use: Does Religious Orientation Play a Protective Role? J Relig Health, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28432499>

News reports:

Coleman, David. How to quit smoking - for good: Psychologist David Coleman on his own nicotine addiction. Independent, 2018. Feb 21, 2018. Available from: <https://www.independent.ie/life/health-wellbeing/how-to-quit-smoking-for-good-psychologist-david-coleman-on-his-own-nicotine-addiction-36586298.html>

McIntosh, James. Stroke brain damage could reveal key to treating addiction. Medical News Today, 2015. Sept 8, 2015. Available from: <http://www.medicalnewstoday.com/articles/299177.php?tw>

7.3.1 Behavioural theories

Devlin, Hannah. 'Extinction therapy' could help smokers kick habit, study suggests. The Guardian, 2017. Feb 4, 2017. Available from: <https://www.theguardian.com/society/2017/feb/03/extinction-therapy-could-help-smokers-kick-habit-study-suggests>

7.3.3 Theory of planned behaviour

Webb, Sam. Five million adults have tried to stop smoking in the last year – but one in five didn't last a month. The Scottish Sun, 2017Nov 7, 2017. Available from: <https://www.thescottishsun.co.uk/news/1793609/five-million-adults-have-tried-to-stop-smoking-in-the-last-year-but-one-in-five-didnt-last-a-month/>

Brown, Jamie and West, Robert. Quit success rates in England 2007-2017. Smoking in Britain Journal, 2017. Sept 19, 2017. Available from: <http://www.smokinginbritain.co.uk/read-paper/draft/8/Quit%20success%20rates%20in%20England%202007-2017>

Busby, Mattha. Success rates for people quitting smoking hit record high. The Guardian, 2017. Sept 21, 2017. Available from: <https://www.theguardian.com/society/2017/sep/20/success-rates-for-people-quitting-smoking-hit-record-high>

Wilson, Caroline. Number of people quitting smoking rises by 15% in Glasgow. Evening Times, 2017. Aug 24, 2017. Available from: http://www.eveningtimes.co.uk/news/15490609.Number_of_people_quitting_smoking_rises_by_15_in_Glasgow/

7.3.4 Health belief model

Brazier, Yvette. 'Breakthrough' discovery could help beat nicotine addiction. Medical News Today, 2016. Oct 4, 2016. Available from: <http://www.medicalnewstoday.com/articles/313247.php>

7.3.7 Psychoanalytic theory

Canadian Addiction Recovery Network. Canadian addiction recovery network reviews 12 step addiction programs. PR Newswire, 2017. Feb 3, 2017. Available from: <http://www.prnewswire.com/news-releases/canadian-addiction-recovery-network-reviews-12-step-addiction-programs-300402074.html>