

Tobacco in Australia

Facts & Issues

Relevant news and research

7.4 What finally prompts smokers to attempt to quit?

Last updated December 2024

Research:	2
7.4 What finally prompts smokers to attempt to quit?	2
7.4.1 Developing a serious illness	5
7.4.2 Advice from health professional	9
7.4.3 Becoming pregnant	9
7.4.4 Concern for children	10
7.4.5 Seeing an anti-smoking commercial	11
7.4.6 Experiencing an increase in the price of cigarettes	11
7.4.7 Exposure to health warnings	12
News reports:	12
7.4 What finally prompts smokers to attempt to quit?	12
7.4.1 Developing a serious illness	13
7.4.2 Advice from health professional	14
7.4.4 Concern for children	14

Research:

7.4 What finally prompts smokers to attempt to quit?

Kaai, SC, Fu, M, Driezen, P, Quah, ACK, Yan, M, Castellano, Y et al. (2024). Factors and reasons for planning to quit smoking among a nationally representative sample of adults who smoke: Findings from the 2021 ITC EUREST-PLUS Spain Survey. *Tob Prev Cessat*, 10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39569388>

Chandra, M, Fokom Domgue, J, Yu, R, & Shete, S. (2024). Association of perceived neighborhood air quality problems with attempt to quit cigarette smoking: a cross-sectional study in Texas. *Front Public Health*, 12, 1392065. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39131574>

Tabbakh, T, Mitsopoulos, E, Nuss, T, & Durkin, SJ. (2024). Messages about climate, pollution and social justice harms of tobacco as motivators to quit: an untapped communication opportunity? *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38199814>

Sun, S, Yu, H, Ling, J, Yao, D, Chen, H, & Liu, G. (2023). The influence of health literacy and knowledge about smoking hazards on the intention to quit smoking and its intensity: an empirical study based on the data of China's health literacy investigation. *BMC Public Health*, 23(1), 2355. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38017398>

Kostagiolas, P, Parnavela, S, & Theodorou, P. (2023). The Impact of Smokers' Information-Seeking Behavior on Smoking Cessation. *Adv Exp Med Biol*, 1425, 645-662. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37581838>

Gawde, NC, & Quazi Syed, Z. (2023). Determinants of Quit Attempts and Short-Term Abstinence among Smokers in India: Global Adult Tobacco Survey, 2016-17. *Asian Pac J Cancer Prev*, 24(7), 2279-2288. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37505757>

Sharapova, SR, Whitney, C, Sulentic, R, Pan, L, & Ahluwalia, IB. (2023). Reasons to decrease or stop nicotine and tobacco use among adults and association with MPOWER scores in twenty-one middle- and high-income countries, 2019-2020. *Tob Prev Cessat*, 9, 25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37485279>

Issabakhsh, M, Sanchez-Romero, LM, Le, TTT, Liber, AC, Tan, J, Li, Y et al. (2023). Machine learning application for predicting smoking cessation among US adults: An analysis of waves 1-3 of the PATH study. *PLoS One*, 18(6), e0286883. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37289765>

Casas, L, Medina-Ramirez, P, Carreno, V, Calixte-Civil, P, Martinez, U, Brandon, TH, & Simmons, VN. (2023). Hispanic/Latinx individuals' attributions for abstinence and smoking: A content analysis of open-ended responses from a randomized cessation trial. *Addict Behav Rep*, 17, 100478. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36619608>

Oltra, J, Amigo Vazquez, I, & Secades-Villa, R. (2022). How does smoking tobacco affect choosing a stable partner? *Adicciones*, 0(0), 1709. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36200226>

- Han, M, Seo, D, Kim, Y, Seo, HG, Cho, SI, Lee, S et al. (2022). Factors Associated with Quit Intentions among Adult Smokers in South Korea: Findings from the 2020 ITC Korea Survey. *Int J Environ Res Public Health*, 19(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36078553>
- Cho, A, Chan, G, & Gartner, C. (2022). Motivations to Change Smoking Behaviors Between 2007 and 2019 in Australia: A Repeated Cross-sectional Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35973439>
- Sornpaisarn, B, Parvez, N, Chatakan, W, Thitiprasert, W, Precha, P, Kongsakol, R et al. (2022). Methods and factors influencing successful smoking cessation in Thailand: A case-control study among smokers at the community level. *Tob Induc Dis*, 20, 67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35949928>
- Duong, HT, Massey, ZB Churchill, V., & Popova, L. (2021). Are smokers scared by COVID-19 risk? How fear and comparative optimism influence smokers' intentions to take measures to quit smoking. *PLoS One*, 16(12), e0260478. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34874964>
- Nyman, AL, Spears, CA, Churchill, V, Do, VV, Henderson, KC, Massey, ZB et al. (2021). Associations between COVID-19 risk perceptions and smoking and quitting behavior among U.S. adults. *Addict Behav Rep*, 14, 100394. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34869823>
- Loud, EE, Gallegos-Carrillo, K, Barrientos-Gutierrez, I, Arillo-Santillan, E, Lambert, VC, Zavala-Arciniega, L, & Thrasher, JF. (2021). Smoking Behaviors, Mental Health, and Risk Perceptions during the Beginning of the COVID-19 Pandemic among Mexican Adult Smokers. *Int J Environ Res Public Health*, 18(20). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34682643>
- Brown, CRH. (2021). The relationship between COVID-19-specific health risk beliefs and the motivation to quit smoking: A UK-based survey. *Drug Alcohol Depend*, 227, 108981. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34488076>
- Cheon, SW, Park, SG, Yoo, SM Kim, HE, & Kim, HJ. (2021). Trend in Prevalence of Smoking and Motivation to Quit among Korean Adult Male Cancer Survivors over the Last 8 Years: The Korea National Health and Nutrition Examination Survey V-VII (2010-2017). *Korean J Fam Med*, 42(4), 281-287. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34320795>
- Puleo, GE, Borger, T Bowling, WR, & Burris, JL. (2021). The State of the Science on Cancer Diagnosis as a "Teachable Moment" for Smoking Cessation: A Scoping Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34212198>
- Martins, RS, Junaid, MU, Khan, MS, Aziz, N, Fazal, ZZ, Umoodi, M et al. (2021). Factors motivating smoking cessation: a cross-sectional study in a lower-middle-income country. *BMC Public Health*, 21(1), 1419. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34275456>
- Gold, AK, Hoyt, DL, Milligan, M, Hiserodt, ML, Samora, J, Leyro, TM et al (2021). The role of fear of COVID-19 in motivation to quit smoking and reductions in cigarette smoking: a preliminary investigation of at-risk cigarette smokers. *Cogn Behav Ther*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33605833>

Lucchiari, C, Masiero, M, & Pravettoni, G. (2020). Psychological and Behavioral Correlates of Readiness to Stop Smoking. *J Addict Nurs*, 31(3), 194-202. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32868611>

Pereira, MO, Assis, BCS, Gomes, NMR, Alves, AR, Reinaldo, A, & Beinnet, MA. (2020). Motivation and difficulties to reduce or quit smoking. *Rev Bras Enferm*, 73(1), e20180188. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32049234>

West, R, Jarvis, MJ. Is 'hardcore smoker' a useful term in tobacco control? *Addiction*. 2018 Jan;113(1):3-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29226537>

Goodwin, RD, Wall, MM, Gbedemah, M, Hu, MC, Weinberger, AH, Galea, S, Zvolensky, MJ, Hangle, E, Hasin, DS. Trends in cigarette consumption and time to first cigarette on awakening from 2002 to 2015 in the USA: new insights into the ongoing tobacco epidemic. *Tob Control*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28801362>

Kasza, KA, Hyland, AJ, Borland, R, McNeill, A, Fong, GT, Carpenter, M J, Partos, T and Cummings, KM. Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002-2015. *Tobacco Control*, 2016. Oct 26, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27798323>

Marti, J, Richards, MR. Smoking response to health and medical spending changes and the role of insurance. *Health Econ*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26778716>

Zhao, L et al. Factors influencing quit attempts among male daily smokers in China. *Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26441296>

No authors listed. Breastfeeding linked to quitting smoking. *Community Pract*, Jun 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26372986>

Jeong, M et al. Talking about quitting: interpersonal communication as a mediator of campaign effects on smokers' quit behaviors. *Journal of Health Communication*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26147367>

Westmaas, JL et al. Does a recent cancer diagnosis predict smoking cessation? An analysis from a large prospective US cohort. *Journal of Clinical Oncology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25897151>

Tabuchi, T, Fujiwara, T. Are secondhand smoke-related diseases of children associated with parental smoking cessation? Determinants of parental smoking cessation in a population-based cohort study. *Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25660485>

Roberts JR, Basco WT, Jr., Hulsey TC, Ebeling MD, O'Brien E, et al. Prevalence of Parental Smoking and Predictors of Cessation: A Study in the South Carolina Pediatric Practice Research Network. *Clin Pediatr (Phila)*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25520365>

Herzog T, Pokhrel P, and Kawamoto CT. Short-Term Fluctuations in Motivation to Quit Smoking in a Sample of Smokers in Hawaii. *Subst Use Misuse*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25338289>

Mahabee-Gittens EM, Collins BN, Murphy S, Woo H, Chang Y, et al. The Parent-Child Dyad and Risk Perceptions Among Parents Who Quit Smoking. *Am J Prev Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25201508>

7.4.1 Developing a serious illness

Assari, S, & Sheikhattari, P. (2024). Smokers with Multiple Chronic Disease Are More Likely to Quit Cigarette. *Glob J Epidemiol Infect Dis*, 4(1), 60-68. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39544622>

Lee, HH, Ahn, J, Jiang, C, Lee, YG, Kim, HC, & Lee, H. (2024). Post-diagnosis smoking habit change and incident dementia in cancer survivors. *Alzheimers Dement*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39118441>

Kim, BI, O'Donnell, J, Wixted, CM, Seyler, TM, Jiranek, WA, Bolognesi, MP, & Ryan, SP. (2024). Smoking cessation prior to elective total joint arthroplasty results in sustained abstinence postoperatively. *World J Orthop*, 15(7), 627-634. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39070934>

Barkhurdar, W, Hussain, A, Saqlain, M, Zahra, R, Hussain, I, Saqib, M, & Mumtaz, H. (2024). Smoking behaviour in post-acute myocardial infarction patients: cross-sectional study. *Ann Med Surg (Lond)*, 86(5), 2531-2537. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38694391>

Hejjaji, V, Ellerbeck, EF, Jones, PG, Pacheco, CM, Malik, AO, Chan, PS et al. (2024). Association Between Cardiovascular Event Type and Smoking Cessation Rates Among Outpatients With Atherosclerotic Cardiovascular Disease: Insights From the NCDR PINNACLE Registry. *Circ Cardiovasc Qual Outcomes*, 17(2), e009960. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38318702>

Cottrell-Daniels, C, Hoogland, CE, Fennell, BS, Simmons, VN, Vidrine, DJ, & Vidrine, JI. (2024). Smoking Cessation by Cancer Treatment Status Among Cervical Cancer Survivors. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38342477>

Chi, X, Liu, X, Li, C, & Jiao, W. (2024). The impact of chronic disease diagnoses on smoking behavior change and maintenance: Evidence from China. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38264188>

Alter, P, Stoleriu, C, Kahnert, K, Henke, MO, Bals, R, Trudzinski, FC et al. (2023). Characteristics of Current Smokers versus Former Smokers with COPD and Their Associations with Smoking Cessation Within 4.5 Years: Results from COSYCONET. *Int J Chron Obstruct Pulmon Dis*, 18, 2911-2923. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38084341>

Taniguchi, C, Narisada, A, Ando, H, Hashimoto, A, Nakayama, A, Ito, M et al. (2023). Smoking cessation behavior in patients with a diagnosis of a non-communicable disease: The impact of

perceived disease severity of and susceptibility to the disease. *Tob Induc Dis*, 21, 125. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37808588>

Bernstein, EY, Chang, Y, Levy, DE, Baggett, TP, Lee, SS, Tindle, HA, & Rigotti, NA. (2023). Tobacco-Related Disease, Health Beliefs, and Post-Hospital Tobacco Abstinence. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37217039>

Kim, Y, & Cho, WK. (2023). Factors associated with successful smoking cessation in men with or without cardiovascular disease or cancer: Nationwide Korean population analysis. *Tob Induc Dis*, 21, 28. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36814694>

Durosini, I, Masiero, M, Casini, C, & Pravettoni, G. (2022). Tobacco Smoking Behaviors in Cancer Survivors: The Mediation Effect of Personality and Emotional Intelligence. *Curr Oncol*, 29(12), 9437-9451. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36547156>

Ukai, T, Tabuchi, T, Ohira, T, Nakano, H, Maeda, M, Yabe, H et al. (2022). Associations between the perception of risk in radiation exposure and changes in smoking and drinking status after a disaster: The Fukushima Health Management Survey. *Prev Med Rep*, 30, 102054. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36531090>

Wang, R, Qiang, Y, Gao, X, Yang, Q, & Li, B. (2022). Prevalence of non-communicable diseases and its association with tobacco smoking cessation intention among current smokers in Shanghai, China. *Tob Induc Dis*, 20, 106. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36474606>

Gali, K, Bokemeyer, F, Behrens, S, Mohl, A, Obi, N, Becher, H, & Chang-Claude, J. (2022). Changes in cigarette smoking behavior among breast cancer and unaffected women - A prospective study in the MARIE cohort. *Cancer Epidemiol*, 81, 102282. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36395613>

Mayer, M, Shin, YE, Baker, L, Cordova, J, Mayne, RG, Reyes-Guzman, CM et al. (2022). A Longitudinal Analysis of Respiratory Illness and Tobacco Use Transitions. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36220674>

Ofori, SN, Marcucci, M, Mbuagbaw, L, Conen, D, Borges, FK, Chow, CK. Vascular Events in Noncardiac Surgery Patients Cohort Evaluation Study, I. (2022). Determinants of tobacco smoking abstinence 1 year after major noncardiac surgery: a secondary analysis of the VISION study. *Br J Anaesth*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35987704>

Smith, J, Togawa, K, Dresler, C, Hawari, F, Zain, ZM, Stewart, B et al. (2022). Smoking cessation after a cancer diagnosis: Commentary on special supplement in Cancer Epidemiology. *Cancer Epidemiol*, 79, 102210. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35785684>

Borger, T, Shelton, BJ, Valentino, J, Ostroff, JS, Cummings, KM, Studts, JL et al. (2022). A Daily Assessment Study of Smoking Cessation After a Head and Neck Cancer Diagnosis. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35486923>

Ramos, MS, Corona, R, Dempster, KW, Morton, SCM, & Everhart, RS. (2022). The COVID-19 pandemic: asthma control, tobacco use, and mental health among African American and Latinx college students. *J Asthma*, 1-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35385676>

Boudreaux, ED, O'Hea, E, Wang, B, Quinn, E, Bergman, AL, Bock, BC, & Becker, BM. (2022). Modeling Health Event Impact on Smoking Cessation. *J Smok Cessat*, 2022, 2923656. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35284022>

Hua, X, Lopes, EW, Burke, KE, Ananthakrishnan, AN, Richter, JM, Lo, CH et al. (2022). Smoking behavior changes after diagnosis of inflammatory bowel disease and risk of all-cause mortality. *J Crohns Colitis*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35102373>

Li, L, Li, H, Zhang, Y, Zheng, C, Xu, H, & Cheng, Z. (2021). Exploring the degree of nicotine dependence and willingness to quit smoking in Chinese smoking patients with stroke: A cross-sectional survey. *Medicine (Baltimore)*, 100(49), e27715. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34889222>

Nishimoto, Y, Tsubono, Y, Kogure, M, Nakamura, T, Itabashi, F, Tsuchiya, N et al. (2021). The prevalence of current smokers and alcohol drinkers among cancer survivors and subjects with no history of cancer among participants in a community-based cardiometabolic screening program in Miyagi prefecture, Japan: a comparison with nationally representative surveys in other countries. *Cancer Med*, 10(24), 9000-9011. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34850586>

Luo, SJ, Choi, E, Aredo, JV, Wilkens, LR, Tammemagi, MC, Le Marchand, L et al. (2021). Smoking Cessation After Lung Cancer Diagnosis and the Risk of Second Primary Lung Cancer: The Multiethnic Cohort Study. *JNCI Cancer Spectr*, 5(5), pkab076. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34611582>

Golcic, M, Tomas, I, Stevanovic, A, Golcic, G, Dobrila-Dintinjana, R, Eric, S et al. (2021). Smoking Cessation after a Cancer Diagnosis: A Cross-Sectional Analysis in the Setting of a Developing Country. *Clin Pract*, 11(3), 509-519. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34449569>

Hu, Y, Chen, Q, & Zhang, B. (2021). Can Chronic Disease Diagnosis Urge the Patients to Quit Smoking? - Evidence from the China Health and Nutrition Survey. *Risk Manag Healthc Policy*, 14, 3059-3077. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34321941>

Matulewicz, RS, Bjurlin, MA, Feuer, Z, Makarov, DV, Sherman, SE, Scheidell, J et al. (2021). A Population-Level Assessment of Smoking Cessation following a Diagnosis of Tobacco- or Nontobacco-Related Cancer among United States Adults. *J Smok Cessat*, 2021, 6683014. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34306234>

Palmer, AM, Rojewski, AM, Nahhas, GJ, Michael Cummings, K, Warren, GW, & Toll, BA. (2021). Associations between cancer diagnosis and patients' responses to an inpatient tobacco treatment intervention. *Cancer Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34197693>

Neil, JM, Price, SN, Friedman, ER, Ponzani, C, Ostroff, JS, Muzikansky, A, & Park, ER. (2020). Patient-Level Factors Associated with Oncology Provider-Delivered Brief Tobacco Treatment Among Recently Diagnosed Cancer Patients. *Tob Use Insights*, 13, 1179173X20949270. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32874095>

Nazir, M, AlAbdullah, H, Alhareky, M, Al-Ansari, A, & Alhumaid, J. (2020). Influence of Dental Pain and Tooth Sensitivity on the Intention to Quit Smoking among Schoolchildren. *Int J Dent*, 2020, 8823146. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32695169>

Li, L, Borland, R, O'Connor, RJ, Fong, GT, McNeill, A, Driezen, P, & Cummings, MK. (2019). The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. *Tobacco Prevention & Cessation*, 5, 49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411911>

Lee, I, Park, YS, Kim, JH, & Han, SH. (2020). Factors Associated with the Intention to Quit Smoking in Elderly Korean Men: The Korea National Health and Nutrition Examination Survey 2010-2015. *Korean J Fam Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32326673>

King, WC, White, GE, Belle, SH, Yanovski, SZ, Pomp, A, Pories, WJ et al. (2020). Changes in Smoking Behavior Before and After Gastric Bypass: A 7-year Study. *Annals of Surgery*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32084036>

Kuwahara, K, Endo, M, Nishiura, C, Hori, A, Ogasawara, T, Nakagawa, T et al (2019). Smoking cessation after long-term sick leave due to cancer in comparison with cardiovascular disease: Japan Epidemiology Collaboration on Occupational Health Study. *Ind Health*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31611479>

Kruse, GR, Thawal, V, Gupte, HA, Chaudhuri, L, Pradhan, S, Howard, S, & Rigotti, NA. Tobacco Use and Subsequent Cessation Among Hospitalized Patients in Mumbai, India: A Longitudinal Study. *Nicotine Tob Res*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30778542>

Wang, Q, Rizzo, JA, & Fang, H. Changes in Smoking Behaviors following Exposure to Health Shocks in China. *Int J Environ Res Public Health*, 2018. 15(12). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30572581>

Iversen, C. Now or never: smoking cessation discussions in the face of serious illness. *Sociol Health Illn*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28681921>

Jones, A. Assessing the impact of a respiratory diagnosis on smoking cessation. *Br J Nurs*. 2017 Jul 27;26(14):792-797. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28745954>

Carter-Harris, L, Schwindt, R, Bakoyannis, G, Ceppa, DP, Rawl, SM. Current Smokers' Preferences for Receiving Cessation Information in a Lung Cancer Screening Setting. *J Cancer Educ*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28405898>

Gressard, L, DeGroff, AS, Richards, TB, Melillo, S, Kish-Doto, J, Heminger, CL, Rohan, EA, Allen, KG. A qualitative analysis of smokers' perceptions about lung cancer screening. *BMC Public Health*. 2017 Jun 21;17(1):589. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28637439>

Natto, ZS. Letter to the Editor: Re: Is Trying to Quit Associated With Tooth Loss and Delayed Yearly Dental Visit Among Smokers? Results of the 2014 Behavioral Risk Factor Surveillance. *J Periodontol*. 2017 May;88(5):423-424. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28452282>

Peters, TM, Phillips, C, Murrah, VA. Is Oral Biopsy Associated With Change in Tobacco or Alcohol Use? *J Oral Maxillofac Surg*. 2017 Mar 22. pii: S0278-2391(17)30337-3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28412260>

Song, EM, Kim, GU, Seo, M, Hwang, SW, Park, SH, Kwon, E, Lee, HS, Yang, DH, Kim, KJ, Ye, BD, Byeon, JS, Myung, S J, Yang, SK. Assessment of factors associated with smoking cessation at diagnosis or during follow-up of Crohn's disease. *J Gastroenterol Hepatol*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28556205>

Danielsen, SE, Lochen, ML, Medbo, A, Vold, ML, Melbye, H. A new diagnosis of asthma or COPD is linked to smoking cessation - the Tromso study. *Int J Chron Obstruct Pulmon Dis*. 2016 Jun 30;11:1453-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27418818>

Kwon, JA et al. Effects of disease detection on changes in smoking behavior. *Yonsei Medical Journal*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26069141>

7.4.2 Advice from health professional

Koh, YS, Sambasivam, R, AshaRani, PV, Abdin, E, Shafie, S, Ma, S et al. (2024). Factors influencing smoking cessation: Insights from Singapore's nationwide health and lifestyle survey. *Ann Acad Med Singap*, 53(10), 608-620. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39508693>

Majid, OW. (2024). How far does feedback on oral malodor assessment influence the decision to quit smoking? *Evid Based Dent*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38383601>

Paulsen, K, Carender, CN, Noiseux, NO, Elkins, JM, Brown, TS, & Bedard, NA. (2023). What Is the Fate of Total Joint Arthroplasty Patients Who Are Asked to Quit Smoking Prior to Surgery? *Arthroplast Today*, 19, 101087. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36691461>

de Granda-Orive, JI, Pascual-Lledo, JF, Asensio-Sanchez, S, Solano-Reina, S, Garcia-Rueda, M, Martinez-Muniz, MA et al. (2022). Is the motivation to quit smoking greater if the smoker is going to quit smoking of their own free will or when advised by a health professional? *Tob Induc Dis*, 20, 47. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35634095>

Wang, R, Gao, X, Qiang, Y Yang, Q., Li, X, & Li, B. (2021). The Estimated Effect of Physicians' Advice for Smoking Cessation and Assumed Tobacco Retail Price Increase on Smoker's Intention to Quit in Shanghai, China: A Cross-Sectional Study. *Front Public Health*, 9, 740476. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34646806>

Hwang, JH, & Park, SW. (2021). Smoking Cessation Intention and Its Association with Advice to Quit from Significant Others and Medical Professionals. *International Journal of Environmental Research and Public Health*, 18(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33809014>

7.4.3 Becoming pregnant

Cote, JJ, Cote, RD, Dilsaver, DB, Massey, SH, Doehrman, P, Cote, BP et al. (2024). Effects of 3D ultrasonography and 3D printed images on maternal-fetal attachment and its correlation with

overall smoking within pregnancy: a pilot study. *3D Print Med*, 10(1), 35. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39475978>

Ekblad, MO, Wallin, HP, Pajulo, M, & Korhonen, PE. (2021). Design of a prospective follow-up study on early parenthood and smoking behaviour during pregnancy in Finnish primary healthcare. *Scand J Public Health*, 14034948211022433. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34148504>

Gorlitz, K, & Tamm, M. (2020). Parenthood and smoking. *Econ Hum Biol*, 38, 100874. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1570677X19301029>

Tian, J, Gall, S, Patton, G, Dwyer, T, Venn, A. Partnering and parenting transitions associate with changing smoking status: a cohort study in young Australians. *Int J Public Health*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28536842>

7.4.4 Concern for children

Fakir, AMS, & Bharati, T. (2022). Healthy, nudged, and wise: Experimental evidence on the role of information salience in reducing tobacco intake. *Health Econ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35347817>

Chen, M, & Chen, L. (2021). Promoting Smoking Cessation in China: Using an Expansion of the EPPM with Other-oriented Threat. *J Health Commun*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33821769>

Lin, H, Chang, C, Liu, Z, & Tan, H. (2020). The effect of the presence of children on adult smoking behaviour: empirical evidence based on China family panel studies. *BMC Public Health*, 20(1), 1448. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32972391>

Jenssen, BP, Kelly, MK, Faerber, J, Hannan, C, Asch, DA, Shults, J et al (2020). Parent Preferences for Pediatric Clinician Messaging to Promote Smoking Cessation Treatment. *Pediatrics*, 146(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32571991>

Luk, TT, Hsieh, CJ, Leung, WC, Leung, KY, Cheung, KW, Kwa, C et al. (2020). Brief cessation advice, nicotine replacement therapy sampling and active referral (BANSAR) for smoking expectant fathers: Study protocol for a multicentre, pragmatic randomised controlled trial. *Contemp Clin Trials*, 93, 106006. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32320843>

Borrelli, B, McQuaid, EL, Tooley, EM, Busch, AM, Hammond, SK, Becker, B, Dunsiger, S. Motivating parents of kids with asthma to quit smoking: the effect of the teachable moment and increasing intervention intensity using a longitudinal randomized trial design. *Addiction*, May 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27184343>

Boykan, R, Messina, CR. A comparison of parents of healthy versus sick neonates: Is there a difference in readiness and/or success in quitting smoking? *Hosp Pediatr*, Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26573484>

Bottorff, JL et al. Men's responses to online smoking cessation resources for new fathers: The influence of masculinities. *JMIR Research Protocols*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25971202>

7.4.5 Seeing an anti-smoking commercial

Kumari, L, Sood, M, & Gupta, S. (2023). Motivation to quit tobacco; Impact of different types of Anti-tobacco state-sponsored media propaganda messages. *J Family Med Prim Care*, 12(4), 708-716. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37312770>

Shi, L, Cai, Y, & Huang, H. (2019). Health education for reducing tobacco consumption in Shanghai based on the health versus financial framing effect: A randomized field study. *Tob Induc Dis*, 17, 03. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31582915>

Shevorykin, A, & Yali, AM. (2019). The impact of content, frame and social identity on the effectiveness of smoking cessation messages in urban young adults. *J Prev Interv Community*, 1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31021313>

Davis, KC, Patel, D, Shafer, P, Duke, J, Glover-Kudon, R, Ridgeway, W, Cox, S. Association Between Media Doses of the Tips From Former Smokers Campaign and Cessation Behaviors and Intentions to Quit Among Cigarette Smokers, 2012-2015. *Health Educ Behav*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28497703>

7.4.6 Experiencing an increase in the price of cigarettes

Fakir, AMS, & Bharati, T. (2022). Healthy, nudged, and wise: Experimental evidence on the role of information salience in reducing tobacco intake. *Health Econ*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35347817>

Jones, SM, & Heffner, JL. (2022). Financial anxiety: a potential new target to increase smoking cessation. *Future Oncol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35132901>

Cheng, KJG, Lacaza, RM, & Estrada, MAG. (2021). Varying Cost Minimization and Cessation Motivations in Response to Excise Tax Reform in the Philippines: A Cross-Sectional Study Using the 2015 Global Adult Tobacco Survey. *Asia Pac J Public Health*, 10105395211065303. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34894760>

Puljevic, C, Snoswell, A, Rivas, L, Ali, MM, de Greef, W, Ferris, J, & Gartner, C. (2021). 'Money up in smoke': The financial benefits of smoking cessation may be more motivating to people who are homeless than potential health gains. *Drug and Alcohol Review*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33829571>

Stevens, VL, Diver, WR, Stoklosa, M, Flanders, WD, Westmaas, JL, Jemal, A, Drope, JM, Gapstur, SM, Jacobs, EJ. A Prospective Cohort Study of Cigarette Prices and Smoking Cessation in Older Smokers.

Cancer Epidemiol Biomarkers Prev, 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28264874>

7.4.7 Exposure to health warnings

Nian, Q, Hardesty, JJ, Cohen, JE, & Kennedy, RD. (2023). The association between viewing cigarette health warning labels and intention to quit smoking among Chinese adult smokers: support for including health outcome content and culturally specific messages. *BMC Public Health*, 23(1), 866. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37170086>

Demissie, HS, Smith, T, de Quevedo, IG, Kress, AC, & Twentyman, E. (2022). Factors associated with quit attempt and successful quitting among adults who smoke tobacco in Ethiopia: Global Adult Tobacco Survey (GATS) 2016. *Tob Prev Cessat*, 8, 12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35350770>

Arendt, F, Braunlein, J, Koleva, V, Mergen, M, Schmid, S, & Tratner, L. Effects of Gain- and Loss-Framed Quit Messages on Smokers: Test of the Ability to Process the Health Message as a Moderator. *J Health Commun*, 2018. 23(8), 800-806. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30300104>

Frith, E, Loprinzi, PD. Exercise Facilitates Smoking Cessation Indirectly via Intention to Quit Smoking: Prospective Cohort Study Among a National Sample of Young Smokers. *Am J Health Promot*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28656810>

News reports:

7.4 What finally prompts smokers to attempt to quit?

Glantz, S. Hard-Core Smokers are Softening Over Time: Smokers with High Psychological Distress Are Smoking Less and More Are Trying to Quit. Center for Tobacco Control, Research and Education. Oct 10, 2017. Available from: <https://tobacco.ucsf.edu/hard-core-smokers-are-softening-over-time-smokers-high-psychological-distress-are-smoking-less-and-more-are-trying-qui>

Goodyer, Paula. 'Bring us your worst smokers' – helping diehard smokers quit. The Sydney Morning Herald, 2017. Sept 18, 2017. Available from: <http://www.smh.com.au/lifestyle/health-and-wellbeing/wellbeing/bring-us-your-worst-smokers--helping-diehard-smokers-quit-20170915-gyi3xl.html>

Kasza, KA, Hyland, AJ, Borland, R, McNeill, A, Fong, GT, Carpenter, M J, Partos, T and Cummings, KM. Cross-country comparison of smokers' reasons for thinking about quitting over time: findings from the International Tobacco Control Four Country Survey (ITC-4C), 2002-2015. *Tobacco Control*, 2016. Oct 26, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27798323>

No authors listed. Cancer diagnosis leads to higher quit rates among smokers. *Medical News Today*, 2015. Apr 22, 2015. Available from: <http://www.medicalnewstoday.com/releases/292708.php?tw>

No authors listed,. Lung disease sufferer inspires 'Smokefree' campaign. *ITV.com*, 2015. Feb 2, 2015. Available from: <http://www.itv.com/news/westcountry/update/2015-02-02/loved-ones-are-the-true-victims-of-a-smoking-habit/>

7.4.1 Developing a serious illness

American Lung Association. Media Summary: COVID-19 and Lung Health Survey Results. April 7, 2021. Retrieved from <https://www.lung.org/lung-health-diseases/lung-disease-lookup/covid-19/action-initiative/covid-19-lung-health-survey-results>

Gregory, A. 'Covid was the fright I needed' — record numbers quit cigarettes during lockdown. *The Times UK*, 2020. October 11, 2020. Retrieved from <https://www.thetimes.co.uk/article/covid-was-the-fright-i-needed-record-numbers-quit-cigarettes-during-lockdown-30sk65sxv>

No authors listed. Corona concerns prompt thousands to quit smoking. *Yle*, 2020. October 12, 2020. Retrieved from https://yle.fi/uutiset/osasto/news/corona_concerns_prompt_thousands_to_quit_smoking/11591654

Pettigrew, S. COVID-19 has offered us an unexpected opportunity to help more people quit smoking. *The Conversation*, 2020. Sept 25, 2020. Retrieved from <https://theconversation.com/covid-19-has-offered-us-an-unexpected-opportunity-to-help-more-people-quit-smoking-146747>

Coates, S. (2020). Quit while you're in iso. *Herald Sun*. Retrieved from https://customreport.mediaportal.com/#/articlepresenter/bb4a30bb-6935-4a12-b73a-90d42e820092/626126176/1527447519?_k=x54nrm

Myers, M. Tobacco-Free Kids Strongly Supports the Quit Because of COVID-19 Act – Federal Legislation to Expand Medicaid and CHIP Coverage for Tobacco Cessation Treatments. *Campaign for Tobacco-Free Kids*, 2020. August 14, 2020. Retrieved from <https://www.tobaccofreekids.org/press-releases/tobacco-free-kids-strongly-supports-the-quit-because-of-covid-19-act-federal-legislation-to-expand-medicare-and-chip-coverage-for-tobacco-cessation-treatments>

Schraer, R. Coronavirus: Smokers quit in highest numbers in a decade. *BBC News*, 2020. July 15, 2020. Retrieved from <https://www.bbc.co.uk/news/health-53403610>

Myers, M. Tobacco-Free Kids Strongly Supports the Quit Because of COVID-19 Act – Federal Legislation to Expand Medicaid and CHIP Coverage for Tobacco Cessation Treatments. *Campaign for Tobacco-Free Kids*, 2020. June 22, 2020. Retrieved from https://www.tobaccofreekids.org/press-releases/2020_06_22_medicare-smoking-rates

No authors listed. COVID-19 drives 'astonishing' quit rate among young smokers: Experts ask if trend will survive loosening lockdown. *Action on Smoking and Health*, 2020. June 23, 2020. Retrieved from <https://ash.org.uk/media-and-news/press-releases-media-and-news/covidyoungsmokers/>

No authors listed. Many used lockdown to quit smoking. Illawarra Mercury, 2020. June 1, 2020. Retrieved from <https://readnow.isentia.com/Temp/142902-691307/1282575933.pdf>

Haverstock, E. As pandemic provides a wake-up call, smokers turn to startups to quit. PitchBook, 2020. March 31, 2020. Retrieved from <https://pitchbook.com/news/articles/as-pandemic-provides-a-wake-up-call-smokers-turn-to-startups-to-quit>

Simons, D, Perski, O, & Brown, J. (2020). Covid-19: The role of smoking cessation during respiratory virus epidemics. *The BMJ Opinion*. Retrieved from <https://blogs.bmj.com/bmj/2020/03/20/covid-19-the-role-of-smoking-cessation-during-respiratory-virus-epidemics/>

7.4.2 Advice from health professional

7.4.4 Concern for children

Wilson, Marlena. New study looks at the role kids play in parents breaking their smoking habit. WJBF News Channel 6, 2018. July 30, 2018. Available from: <https://www.wjbf.com/featured/the-means-report/new-study-looks-at-the-role-kids-play-in-parents-breaking-their-smoking-habit/1334572247>

No authors listed. Capitalizing on a teachable moment motivates parents of kids with asthma to quit smoking. Medical News Today2016. May 17, 2016. Available from: <http://www.medicalnewstoday.com/releases/310360.php>