

Tobacco in Australia

Facts & Issues

Relevant news and research

7.6 How smokers go about quitting

Last updated December 2024

Research:	2
<i>7.6 How smokers go about quitting</i>	2
<i>7.6.1 Planned versus spontaneous</i>	3
<i>7.6.2 Abrupt versus gradual</i>	3
<i>7.6.3 Unassisted versus mediated</i>	6
News reports:	9
<i>7.6 How smokers go about quitting</i>	9
<i>7.6.1 Planned versus spontaneous</i>	9
<i>7.6.2 Abrupt versus gradual</i>	9
<i>7.6.3 Unassisted versus mediated</i>	9

Research:

7.6 How smokers go about quitting

Lin, CH, Wang, CY, Chen, KF, Chiu, SP, Huang, WT, & Fan, SY. (2024). The trajectory of Retrieved from smoking cessation after treatment and its related factors in Taiwan. *Sci Rep*, 14(1), 13270.
Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38858540>

Sornpaisarn, B, Parvez, N, Chatakan, W, Thitiprasert, W, Precha, P, Kongsakol, R et al. (2022). Methods and factors influencing successful smoking cessation in Thailand: A case-control study among smokers at the community level. *Tob Induc Dis*, 20, 67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35949928>

Johnson, AL, Schlam, TR, Baker, TB, & Piper, ME. (2022). Understanding what changes adults in a smoking cessation study believe they need to make to quit smoking: A qualitative analysis of pre- and post-quit perceptions. *Psychol Addict Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35737550>

Soule, EK, Dubray, J, Cohen, JE, Schwartz, R, & Chatton, M. (2021). Smoking cessation strategies used by former menthol cigarette smokers after a menthol ban. *Addict Behav*, 123, 107046. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34311185>

Gultzow, T, Smit, ES, Hudales, R, Dirksen, CD, & Hoving, C. (2020). Smoker profiles and their influence on smokers' intention to use a digital decision aid aimed at the uptake of evidence-based smoking cessation tools: An explorative study. *Digit Health*, 6, 2055207620980241. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33473322>

Kotz, D, Batra, A, & Kastaun, S. (2020). Smoking Cessation Attempts and Common Strategies Employed. *Dtsch Arztebl Int*, 117(1-2), 7-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32008606>

Lima Passos, V, Crutzen, R, Feder, JT, Willemse, MC, Lemmens, P, & Hummel, K. (2019). Dynamic, data-driven typologies of long-term smoking, cessation, and their correlates: Findings from the International Tobacco Control (ITC) Netherlands Survey. *Soc Sci Med*, 235, 112393. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31302376>

Rodu, B, Plurphanswat, N. Quit Methods Used by American Smokers, 2013-2014. *Int J Environ Res Public Health*. 2017 Nov 17;14(11). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29149048>

Smith, AL, Carter, SM, Dunlop, SM, Freeman, B, Chapman, S. Revealing the complexity of quitting smoking: a qualitative grounded theory study of the natural history of quitting in Australian ex-smokers. *Tob Control*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29170168>

Kastaun, S, Brown, J, Brose, LS, Ratschen, E, Raupach, T, Nowak, D, Cholmakow-Bodechtel, C, Shahab, L, West, R, Kotz, D. Study protocol of the German Study on Tobacco Use (DEBRA): a national household survey of smoking behaviour and cessation. *BMC Public Health*. 2017 May 2;17(1):378. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28464934>

McCarthy, DE et al. Paths to tobacco abstinence: a repeated-measures latent class analysis. *Journal of Consulting and Clinical Psychology*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25867447>

Klemperer, EM, Hughes, JR. Does the magnitude of reduction in cigarettes per day predict smoking cessation? A qualitative review. *Nicotine & Tobacco Research*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25744970>

7.6.1 Planned versus spontaneous

Hu, Y, Xie, J, Chang, X, Chen, J, Wang, W, Zhang, L et al (2021). Characteristics and Predictors of Abstinence Among Smokers of a Smoking Cessation Clinic in Hunan China. *Front Public Health*, 9, 615817. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33816416>

Garnett, C, Shahab, L, Raupach, T, West, R, & Brown, J. (2019). Understanding the association between spontaneous quit attempts and improved smoking cessation success rates: a population survey in England with six-month follow-up. *Nicotine Tob Res*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31300827>

Zawertailo, L, Ragusila, A, Voci, S, Ivanova, A, Baliunas, D, Selby, P. Target Quit Date Timing as a Predictor of Smoking Cessation Outcomes. *Psychol Addict Behav*, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28703612>

Anesi, GL, Halpern, SD, Harhay, MO, Volpp, KG, Saulsgiver, K. Time to selected quit date and subsequent rates of sustained smoking abstinence. *J Behav Med*, Jun 2017. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28639106>

7.6.2 Abrupt versus gradual

Carrillo-Sierra, SM, Cardenas-Caceres, L, Cadraza-Urquijo, JA, Salazar-Gomez, AN, Rivera-Porras, D, & Bermudez, V. (2024). Psychological Therapies Used for the Reduction of Habitual Cigarette Smoking Cigarette Consumption: A Systematic Review. *Int J Environ Res Public Health*, 21(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38929001>

Cinciripini, PM, Minnix, JA, Robinson, JD, Kypriiotakis, G, Cui, Y, Blalock, JA et al. (2023). The Effects of Scheduled Smoking Reduction and Precessation Nicotine Replacement Therapy on Smoking Cessation: Randomized Controlled Trial With Compliance. *JMIR Form Res*, 7, e39487. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37338956>

Taylor, AH, Thompson, TP, Streeter, A, Chynoweth, J, Snowsill, T, Ingram, W et al. (2023). Effectiveness and cost-effectiveness of behavioural support for prolonged abstinence for smokers wishing to reduce but not quit: Randomised controlled trial of physical activity assisted reduction of smoking (TARS). *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36871577>

Li, WHC, Xia, W, Wang, MP, Cheung, DYT, Cheung, KY, Wong, CKH, & Lam, TH. (2023). Effect of quitting immediately vs progressively on smoking cessation for smokers at emergency department in

Hong Kong: A posteriori analysis of a randomized controlled trial. *PLoS One*, 18(1), e0280925.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36701401>

Garnett, C, Brown, J, Shahab, L, Raupach, T, & Lindson, N. (2021). Potential explanations for conflicting findings on abrupt versus gradual smoking cessation: a population study in England. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34792598>

Chaiton, M. (2020). Commentary on Stepankova et al. (2020): Try, try, try again-smoking cessation clinics and their role in the cessation journey. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33191559>

Conn, MR, Brandon, TH, Lorenzo, YL, Sawyer, LE, Simmons, VN, Sutton, SK et al (2020). Facilitating smoking cessation using reduced nicotine cigarettes: Intervention development and RCT study design. *Contemp Clin Trials*, 98, 106172. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33038504>

Lindson, N, Michie, S, & Aveyard, P. (2020). Exploratory analyses of the popularity and efficacy of four behavioral methods of gradual smoking cessation. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32609847>

Lindson, N, Klemperer, EM, & Aveyard, P. (2019). Is there a place for cutting-down-to-stop in smoking cessation support? *Addiction*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31845439>

Lindson, N, Aveyard, P, & Hughes, JR. (2019). WITHDRAWN: Reduction versus abrupt cessation in smokers who want to quit. *Cochrane Database Syst Rev*, 10, CD008033. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31573070>

Lindson, N, Klemperer, E, Hong, B, Ordonez-Mena, JM, & Aveyard, P. (2019). Smoking reduction interventions for smoking cessation. *Cochrane Database Systematic Reviews*, 9, CD013183. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31565800>

Tan, J, Zhao, L, & Chen, H. (2019). A meta-analysis of the effectiveness of gradual versus abrupt smoking cessation. *Tob Induc Dis*, 17, 09. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31582921>

Engle, JL, Mermelstein, R, Baker, TB, Smith, SS, Schlam, TR, Piper, ME et al. (2019). Effects of motivation phase intervention components on quit attempts in smokers unwilling to quit: A factorial experiment. *Drug Alcohol Depend*, 197, 149-157. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30825795>

Robinson, J, McEwen, A, Heah, R, & Papadakis, S. A 'Cut-Down-To-Stop' intervention for smokers who find it hard to quit: a qualitative evaluation. *BMC Public Health*, 19(1), 403. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30987623>

Hugley, MJ, Wolford-Clevenger, C, Sisson, ML, Nguyen, AT, & Cropsey, KL. Self-initiated gradual smoking reduction among community correction smokers. *Addict Behav*, 2019. 93, 100-103.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30703663>

Inoue-Choi, M, Hartge, P, Park, Y, Abnet, CC, & Freedman, ND. Reductions in Cigarettes per Day and Mortality Among Older Adults in The United States. *Am J Epidemiol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30299454>

Swayampakala, K, Thrasher, JF, Hardin, JW, Titus, AR, Liu, J, Fong, GT, & Fleischer, NL. Factors associated with changing cigarette consumption patterns among low-intensity smokers: Longitudinal findings across four waves (2008-2012) of ITC Mexico Survey. *Addict Behav Rep*. 2018 Oct 10;8:154-163. Available from <https://www.ncbi.nlm.nih.gov/pubmed/30364679>

Hagens, P, Pieterse, M, van der Valk, P, van der Palen, J. Effectiveness of intensive smoking reduction counselling plus combination nicotine replacement therapy in promoting long-term abstinence in patients with chronic obstructive pulmonary disease not ready to quit smoking: Protocol of the REDUQ trial. *Contemp Clin Trials Commun*. 2017 Sep 1;8:248-257. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29696216>

Klemperer, EM, Hughes, JR, Naud, S. Reduction in Cigarettes Per Day Prospectively Predicts Making a Quit Attempt: A Fine-Grained Secondary Analysis of a Natural History Study. *Nicotine Tob Res*. 2018 Mar 22. pii: 4951442. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29579250>

Thompson, J. Abrupt smoking cessation more effective than cutting down. *Practitioner*. 2016 Dec;260(1796):5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29116719>

Petersen, A, Mermelstein, R, Berg, KM, Baker, TB, Smith, SS, Jorenby, D, Piper, ME, Schlam, TR, Cook, JW. Offering smoking treatment to primary care patients in two Wisconsin healthcare systems: Who chooses smoking reduction versus cessation? *Prev Med*. 2017 Dec;105:332-336. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28988997>

Ebel, J. Gradual vs abrupt smoking cessation: Each has its place. *J Fam Pract*. 2017 Jul;66(7):419. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28700765>

Nakamura, M, Abe, M, Ohkura, M, Treadow, J, Yu, CR, Park, PW. Efficacy of Varenicline for Cigarette Reduction Before Quitting in Japanese Smokers: A Subpopulation Analysis of the Reduce to Quit Trial. *Clin Ther*. 2017 Apr;39(4):863-872. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28365035>

Smith, DK, Miller, DE, Mounsey, A. PURLS: "Cold turkey" works best for smoking cessation. *J Fam Pract*. 2017 Mar;66(3):174-176. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28249056>

Twyman, L, Bonevski, B, Paul, C, Bryant, J, West, R, Siahpush, M, D'Este, C, Oldmeadow, C, Palazzi, K. What factors are associated with abstinence amongst socioeconomically disadvantaged smokers? A cross-sectional survey of use of cessation aids and quitting approach. *Drug Alcohol Rev*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28616900>

Wang, MP, Li, WH, Cheung, YT, Lam, OB, Wu, Y, Kwong, AC, Lai, VW, Chan, SS, Lam, TH. Brief advice on smoking reduction vs. abrupt quitting for smoking cessation in Chinese smokers: a cluster randomized controlled trial. *Nicotine Tob Res*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28182243>

Hughes, JR, Klemperer, EM. Gradual versus abrupt smoking cessation. Ann Intern Med. 2016 Nov 15;165(10):741. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27842403>

Klemperer, EM, Fagerstrom, KO, Hughes, JR. Abrupt versus gradual smoking cessation with precessation nicotine replacement therapy for cigarette smokers motivated to quit. Ann Transl Med. 2016 Oct;4(19):384. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27826586>

Schuurmans, MM. Gradual versus abrupt smoking cessation. Ann Intern Med. 2016 Nov 15;165(10):741-742. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27842404>

West, R, Lindson-Hawley, N, Aveyard, P. Gradual versus abrupt smoking cessation. Ann Intern Med. 2016 Nov 15;165(10):742. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27842402>

Klemperer, EM, Hughes, JR. After precessation nicotine replacement therapy, abrupt cessation increases abstinence more than gradual cessation in smokers ready to quit. Evid Based Med, 2016 Oct;21(5):174. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27516374>

Wilson, H, Md, SS. In adults, quitting smoking abruptly improved abstinence more than quitting gradually. Ann Intern Med. 2016 Jul 19;165(2):JC3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27429315>

Ferreira, GS, Steinberg, MB. Going slow may not be best when quitting smoking. Ann Intern Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26974591>

Lindson-Hawley, N, Banting, M, West, R, Michie, S, Shinkins, B and Aveyard, P. Gradual versus abrupt smoking cessation: a randomized, controlled noninferiority trial. Ann Intern Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26975007>

No authors listed. Trying to quit cigarette smoking by cutting down or stopping abruptly. Ann Intern Med, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26974252>

7.6.3 Unassisted versus mediated

Yang, T, Cottrell, RR, & Wu, D. (2024). Is unassisted smoking cessation choice and success associated with high mental stress? Evidence from six cities in China. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39403276>

Borger, T, Feather, AR, Wakeman, KE, Bowling, W, & Burris, JL. (2023). The natural trajectory of smoking cessation among cancer patients who want to quit "on their own": A mixed-methods, longitudinal study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37846852>

Fekom, MAarbaoui, TE, Guignard, R, Andler, R, Quatremere, G, Ducarroz, S et al. (2022). Use of tobacco cessation aids and likelihood of smoking cessation: A French population-based study. *Prev Med Rep*, 30, 102044. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36531094>

Perski, O, West, R, & Brown, J. (2022). Estimated Failure to Report Unsuccessful Quit Attempts by Type of Cessation Aid: A Population Survey of Smokers in England. *J Smok Cessat*, 2022, 5572480. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36568905>

Jackson, SE, Kock, L, Kotz, D, & Brown, J. (2022). Real-world effectiveness of smoking cessation aids: A population survey in England with 12-month follow-up, 2015-2020. *Addict Behav*, 135, 107442. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35908322>

Smith, AL. (2022). Smokers' preferences for how to quit: the importance of promoting both assisted and unassisted cessation. *Lancet Reg Health West Pac*, 20, 100405. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35967603>

Lund, M, & Lund, I. (2022). Smoking cessation aids and strategies: a population-based survey of former and current smokers in Norway. *BMC Public Health*, 22(1), 631. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35361172>

Yong, HH, Gravely, S, Borland, R, Gartner, C, Cummings, KM, East, K et al. (2022). Do smokers' perceptions of the harmfulness of nicotine replacement therapy and nicotine vaping products as compared to cigarettes influence their use as an aid for smoking cessation? Findings from the ITC Four Country Smoking and Vaping Surveys. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35368082>

El Asmar, ML, Laverty, AA, Vardavas, CI, & Filippidis, FT. (2022). How do Europeans quit using tobacco, e-cigarettes and heated tobacco products? A cross-sectional analysis in 28 European countries. *BMJ Open*, 12(4), e059068. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35487758>

Hallett, JJ. (2022). Controlling personal tobacco use. *J Vasc Surg*, 75(2), 730-731. Retrieved from Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35067327>

Snell, LM, Colby, SM, DeAtley, T, Cassidy, R, & Tidey, JW. (2021). Associations Between Nicotine Knowledge and Smoking Cessation Behaviors among U.S. Adults Who Smoke. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34850185>

Lund, M, & Kvaavik, E. (2021). Methods Used in Smoking Cessation and Reduction Attempts: Findings from Help-Seeking Smokers. *J Smok Cessat*, 2021, 6670628. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34306230>

Altendorf, MB, Smit, ES, Azrout, R, Hoving, C, & Weert, J. (2020). A smoker's choice? Identifying the most autonomy-supportive message frame in an online computer-tailored smoking cessation intervention. *Psychol Health*, 1-26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32885683>

Jiang, S, Yang, T, Bullen, C, Chen, J, Yu, L, Peng, S, & Rockett, IRH. (2020). Real-world unassisted quit success and related contextual factors: a population-based study of Chinese male smokers. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32675250>

Enyioha, C, Meernik, C, Ranney, L, Goldstein, AO, Sellman, K, & Kistler, CE. (2019). Willingness-to-try various tobacco cessation methods among US adult cigarette smokers. *Tob Prev Cessat*, 5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31579310>

Yang, T, Zhu, Z, Barnett, R, Zhang, W, & Jiang, S. (2019). Tobacco Advertising, Anti-Tobacco Information Exposure, Environmental Smoking Restrictions, and Unassisted Smoking Cessation Among Chinese Male Smokers: A Population-Based Study. *Am J Mens Health*, 13(3), 1557988319856152. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31185783>

Khariwala, SS, Rubin, N, Stepanov, I, Nollen, N, Ahluwalia, JS, Nelson, HH, & Hatsukami, DK. "Cold turkey" or pharmacotherapy: Examination of tobacco cessation methods tried among smokers prior to developing head and neck cancer. *Head Neck*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30770605>

Manis, M, Tamm, M, Stoltz, D. Unaided Smoking Cessation in Healthy Employees. *Respiration*. 2017 Nov 7. pii: 000481826. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29131057>

Caraballo, RS, Shafer, PR, Patel, D, Davis, KC, McAfee, TA. Quit Methods Used by US Adult Cigarette Smokers, 2014-2016. *Prev Chronic Dis*. 2017 Apr 13;14:E32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28409740>

Smith, AL, Carter, SM, Dunlop, SM, Freeman, B, Chapman, S. Measured, opportunistic, unexpected and naive quitting: a qualitative grounded theory study of the process of quitting from the ex-smokers' perspective. *BMC Public Health*. 2017 May 11;17(1):430. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28490317>

Soulakova, JN, Crockett, LJ. Unassisted quitting and smoking cessation methods used in the United States: analyses of 2010-2011 tobacco use supplement to the current population survey data. *Nicotine Tob Res*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27798084>

Mao, A. A qualitative study on unassisted smoking cessation among Chinese Canadian immigrants. *Am J Mens Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26819181>

McCarthy, M et al. Social disparities in unaided quit attempts among daily current and former smokers: Results from the 2010-2011 Tobacco Use Supplement to the Current Population Survey. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26764257>

Morphett, K et al. Why don't smokers want help to quit? A qualitative study of smokers' attitudes towards assisted vs. unassisted quitting. *International Journal of Environmental Research and Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26068089>

Smith, AL et al. Why do smokers try to quit without medication or counselling? A qualitative study with ex-smokers. *BMJ Open*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25933811>

Smith, AL et al. The views and experiences of smokers who quit smoking unassisted. A systematic review of the qualitative evidence. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26010369>

News reports:

7.6 How smokers go about quitting

Caraballo, RS, Shafer, PR, Patel, D, Davis, KC, McAfee, TA. Quit methods used by US adult cigarette smokers, 2014-2016. *Prev Chronic Dis.* 2017 Apr 13;14:E32. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28409740>

7.6.1 Planned versus spontaneous

Smith, AL, Carter, SM, Dunlop, SM, Freeman, B and Chapman, S. Measured, opportunistic, unexpected and naive quitting: a qualitative grounded theory study of the process of quitting from the ex-smokers' perspective. *BMC Public Health.* 2017 May 11;17(1):430. Available from:

<https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-017-4326-4>

No authors listed. 10 steps to successfully make a plan to quit smoking. Truth Initiative(American Legacy Foundation. Jan 3, 2017. Available from: <http://truthinitiative.org/news/10-steps-successfully-make-plan-quit-smoking>

7.6.2 Abrupt versus gradual

Doyle, Kathryn. Quitting smoking abruptly has best long-term results. Reuters, 2016. Mar 14, 2016. Available from: <http://www.reuters.com/article/us-health-smoking-quitting-idUSKCN0WG2FL>

Smith, Andrea, Carter, Stacy. Despite help on offer, many smokers prefer to quit on their own – here's why. The Conversation, 2015. Nov 6, 2015. Available from:

<https://theconversation.com/despite-help-on-offer-many-smokers-prefer-to-quit-on-their-own-heres-why-41749>

7.6.3 Unassisted versus mediated

No authors listed. Collaborative Research Center dedicated to the study of control in addiction. *Science Mag.* 2019. May 29, 2019. Available from : <https://scienmag.com/collaborative-research-center-dedicated-to-the-study-of-control-in-addiction/>

No authors listed. Read this before trying to quit smoking 'cold turkey'. Truth Initiative, Jan 2018. Available from: https://truthinitiative.org/news/read-trying-quit-smoking-cold-turkey?utm_source=Truth+Initiative+Mailing+List&utm_campaign=0866712757-Newsletter_082_2018_01_04&utm_medium=email&utm_term=0_c91fd8a5c5-0866712757-86454907

No authors listed. NHS stop smoking bids down 31%. Guernsey Press, 2015. June 30, 2015. Available from: <http://guernseypress.com/news/uk-news/2015/06/30/nhs-stop-smoking-bids-down-31/>

No authors listed. Statistics on NHS Stop Smoking Services in England. Health and Social Care Information Centre, 2015. Available from: <http://www.hscic.gov.uk/catalogue/PUB16345/stat-stop-smok-serv-eng-1415-q2-rep-key.pdf>