

Tobacco in Australia

Facts & Issues

Relevant news and research

7.7 Factors that predict success or failure in quit attempts

Last updated July 2021

Research:.....	3
7.7 Factors that predict success or failure in quit attempts	3
7.7.1 Individual differences that predict success or failure in quit attempts	8
7.7.1.1 Duration of smoking.....	17
7.7.1.2 Level of dependence (heaviness, time to first cigarette)	18
7.7.1.3 Severity of withdrawal symptoms	20
7.7.1.4 Genetics influences	21
7.7.1.5 History of previous failed quit attempts.....	26
7.7.1.6 Low confidence, poor self-efficacy	26
7.7.1.7 Impulsivity, sensation seeking, and time perspective	28
7.7.1.8 Concern about weight gain	29
7.7.1.9 Disturbances of mood.....	31
7.7.1.10 Other individual factors	37
7.7.2 Environmental factors that predict success or failure in quit attempts	40
7.7.2.1 Social factors	45
7.7.2.2 Cue reactivity	47
News reports:.....	57
7.7 Factors that predict success or failure in quit attempts.....	57
7.7.1.2 Level of dependence (heaviness, time to first cigarette)	57
7.7.1.4 Genetic influences.....	58

7.7.1.8 Concern about weight gain	58
7.7.1.9 Disturbances of mood.....	58
7.7.2 Environmental factors that predict success or failure in quit attempts	59
7.7.2.1 Social factors	59

Research:

7.7 Factors that predict success or failure in quit attempts

Lai, CC, Huang, WH Chang, BC, & Hwang, LC. (2021). Development of Machine Learning Models for Prediction of Smoking Cessation Outcome. *International Journal of Environmental Research and Public Health*, 18(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33807561>

Brake, L, Myrie, A, Zhao, C, Feuer, Z, Taylor, J, Bjurlin, MA et al (2021). Population-level assessment of smoking-related beliefs and behaviors among survivors of genitourinary cancers: an application of the theory of planned behavior. *Urology*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33577901>

Kim, Y, Lee, JS, & Cho, WK. (2021). Factors Associated with Successful Smoking Cessation According to Age Group: Findings of an 11-Year Korea National Survey. *Int J Environ Res Public Health*, 18(4). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33562345>

Yip, SW, Lichenstein, SD, Garrison, K, Averill, CL, Viswanath, H, Salas, R, & Abdallah, C G. (2021). Effects of smoking status and state on intrinsic connectivity. *Biol Psychiatry Cogn Neurosci Neuroimaging*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33618016>

Potter, LN, Haaland, BA, Lam, CY, Cambron, C, Schlechter, CR Cinciripini, PM, & Wetter, DW. (2021). A time-varying model of the dynamics of smoking lapse. *Health Psychol*, 40(1), 40-50. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33370151>

Qiu, D, Chen, T, Liu, T, & Song, F. (2020). Smoking cessation and related factors in middle-aged and older Chinese adults: Evidence from a longitudinal study. *PLoS One*, 15(10), e0240806. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33057395>

Girvalaki, C, Filippidis, FT, Kyriakos, CN, Driezen, P, Herbec, A, Mons, U et al. (2020). Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. *Int J Environ Res Public Health*, 17(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32872132>

Smith, AL. (2020). Being serious about quitting: a qualitative analysis of Australian ex-smokers' explanations of their quitting success. *International Journal of Drug Policy*, 86, 102942. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32992119>

Hagg, SA, Ljunggren, M, Janson, C, Holm, M, Franklin, KA, Gislason, T et al (2020). Smokers with insomnia symptoms are less likely to stop smoking. *Respir Med*, 170, 106069. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32843184>

Stennett, A, Krebs, NM, Liao, J, Richie, JP, Muscat, JE. Ecological momentary assessment of smoking behaviors in native and converted intermittent smokers. *Am J Addict*. 2018 Mar;27(2):131-138. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29489042>

Tombor, I, Vangeli, E, West, R, Shahab, L. Progression towards smoking cessation: Qualitative analysis of successful, unsuccessful, and never quitters. *J Subst Use*. 2017 Oct 5;23(2):214-222. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29527597>

El-Khoury Lesueur, F, Bolze, C, Melchior, M. Factors associated with successful vs. unsuccessful smoking cessation: Data from a nationally representative study. *Addict Behav*. 2018 Feb 1;80:110-115. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29407680>

Evans, DE, To, CN, Ashare, RL. The Role of Cognitive Control in the Self-Regulation and Reinforcement of Smoking Behavior. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29432572>

Yong, HH, Borland, R, Cummings, KM, Partos, T. Do predictors of smoking relapse change as a function of duration of abstinence? Findings from the United States, Canada, United Kingdom and Australia. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29405520>

Holm, M, Schioler, L, Andersson, E, Forsberg, B, Gislason, T, Janson, C, Jogi, R, Schlunssen, V, Svanes, C, Toren, K. Predictors of smoking cessation: A longitudinal study in a large cohort of smokers. *Respir Med*. 2017 Nov;132:164-169. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29229092>

Nestor, LJ, McCabe, E, Jones, J, Clancy, L, Garavan, H. Shared and divergent neural reactivity to non-drug operant response outcomes in current smokers and ex-smokers. *Brain Res*. 2017 Dec 11. pii: S0006-8993(17)30537-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29242147>

Caponnetto, P, Polosa, R. Are we addressing relevant determinants of smoking cessation? *Eur Respir J*. 2017 Nov 22;50(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29167305>

Geier, C, Roberts, N, Lydon-Staley, D. The Effects of Smoking Abstinence on Incentivized Spatial Working Memory. *Subst Use Misuse*. 2017 Nov 8:1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29116867>

Ayala-Bernal, D, Probst-Hensch, N, Rochat, T, Bettschart, R, Brandli, O, Bridevaux, PO, Burdet, L, Frey, M, Gerbase, M, Pons, M, Rothe, T, Stolz, D, Tschopp, JM, Turk, A, Kunzli, N, Schindler, C. Factors associated with cessation of smoking among Swiss adults between 1991 and 2011: results from the SAPALDIA cohort. *Swiss Med Wkly*. 2017 Oct 17;147:w14502. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29039624>

Bolman, C, Verboon, P, Thewissen, V, Boonen, V, Soons, K, Jacobs, N. Predicting Smoking Lapses in the First Week of Quitting: An Ecological Momentary Assessment Study. *J Addict Med*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29068827>

Borrelli, B, Gaynor, S, Tooley, E, Armitage, CJ, Wearden, A, Bartlett, YK. Identification of Three Different Types of Smokers Who Are Not Motivated to Quit: Results From a Latent Class Analysis. *Health Psychol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28967770>

Hakim, S, Chowdhury, MAB, Uddin, MJ. Correlates of unsuccessful smoking cessation among adults in Bangladesh. *Prev Med Rep*. 2017 Sep 6;8:122-128. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29021949>

Henry, AD, Gettens, J, Savageau, JA, Cullen, D, Landau, A. Massachusetts Medicaid members that smoked in 2008: Characteristics associated with smoking status in 2014. PLoS One. 2017 Oct 12;12(10):e0186144. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29023542>

Joly, B, Perriot, J, d'Athis, P, Chazard, E, Brousse, G, Quantin, C. Success rates in smoking cessation: Psychological preparation plays a critical role and interacts with other factors such as psychoactive substances. PLoS One. 2017 Oct 11;12(10):e0184800. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29020085>

Shie, HG, Pan, SW, Yu, WK, Chen, WC, Ho, LI, Ko, HK. Levels of exhaled carbon monoxide measured during an intervention program predict 1-year smoking cessation: a retrospective observational cohort study. NPJ Prim Care Respir Med. 2017 Oct 16;27(1):59. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29038512>

Suchting, R, Hebert, ET, Ma, P, Kendzor, DE, Businelle, MS. Using Elastic Net Penalized Cox Proportional Hazards Regression to Identify Predictors of Imminent Smoking Lapse. Nicotine Tob Res, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059349>

Masters, MN, Haardorfer, R, Windle, M, Berg, C. Psychosocial and cessation-related differences between tobacco-marijuana co-users and single product users in a college student population. Addict Behav. 2017 Sep 18;77:21-27. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28941933>

Dumais, KM, Franklin, TR, Jagannathan, K, Hager, N, Gawrysiak, M, Betts, J, Farmer, S, Guthier, E, Pater, H, Janes, A C, Wetherill, RR. Multi-site exploration of sex differences in brain reactivity to smoking cues: Consensus across sites and methodologies. Drug Alcohol Depend. 2017 Jul 8;178:469-476. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28711813>

Nikcevic, AV, Alma, L, Marino, C, Kolubinski, D, Yilmaz-Samanci, AE, Caselli, G, Spada, MM. Modelling the contribution of negative affect, outcome expectancies and metacognitions to cigarette use and nicotine dependence. Addict Behav. 2017 Jun 3;74:82-89. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28599165>

DiPiazza, JT, Naegle, M. Smoking cessation 1 year or more: Experiences of successful quitters. J Addict Nurs. 2016 Jul-Sep;27(3):197-204. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27580193>

Flocke, SA, Step, MM, Lawson, PJ, Smith, S, Zyzanski, SJ. Development of a measure of incremental behavior change toward smoking cessation. Nicotine Tob Res, 2016. Available from <http://www.ncbi.nlm.nih.gov/pubmed/27613910>

Keeler, C, Max, W, Yerger, V, Yao, T, Ong, MK, Sung, HY. The association of menthol cigarette use with quit attempts, successful cessation, and intention to quit across racial/ethnic groups in the United States. Nicotine Tob Res, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613927>

Piper, ME, Vasilenko, SA, Cook, JW, Lanza, ST. What a difference a day makes: Differences in initial abstinence response during a smoking cessation attempt. *Addiction*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27633341>

Powers, MB, Davis, ML, Kauffman, BY, Baird, SO, Zvolensky, M, Rosenfield, D, Marcus, BH, Church, TS, Frierson, G, Otto, MW, Smits, JA. Anxiety sensitivity and smoking variability among treatment seeking smokers. *Addict Disord Their Treat*. 2016 Sep;15(3):136-142. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27672353>

Irfan, M, Haque, AS, Shahzad, H, Samani, ZA, Awan, S, Khan, JA. Reasons for failure to quit: a cross-sectional survey of tobacco use in major cities in Pakistan. *Int J Tuberc Lung Dis*. 2016 May;20(5):673-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27084823>

Jesus, MC, Silva, MH, Cordeiro, S M, Kortchmar, E, Zampier, VS, Merighi, MA. Understanding unsuccessful attempts to quit smoking: a social phenomenology approach. *Rev Esc Enferm USP*, 2016 ;50(1):71-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27007423>

Yang, JJ et al. What are the major determinants in the success of smoking cessation: results from the health examinees study. *PLoS One*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26633704>

Bold, KW et al. Independent and interactive effects of real-time risk factors on later temptations and lapses among smokers trying to quit. *Drug Alcohol Depend*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26585613>

Ho, KS et al. Evaluation of biological, psychosocial, and interventional predictors for success of a smoking cessation programme in Hong Kong. *Hong Kong Med J*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26586081>

Gottlieb, JC, Cohen, LM. Commentary on Kale et al. (2015): Further perspectives on the cognitive and demographic variables relevant to smoking cessation and the importance of smoking outcome expectancies. *Addiction*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26350714>

Jampaklay, A et al. Predictors of successful quitting among Thai adult smokers: evidence from ITC-SEA (Thailand) Survey. *Int J Environ Res Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26404335>

Kocak, ND et al. Relapse rate and factors related to relapse in a 1-year follow-up of subjects participating in a smoking cessation program. *Respir Care*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26286738>

Kale, D et al. Are predictors of making a quit attempt the same as predictors of 3-month abstinence from smoking? Findings from a sample of smokers recruited for a study of computer-tailored smoking cessation advice in primary care. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25939254>

McCarthy, DE et al. An experimental investigation of reactivity to ecological momentary assessment frequency among adults trying to quit smoking. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26011583>

Meijer, E et al. Quitting smoking: The importance of non-smoker identity in predicting smoking behaviour and responses to a smoking ban. *Psychology & Health*, 2015.. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25959600>

Sriha Belguith, A et al. Predictors of smoking relapse among adult in smoking cessation. *La Tunisie Medicale*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25955365>

Addicott, MA et al. Increased functional connectivity in an insula-based network is associated with improved smoking cessation outcomes. *Neuropsychopharmacology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25895453>

Beadman,, M et al. A comparison of emotion regulation strategies in response to craving cognitions: Effects on smoking behaviour, craving and affect in dependent smokers. *Behaviour research and therapy*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25863600>

Bernard, P et al. Self-reported physical activity in smoking pre-cessation is not a protective factor against relapse for all. *The American Journal on Addictions*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25864604>

Borland, R et al. Effects of encouraging rapid implementation and/or structured planning of quit attempts on smoking cessation outcomes: a randomized controlled trial. *Annals of Behavioral Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25877340>

Brody, AL, McClernon, FJ. Prediction of smoking cessation with treatment: the emerging contribution of brain imaging research. *Neuropsychopharmacology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25868069>

Mamoun, M et al. Biomarkers of response to smoking cessation pharmacotherapies: progress to date. *CNS Drugs*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25895022>

Rowe, DJ et al. The impact of job strain on smoking cessation and relapse in the Canadian population: a cohort study. *Journal of Epidemiology and Community Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25903755>

Reitzel, LR et al. Financial strain and smoking cessation among men and women within a self-guided quit attempt. *Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25879712>

Silfen, SL et al. Patient characteristics associated with smoking cessation interventions and quit attempt rates across 10 community health centers with electronic health records. *American Journal of Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25880939>

Stevens, VJ et al. Assessing trends in tobacco cessation in diverse patient populations. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25921356>

Franca, SA. Factors associated with smoking cessation. *Revista de saude publica*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25741649>

Georgiadou, C et al. Factors affecting the decision to quit smoking of the participants of a hospital-based smoking cessation program in Greece. *Journal of Caring Sciences*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25821754>

Hamilton, DA et al. Test-retest reliability and stability of the nicotine metabolite ratio among treatment-seeking smokers. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25732567>

Schoberberger, R et al. Heavy dependent nicotine smokers - Newfound lifestyle appreciation after quitting successfully. Experiences from inpatient smoking cessation therapy. *Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25773313>

Spruyt, A et al. Implicit attitudes towards smoking predict long-term relapse in abstinent smokers. *Psychopharmacology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25761836>

Reese, ED, Veilleux, JC. Relationships between craving beliefs and abstinence self-efficacy are mediated by smoking motives and moderated by nicotine dependence. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25744968>

Leyro, TM et al. If at first you don't succeed: Characterization of smokers with late smoking abstinence onset. *Addictive Behaviors*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25637886>

Margolis, R, Wright, L. Better off alone than with a smoker: The influence of partner's smoking behavior in later life. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25693998>

Roberts, ME et al. With others or alone? Adolescent individual differences in the context of smoking lapses. *Health Psychology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25664557>

7.7.1 Individual differences that predict success or failure in quit attempts

Vitzthum, K, Drazetic, A, Markstein, A, Rohde, M, Pankow, W, & Mache, S. (2021). Evaluation of long-term quitters: who stays smoke free forever? *Wiener Medizinische Wochenschrift*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33822284>

Muench, C, Malloy, EJ, & Juliano, LM. (2020). Lower self-efficacy and greater depressive symptoms predict greater failure to recover from a single lapse cigarette. *J Consult Clin Psychol*, 88(10), 965-970. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33048572>

Ma, H, Li, X, Zhang, M, Liu, H, Jin, Q, Qiao, K, & Akbar, A. (2020). Relationships among smoking abstinence self-efficacy, trait coping style and nicotine dependence of smokers in Beijing. *Tob Induc Dis*, 18, 72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32934618>

Edwards, KC, Kasza, KA, Tang, Z, Stanton, CA, Sharma, E, Halenar, MJ et al. (2020). Correlates of tobacco product reuptake and relapse among youth and adults in the USA: findings from the PATH Study Waves 1-3 (2013-2016). *Tob Control*, 29(Suppl 3), s216-s226. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32321855>

Al-Nimr, YM, Farhat, G, & Alwadey, A. (2020). Factors Affecting Smoking Initiation and Cessation Among Saudi Women Attending Smoking Cessation Clinics. *Sultan Qaboos Univ Med J*, 20(1), e95-e99. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32190376>

- Lee, EJ. (2020). Factors Predicting 6-Month Smoking Cessation in Korean Adults. *Psychiatr Q*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32157547>
- Lim, KH, Heng, PP, Nik Mohamed, MH, Teh, CH, Mohd Yusoff, MF, Ling, JMY et al. (2019). Prevalence and Factors Associated With Attempts to Quit and Smoking Cessation in Malaysia. *Asia Pac J Public Health*, 31(7_suppl), 22S-31S. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31802718>
- Yong, HH, Karmakar, C, Borland, R, Kusmakar, S, Fuller-Tyszkiewicz, M, & Yearwood, J. (2019). Identifying smoker subgroups with high versus low smoking cessation attempt probability: A decision tree analysis approach. *Addict Behav*, 103, 106258. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31884376>
- Hitsman, B. (2019). New individual- and system-level intervention research aims to advance clinical treatment of cigarette smoking and smokeless tobacco use. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31755914>
- Kaai, SC, Fong, GT, Goma, F, Meng, G, Ikamari, L, Ong'ang'o, J R & Elton-Marshall, T. (2019). Identifying factors associated with quit intentions among smokers from two nationally representative samples in Africa: Findings from the ITC Kenya and Zambia Surveys. *Prev Med Rep*, 15, 100951. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31372329>
- Ngo, CQ, Chiu, RG, Chu, HT, Vu, GV, Nguyen, QN, Nguyen, LH et al. Correlated Factors with Quitting Attempts Among Male Smokers in Vietnam: A QUITLINE-Based Survey. *Int J Environ Res Public Health*, 2018. 16(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30598002>
- Nollen, NL, Mayo, MS, Cox, LS, Benowitz, NL, Tyndale, R, Ellerbeck, EF et al. Factors that Explain Differences in Abstinence between Black and White Smokers: A Prospective Intervention Study. *J Natl Cancer Inst*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30657926>
- Swicher, A, Zvolensky, MJ, & Cosci, F. Study of the relationship between anxiety sensitivity, smoking abstinence expectancies, nicotine withdrawal, and cigarette dependence among daily smokers. *J Addict Dis*, 2018. 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30592230>
- Athamneh, LN, Stein, JS, Amlung, M, Bickel, WK. Validation of a brief behavioral economic assessment of demand among cigarette smokers. *Exp Clin Psychopharmacol*. 2018 Sep 27. pii: 2018-47962-001. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30265063>
- Gaalema, DE, Leventhal, AM, Priest, JS, Higgins, ST. Understanding individual differences in vulnerability to cigarette smoking is enhanced by attention to the intersection of common risk factors. *Prev Med*. 2018 Sep 14. pii: S0091-7435(18)30284-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30222998>
- al'Absi, M, Lemieux, A, Hodges, JS, Allen, S. Circulating orexin changes during withdrawal are associated with nicotine craving and risk for smoking relapse. *Addict Biol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30117237>
- Bello, MS, McBeth, JF, Ditre, JW, Kirkpatrick, MG, Ray, LA, Dunn, KE, Leventhal, AM. Pain as a predictor and consequence of tobacco abstinence effects amongst African American smokers. *J Abnorm Psychol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30070540>

Rai, LA, O'Halloran, L, Jollans, L, Vahey, N, O'Brolchain, C, Whelan, R. Individual differences in learning from probabilistic reward and punishment predicts smoking status. *Addict Behav.* 2018 Aug 19;88:73-76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30149293>

Duehlmeier, L, Levis, B, Hester, R. Effects of reward and punishment on learning from errors in smokers. *Drug Alcohol Depend.* 2018 Apr 30;188:32-38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29729537>

Baumeister, RF. Addiction, cigarette smoking, and voluntary control of action: Do cigarette smokers lose their free will? *Addict Behav Rep.* 2017 Jan 24;5:67-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29450229>

Shahab, L, Mortimer, E, Bauld, L, McGowan, JA, McNeill, A, Tyndale, RF. Characterising the nicotine metabolite ratio and its association with treatment choice: A cross sectional analysis of Stop Smoking Services in England. *Sci Rep.* 2017 Dec 14;7(1):17613. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29242560>

Bakhshaie, J, Kulesz, PA, Garey, L, Langdon, KJ, Businelle, MS, Leventhal, AM, Gallagher, MW, Schmidt, NB, Manning, K, Goodwin, R, Zvolensky, MJ. A Prospective Investigation of the Synergistic Effect of Change in Anxiety Sensitivity and Dysphoria on Tobacco Withdrawal. *J Consult Clin Psychol.* 2017 Nov 27. pii: 2017-52415-001. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29172591>

Borland, R, Li, L, Balmford, J. The association between the nature of the goal committed to and quitting smoking. *Health Educ Res.* 2017 Nov 2. pii: 4588355. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29112754>

Short, NA, Mathes, BM, Gibby, B, Oglesby, ME, Zvolensky, MJ, Schmidt, NB. Insomnia symptoms as a risk factor for cessation failure following smoking treatment. *Addict Res Theory.* 2017;25(1):17-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29104521>

Liautaud, MM, Leventhal, AM, Pang, RD. Happiness as a Buffer of the Association Between Dependence and Acute Tobacco Abstinence Effects in African American Smokers. *Nicotine Tob Res.* 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059368>

Bekiroglu, K, Russell, MA, Lagoa, CM, Lanza, ST, Piper, ME. Evaluating the effect of smoking cessation treatment on a complex dynamical system. *Drug Alcohol Depend.* 2017 Aug 25;180:215-222. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28922651>

Bertin, L, Lipsky, S, Erblich, J. Can attitudes about smoking impact cigarette cravings? *Addict Behav.* 2018 Jan;76:370-375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28917098>

Huang, P, Shen, Z, Wang, C, Qian, W, Zhang, H, Yang, Y, Zhang, M. Altered White Matter Integrity in Smokers Is Associated with Smoking Cessation Outcomes. *Front Hum Neurosci.* 2017 Aug 30;11:438. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28912702>

Choi, JS, Payne, TJ, Ma, JZ, Li, MD. Relationship between Personality Traits and Nicotine Dependence in Male and Female Smokers of African-American and European-American Samples. *Front Psychiatry.* 2017 Jul 18;8:122. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28769824>

Shi, Z, Wang, AL, Aronowitz, CA, Romer, D, Langleben, DD. Individual differences in the processing of smoking-cessation video messages: An imaging genetics study. *Biol Psychol*. 2017 Sep;128:125-131. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28757070>

Wehbe, L, Ubhi, HK, West, R. Want, need and habit as drivers of smoking behaviour: A preliminary analysis. *Addict Behav*. 2017 Jul 19;76:135-138. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28806637>

Brikmanis, K, Petersen, A, Doran, N. Do personality traits related to affect regulation predict other tobacco product use among young adult non-daily smokers? *Addict Behav*. 2017 Jul 10;75:79-84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28711748>

Celma-Merola, J, Abella-Pons, F, Mata, F, Pedra-Pages, G, Verdejo-Garcia, A. Self-changing behaviour in smoking cessation linked to trait and cognitive impulsivity. *Addiction*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28710870>

Lee, CK, Stein, KF, Corte, C. Effects of Drinker Self-Schema on Drinking- and Smoking-Related Information Processing and Behaviors. *Subst Abus*, Jul 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28723267>

Pineiro, B, Lopez-Duran, A, Martinez-Vispo, C, Fernandez Del Rio, E, Martinez, U, Rodriguez-Cano, R, Miguez, MC, Becona, E. Smoking relapse situations among a community-recruited sample of Spanish daily smokers. *Addict Behav*. 2017 Jul 14;75:152-158. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28735149>

Shiffman, S, Terhorst, L. Intermittent and daily smokers' subjective responses to smoking. *Psychopharmacology (Berl)*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28721480>

MacLean, RR, Martino, S, Carroll, KM, Smyth, JM, Pincus, AL, Wilson, SJ. Momentary Associations Between Reported Craving and Valuing Health in Daily Smokers. *Nicotine Tob Res*. 2017 Jun 1;19(6):716-722. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486711>

Donohue, SE, Harris, JA, Heinze, HJ, Woldorff, MG, Schoenfeld, MA. An electrophysiological marker of the desire to quit in smokers. *Eur J Neurosci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27566681>

Joly, B, D'Athis, P, Gerbaud, L, Hazart, J, Perriot, J, Quantin, C. Smoking cessation attempts: is it useful to treat hard core smokers? *Tob Induc Dis*. 2016 Nov 3;14:34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27822177>

Mathew, AR, Garrett-Mayer, E, Heckman, BW, Wahlquist, AE, Carpenter, MJ. One-year smoking trajectories among established adult smokers with low baseline motivation to quit. *Nicotine Tob Res*, 2016. Available from; <https://www.ncbi.nlm.nih.gov/pubmed/27694437>

Paul, C, Tzelepis, F, Bisquera, A, Noble, N, Wiggers, J. Just how high-risk are ongoing smokers? Exploring clusters of health risk behaviours among current and ex-smokers. *Prev Med*. 2016 Dec;93:70-75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27670372>

Mena, JA, Ampadu, GG, Prochaska, JO. The influence of engagement and satisfaction on smoking cessation interventions: a qualitative study. *Subst Use Misuse*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27767366>

Lee, HS, Addicott, M, Martin, LE, Harris, KJ, Goggin, KJ, Richter, K, Patten, C, McClernon, FJ, Fleming, K, Catley, D. Implicit attitudes and smoking behavior in a smoking cessation induction trial. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27679606>

Lee, JE, Park, EC, Chun, SY, Park, HK, Kim, TH. Socio-demographic and clinical factors contributing to smoking cessation among men: a four-year follow up study of the Korean Health Panel Survey. *BMC Public Health*. 2016 Aug 31;16:908. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27581873>

Park, AD, Farrahi, LN, Pang, RD, Guillot, CR, Aguirre, CG, Leventhal, AM. Negative urgency is associated with heightened negative affect and urge during tobacco abstinence in regular smokers. *J Stud Alcohol Drugs*. 2016 Sep;77(5):766-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27588535>

Stevens, VL, Jacobs, EJ, Gapstur, SM, Carter, BD, Gaudet, MM, Westmaas, JL, Patel, AV. Evaluation of a novel difficulty of smoking cessation phenotype based on number of quit attempts. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27629278>

Weinberger, AH, Platt, JM, Smith, PH, Goodwin, RD. Racial/ethnic differences in self-reported withdrawal symptoms and quitting smoking three years later: a prospective, longitudinal examination of US adults. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613908>

Bold, KW, Witkiewitz, K, McCarthy, DE. Multilevel factor analysis of smokers' real-time negative affect ratings while quitting. *Psychol Assess*. 2016 Sep;28(9):1033-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27536999>

Bongard, S, Olson, L, Nakajima, M, al'Absi, M. Anger expression style predicts the domain of the first smoking relapse after a quit attempt. *Subst Use Misuse*. 2016 Nov 9;51(13):1810-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27556871>

Donohue, SE, Harris, JA, Heinze, HJ, Woldorff, MG, Schoenfeld, MA. An electrophysiological marker of the desire to quit in smokers. *Eur J Neurosci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27566681>

Donohue, SE, Woldorff, MG, Hopf, JM, Harris, JA, Heinze, HJ, Schoenfeld, MA. An electrophysiological dissociation of craving and stimulus-dependent attentional capture in smokers. *Cogn Affect Behav Neurosci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27557883>

Etcheverry, PE, Waters, AJ, Lam, C, Correa-Fernandez, V, Vidrine, JI, Cinciripini, PM, Wetter, DW. Attentional bias to negative affect moderates negative affect's relationship with smoking abstinence. *Health Psychol*. 2016 Aug;35(8):881-90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27505211>

Farris, SG, Leyro, TM, Allan, NP, Overup, CS, Schmidt, NB, Zvolensky, MJ. Distress intolerance during smoking cessation treatment. *Behav Res Ther*. 2016 Aug 3;85:33-42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27565398>

Garey, L, Kauffman, BY, Neighbors, C, Schmidt, NB, Zvolensky, MJ. Treatment attrition: Associations with negative affect smoking motives and barriers to quitting among treatment-seeking smokers. *Addict Behav.* 2016 Dec;63:165-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27518764>

Stein, JS, Wilson, AG, Koffarnus, MN, Daniel, TO, Epstein, LH, Bickel, WK. Unstuck in time: episodic future thinking reduces delay discounting and cigarette smoking. *Psychopharmacology (Berl)*, Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27553824>

Wiggert, N, Wilhelm, FH, Nakajima, M, al'Absi, M. Chronic smoking, trait anxiety, and the physiological response to stress. *Subst Use Misuse.* 2016 Aug 2:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27484702>

Zhao, X, Liu, X, Zan, X, Jin, G, Maes, JH. Male smokers' and non-smokers' response inhibition in Go/No-Go Tasks: effect of three task parameters. *PLoS One.* 2016 Aug 8;11(8):e0160595. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27500831>

Gu, X, Lohrenz, T, Salas, R, Baldwin, PR, Soltani, A, Kirk, U, Cinciripini, PM, Montague, PR. Belief about nicotine modulates subjective craving and insula activity in deprived smokers. *Front Psychiatry.* 2016 Jul 13;7:126. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27468271>

Hofmeyr, A, Monterosso, J, Dean, AC, Morales, AM, Bilder, RM, Sabb, FW, London, ED. Mixture models of delay discounting and smoking behaviour. *Am J Drug Alcohol Abuse.* 2016 Jul 20:1-10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27439543>

Leyro, TM, Crew, EE, Bryson, SW, Lembke, A, Bailey, SR, Prochaska, JJ, Henriksen, L, Fortmann, SP, Killen, JD, Killen, DT, Hall, SM, David, SP. Retrospective analysis of changing characteristics of treatment-seeking smokers: implications for further reducing smoking prevalence. *BMJ Open.* 2016 Jun 29;6(6):e010960. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27357195>

Noh, GY, Lee, SY, Choi, J. Exploring factors influencing smokers' information seeking for smoking cessation. *J Health Commun.* 2016 Aug;21(8):845-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27367187>

Roys, M, Weed, K, Carrigan, M, MacKillop, J. Associations between nicotine dependence, anhedonia, urgency and smoking motives. *Addict Behav.* 2016 Nov;62:145-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27376882>

Ruhil, R. Correlates of the use of different tobacco cessation methods by smokers and smokeless tobacco users according to their socio-demographic characteristics: Global Adult Tobacco Survey (GATS) India 2009-10. *Indian J Community Med.* 2016 Jul-Sep;41(3):190-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27385871>

Schnoll, RA, Hitsman, B, Blazekovic, S, Veluz-Wilkins, A, Wileyto, EP, Leone, FT, Audrain-McGovern, JE. Longitudinal changes in smoking abstinence symptoms and alternative reinforcers predict long-term smoking cessation outcomes. *Drug Alcohol Depend.* 2016 Aug 1;165:245-52. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27372219>

Grabski, M, Curran, HV, Nutt, DJ, Husbands, SM, Freeman, TP, Fluharty, M, Munafo, MR. Behavioral tasks sensitive to acute abstinence and predictive of smoking cessation success: A systematic review

and meta-analysis. *Addiction*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27338804>

Haasova, M, Warren, FC, Thompson, T, Ussher, M, Taylor, AH. The association between habitual physical activity and cigarette cravings, and influence of smokers' characteristics in disadvantaged smokers not ready to quit. *Psychopharmacology (Berl)*. 2016 Jul;233(14):2765-74. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27256353>

Weinberger, AH, Platt, JM, Shuter, J, Goodwin, RD. Gender differences in self-reported withdrawal symptoms and reducing or quitting smoking three years later: A prospective, longitudinal examination of U.S. adults. *Drug Alcohol Depend*. 2016 Jun 20. pii: S0376-8716(16)30160-0.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27350655>

Derkenne, C, Bylicki, O, Darleguy, A, Garnier, M, Baert, P, Lamblin, A. Tolerance and effectiveness of forced and prolonged smoking cessation among French submariners. *Mil Med*. 2016

May;181(5):445-50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27136651>

Hughes, JR, Naud, S. Perceived role of motivation and self-efficacy in smoking cessation: A secondary data analysis. *Addict Behav*. 2016 May 12;61:58-61. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27240212>

Mohammad, A. Capsule commentary on Danan et al., Does motivation matter? Analysis of a randomized trial of proactive outreach to VA smokers. *J Gen Intern Med*, Apr 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27130620>

O'Connor, RJ, Thrasher, JF, Bansal-Travers, M. Exploring relationships among experience of regret, delay discounting, and worries about future effects of smoking among current smokers. *Subst Use Misuse*. 2016 May 18:1-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27192133>

Parkerson, HA, Asmundson, GJ. The role of pain intensity and smoking expectancies on smoking urge and behavior following experimental pain induction. *Drug Alcohol Depend*. 2016 May 16. pii: S0376-8716(16)30112-0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27234659>

Thai, CL, Coa, KI, Kaufman, AR. Implicit theories of smoking and association with current smoking status. *J Health Psychol*. 2016 May 22. pii: 1359105316648483. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27216983>

Yi, R, Matusiewicz, AK, Tyson, A. Delay discounting and preference reversals by cigarette smokers. *Psychol Rec*. 2016 Jun 1;66(2):235-242. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27141125>

Kingsbury, JH, Parks, MJ, Amato, MS, Boyle, RG. Deniers and admitters: Examining smoker identities in a changing tobacco landscape. *Nicotine Tob Res*. 2016 Apr 16. pii: ntw110. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27085084>

O'Connor, RJ, Heckman, BW, Adkison, SE, Rees, VW, Hatsukami, DK, Bickel, WK, Cummings, KM. Persistence and amplitude of cigarette demand in relation to quit intentions and attempts.

Psychopharmacology (Berl), 2016 Jun;233(12):2365-71. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27048156>

Sweitzer, MM, Geier, CF, Addicott, MA, Denlinger, R, Raiff, BR, Dallery, J, McClernon, FJ, Donny, EC. Smoking abstinence-induced changes in resting state functional connectivity with ventral striatum predict lapse during a quit attempt. *Neuropsychopharmacology*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27091382>

Thomas, D, Mackinnon, AJ, Bonevski, B, Abramson, MJ, Taylor, S, Poole, SG, Weeks, GR, Dooley, MJ, George, J. Development and validation of a 21-item challenges to stopping smoking (CSS-21) scale. *BMJ Open*. 2016 Mar 31;6(3):e011265. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27033963>

Webb Hooper, M, Carver, CS. Reflexive reaction to feelings predicts failed smoking cessation better than does lack of general self-control. *J Consult Clin Psychol*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27077692>

Bakhshaie, J, Zvolensky, MJ, Langdon, K J, Leventhal, AM, Smits, JA, Allan, N, Schmidt, NB. Anxiety sensitivity class membership moderates the effects of pre-quit reduction in anxiety sensitivity on quit-day tobacco craving. *J Anxiety Disord*, 2016 Apr;39:79-87. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26978668>

Flaudias, V, Picot, MC, Lopez-Castroman, J, Llorca, PM, Schmitt, A, Perriot, J, Georgescu, V, Courtet, P, Quantin, X, Guillaume, S. Executive functions in tobacco dependence: importance of inhibitory capacities. *PLoS One*. 2016 Mar 8;11(3):e0150940.. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26953688>

Garrison, KA., Sinha, R, Lacadie, CM, Scheinost, D, Jastreboff, AM, Constable, RT, Potenza, MN. Functional connectivity during exposure to favorite-food, stress, and neutral-relaxing imagery differs between smokers and nonsmokers. *Nicotine Tob Res*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26995796>

Robles, Z, Garey, L, Hogan, J, Bakhshaie, J, Schmidt, NB, Zvolensky, MJ. Examining an underlying mechanism between perceived stress and smoking cessation-related outcomes. *Addict Behav*. 2016 Jul;58:149-54. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26946445>

Choi, HD, Shin, WG. Meta-analysis of the association between a serotonin transporter 5-HTTLPR polymorphism and smoking cessation. *Psychiatr Genet*, Apr 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26886943>

Langdon, KJ et al. Anxiety sensitivity in relation to quit day dropout among adult daily smokers recruited to participate in a self-guided cessation attempt. *Addict Behav*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26896560>

Rhodes, JD, Hawk, LW, Jr. Smoke and mirrors: The overnight abstinence paradigm as an index of disrupted cognitive function. *Psychopharmacology (Berl)*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26875757>

Schepis, TS et al. Stress-related increases in risk taking and attentional failures predict earlier relapse to smoking in young adults: a pilot investigation. *Exp Clin Psychopharmacol*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26901590>

Wang, Y et al. Relationships between stress, negative emotions, resilience, and smoking: testing a moderated mediation model. *Subst Use Misuse*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26894428>

Dias, NR et al. Insula reactivity to negative stimuli is associated with daily cigarette use: A preliminary investigation using the Human Connectome Database. *Drug Alcohol Depend*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26748411>

Guillot, CR et al. Anxiety sensitivity facets in relation to tobacco use, abstinence-related problems, and cognitions in treatment-seeking smokers. *Addict Behav*, May 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26802790>

McCarthy, DE et al. Reliability and validity of measures of impulsive choice and impulsive action in smokers trying to quit. *Exp Clin Psychopharmacol*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26751623>

Villanti, AC et al. Reasons to quit and barriers to quitting smoking in US young adults. *Fam Pract*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26733658>

Cui, Y et al. The influence of personality traits on smokers' affect, withdrawal and cessation intervention outcome. *Addict Behav*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26656672>

Friedel, JE et al. Discounting of qualitatively different delayed health outcomes in current and never smokers. *Exp Clin Psychopharmacol*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26691848>

Iredale, JM et al. Associations between behavioural risk factors and smoking, heavy smoking and future smoking among an Australian population-based sample. *Prev Med*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26657795>

Blake, GA et al. Development and psychometric properties of the smoking restraint questionnaire. *Psychol Addict Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26551266>

Craciun, C, Flick, U. "I want to be 100 years old, but I smoke too much": Exploring the gap between positive aging goals and reported preparatory actions in different social circumstances. *J Aging Stud*, Dec 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26568214>

Haller, CS et al. Trajectories of smoking behavior as a function of mood and satisfaction with life: What matters most? *J Affect Disord*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26547668>

Johnson, AL, McLeish, AC. The indirect effect of emotion dysregulation in terms of negative affect and smoking-related cognitive processes. *Addict Behav*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26562677>

Langdon, KJ et al. Associations between anxiety sensitivity, negative affect, and smoking during a self-guided smoking cessation attempt. *Nicotine Tob Res*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26553948>

Ussher, M et al. Dependence and motivation to stop smoking as predictors of success of a quit attempt among smokers seeking help to quit. *Addict Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26547043>

Alvarez Gutierrez, FJ et al. Predictors of 10-year smoking abstinence in smokers abstinent for 1 year after treatment. *Addiction*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26498919>

Dupont, P et al. Smoker's identity scale: Measuring identity in tobacco dependence and its relationship with confidence in quitting. *Am J Addict*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26408249>

Lindberg, A et al. Low nicotine dependence and high self-efficacy can predict smoking cessation independent of the presence of chronic obstructive pulmonary disease: a three year follow up of a population-based study. *Tob Induc Dis*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26321897>

Pereira, CF, Vargas, Dd. Profile of women who carried out smoking cessation treatment: a systematic review. *Rev Saude Publica*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26247386>

Yang, X et al. Assessment of successful smoking cessation by psychological factors using the Bayesian network approach. *Psychol Health Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26264661>

Chenoweth, MJ et al. The nicotine metabolite ratio is associated with early smoking abstinence even after controlling for factors that influence the nicotine metabolite ratio. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26069034>

Aguirre, CG et al. Tobacco withdrawal symptoms mediate motivation to reinstate smoking during abstinence. *Journal of Abnormal Psychology*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25961814>

Manczuk, M, Lobaszewski, J, Sulkowska, U, Hashim, D, Boffetta, P. A cross-sectional analysis of ex-smokers and characteristics associated with quitting smoking: The Polish Norwegian Study (PONS). *Eur J Cancer Prev*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29360649>

Meijer, E, Van den Putte, B, Gebhardt, WA, Van Laar, C, Bakk, Z, Dijkstra, A, Fong, GT, West, R, Willemsen, MC. A longitudinal study into the reciprocal effects of identities and smoking behaviour: Findings from the ITC Netherlands Survey. *Soc Sci Med*. 2017 Dec 14. pii: S0277-9536(17)30736-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29321102>

7.7.1.1 Duration of smoking

Hu, T, Gall, SL, Widome, R, Bazzano, LA, Burns, TL, Daniels, SR et al. (2020). Childhood/Adolescent Smoking and Adult Smoking and Cessation: The International Childhood Cardiovascular Cohort (i3C) Consortium. *J Am Heart Assoc*, 9(7), e014381. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32264731>

Pleasant, RA, Rivera, MP, Tilley, SL, & Bhatt, SP. (2020). Both Duration and Pack-years of Tobacco Smoking Should be Used for Clinical Practice and Research. *Ann Am Thorac Soc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32348693>

Ali, FRM, Agaku, IT, Sharapova, SR, Reimels, EA, & Homa, DM. (2020). Onset of Regular Smoking Before Age 21 and Subsequent Nicotine Dependence and Cessation Behavior Among US Adult Smokers. *Preventing Chronic Disease*, 17, E06. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31944932>

Chaim, CH, Siu, ER, Carvalho, CFC, Frallonardo, FP, Ismael, F, Andrade, AG (2019). Experimentation with tobacco during adolescence as a factor influencing treatment of smoking in adulthood. A retrospective cohort. *Sao Paulo Med J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31365599>

Chang, YC, Huang, WH, Tsai, CY, & Hwang, LC. (2019). Comparisons of early and delayed abstainers and its effects on long-term smoking cessation in Taiwan. *Subst Abuse Treat Prev Policy*, 14(1), 31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31412892>

Zhang, C, Brook, JS, Leukefeld, CG, De La Rosa, M, Brook, DW. Lack of Preventive Health Behaviors in the Early Forties: The Role of Earlier Trajectories of Cigarette Smoking From Adolescence to Adulthood. *Subst Use Misuse*. 2017 Apr 14:1-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28409658>

7.7.1.2 Level of dependence (heaviness, time to first cigarette)

Sadarang, RAI. (2021). Factors Associated With Quitting Smoking in Indonesia. *Journal of Preventive Medicine and Public Health. Yebang Uihakhoe Chi*, 54(2), 137-144. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33845534>

Arancini, L, Borland, R, Le Grande, M, Mohebbi, M, Dodd, S, Dean, OM et al (2021). Age as a predictor of quit attempts and quit success in smoking cessation: findings from the International Tobacco Control Four-Country survey (2002-14). *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33651412>

Ashe, ML, & Wilson, SJ. (2020). Very Light Daily Smoking in Young Adults: Relationships Between Nicotine Dependence and Lapse. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32877533>

Hoepfner, BB, Hoepfner, SS, Carlon, HA, Abry, A, Darville, A, & Rohsenow, DJ. (2020). Preparing for the Quit Day: Comparing beliefs of nondaily versus daily young adult smokers as they prepare for a quit attempt. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32882037>

Klugman, M, Hosgood, HD, Hua, S, Xue, X, Vu, TT, Perreira, KM et al (2020). A longitudinal analysis of nondaily smokers: the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). *Ann Epidemiol*, 49, 61-67. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32951805>

Strong, DR, Leas, E, Noble, M, White, M, Frissell, KC, Glasser, A et al (2020). Predictive validity of the adult tobacco dependence index: Findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study. *Drug Alcohol Depend*, 214, 108134. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32629146>

Sung, B. Time to First Cigarette and Self-Reported Health Among US Adult Smokers. *Tob Use Insights*, 2019. 12, 1179173X18825262. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30728728>

Ni, K, Wang, B, Link, A, & Sherman, S. Does smoking intensity predict cessation rates? A study of light-intermittent, light-daily, and heavy smokers enrolled in two telephone-based counseling interventions. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30535269>

Perski, O, Herd, N, West, R, & Brown, J. Perceived addiction to smoking and associations with motivation to stop, quit attempts and quitting success: A prospective study of English smokers. *Addict Behav*, 2018. 90, 306-311. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30476896>

de Granda-Orive, JI, Pascual-Lledo, JF, Asensio-Sanchez, S, Solano-Reina, S, Garcia-Rueda, M, Martinez-Muniz, MA et al. Is There an Association Between the Degree of Nicotine Dependence and the Motivation to Stop Smoking? *Arch Bronconeumol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30316531>

Zawertailo, L, Voci, S, Selby, P. The Cigarette Dependence Scale and Heaviness of Smoking Index as predictors of smoking cessation after 10weeks of nicotine replacement therapy and at 6-month follow-up. *Addict Behav*. 2017 Nov 27;78:223-227. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29220743>

Cho, YM, Myong, JP, Kim, HR, Lee, H, Koo, JW. Service and sales workers, are they vulnerable to smoking cessation? *Ind Health*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28637944>

Cook, JW, Lanza, ST, Chu, W, Baker, TB, Piper, ME. Anhedonia: Its Dynamic Relations With Craving, Negative Affect, and Treatment During a Quit Smoking Attempt. *Nicotine Tob Res*. 2017 Jun 1;19(6):703-709. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486709>

Lu, W, Chappell, K, Walters, JAE, Jacobson, GA, Patel, R, Schuz, N, Ferguson, SG. The effect of varenicline and nicotine patch on smoking rate and satisfaction with smoking: an examination of the mechanism of action of two pre-quit pharmacotherapies. *Psychopharmacology (Berl)*. 2017 Jul;234(13):1969-1976. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28342090>

Morphett, K, Carter, A, Hall, W, Gartner, C. Framing Tobacco Dependence as a "Brain Disease": Implications for Policy and Practice. *Nicotine Tob Res*. 2017 Jul 1;19(7):774-780. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28339586>

Nye, RT, Mercincavage, M, Branstetter, SA. Time to First Cigarette, Physical Activity and Pulmonary Function in Middle-aged to Older Adult Smokers. *J Phys Act Health*. 2017 Apr 19;14:1-17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28422605>

7.7.1.3 Severity of withdrawal symptoms

Alexander, AC, Waring, JJC, Hebert, ET, Ra, CK, Rangu, N, Kendzor, DE, & Businelle, MS. (2021). Identifying mechanisms that link pain to smoking relapse during a quit attempt. *Psychol Addict Behav*, 35(1), 52-61. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33719473>

Betts, JM, Dowd, AN, Forney, M, Hetelekides, E, & Tiffany, ST. (2020). A Meta-Analysis of Cue Reactivity in Tobacco Cigarette Smokers. *Nicotine Tob Res*. Retrieved from: <https://www.ncbi.nlm.nih.gov/pubmed/32772094>

Selby, DL, Harrison, AA, Fozard, TE, & Kolokotroni, KZ. (2020). Dissociating wanting and anticipated liking from consummatory liking in smokers with different levels of nicotine dependence. *Addict Behav*, 102, 106185. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31838369>

Robinson, J D, Li, L, Chen, M, Lerman, C, Tyndale, RF, Schnoll, RA et al. Evaluating the temporal relationships between withdrawal symptoms and smoking relapse. *Psychol Addict Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30614717>

Motschman, CA, Germeroth, LJ, Tiffany, ST. Momentary changes in craving predict smoking lapse behavior: a laboratory study. *Psychopharmacology (Berl)*, Apr 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29704217>

Franklin, TR, Jagannathan, K, Hager, N, Fang, Z, Xu, S, Wong, J, Childress, AR, Detre, JA, Rao, H, Wetherill, R. Brain substrates of early (4h) cigarette abstinence: Identification of treatment targets. *Drug Alcohol Depend*. 2017 Nov 20;182:78-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29172122>

Fix, BV, O'Connor, RJ, Benowitz, N, Heckman, BW, Cummings, KM, Fong, GT, Thrasher, JF. Nicotine metabolite ratio (NMR) prospectively predicts smoking relapse: Longitudinal findings from ITC Surveys in five countries. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28387850>

Hughes, JR, Budney, AJ, Muellers, SR, Lee, DC, Callas, PW, Sigmon, SC, Fingar, JR, Priest, J. Does Tobacco Abstinence Decrease Reward Sensitivity? A Human Laboratory Test. *Nicotine Tob Res*. 2017 Jun 1;19(6):677-685. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486707>

Hughes, JR, Callas, PW, Priest, JS, Etter, JF, Budney, AJ, Sigmon, SC. Development of a Self-Report Measure of Reward Sensitivity: A Test in Current and Former Smokers. *Nicotine Tob Res*. 2017 Jun 1;19(6):723-728. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486712>

Lemieux, AM, al'Absi, M. Changes in circulating peptide YY and ghrelin are associated with early smoking relapse. *Biol Psychol*. 2017 Mar 12. pii: S0301-0511(17)30053-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28300626>

Piper, ME, Vasilenko, SA, Cook, JW, Lanza, ST. What a difference a day makes: differences in initial abstinence response during a smoking cessation attempt. *Addiction*, Oct 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27633341>

Gomes Ada, S et al. Influence of the leptin and cortisol levels on craving and smoking cessation. *Psychiatry Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26233831>

7.7.1.4 Genetics influences

Perez-Rubio, G, Lopez-Flores, LA, Cupertino, AP, Cartujano-Barrera, F, Reynales-Shigematsu, LM, Ramirez, M et al. (2021). Genetic Variants in Smoking-Related Genes in Two Smoking Cessation Programs: A Cross-Sectional Study. *Int J Environ Res Public Health*, 18(12). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34205269>

Perez-Paramo, YX, & Lazarus, P. (2020). Pharmacogenetics factors influencing smoking cessation success; the importance of nicotine metabolism. *Expert Opin Drug Metab Toxicol*, 1-17. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33322962>

Ramsey, AT, Bourdon, JL, Bray, M, Dorsey, A, Zalik, M, Pietka, A et al. (2020). Proof of concept of a personalized genetic risk tool to promote smoking cessation: High acceptability and reduced cigarette smoking. *Cancer Prev Res (Phila)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32958583>

Albonaim, A, Sharafshah, A, & Keshavarz, P. (2020). Haplotype-based association study of Opioid Receptor Kappa-type 1 (OPRK1) gene polymorphisms with nicotine dependence among male smokers. *Br J Biomed Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32508243>

Tiili, EM, Mitiushkina, NV, Sukhovskaya, OA, Imyanitov, EN, & Hirvonen, AP. (2020). The effect of SLC6A3 variable number of tandem repeats and methylation levels on individual susceptibility to start tobacco smoking and on the ability of smokers to quit smoking. *Pharmacogenet Genomics*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32371614>

Buchwald, J, Chenoweth, MJ, Palviainen, T, Zhu, G, Benner, C, Gordon, S et al. (2020). Genome-wide association meta-analysis of nicotine metabolism and cigarette consumption measures in smokers of European descent. *Mol Psychiatry*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32157176>

Siegel, SD, Lerman, C, Flitter, A, & Schnoll, RA. (2020). The Use of the Nicotine Metabolite Ratio as a Biomarker to Personalize Smoking Cessation Treatment: Current Evidence and Future Directions. *Cancer Prev Res (Phila)*, 13(3), 261-272. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32132120>

Uysal, MA, Sever, U, Nursal, AF, Yedikule Smoking Cessation Study, G, & Pehlivan, S. (2019). Dopamine D4 Receptor Gene Exon III VNTR Variant Influences Smoking Status in Turkish Population. *Noro Psikiyatry Ars*, 56(4), 248-252. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31903031>

Hubacek, JA, Kurcova, I, Maresova, V, Pankova, A, Stepankova, L, Zvolaska, K et al. (2019). SNPs within CHRNA5-A3-B4 and CYP2A6/B6, nicotine metabolite concentrations and nicotine dependence treatment success in smokers. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31796940>

Liu, Q, Xu, Y, Mao, Y, Ma, Y, Wang, M, Han, H et al. (2019). Genetic and epigenetic analysis revealing variants in the NCAM1-TTC12-ANKK1-DRD2 cluster associated significantly with nicotine dependence in Chinese Han smokers. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31867628>

Zhao, H, Xiong, S, Li, Z, Wu, X, & Li, L. (2019). Meta-analytic method reveal a significant association of theBDNF Val66Met variant with smoking persistence based on a large samples. *Pharmacogenomics J*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31787753>

Clarke, TK, Adams, MJ, Howard, DM, Xia, C, Davies, G, Hayward, C et al. (2019). Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population. *Mol Psychiatry*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31767999>

Frank, DW, Cinciripini, PM, Deweese, MM, Karam-Hage, M, Kyriotakis, G, Lerman, C et al. (2019). Toward Precision Medicine for Smoking Cessation: Developing a Neuroimaging-Based Classification Algorithm to Identify Smokers at Higher Risk for Relapse. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31724052>

Jain, RB. (2019). Nicotine metabolite ratios in serum and urine among US adults: variations across smoking status, gender and race/ethnicity. *Biomarkers*, 1-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31686544>

Liakoni, E, Nardone, N, St Helen, G, Dempsey, DA, Tyndale, RF, & Benowitz, NL. (2019). Effects of Nicotine Metabolic Rate on Cigarette Reinforcement. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31725872>

Alexander, AC, Nollen, NL, Ahluwalia, JS, Hebert, ET, Businelle, MS, & Kendzor, DE. (2019). Darker skin color is associated with a lower likelihood of smoking cessation among males but not females. *Soc Sci Med*, 240, 112562. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31586778>

Liakoni, E, St Helen, G, Dempsey, DA, Jacob, P, Tyndale, RF, & Benowitz, NL. (2019). Relationship between skin melanin index and nicotine pharmacokinetics in African American smokers. *Drug Alcohol Depend*, 204, 107474. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31521954>

Ramachandran Nair, L, & Liu, X. (2019). Targeting the alpha4beta2- and alpha7-Subtypes of Nicotinic Acetylcholine Receptors for Smoking Cessation Medication Development. *J Addict Res Ther*, 10(2).

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31404286>

Chen, J, Loukola, A, Gillespie, NA, Peterson, R, Jia, P, Riley, B et al (2019). Genome-Wide Meta-Analyses of FTND and TTFC Phenotypes. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31294817>

Semlali, A, Almutairi, M, Azzi, A, Reddy Parine, N, AlAmri, A, Alsulami, S et al (2019). TSLP and TSLP receptors variants are associated with smoking. *Mol Genet Genomic Med*, e842. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31290290>

Claw, KG, Beans, JA, Lee, SB, Avey, JP, Stapleton, PA, Scherer, SE et al (2019). Pharmacogenomics of nicotine metabolism: novel CYP2A6 and CYP2B6 genetic variation patterns in Alaska Native and

American Indian populations. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31241144>

Roche, DJO, Trela, CJ, Argos, M, Jasmine, F, Kibriya, MG, Ahsan, H, & King, AC. (2019). Lack of Association between Opioid-Receptor Genotypes and Smoking Cessation Outcomes in a Randomized, Controlled Naltrexone Trial. *Alcohol Alcohol*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31206155>

Gelernter, J. (2019). Inviting in the Exome for Alcohol and Smoking Traits. *Biol Psychiatry*, 85(11), 889-890. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31122339>

Perez-Rubio, G, Lopez-Flores, LA, Ramirez-Venegas, A, Sansores, RH, & Falfan-Valencia, R. (2019). Data on genotype frequency for SNPs associated to age of smoking onset and successful smoking cessation treatment. *Data Brief*, 24, 103893. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31061854>

Bierut, LJ. (2019). 2018 Langley Award for Basic Research on Nicotine and Tobacco: Bringing Precision Medicine to Smoking Cessation. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30855677>

Panagiotou, OA, Schuit, E, Munafo, MR, Bennett, DA, Bergen, AW, & David, SP. Smoking Cessation Pharmacotherapy Based on Genetically-Informed Biomarkers: What is the Evidence? *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30690475>

Chiu, A, Hartz, S, Smock, N, Chen, J, Qazi, A, Onyeador, J et al . Most Current Smokers Desire Genetic Susceptibility Testing and Genetically-Efficacious Medication. *J Neuroimmune Pharmacol*, 2018. Available from: <https://link.springer.com/article/10.1007%2Fs11481-018-9818-1>

Glahn, A, Rhein, M, Frieling, H, Dette, F, Bleich, S, Hillemecher, T, & Muschler, M. Smoking-induced changes in leptin serum levels and c/EBPalpha-related methylation status of the leptin core promotor during smoking cessation. *Psychoneuroendocrinology*, 2018. 100, 106-112. Available from: [https://www.psyneuen-journal.com/article/S0306-4530\(18\)30598-5/fulltext](https://www.psyneuen-journal.com/article/S0306-4530(18)30598-5/fulltext)

Shahab, L, Bauld, L, McNeill, A, & Tyndale, RF. Does the nicotine metabolite ratio moderate smoking cessation treatment outcomes in real-world settings? A prospective study. *Addiction*, 2018. Available from: <https://onlinelibrary.wiley.com/doi/pdf/10.1111/add.14450>

Liakoni, E, Edwards, KC, St Helen, G, Nardone, N, Dempsey, DA, Tyndale, RF, Benowitz, NL. Effects of Nicotine Metabolic Rate on withdrawal symptoms and response to cigarette smoking following abstinence. *Clin Pharmacol Ther*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30242831>

Baker, AN, Miranda, AM, Garneau, NL, Hayes, JE. Self-reported smoking status, TAS2R38 variants, and propylthiouracil phenotype: an exploratory crowdsourced cohort study. *Chem Senses*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30137252>

Perez-Morales, R, Gonzalez-Zamora, A, Gonzalez-Delgado, MF, Calleros Rincon, EY, Olivas Calderon, EH, Martinez-Ramirez, OC, Rubio, J. CHRNA3 rs1051730 and CHRNA5 rs16969968 polymorphisms are associated with heavy smoking, lung cancer, and chronic obstructive pulmonary disease in a

mexican population. *Ann Hum Genet*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29993116>

Rollema, H, Hurst, RS. The contribution of agonist and antagonist activities of alpha4beta2* nAChR ligands to smoking cessation efficacy: a quantitative analysis of literature data. *Psychopharmacology (Berl)*, Jul 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29980822>

Fix, BV, O'Connor, RJ, Heckman, BW, Benowitz, N, Cummings, MK, Fong, GT, Thrasher, JF. Response to "Rapid Nicotine Ratio and Successful Quitting: Acceptable Explanation" by the Authors of "Nicotine Metabolite Ratio (NMR) Prospectively Predicts Smoking Relapse: Longitudinal Findings from ITC Surveys in Five Countries". *Nicotine Tob Res*. 2018 Jun 7;20(7):909. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29878262>

Muschler, M, Rhein, M, Ritter, A, Hillemacher, T, Frieling, H, Bleich, S, Glahn, A. Epigenetic alterations of the POMC promoter in tobacco dependence. *Eur Neuropsychopharmacol*. 2018 Jun 2. pii: S0924-977X(18)30119-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29871818>

Tomaz, PRX, Santos, JR, Scholz, J, Abe, TO, Gaya, PV, Negrao, AB, Krieger, JE, Pereira, AC, Santos, P. Cholinergic receptor nicotinic alpha 5 subunit polymorphisms are associated with smoking cessation success in women. *BMC Med Genet*. 2018 Apr 5;19(1):55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29621993>

Ramsey, AT, Chen, LS, Hartz, SM, Saccone, NL, Fisher, SL, Proctor, EK, Bierut, LJ. Toward the implementation of genomic applications for smoking cessation and smoking-related diseases. *Transl Behav Med*. 2018 Jan 29;8(1):7-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29385591>

Di Ciano, P, Tyndale, RF, Mansouri, E, Hendershot, CS, Wilson, AA, Lagzdins, D, Houle, S, Boileau, I, Le Foll, B. Influence of Nicotine Metabolism Ratio on [11C]-(+)-PHNO PET binding in Tobacco Smokers. *Int J Neuropsychopharmacol*. 2018 Jan 13. pii: 4807487. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29346545>

Podgorski, T, Szmyt, G, Szmyt, A, Gronek, J, Celka, R, Gronek, P. Aerobic and concentration training and allele 7 in the dopamine receptor D4 (D4DR) gene increase chances of smoking cessation in young Polish women. *Arch Med Sci*. 2018 Jan;14(1):199-206. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29379551>

Pintarelli, G, Galvan, A, Pozzi, P, Noci, S, Pasetti, G, Sala, F, Pastorino, U, Boffi, R, Colombo, F. Pharmacogenetic study of seven polymorphisms in three nicotinic acetylcholine receptor subunits in smoking-cessation therapies. *Sci Rep*. 2017 Dec 1;7(1):16730. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29196725>

Schuit, E, Panagiotou, OA, Munafo, MR, Bennett, DA, Bergen, AW, David, SP. Pharmacotherapy for smoking cessation: effects by subgroup defined by genetically informed biomarkers. *Cochrane Database Syst Rev*. 2017 Sep 8;9:CD011823. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28884473>

Chen, LS, Zawertailo, L, Piasecki, TM, Kaprio, J, Foreman, M, Elliott, HR, David, SP, Bergen, AW, Baurley, JW, Tyndale, RF, Baker, TB, Bierut, LJ, Saccone, NL, Genetics, Treatment Workgroup of the Society for Research on, Nicotine and Tobacco. Leveraging genomic data in smoking cessation trials in the era of Precision Medicine: Why and how. *Nicotine Tob Res*, 2017. May 12, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx097/3819371/Leveraging-genomic-data-in-smoking-cessation?redirectedFrom=fulltext>

de Granda-Orive, JI, de Granda-Beltran, AM, Segrelles-Calvo, G. Leptin, Orexin, Peptide YY and Ghrelin Associated with Relapse During Smoking Cessation. *Arch Bronconeumol*. 2017 Jun 14. pii: S0300-2896(17)30145-X. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28624370>

Hirvonen, K, Korhonen, T, Salomaa, V, Mannisto, S, Kaprio, J. Association of the DBH polymorphism rs3025343 with smoking cessation in a large population-based sample. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28371857>

Li, S, Wang, Q, Pan, L, Yang, X, Li, H, Jiang, F, Zhang, N, Han, M, Jia, C. The association of environmental, individual factors, and dopamine pathway gene variation with smoking cessation. *Psychol Health Med*. 2017 Sep;22(8):955-960. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28276948>

Saccone, NL, Baurley, JW, Bergen, AW, David, SP, Elliott, HR, Foreman, MG, Kaprio, J, Piasecki, TM, Relton, CL, Zawertailo, L, Bierut, LJ, Tyndale, RF, Chen, LS, Genetics, Treatment Networks of the Society for Research on, Nicotine and Tobacco. The Value of Biosamples in Smoking Cessation Trials: A Review of Genetic, Metabolomic, and Epigenetic Findings. *Nicotine Tob Res*, 2017. May 3, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx096/3791468/The-Value-of-Biosamples-in-Smoking-Cessation?redirectedFrom=fulltext>

Lassi, G, Taylor, AE, Timpson, NJ, Kenny, PJ, Mather, RJ, Eisen, T, Munafò, MR. The CHRNA5-A3-B4 gene cluster and smoking: from discovery to therapeutics. *Trends Neurosci*. 2016 Nov 18. pii: S0166-2236(16)30142-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27871728>

Duck, CH, Gyoon, SW. Meta-analysis update of association between dopamine transporter SLC6A3 gene polymorphism and smoking cessation. *J Health Psychol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27287604>

Chen, LS, Horton, A, Bierut, L. Pathways to precision medicine in smoking cessation treatments. *Neurosci Lett*. 2016 May 18. pii: S0304-3940(16)30345-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27208830>

Minica, CC, Mbarek, H, Pool, R, Dolan, CV, Boomsma, DI, Vink, JM. Pathways to smoking behaviours: biological insights from the Tobacco and Genetics Consortium meta-analysis. *Mol Psychiatry*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27021816>

Ma, Y et al. The significant association of Taq1A genotypes in DRD2/ANKK1 with smoking cessation in a large-scale meta-analysis of Caucasian populations. *Transl Psychiatry*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26624925>

Choi, HD, Shin, WG. Association between catechol-O-methyltransferase (COMT) Val/Met genotype and smoking cessation treatment with nicotine: a meta-analysis. *Pharmacogenomics*, Nov 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26555332>

Ma, Y et al. Meta-analysis reveals significant association of 3'-UTR VNTR in SLC6A3 with smoking cessation in Caucasian populations. *The Pharmacogenomics Journal*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26149737>

7.7.1.5 History of previous failed quit attempts

Dutcher, CD, Papini, S, Gebhardt, CS, & Smits, JAJ. (2020). Network analysis reveals the associations of past quit experiences on current smoking behavior and motivation to quit. *Addict Behav*, 113, 106689. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33053454>

Carpenter, MJ, & Hughes, JR. (2020). If at first you don't try. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32266393>

Jackson, SE, West, R, & Brown, J. (2020). If at first you don't succeed, when should you try again? A prospective study of failed quit attempts and subsequent smoking cessation. *Addict Behav*, 106, 106366. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32171957>

7.7.1.6 Low confidence, poor self-efficacy

Donnelly, RE, Minami, H, Hecht, J Bloom, EL, Tashima, K, Selva Kumar, D et al. (2021). Relationships among Self-Efficacy, Quality of Life, Perceived Vulnerability, and Readiness to Quit Smoking in People Living with HIV. *J Smok Cessat*, 2021, 6697404. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34306237>

Palmer, AM, Sutton, SK, Correa, JB, Simmons, VN, & Brandon, TH. (2021). Abstinence-related motivational engagement for smoking cessation: Longitudinal patterns and predictive validity. *PLoS One*, 16(3), e0247867. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33661996>

Wang, SD, Loftus, P, Pang, RD, & Kirkpatrick, MG. (2021). Impact of self-efficacy on daily intention to not smoke. *Addict Behav*, 118, 106877. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33714032>

Blonde, J, & Falomir-Pichastor, JM. (2020). Accounting for the Consequences of Tobacco Dependence on Cravings, Self-efficacy, and Motivation to Quit: Consideration of Identity Concerns. *Span J Psychol*, 23, e34. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32895063>

Falomir-Pichastor, JM, Blonde, J, Desrichard, O, Felder, M, Riedo, G, & Folly, L. (2020). Tobacco dependence and smoking cessation: The mediating role of smoker and ex-smoker self-concepts. *Addict Behav*, 102, 106200. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31801103>

Szinay, D, Tombor, I, Garnett, C, Boyt, N, & West, R. (2019). Associations between self-esteem and smoking and excessive alcohol consumption in the UK: A cross-sectional study using the BBC UK Lab

database. *Addict Behav Rep*, 10, 100229. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31720364>

de Granda-Orive, JI, Pascual-Lledo, JF, Solano-Reina, S, Asensio-Sanchez, S, Garcia-Rueda, M, Martinez-Muniz, MA et al (2019). When Should We Measure Self-Efficacy as an Aid to Smoking Cessation? *Arch Bronconeumol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31171413>

Pardavila-Belio, MI, Canga-Armayor, A, Duaso, MJ, Pueyo-Garrigues, S, Pueyo-Garrigues, M, & Canga-Armayor, N. Understanding how a smoking cessation intervention changes beliefs, self-efficacy, and intention to quit: a secondary analysis of a pragmatic randomized controlled trial. *Transl Behav Med*, 2019. 9(1), 58-66. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30590861>

Clyde, M, Pipe, A, Reid, R, Els, C, Tulloch, H. A bidirectional path analysis model of smoking cessation self-efficacy and concurrent smoking status: impact on abstinence outcomes. *Addict Biol*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30088695>

Nohlert, E, Ohrvik, J, Helgason, AR. Self-perceived ability to cope with stress and depressive mood without smoking predicts successful smoking cessation 12 months later in a quitline setting: a secondary analysis of a randomized trial. *BMC Public Health*. 2018 Aug 28;18(1):1066. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30153814>

Taniguchi, C, Tanaka, H, Saka, H, Oze, I, Tachibana, K, Nozaki, Y, Suzuki, Y, Sakakibara, H. Changes in self-efficacy associated with success in quitting smoking in participants in Japanese smoking cessation therapy. *Int J Nurs Pract*, 2018. Mar 23, 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29573128>

Warner, LM, Stadler, G, Luscher, J, Knoll, N, Ochsner, S, Hornung, R, Scholz, U. Day-to-day mastery and self-efficacy changes during a smoking quit attempt: Two studies. *Br J Health Psychol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29333730>

Yuan, M, Guo, X, Li, X, Chen, X, Wang, C, Li, Y. The moderating role of regulatory emotional self-efficacy on smoking craving: An ecological momentary assessment study. *Psych J*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29171689>

Ono, M, Kochiyama, T, Fujino, J, Sozu, T, Kawada, R, Yokoyama, N, Sugihara, G, Murai, T, Takahashi, H. Self-efficacy modulates the neural correlates of craving in male smokers and ex-smokers: an fMRI study. *Addict Biol*, Sep 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28881072>

Shadel, WG, Martino, SC, Setodji, C, Cervone, D, Witkiewitz, K. Does self-efficacy causally influence initial smoking cessation? An experimental study. *Addict Behav*. 2017 Oct;73:199-203. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28549331>

Loprinzi, PD et al. Exercise facilitates smoking cessation indirectly via improvements in smoking-specific self-efficacy: Prospective cohort study among a national sample of young smokers. *Prev Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26303372>

7.7.1.7 Impulsivity, sensation seeking, and time perspective

Scholten, H, Luijten, M, Poppelaars, A Johnson-Glenberg, MC, & Granic, I. (2021). Mechanisms of change in a go/no-go training game for young adult smokers. *Health Psychol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34197133>

Garcia-Perez, A, Aonso-Diego, G, Weidberg, S, Gonzalez-Roz, A, & Secades-Villa, R. (2021). Reinforcer pathology predicts relapse in smokers. *Psychol Addict Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34323527>

Diaz, A, & Perez, L. (2021). Gambling and substance use: A cross-consumption analysis of tobacco smoking, alcohol drinking and gambling. *Substance Abuse*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33798010>

Martin Rios, R, Martin Tamayo, I, & Lopez-Torrecillas, F. (2021). Impact of neuropsychological disorders on clinical aspects of smoking. *Adicciones*, 0(0), 1590. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33768263>

Soofi, M, Akbari Sari, A, & Najafi, F. (2020). The Effect of Individual Time Preferences on Smoking Behavior: Insights from Behavioral Economics. *Iran J Public Health*, 49(9), 1787-1795. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33643955>

Syan, SK, Gonzalez-Roz, A, Amlung, M, Sweet, LH, & MacKillop, J. (2021). Delayed Reward Discounting as a Prognostic Factor for Smoking Cessation Treatment Outcome: A Systematic Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33772298>

Athamneh, LN, Stein, MD, Lin, EH, Stein, JS, Mellis, AM, Gatchalian, KM et al. (2020). Setting a goal could help you control: Comparing the effect of health goal versus general episodic future thinking on health behaviors among cigarette smokers and obese individuals. *Exp Clin Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32191071>

de Cola, B., & Dallery, J. (2020). Delay discounting rate by a surrogate decision maker depends on the smoking status of the recipient. *Exp Clin Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32105134>

Addicott, MA, Wardle, MC, & Selig, JP. (2020). Effort-based decision making varies by smoking status. *Psychopharmacology*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31900525>

Shi, Z, Wang, AL, Aronowitz, CA, Cappella, JN, Romer, D, & Langleben, DD. (2019). Connectivity between visual and auditory cortices mediates the influence of argument strength on the effectiveness of smoking-cessation videos among smokers low in sensation seeking. *Psychol Res Behav Manag*, 12, 531-542. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31410074>

Sheffer, CE, Prashad, N, Lunden, S, Malhotra, R, & O'Connor, R J. To smoke or not to smoke: Does delay discounting affect the proximal choice to smoke? *Subst Use Misuse*, 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30982388>

Weidberg, S, Secades-Villa, R, Garcia-Perez, A, Gonzalez-Roz, A, & Fernandez-Hermida, JR. The synergistic effect of cigarette demand and delay discounting on nicotine dependence among treatment-seeking smokers. *Exp Clin Psychopharmacol*, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30570273>

Pope, DA, Poe, L, Stein, JS, Snider, SE, Bianco, AG, & Bickel, WK. Past and future preference reversals are predicted by delay discounting in smokers and non-smokers. *Exp Clin Psychopharmacol*, 2018.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30382730>

Snider, SE, DeHart, WB, Epstein, LH, & Bickel, WK. Does delay discounting predict maladaptive health and financial behaviors in smokers? *Health Psychol*, 2018.

<https://www.ncbi.nlm.nih.gov/pubmed/30474996>

McDonald, D, Kaufmann, A, Haaga, DAF. Development and validation of the cigarette smoking consequences looming scale. *Addict Behav*. 2018 Dec;87:238-243. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30081352>

Ozga, JE, Felicione, NJ, Blank, MD, Turiano, NA. Cigarette smoking duration mediates the association between future thinking and norepinephrine level. *Addict Behav*. 2018 Jun 18;87:33-38. Available

from: <https://www.ncbi.nlm.nih.gov/pubmed/29940389>

Kale, D, Stautz, K, Cooper, A. Impulsivity related personality traits and cigarette smoking in adults: A meta-analysis using the UPPS-P model of impulsivity and reward sensitivity. *Drug Alcohol Depend*.

2018 Feb 9;185:149-167. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29453142>

Stautz, K, Zupan, Z, Field, M, Marteau, TM. Does self-control modify the impact of interventions to change alcohol, tobacco, and food consumption? A systematic review. *Health Psychol Rev*. 2018 Jan

11:1-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29291664>

Xu, Y, Yang, Y, Ma, X. Time perspective, optimistic bias, and self-control among different statuses of university smokers in China: a cross-sectional study. *Psychol Health Med*. 2018 Jan 9:1-6. Available

from: <https://www.ncbi.nlm.nih.gov/pubmed/29313374>

Stein, JS, Tegge, AN, Turner, JK, Bickel, WK. Episodic future thinking reduces delay discounting and cigarette demand: an investigation of the good-subject effect. *J Behav Med*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29270887>

7.7.1.8 Concern about weight gain

Cepeda-Benito, A. (2020). Nicotine Effects, Body Weight Concerns and Smoking: A Literature Review. *Curr Pharm Des*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32233995>

Coniglio, KA, Rosen, R, Burr, EK, & Farris, SG. (2020). Adherence to low-calorie and low-sugar diets is uniquely associated with distinct facets of appearance/weight-related smoking motivations. *J Behav Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32246293>

Burr, EK, O'Keeffe, B, Kibbey, MM, Coniglio, KA, Leyro, TM, & Farris, SG. (2020). Distress Intolerance in Relation to Reliance on Cigarettes for Weight, Shape, and Appetite Control. *Int J Behav Med*, 27(2), 247-254. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32124245>

Bloom, EL, Ramsey, SE, Abrantes, AM, Hunt, L, Wing, RR, Kahler, CW et al. (2020). A Pilot Randomized Controlled Trial of Distress Tolerance Treatment for Weight Concern in Smoking Cessation Among Women. *Nicotine and Tobacco Research*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31993658>

Ely, AV, Jagannathan, K, Hager, N, Ketcherside, A, Franklin, TR, & Wetherill, RR. (2019). Double jeopardy: Comorbid obesity and cigarette smoking are linked to neurobiological alterations in inhibitory control during smoking cue exposure. *Addict Biol*, e12750. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31069895>

Reas, DL, Wisting, L, Stedal, K, & Dahlgren, CL. Unhealthy eating and weight dissatisfaction in adolescents who never, occasionally, or regularly use smokeless tobacco (Swedish snus). *Int J Eat Disord*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31032987>

Juszczuk, D, & Gillison, F. (2018). Comparing and contrasting responses to tobacco control and obesity policies: a qualitative study. *Public Health Nutr*, 2018. 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30560758>

Kajanoja, J, Scheinin, NM, Karukivi, M, Karlsson, L, & Karlsson, H. Alcohol and tobacco use in men: the role of alexithymia and externally oriented thinking style. *Am J Drug Alcohol Abuse*, 2018. 1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30427739>

Kovacs, MA, Palmer, AM, Correa, JB, Brandon, TH. Smoking by young women with restrained eating following a food prime in the context of an alternative distractor. *Exp Clin Psychopharmacol*. 2018 Feb 12. pii: 2018-05594-001. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29431452>

Bush, T, Lovejoy, J, Javitz, H, Mahuna, S, Torres, AJ, Wassum, K, Magnusson, B, Benedict, C, Spring, B. Implementation, Recruitment and Baseline Characteristics: A Randomized Trial of Combined Treatments for Smoking Cessation and Weight Control. *Contemp Clin Trials Commun*. 2017 Sep;7:95-102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29124236>

Germeroth, LJ, Levine, MD. Postcessation weight gain concern as a barrier to smoking cessation: Assessment considerations and future directions. *Addict Behav*. 2018 Jan;76:250-257. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28865363>

Johnson, KC, Thomas, F, Richey, P, Tran, QT, Tylavsky, F, Miro, D, Coday, M. The Primary Results of the Treating Adult Smokers at Risk for Weight Gain with Interactive Technology (TARGIT) Study. *Obesity (Silver Spring)*. 2017 Oct;25(10):1691-1698. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28948720>

Athamneh, LN, Stein, JS, Bickel, WK. Will Delay Discounting Predict Intention to Quit Smoking? *Exp Clin Psychopharmacol*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28627925>

Barlow, P, McKee, M, Reeves, A, Galea, G, Stuckler, D. Time-discounting and tobacco smoking: a systematic review and network analysis. *Int J Epidemiol*, Apr 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28419232>

Fox, AT, Martin, LE, Bruce, J, Moreno, JL, Staggs, VS, Lee, HS, Goggin, K, Harris, KJ, Richter, K, Patten, C, Catley, D. Executive function fails to predict smoking outcomes in a clinical trial to motivate smokers to quit. *Drug Alcohol Depend*. 2017 Jun 1;175:227-231. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28458075>

Froeliger, B, McConnell, PA, Bell, S, Sweitzer, M, Kozink, RV, Eichberg, C, Hallyburton, M, Kaiser, N, Gray, KM, McClernon, FJ. Association Between Baseline Corticothalamic-Mediated Inhibitory Control and Smoking Relapse Vulnerability. *JAMA Psychiatry*. 2017 Apr 1;74(4):379-386. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28249070>

Heckman, BW, MacQueen, DA, Marquinez, NS, MacKillop, J, Bickel, WK, Brandon, TH. Self-control depletion and nicotine deprivation as precipitants of smoking cessation failure: A human laboratory model. *J Consult Clin Psychol*. 2017 Apr;85(4):381-396. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28333537>

Miglin, R, Kable, JW, Bowers, ME, Ashare, RL. Withdrawal-Related Changes in Delay Discounting Predict Short-Term Smoking Abstinence. *Nicotine Tob Res*. 2017 Jun 1;19(6):694-702. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486708>

Barlow, P, McKee, M, Reeves, A, Galea, G, Stuckler, D. Time-discounting and tobacco smoking: a systematic review and network analysis. *Int J Epidemiol*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27818375>

Bush, T, Lovejoy, J, Javitz, H, Magnusson, B, Torres, AJ, Mahuna, S, Benedict, C, Wassum, K, Spring, B. Comparative effectiveness of adding weight control simultaneously or sequentially to smoking cessation quitlines: study protocol of a randomized controlled trial. *BMC Public Health*. 2016 Jul 22;16:615. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27443485>

Copeland, A L et al. Fear of fatness and drive for thinness in predicting smoking status in college women. *Addict Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26656671>

7.7.1.9 Disturbances of mood

Arana-Chicas, E, Cupertino, AP, Goggin, K, Richter, KP, Harris, KJ, & Catley, D. (2021). Stress, Depression and Quit Attempt Outcomes among Unmotivated Smokers. *Subst Use Misuse*, 1-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34130595>

Streck, JM, Luberto, CM, Muzikansky, A, Skurla, S, Ponzani, CJ, Perez, GK et al (2021). Examining the effects of stress and psychological distress on smoking abstinence in cancer patients. *Prev Med Rep*, 23, 101402. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34094817>

Zlomuzica, A, Lange, M, Reher, S, Machulska, A, & Rinck, M. (2021). The effects of psychological stress on approach tendencies for smoking-related cues in smokers. *Eur J Neurosci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33964028>

- Lee, H, Lee, HH, Kang, A, Cha, Y, & Operario, D. (2021). Psychological Stress, Smoking, and Hazardous Drinking Behaviors among South Korean Adults: Findings from the Korean National Health and Nutrition Examination Survey. *J Subst Use*, 26(1), 13-20. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33716570>
- Lopez-Nunez, C, Gonzalez-Roz, A, Weidberg, S, & Fernandez-Artamendi, S. (2021). Anxiety sensitivity as a transdiagnostic vulnerability factor for cigarette smoking: Clinical and treatment implications. *Adicciones*, 0(0), 1549. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33768255>
- Giovenco, DP, Spillane, TE, Maggi, RM, Lee, EY, & Philbin, MM. (2021). Multi-level drivers of tobacco use and purchasing behaviors during COVID-19 "lockdown": A qualitative study in the United States. *International Journal of Drug Policy* 94, 103175. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33662811>
- Rodriguez-Cano, R, Lopez-Duran, A, Martinez-Vispo, C, & Becona, E. (2021). Causes of smoking relapse in the 12 months after smoking cessation treatment: Affective and cigarette dependence-related factors. *Addict Behav*, 119, 106903. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33773201>
- Borges, AM, Versella, MV, Kibbey, MM, Hall, SM, & Leyro, TM. (2021). The interactive effect of anxiety sensitivity and negative smoking cessation cognitions on reductions in cigarette consumption during acute cessation. *Addict Behav*, 117, 106839. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33556671>
- Martinez-Vispo, C, Lopez-Duran, A, Rodriguez-Cano, R, Senra, C, & Becona, E. (2021). Treatment completion and anxiety sensitivity effects on smoking cessation outcomes. *Addict Behav*, 117, 106856. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33609810>
- Akbari, M, Hasani, J, & Seydavi, M. (2020). Negative affect among daily smokers: A systematic review and meta-analysis. *Journal of Affective Disorders*, 274, 553-567. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32663988>
- Trindade Fortes, J, Giordani Cano, F, Alcoforado Miranda, V, Chung Kang, H, Fontenelle, LF, Mendlowicz, MV, & Garcia-Rosa, ML. (2020). PTSD Predicts Smoking Cessation Failure in a Trauma-Exposed Population. *J Dual Diagn*, 1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32643580>
- Garey, L, Olofsson, H, Garza, T, Shepherd, JM, Smit, T, & Zvolensky, MJ. (2020). The Role of Anxiety in Smoking Onset, Severity, and Cessation-Related Outcomes: a Review of Recent Literature. *Curr Psychiatry Rep*, 22(8), 38. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32506166>
- Shepherd, JM, Bakhshaie, J, Nizio, P, Garey, L, Viana, AG, & Zvolensky, MJ. (2020). Anxiety symptoms and smoking outcome expectancies among Spanish-speaking Latinx adult smokers: Exploring the role of anxiety sensitivity. *J Ethn Subst Abuse*, 1-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32364427>
- Faulkner, P, Dean, AC, Ghahremani, DG, & London, ED. (2020). Neural Basis of Smoking-Related Difficulties in Emotion Regulation. *Int J Neuropsychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32221527>

Hertel, A. W., Sokolovsky, A. S., & Mermelstein, R. J. (2020). An investigation of the relationship between identifying as a smoker and urges to smoke among young adult combustible cigarette smokers. *Psychol Addict Behav*. Veilleux, JC, & Skinner, KD. (2019). Differences in Distress Intolerance Among Daily and Intermittent Smokers. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31801103>

Mathew, AR, & Zhou, M. (2019). Distress tolerance in relation to cessation history and smoking characteristics among adult daily smokers. *Addict Behav*, 100, 106124. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31600646>

Sterling, KL, Jones, DM, Majeed, B, Nyman, AL, & Weaver, SR. (2019). Affect Predicts Small Cigar Use in a National Sample of US Young Adults. *Tob Regul Sci*, 5(3), 253-263. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31656828>

Vogel, EA, & Ramo, DE. (2019). Smoking cessation, metabolic risk behaviors, and stress management over time in a sample of young adult smokers. *Transl Behav Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31595303>

Unubol, H, & Hizli Sayar, G. (2019). Psychological factors associated with smoking and quitting: addiction map of Turkey study. *Neuropsychiatr Dis Treat*, 15, 1971-1982. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31371970>

Woodcock, EA, Stanley, JA, Diwadkar, VA, Khatib, D, & Greenwald, MK. (2019). A neurobiological correlate of stress-induced nicotine-seeking behavior among cigarette smokers. *Addict Biol*, e12819. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31418989>

Allenby, C, Falcone, M, Ashare, RL, Cao, W, Bernardo, L, Wileyto, et al (2019). Brain Marker Links Stress and Nicotine Abstinence. *Nicotine Tob Res*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31120113>

Farris, SG, Legasse, A, Uebelacker, L, Brown, RA, Price, LH, & Abrantes, AM. (2019). Anxiety Sensitivity is Associated with Lower Enjoyment and an Anxiogenic Response to Physical Activity in Smokers. *Cognit Ther Res*, 43(1), 78-87. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31073255>

Guillot, CR, Blackledge, SM, Douglas, ME, Cloutier, RM, Liautaud, MM, Pang, RD et al. (2019). Indirect Associations of Anxiety Sensitivity with Tobacco, Alcohol, and Other Drug Use Problems Through Emotional Disorder Symptoms in Adolescents. *Behav Med*, 1-9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31039083>

Schlam, TR, Baker, TB, Smith, SS, Cook, JW, & Piper, ME. (2019). Anxiety Sensitivity and Distress Tolerance in Smokers: Relations with Tobacco Dependence, Withdrawal, and Quitting Success. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31056710>

Zvolensky, MJ, Bakhshaie, J, Shepherd, JM, Garey, L, Viana, AG, & Peraza, N. (2019). Anxiety symptoms and smoking among Latinx adult smokers: the importance of sensitivity to internal cues in terms of dependence, barriers for quitting, and quit problems. *J Behav Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31115841>

Zvolensky, MJ, Shepherd, JM, Bakhshaie, J, Garey, L, Viana, AG, & Peraza, N. (2019). Emotion dysregulation and cigarette dependence, perceptions of quitting, and problems during quit attempts among Spanish-speaking Latinx adult smokers. *Addict Behav*, 96, 127-132. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31077888>

Borges, AM, Selby, E, Bates, M, Zvolensky, M, & Leyro, TM. Examining the Relation Between Physiological and Psychological Components of Stress Reactivity and Recovery in Cigarette Smokers. *Appl Psychophysiol Biofeedback*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30659430>

Tsourtos, G., Ward, P. R., Miller, E. R., Hill, K., Barton, C., Wilson, C. J., & Woodman, R. (2019). Does Resilience Moderate the Relationship Between Stress and Smoking Status? *Subst Use Misuse*, 1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30638106>

Veilleux, J. C. (2019). The relationship between distress tolerance and cigarette smoking: A systematic review and synthesis. *Clin Psychol Rev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30691959>

Mathew, AR, Heckman, BW, Froeliger, B, Saladin, ME, Brown, RA, Hitsman, B, & Carpenter, M J. Multi-method assessment of distress tolerance and smoking-related factors among adult daily smokers. *Exp Clin Psychopharmacol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30589279>

Lydon-Staley, DM, Schnoll, RA, Hitsman, B, & Bassett, DS. The Network Structure of Tobacco Withdrawal in a Community Sample of Smokers Treated with Nicotine Patch and Behavioral Counseling. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30452739>

Rogers, AH, Bakhshaie, J, Garey, L, Piasecki, TM, Gallagher, MW, Schmidt, NB, & Zvolensky, MJ. Individual differences in emotion dysregulation and trajectory of withdrawal symptoms during a quit attempt among treatment-seeking smokers. *Behav Res Ther*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30384961>

Farris, SG, Aston, ER, Leyro, TM, Brown, LA, Zvolensky, MJ. Distress Intolerance and Smoking Topography in the Context of a Biological Challenge. *Nicotine Tob Res*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30137455>

Farris, SG, DiBello, AM, Zvolensky, MJ. Development and validation of a contextual behavioral distress intolerance task in cigarette smokers. *Addict Behav*. 2018 Dec;87:260-266. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30096657>

Garey, L, Kauffman, BY, Manning, KF, Taha, SA, Schmidt, NB, Neighbors, C, Zvolensky, MJ. The Effect of Positive and Negative Affect on Early Treatment Milestones in the Context of Integrated Smoking Treatment. *J Addict Med*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30067553>

Chase, T, Teng, EJ, Schmidt, NB, Zvolensky, MJ. Emotion Regulation Difficulties in Relation to Anxiety, Depression, and Functional Impairment Among Treatment-Seeking Smokers. *J Nerv Ment Dis*. 2018 Aug;206(8):614-620. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30028360>

Haslam, AK, Correa-Fernandez, V, Hoover, DS, Li, L, Lam, C, Wetter, DW. Anhedonia and smoking cessation among Spanish-speaking Mexican-Americans. *Health Psychol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30047750>

Messer, S, Siegel, A, Bertin, L, Erblich, J. Sex differences in affect-triggered lapses during smoking cessation: A daily diary study. *Addict Behav*. 2018 Jun 18;87:82-85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29966963>

Bakhshaie, J, Rogers, AH, Kauffman, BY, Fasteau, M, Buckner, JD, Schmidt, NB, Zvolensky, MJ. Situational fears: Association with negative affect-related smoking cognition among treatment seeking smokers. *Addict Behav*. 2018 Oct;85:158-163. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29907345>

Drehmer, JE. Sex differences in the association between countries' smoking prevalence and happiness ratings. *Public Health*. 2018 May 2;160:41-48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29729531>

Kosiba, JD, Zale, EL, Ditre, JW. Associations between pain intensity and urge to smoke: Testing the role of negative affect and pain catastrophizing. *Drug Alcohol Depend*. 2018 Mar 31;187:100-108. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29655030>

MacIntyre, JM, Ruscio, AC, Brede, E, Waters, AJ. Emotion dysregulation and negative affect: Laboratory and EMA investigations in smokers. *Addict Behav Rep*. 2018 Jan 7;7:65-70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29687075>

Zvolensky, MJ, Garey, L, Allan, NP, Farris, SG, Raines, AM, Smits, JAJ, Kauffman, BY, Manning, K, Schmidt, NB. Effects of anxiety sensitivity reduction on smoking abstinence: An analysis from a panic prevention program. *J Consult Clin Psychol*. 2018 May;86(5):474-485. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29683703>

Rogers, AH, Bakhshaie, J, Viana, AG, Manning, K, Mayorga, NA, Garey, L, Raines, AM, Schmidt, NB, Zvolensky, MJ. Emotion dysregulation and smoking among treatment-seeking smokers. *Addict Behav*. 2017 Dec 21;79:124-130. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29289851>

Lechner, WV, Gunn, RL, Minto, A, Philip, NS, Brown, RA, Uebelacker, LA, Price, LH, Abrantes, AM. Effects of Negative Affect, Urge to Smoke, and Working Memory Performance (n-back) on Nicotine Dependence. *Subst Use Misuse*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29185837>

Bakhshaie, J, Zvolensky, MJ, Langdon, KJ, Leventhal, AM, Schmidt, NB. Reduction of anxiety sensitivity in relation to nicotine withdrawal symptoms during smoking cessation: an examination among successful quitters. *Cogn Behav Ther*. 2017 Nov 13:1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29130427>

Heffner, JL, Mull, KE, McClure, JB, Bricker, JB. Positive Affect as a Predictor of Smoking Cessation and Relapse: Does It Offer Unique Predictive Value Among Depressive Symptom Domains? *Subst Use Misuse*. 2017 Nov 21:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29161212>

Siegel, A, Korbman, M, Erbllich, J. Direct and Indirect Effects of Psychological Distress on Stress-Induced Smoking. *J Stud Alcohol Drugs*. 2017 Nov;78(6):930-937. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29087829>

al'Absi, M, Lemieux, A, Westra, R, Allen, S. Early life adversity influences stress response association with smoking relapse. *Psychopharmacology (Berl)*, Sep 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28875309>

Bares, CB, Dick, DM, Kendler, KS. Nicotine dependence, internalizing symptoms, mood variability and daily tobacco use among young adult smokers. *Addict Behav*. 2017 Sep 18. pii: S0306-4603(17)30340-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28943065>

Lyvers, M, Bremner, M, Edwards, MS, Thorberg, FA. Rash Impulsiveness and Negative Mood, but not Alexithymia or Reward Sensitivity, Differentiate Young to Middle-Aged Chronic Daily Smokers from Never-Smokers. *J Psychoactive Drugs*, Sep 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28895792>

Rees, R, Seyfoddin, A. The effectiveness of naltrexone combined with current smoking cessation medication to attenuate post smoking cessation weight gain: a literature review. *J Pharm Policy Pract*. 2017 Jul 11;10:20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28702203>

Kober, H, Brewer, JA, Height, KL, Sinha, R. Neural stress reactivity relates to smoking outcomes and differentiates between mindfulness and cognitive-behavioral treatments. *Neuroimage*. 2016 Sep 28. pii: S1053-8119(16)30517-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27693614>

Smits, JA et al. The efficacy of vigorous-intensity exercise as an aid to smoking cessation in adults with high anxiety sensitivity: a randomized controlled trial. *Psychosom Med*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26513517>

Karekla, M, Panayiotou, G, Collins, BN. Predictors of Urge to Smoke Under Stressful Conditions: An Experimental Investigation Utilizing the PASAT-C Task to Induce Negative Affect in Smokers. *Psychol Addict Behav*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28845999>

Vinci, C, Li, L, Wu, C, Lam, CY, Guo, L, Correa-Fernandez, V, Spears, CA, Hoover, DS, Etcheverry, PE, Wetter, DW. The Association of Positive Emotion and First Smoking Lapse: An Ecological Momentary Assessment Study. *Health Psychol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28726478>

Farris, SG, Abrantes, AM. Anxiety sensitivity in smokers with indicators of cardiovascular disease. *Psychol Health Med*. 2017 Sep;22(8):961-968. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28269993>

Kauffman, BY, Garey, L, Jardin, C, Otto, MW, Raines, AM, Schmidt, NB, Zvolensky, MJ. Body Mass Index and functional impairment: the explanatory role of anxiety sensitivity among treatment-seeking smokers. *Psychol Health Med*. 2017 Jun 27:1-12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28651434>

LaRowe, LR, Langdon, KJ, Zvolensky, MJ, Zale, EL, Ditre, JW. Pain-Related Anxiety as a Predictor of Early Lapse and Relapse to Cigarette Smoking. *Exp Clin Psychopharmacol*, Jun 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28594195>

Lesage, E, Aronson, SE, Sutherland, MT, Ross, TJ, Salmeron, BJ, Stein, EA. Neural Signatures of Cognitive Flexibility and Reward Sensitivity Following Nicotinic Receptor Stimulation in Dependent Smokers: A Randomized Trial. *JAMA Psychiatry*. 2017 Jun 1;74(6):632-640. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403383>

Progovac, AM, Chang, YF, Chang, CH, Matthews, KA, Donohue, JM, Scheier, MF, Habermann, EB, Kuller, LH, Goveas, JS, Chapman, BP, Duberstein, PR, Messina, CR, Weaver, KE, Saquib, N, Wallace, RB, Kaplan, RC, Calhoun, D, Smith, JC, Tindle, HA. Are Optimism and Cynical Hostility Associated with Smoking Cessation in Older Women? *Ann Behav Med*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28194642>

Skov-Ettrup, LS, Egan, KK, Dalum, P, Tolstrup, JS. Stress-related expectations about smoking cessation and future quit attempts and abstinence - a prospective study in daily smokers who wish to quit. *Prev Med Rep*. 2017 Mar 18;6:187-190. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28367399>

Progovac, AM, Chang, YF, Chang, CH, Matthews, KA, Donohue, JM, Scheier, MF, Habermann, EB, Kuller, LH, Goveas, JS, Chapman, BP, Duberstein, PR, Messina, CR, Weaver, KE, Saquib, N, Wallace, RB, Kaplan, RC, Calhoun, D, Smith, JC, Tindle, HA. Are Optimism and Cynical Hostility Associated with Smoking Cessation in Older Women? *Ann Behav Med*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28194642>

7.7.1.10 Other individual factors

Huang, HW, Yang, YH, Li, WW, & Huang, CL. (2021). Factors Associated with Attempt for Smoking Cessation among Hardcore Smokers in Taiwan. *Asian Pac Isl Nurs J*, 5(4), 251-258. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33791414>

Sorgen, LJ, Ferrer, RA, Klein, WMP, & Kaufman, AR. (2021). Smoking self-concept moderates the effects of self-affirmation on smoking-related beliefs and behavioral intentions. *Psychology & Health*, 1-21. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33870815>

Esen, AD, Soylem, Y, Arica, S, Belgin, G, & Gonultas, N. (2020). Factors affecting success and abstinence within a smoking cessation clinic: A one-year follow-up study in Turkey. *Tob Prev Cessat*, 6, 71. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33409425>

Ozcelik, N, & Yilmaz Kara, B. (2020). Effect of coronaphobia on smoking habits. *J Addict Dis*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33283686>

Grosskopf, CM, Kroemer, NB, Pooseh, S, Bohme, F, & Smolka, MN. (2020). Temporal discounting and smoking cessation: choice consistency predicts nicotine abstinence in treatment-seeking smokers. *Psychopharmacology (Berl)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33216166>

Li, L, Borland, R, Cummings, KM, McNeill, A, Heckman, BW, Fong, GT et al (2020). Are health conditions and concerns about health effects of smoking predictive of quitting? Findings from the ITC 4CV Survey (2016-2018). *Tob Prev Cessat*, 6, 60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33163706>

Amrein, MA, Luscher, J, Berli, C, Radtke, T, & Scholz, U. (2020). Do Daily Compensatory Health Beliefs Predict Intention to Quit and Smoking Behavior? A Daily Diary Study during Smoking Cessation. *Int J Environ Res Public Health*, 17(17). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32899272>

Ditre, JW, Heckman, BW, LaRowe, LR, & Powers, JM. (2020). Pain Status as a Predictor of Smoking Cessation Initiation, Lapse, and Relapse. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32594124>

Shoots-Reinhard, B, Erford, B, Romer, D, Evans, AT, Shoben, A, Klein, EG, & Peters, E. (2020). Numeracy and memory for risk probabilities and risk outcomes depicted on cigarette warning labels. *Health Psychol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32496078>

Hummel, K, van den Putte, B, Mons, U, Willemsen, MC, Fong, GT, Andler, R et al (2019). The role of income and psychological distress in the relationship between work loss and smoking cessation: Findings from three International Tobacco Control (ITC) Europe countries. *Tob Prev Cessat*, 5, 42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411904>

Hertel, AW, Sokolovsky, AS, & Mermelstein, RJ. (2020). An investigation of the relationship between identifying as a smoker and urges to smoke among young adult combustible cigarette smokers. *Psychol Addict Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32162963>

Babb, S, Malarcher, A, Asman, K, Johns, M, Caraballo, R, VanFrank, B, & Garrett, B. (2020). Disparities in Cessation Behaviors Between Hispanic and Non-Hispanic White Adult Cigarette Smokers in the United States, 2000-2015. *Preventing Chronic Disease*, 17, E10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31999539>

Yadegar Tirandaz, S, Sahebihagh, MH, Namdar Areshtanab, H, Jafarizadeh, H, & Asghari Jafarabadi, M. (2019). Relationship with Emotional Intelligence and General Health among Male Smoker Staff in Urmia University of Medical Sciences. *J Caring Sci*, 8(4), 225-230. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31915625>

Faria, V, Han, P, Joshi, A, Enck, P, & Hummel, T. (2019). Verbal suggestions of nicotine content modulate ventral tegmental neural activity during the presentation of a nicotine-free odor in cigarette smokers. *Eur Neuropsychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31812330>

Voci, S, Zawertailo, L, Baliunas, D, Masood, Z, & Selby, P. (2019). Is cannabis use associated with tobacco cessation outcome? An observational cohort study in primary care. *Drug Alcohol Depend*, 206, 107756. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31786396>

Powers, JM, LaRowe, LR, Heckman, BW, & Ditre, JW. (2019). Pain characteristics and nicotine deprivation as predictors of performance during a laboratory paradigm of smoking cessation. *Psychol Addict Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31750703>

Qian, W, Huang, P, Shen, Z, Wang, C, Yang, Y, & Zhang, M. (2019). Brain Gray Matter Volume and Functional Connectivity Are Associated With Smoking Cessation Outcomes. *Front Hum Neurosci*, 13, 361. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31680913>

Rosen, RL, Borges, AM, Kibbey, MM, Steinberg, ML, Leyro, TM, & Farris, SG. (2019). Distress intolerance and withdrawal severity among daily smokers: The role of smoking abstinence expectancies. *Addict Behav*, 99, 106048. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31421585>

Lawn, W, Mithchener, L, Freeman, TP, Benattayallah, A, Bisby, JA, Wall, MB et al. (2019). Value-based decision-making of cigarette and nondrug rewards in dependent and occasional cigarette smokers: An fMRI study. *Addict Biol*, e12802. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31328850>

Senft, N, Sanderson, M, Selove, R, Blot, WJ, King, S, Gilliam, K et al (2019). Attitudes towards precision treatment of smoking in the Southern Community Cohort Study. *Cancer Epidemiol Biomarkers Prev*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31160346>

Lassi, G, Taylor, AE, Mahedy, L, Heron, J, Eisen, T, & Munafo, MR. (2019). Locus of control is associated with tobacco and alcohol consumption in young adults of the Avon Longitudinal Study of Parents and Children. *R Soc Open Sci*, 6(3), 181133. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31031995>

Luijten, M, Gillan, CM, De Wit, S, Franken, IHA, Robbins, TW, & Ersche, KD. (2019). Goal-Directed and Habitual Control in Smokers. *Nicotine Tob Res*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30768206>

Ahmad, MH, Ibrahim, MI, Ab Rahman, A, Musa, KI, Mohd Zin, F, Mohd Zain, R et al. Development and Validation of Positive Smoker Identity Questionnaire (PSmoQi): A New Instrument for Smoking Cessation Correlates. *Int J Environ Res Public Health*, 2019. 16(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30691181>

Claus, ED, & Weywadt, CR. Resting-State Connectivity in Former, Current and Never Smokers. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30590742>

Heckman, BW, Cummings, KM, Stoltman, JJK, Dahne, J, Borland, R, Fong, G T, & Carpenter, MJ. Longer duration of smoking abstinence is associated with waning cessation fatigue. *Behav Res Ther*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30509485>

Jackson, SE, Shahab, L, West, R, & Brown, J. Roll-your-own cigarette use and smoking cessation behaviour: a cross-sectional population study in England. *BMJ Open*, 2018. 8(12), e025370. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30514823>

Lim, AC, Roche, DJO, & Ray, LA. Distress Tolerance and Craving for Cigarettes Among Heavy Drinking Smokers. *J Stud Alcohol Drugs*, 2018. 79(6), 918-928. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30573023>

Meijer, E, Vangeli, E, Gebhardt, WA, & van Laar, C. Identity processes in smokers who want to quit smoking: A longitudinal interpretative phenomenological analysis. *Health (London)*, 2018. 1363459318817923. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30541353>

Wang, C, Huang, P, Shen, Z, Qian, W, Li, K, Luo, X et al. Gray matter volumes of insular subregions are not correlated with smoking cessation outcomes but negatively correlated with nicotine dependence severity in chronic smokers. *Neurosci Lett*, 2018. 696, 7-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30543846>

Kulkarni, PS, Parkar, SR, Kate, N, Ninawe, K, & Limbachiya, R. Role of personality in tobacco smoking behavior in corporate sector: A cross-sectional study. *Ind Psychiatry J*, 2018. 27(1), 103-109. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30416300>

Ware, JJ, Tanner, JA, Taylor, AE, Bin, Z, Haycock, P, Bowden, J, Rogers, PJ, Davey Smith, G, Tyndale, RF, Munafo, MR. Does coffee consumption impact on heaviness of smoking? *Addiction*, May 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28556459>

7.7.2 Environmental factors that predict success or failure in quit attempts

Saloojee, Y, & Mathee, A. (2021). COVID-19 and a temporary ban on tobacco sales in South Africa: impact on smoking cessation. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34226261>

Vogel, EA, Henriksen, L, Schleicher, NC, & Prochaska, JJ. (2021). Perceived Susceptibility to and Seriousness of COVID-19: Associations of Risk Perceptions with Changes in Smoking Behavior. *Int J Environ Res Public Health*, 18(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34300072>

Shoesmith, E, Huddleston, L, Lorencatto, F, Shahab, L, Gilbody, S, & Ratschen, E. (2021). Supporting smoking cessation and preventing relapse following a stay in a smokefree setting: A meta-analysis and investigation of effective behaviour change techniques. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33620737>

Walton, K, Wang, TW, Prutzman, Y, Jamal, A, & Babb, SD. (2020). Characteristics and Correlates of Recent Successful Cessation Among Adult Cigarette Smokers, United States, 2018. *Prev Chronic Dis*, 17, E154. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33301394>

Rasmussen, M, Hovhannisyan, K, Adami, J, & Tonnesen, H. (2020). Characteristics of Patients in Treatment for Alcohol and Drug Addiction Who Succeed in Changing Smoking, Weight, and Physical Activity: A Secondary Analysis of an RCT on Combined Lifestyle Interventions. *Eur Addict Res*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33080594>

Joo, H, Cho, MH, Cho, Y, Joh, HK, & Kim, JW. (2020). Predictors of long-term smoking cessation among smokers enrolled in a university smoking cessation program: A longitudinal study. *Medicine (Baltimore)*, 99(5), e18994. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32000438>

Yeom, H, Lim, HS, Min, J, Lee, S, & Park, YH. Factors Affecting Smoking Cessation Success of Heavy Smokers Registered in the Intensive Care Smoking Cessation Camp (Data from the National Tobacco Control Center). *Osong Public Health Res Perspect*, 2018. 9(5), 240-247. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6202012/pdf/ophrp-09-0240.pdf>

Gubner, NR, Thrul, J, Kelly, OA, Ramo, DE. Young adults report increased pleasure from smoking cigarettes when drinking alcohol but not when using marijuana. *Addict Res Theory*. 2018;26(1):71-76. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29371859>

Reis, AM, Quintal, C, Lourenco, O. Killing two birds with one stone? Association between tobacco and alcohol consumption. *Public Health*. 2018 Jan;154:136-143. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29245020>

Roswall, N, Christensen, JS, Bidstrup, PE, Raaschou-Nielsen, O, Jensen, SS, Tjonneland, A, Sorensen, M. Associations between residential traffic noise exposure and smoking habits and alcohol consumption-A population-based study. *Environ Pollut*. 2017 Nov 6. pii: S0269-7491(17)33552-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29122366>

Madewell, ZJ, Figueiredo, VC, Harbertson, J, Perez, RL, Novotny, T. Exposure to smoking in soap operas and movies: smoking cessation and attempts to quit. *Cad Saude Publica*. 2017 Sep 21;33Suppl 3(Suppl 3):e00118015. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28954051>

Amlung, M, MacKillop, J, Monti, PM, Miranda, R. Elevated Behavioral Economic Demand for Alcohol in a Community Sample of Heavy Drinking Smokers. *J Stud Alcohol Drugs*. 2017 May;78(4):623-628. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28728645>

Cohn, A, Ehlke, S. Association of Current and Lifetime DSM-IV Drug use Disorder Diagnoses to 6-Month Changes in Smoking Behavior in Risky Drinking Smokers: A Pilot Study. *Subst Use Misuse*. 2017 Jul 25:1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28742413>

Dimoff, JD, Sayette, MA. The case for investigating social context in laboratory studies of smoking. *Addiction*, Aug 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27503776>

Jung, M. Exploring socio-contextual factors associated with male smoker's intention to quit smoking. *BMC Public Health*. 2016 May 13;16(1):398. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27178199>

Lemieux, A, Olson, L, Nakajima, M, Schulberg, L, al'Absi, M. Life adversity is associated with smoking relapse after a quit attempt. *Addict Behav*. 2016 Apr 6;60:71-77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27100471>

Lindstrom, M, Giordano, GN. Changes in social capital and cigarette smoking behaviour over time: a population-based panel study of temporal relationships. *Nicotine Tob Res*. 2016 Apr 25. pii: ntw120. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27113013>

Salepci, B, Caglayan, B, Fidan, A, Parmaksiz, ET, Kiral, N, Comert, SS, Dogan, C, Coskun, E. The effect of pulmonary function testing on the success of smoking cessation. *Respir Care*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26932380>

Smith, PH, Oberleitner, LM, Smith, KM, McKee, SA. Childhood adversity interacts with adult stressful events to predict reduced likelihood of smoking cessation among women but not men. *Clin Psychol Sci*. 2016 Mar 1;4(2):183-193. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27026829>

Filippidis, FT. Tobacco control: a victim of political instability in Greece. *Lancet*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26842449>

Ferguson, SG et al. Higher stimulus control is associated with less cigarette intake in daily smokers. *Psychol Addict Behav*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26766542>

vanDellen MR, Boyd SM, Ranby KW, MacKillop J, and Lipkus IM. Willingness to provide support for a quit attempt: A study of partners of smokers. *J Health Psychol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25603929>

Zhuang YL, Gamst AC, Cummins SE, Wolfson T, and Zhu SH. Comparison of Smoking Cessation Between Education Groups: Findings From 2 US National Surveys Over 2 Decades. *Am J Public Health*, 2015; 105(2):373-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25521868>

Scholz, U et al. Examining the relationship between daily changes in support and smoking around a self-set quit date. *Health Psychol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26462057>

Ma, P et al. The influence of perceived neighborhood disorder on smoking cessation among urban safety net hospital patients. *Drug Alcohol Depend*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26386824>

Hall SM, Shi Y, Humfleet GL, Munoz RF, Reus VI, et al. Smoking cessation abstinence goal in treatment-seeking smokers. *Addict Behav*, 2015; 42:148-53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25462664>

Addicott, MA et al. Increased functional connectivity in an insula-based network is associated with improved smoking cessation outcomes. *Neuropsychopharmacology*, 2015. Available from: <http://www.nature.com/npp/journal/vaop/ncurrent/abs/npp2015114a.html>

Minami H, Bloom EL, Reed KM, Hayes SC, and Brown RA. The Moderating Role of Experiential Avoidance in the Relationships Between Internal Distress and Smoking Behavior During a Quit Attempt. *Psychol Addict Behav*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25347023>

Buczowski K, Marcinowicz L, Czachowski S, and Piszczek E. Motivations toward smoking cessation, reasons for relapse, and modes of quitting: results from a qualitative study among former and current smokers. *Patient Prefer Adherence*, 2014; 8:1353-63. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25336926>

Bernard P, Ninot G, and Quantin X. Self-reported physical activity in smoking pre-cessation is not a protective factor against relapse for all. *Am J Addict*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25427957>

Bottorff JL, Haines-Saah R, Kelly MT, Oliffe JL, Torchalla I, et al. Gender, smoking and tobacco reduction and cessation: a scoping review. *Int J Equity Health*, 2014; 13(1):114. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25495141>

Bully P, Sanchez A, Zabaleta-Del-Olmo E, Pombo H, and Grandes G. Evidence from interventions based on theoretical models for lifestyle modification (physical activity, diet, alcohol and tobacco use) in primary care settings: A systematic review. *Prev Med*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25572619>

Fish LJ, Pollak KI, Scheuermann TS, Cox LS, Mathur C, et al. Comparison of Native Light Daily Smokers and Light Daily Smokers Who Were Former Heavy Smokers. *Nicotine Tob Res*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25180075>

Haddad L, El-Shahawy O, and Ghadban R. Comparison of barriers to cessation among Arab American smokers of cigarettes and waterpipe. *Int J Environ Res Public Health*, 2014; 11(9):9522-31. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25226410>

Li S, Fang L, Zhou Y, Pan L, Yang X, et al. Mediation of smoking abstinence self-efficacy on the association of nicotine dependence with smoking cessation. *Eur J Public Health*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25395394>

Lopez-Torrecillas F, Perales JC, Nieto-Ruiz A, and Verdejo-Garcia A. Temperament and impulsivity predictors of smoking cessation outcomes. *PLoS One*, 2014; 9(12):e112440. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25474540>

Lopez-Torrecillas F, Rueda MM, Lopez-Quirantes EM, Santiago JM, and Tapioles RR. Adherence to treatment to help quit smoking: effects of task performance and coping with withdrawal symptoms. *BMC Public Health*, 2014; 14:1217. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25424314>

Loughead J, Wileyto EP, Ruparel K, Falcone M, Hopson R, et al. Working Memory-Related Neural Activity Predicts Future Smoking Relapse. *Neuropsychopharmacology*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25469682>

Roberts V, Gant N, Sollers JJ, 3rd, Bullen C, Jiang Y, et al. Effects of exercise on the desire to smoke and physiological responses to temporary smoking abstinence: a crossover trial.

Psychopharmacology (Berl), 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25266608>

Berli C, Ochsner S, Stadler G, Knoll N, Hornung R, et al. Volitional processes and daily smoking: examining inter- and intraindividual associations around a quit attempt. *J Behav Med*, 2014.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25293634>

Pang RD, Zvolensky MJ, Schmidt NB, and Leventhal AM. Gender differences in negative reinforcement smoking expectancies. *Nicotine Tob Res*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25344957>

Saladin ME, Wray JM, Carpenter MJ, McClure EA, LaRowe SD, et al. Menstrual Cycle Phase Effects in the Gender Dimorphic Stress Cue Reactivity of Smokers. *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25324432>

Cogle JR, Hawkins KA, Macatee RJ, Zvolensky MJ, and Sarawgi S. Trait hostility and hostile interpretation biases in daily smokers: Associations with reasons for smoking, motivation to quit, and early smoking lapse. *Psychol Addict Behav*, 2014; 28(3):907-11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25222177>

Schepis TS, Cavallo DA, Kong G, Liss T, Liss A, et al. Predicting initiation of smoking cessation treatment and outcome among adolescents using stressful life events and coping style. *Subst Abus*, 2014;0. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25424569>

Fairweather-Schmidt K and Wade TD. The relationship between disordered eating and cigarette smoking among adult female twins. *Int J Eat Disord*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25363425>

Creswell KG, Cheng Y, and Levine MD. A Test of the Stress-Buffering Model of Social Support in Smoking Cessation: Is the Relationship between Social Support and Time to Relapse Mediated by Reduced Withdrawal Symptoms? *Nicotine Tob Res*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25257978>

Dermody SS, Donny EC, Hertzgaard LA, and Hatsukami DK. Greater reductions in nicotine exposure while smoking very low nicotine content cigarettes predict smoking cessation. *Tob Control*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25192771>

Balter LJ, Good KP, and Barrett SP. Smoking cue reactivity in current smokers, former smokers and never smokers. *Addict Behav*, 2015; 45C:26-29. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25635692>

Cortese BM, Uhde TW, LaRowe SD, Stein SV, Freeman WC, et al. Olfactory Cue Reactivity in Nicotine-Dependent Adult Smokers. *Psychol Addict Behav*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25180553>

Treloar HR, Piasecki TM, McCarthy DE, and Baker TB. Relations Among Caffeine Consumption, Smoking, Smoking Urge, and Subjective Smoking Reinforcement in Daily Life. *J Caffeine Res*, 2014; 4(3):93-99. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25229011>

Ochsner S, Knoll N, Stadler G, Luszczynska A, Hornung R, et al. Interacting Effects of Receiving Social Control and Social Support During Smoking Cessation. *Ann Behav Med*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25212507>

Bush T, Hsu C, Levine MD, Magnusson B, and Miles L. Weight gain and smoking perceptions and experiences of obese quitline participants. *BMC Public Health*, 2014; 14(1):1229. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25428130>

Kovacs MA, Correa JB, and Brandon TH. Smoking as alternative to eating among restrained eaters: Effect of food prime on young adult female smokers. *Health Psychol*, 2014; 33(10):1174-84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25243718>

7.7.2.1 Social factors

Alghzawi, HM, & Storr, CL. (2021). Gender Differences in the Interrelations Among Social Support, Stressful Life Events, and Smoking Cessation in People With Severe Mental Illnesses. *J Am Psychiatr Nurses Assoc*, 10783903211008248. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33926296>

Tattan-Birch, H, Brown, J, Kock, L, & Shahab, L. (2021). Moderators of the association between regular smoking exposure and motivation and attempts to quit: a repeat cross-sectional study.

Addiction. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33739568>

Buitenhuis, AH, Tuinman, MA, Stadler, G, & Hagedoorn, M. (2021). Daily support and negative control during a quit attempt in single-smoking couples. *Health Psychol*, 40(3), 207-216. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33630642>

Wang, S, Li, LZ, Zhang, J, & Rehkopf, DH. (2021). Leisure time activities and biomarkers of chronic stress: The mediating roles of alcohol consumption and smoking. *Scand J Public Health*,

1403494820987461. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33570003>

Cheung, CM, Vardavas, CI, & Filippidis, FT. (2021). Factors associated with abstinence after a recent smoking cessation attempt across 28 European Union member states. *Tob Prev Cessat*, 7, 5.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33511319>

Joyce, AA, Styklunas, GM, Rigotti, NA, Neil, JM, Park, ER, & Kruse, GR. (2021). Quit Experiences among Primary Care Patients Enrolled in a Smoking Cessation Pilot RCT Early in the COVID-19 Pandemic. *Int J Environ Res Public Health*, 18(3). Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33498834>

Tripathy, JP. (2021). Socio-demographic correlates of quit attempts and successful quitting among smokers in India: Analysis of Global Adult Tobacco Survey 2016-17. *Indian J Cancer*. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/33402565>

Lowenstein, C, Dow, WH, & White, JS. (2020). Peer effects in smoking cessation: An instrumental variables analysis of a worksite intervention in Thailand. *SSM Popul Health*, 12, 100659. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/32964096>

Jackson, SE, Proudfoot, H, Brown, J, East, K, Hitchman, SC, & Shahab, L. (2020). Perceived non-smoking norms and motivation to stop smoking, quit attempts, and cessation: a cross-sectional study in England. *Sci Rep*, 10(1), 10487. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32591555>

Lee, C, Harari, L, & Park, S. (2020). Early-Life Adversities and Recalcitrant Smoking in Midlife: An Examination of Gender and Life-Course Pathways. *Ann Behav Med*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32329785>

Alexander, AC, Olurotimi, O, Hebert, ET, Ra, CK, Businelle, MS, & Kendzor, DE. (2020). Subjective social status is indirectly associated with short-term smoking cessation through nicotine withdrawal

symptoms. *J Health Psychol*, 1359105320911432. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32191140>

Choi, SH, Ling, J, Noonan, D, & Kim, W. (2019). Smoking behavior and social contexts associated with smoking among dual-smoker couples. *Public Health Nurs*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31724240>

Dimoff, JD, Sayette, MA, & Levine, JM. (2019). Experiencing cigarette craving with a friend: A shared reality analysis. *Psychol Addict Behav*. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31621342>

Why, FYP, Undarwati, A, & Nuzulia, S. (2019). The sociodemographic context of observed solitary and social smoking behaviours using a behavioural ecological approach. *J Health Psychol*, 1359105319877447. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31530177>

Casado, L, Thrasher, JF, Perez, C, Santos Thuler, LC, & Fong, GT. (2019). Factors associated with quit attempts and smoking cessation in Brazil: findings from the International Tobacco Control Brazil Survey. *Public Health*, 174, 127-133. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31362178>

Schoenaker, D, Brennan, E, Wakefield, MA, & Durkin, SJ. Anti-smoking social norms are associated with increased cessation behaviours among lower and higher socioeconomic status smokers: A population-based cohort study. *PLoS One*, 2018. 13(12), e0208950. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30540825>

Pavlova, MK, Luhr, M, & Luhmann, M. Effects of voluntary memberships and volunteering on alcohol and tobacco use across the life course: Findings from the German Socio-Economic Panel. *Drug Alcohol Depend*, 2018. 194, 271-278. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30469098>

Mai, ZM, Ho, SY, Wang, MP, Ho, LM, Lam, TH. Living with Smoker(s) and Smoking Cessation in Chinese Adult Smokers: Cross-Sectional and Prospective Evidence from Hong Kong Population Health Survey. *Int J Environ Res Public Health*. 2018 Jan 5;15(1). Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29304007>

Tooley, EM, Borrelli, B. Characteristics of Cigarette Smoking in Individuals in Smoking Concordant and Smoking Discordant Couples. *Couple Family Psychol*. 2017 Jun;6(2):106-116. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29375932>

Burgess-Hull, AJ, Roberts, LJ, Piper, ME, Baker, TB. The Social Networks of Smokers Attempting to Quit: An Empirically Derived and Validated Classification. *Psychol Addict Behav*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29251951>

Dearfield, CT, Horn, KA, Jipguep-Akhtar, MC. Influence of social and neighborhood contexts on smoking cessation among urban minorities. *J Ethn Subst Abuse*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29267142>

Larsen, H, Salemink, E, Grond, I, Wiers, RW, Anderson, KG. Validation of a Contextualized Assessment of Smoking Behavior in Students. *Addiction*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29232482>

Treur, JL, Vink, JM, Boomsma, DI, Middeldorp, CM. Corrigendum to "Spousal resemblance for smoking: Underlying mechanisms and effects of cohort and age" [*Drug Alcohol Depend.* 153 (2015) 221-228]. *Drug Alcohol Depend.* 2017 Nov 17. pii: S0376-8716(17)30550-1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29157752>

Bricard, D, Legleye, S, Khlata, M. Changes in Smoking Behavior over Family Transitions: Evidence for Anticipation and Adaptation Effects. *Int J Environ Res Public Health.* 2017 Jun 7;14(6). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28590412>

Meijer, E, van Laar, C, Gebhardt, WA, Fokkema, M, van den Putte, B, Dijkstra, A, Fong, GT, Willemsen, MC. Identity change among smokers and ex-smokers: Findings from the ITC Netherlands Survey. *Psychol Addict Behav.* 2017 Jun;31(4):465-478. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28493751>

Palali, A, Van Ours, JC. Love Conquers all but Nicotine: Spousal Peer Effects on the Decision to Quit Smoking. *Health Econ, Apr* 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28387427>

Trias-Llimos, S, Muszynska, MM, Camara, AD, Janssen, F. Smoking cessation among European older adults: the contributions of marital and employment transitions by gender. *Eur J Ageing.* 2016 Oct 21;14(2):189-198. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28579935>

Blok, DJ, de Vlas, SJ, van Empelen, P, van Lenthe, FJ. The role of smoking in social networks on smoking cessation and relapse among adults: A longitudinal study. *Prev Med.* 2017 Feb 16;99:105-110. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28216381>

Luscher, J, Scholz, U. Does social support predict smoking abstinence in dual-smoker couples? Evidence from a dyadic approach. *Anxiety Stress Coping.* 2016 Dec 22:1-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27931112>

Patten, CA, Clinic, M, Goggin, K, Harris, KJ, Richter, K, Williams, K, Decker, PA, Clinic, M, Bradley-Ewing, A, Catley, D. Relationship of autonomy social support to quitting motivation in diverse smokers. *Addict Res Theory.* 2016;24(6):477-482. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27833474>

vanDellen, MR, Boyd, SM, Ranby, KW, Beam, LB. Successes and failures in resisting cigarettes affect partner support for smoking cessation. *Psychol Health*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27830950>

7.7.2.2 Cue reactivity

Benvegna, G, Tommasi, F, Ferraro, S, Libener, E, Di Chio, M, Bosi, S et al (2021). Smokers "Context Reactivity" in Virtual Domestic Environments. *Eur Addict Res*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33940577>

Butler, K, Chenoweth, MJ, El-Boraie, A, Giratallah, H, Kowalczyk, WJ, Heishman, SJ et al (2021). Impact Of Cyp2a6 Activity On Nicotine Reinforcement And Cue-Reactivity In Daily Smokers. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33823003>

Wilcockson, TDW, Pothos, EM, Osborne, AM, & Crawford, TJ. (2021). Top-down and bottom-up attentional biases for smoking-related stimuli: Comparing dependent and non-dependent smokers. *Addict Behav*, 118, 106886. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33714035>

Aston, ER, Smith, JE, DiBello, AM, & Farris, S. (2021). Effects of acute distress and tobacco cues on tobacco demand. *Drug Alcohol Depend*, 221, 108522. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33582490>

Creswell, KG, & Skrzynski, CJ. (2021). The influence of smoking motivation on the associations among cigarette craving, attentional bias to smoking cues, and smoking behavior. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33599777>

Ritchie, EV, Fitzpatrick, C, Ronksley, PE, Leung, AA, Seidel, S, & McGrath, D S. (2021). The Effect of Alcohol Cue Exposure on Tobacco-Related Cue Reactivity: A Systematic Review. *Alcohol Alcohol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33589917>

Haass-Koffler, CL, Souza, RD, Wilmott, JP, Aston, ER, & Song, JH. (2020). A Combined Alcohol and Smoking Cue-Reactivity Paradigm in People Who Drink Heavily and Smoke Cigarettes: Preliminary Findings. *Alcohol Alcohol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32984874>

Ruglass, LM, Root, JC, Dambreville, N, Shevorykin, A, Sheffer, CE, & Melara, RD. (2020). Examining differences in attentional bias to smoking-related cues among black and white cigarette smokers: An event-related potential pilot study. *Neurosci Lett*, 735, 135241. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32659312>

Zhou, S, Levinson, AH, Zhang, X, Portz, JD, Moore, SL, Gore, MO et al (2020). A Pilot Study and Ecological Model of Smoking Cues to Inform Mobile Health Strategies for Quitting Among Low-Income Smokers. *Health Promot Pract*, 1524839920942214. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32698702>

Ketcherside, A, Jagannathan, K, Dolui, S, Hager, N, Spilka, N, Nutor, C et al (2020). Baclofen-induced Changes in the Resting Brain Modulate Smoking Cue Reactivity: A Double-blind Placebo-controlled Functional Magnetic Resonance Imaging Study in Cigarette Smokers. *Clin Psychopharmacol Neurosci*, 18(2), 289-302. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32329309>

Strickland, JC, & Bergeria, CL. (2020). Contribution of Alcohol- and Cigarette-Related Cues to Concurrent Reinforcer Choice in Humans. *Behav Processes*, 104124. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32305455>

Lin, X, Deng, J, Shi, L, Wang, Q, Li, P, Li, H et al. (2020). Neural substrates of smoking and reward cue reactivity in smokers: a meta-analysis of fMRI studies. *Transl Psychiatry*, 10(1), 97. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32184386>

Molokotos, E, Peechatka, AL, Wang, KS, Pizzagalli, DA, & Janes, AC. (2020). Caudate reactivity to smoking cues is associated with increased responding to monetary reward in nicotine-dependent

individuals. *Drug Alcohol Depend*, 209, 107951. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/32145666>

Zhao, H, Turel, O, Brevers, D, Bechara, A, & He, Q. (2020). Smoking cues impair monitoring but not stopping during response inhibition in abstinent male smokers. *Behav Brain Res*, 386, 112605.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32179061>

MacLean, R. R., Sofuoglu, M., & Waters, A. J. (2020). Naturalistic measurement of dual cue attentional bias in moderate to heavy-drinking smokers: A preliminary investigation. *Drug Alcohol Depend*, 209, 107892. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32058247>

Janes, AC, Krantz, NL, Nickerson, LD, Frederick, BB, & Lukas, SE. (2019). Craving and Cue Reactivity in Nicotine-Dependent Tobacco Smokers Is Associated With Different Insula Networks. *Biol Psychiatry Cogn Neurosci Neuroimaging*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31706906>

Cui, Y, Engelmann, JM, Gilbert, DG, Waters, AJ, Cinciripini, PM, & Robinson, JD. (2019). The impact of nicotine dose and instructed dose on smokers' implicit attitudes to smoking cues: An ERP study. *Psychol Addict Behav*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31657594>

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31657594>

Flannery, JS, Riedel, MC, Poudel, R, Laird, AR, Ross, TJ, Salmeron, BJ et al. (2019). Habenular and striatal activity during performance feedback are differentially linked with state-like and trait-like aspects of tobacco use disorder. *Sci Adv*, 5(10), eaax2084. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31633021>

Kim, JI, Lee, JD, Hwang, HJ, Ki, SW, Park, IH, & Park, TY. (2019). Altered subcallosal and posterior cingulate cortex-based functional connectivity during smoking cue and mental simulation processing in smokers. *Prog Neuropsychopharmacol Biol Psychiatry*, 97, 109772. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31647945>

Engelhard, MM, Oliver, JA, Henao, R, Hallyburton, M, Carin, LE, Conklin, C, & McClernon, FJ. (2019). Identifying Smoking Environments From Images of Daily Life With Deep Learning. *JAMA Netw Open*, 2(8), e197939. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31373647>

Gass, JC, & Tiffany, ST. (2019). Assessment of the Choice Behavior Under Cued Conditions (CBUCC) paradigm as a measure of motivation to smoke under laboratory conditions. *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31390087>

Masiero, M, Lucchiari, C, Maisonneuve, P, Pravettoni, G, Veronesi, G, & Mazzocco, K. (2019). The Attentional Bias in Current and Former Smokers. *Front Behav Neurosci*, 13, 154. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31354446>

Ren, L, Cui, LB, Chen, C, Dong, X, Wu, Z, Wang, Y, & Yang, Q. (2019). The implicit beliefs and implicit behavioral tendencies towards smoking-related cues among Chinese male smokers and non-smokers. *BMC Public Health*, 19(1), 1000. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31345189>

Tan, YZ, Zhang, MWB, & Choo, ACC. (2019). Perspectives on Modifying Attentional Biases Amongst Individuals with Tobacco Use Disorder Using Technology: A Review. *Int J Environ Res Public Health*, 16(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31344921>

Bu, J, Ma, R, Fan, C, Sun, S, Cheng, Y, Piao, Y et al (2019). Low-Theta Electroencephalography Coherence Predicts Cigarette Craving in Nicotine Addiction. *Front Psychiatry*, 10, 296. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31130882>

Bu, J, Young, KD, Hong, W, Ma, R, Song, H, Wang, Y et al (2019). Effect of deactivation of activity patterns related to smoking cue reactivity on nicotine addiction. *Brain*, 142(6), 1827-1841. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31135053>

Karelitz, JL. (2019). Differences in Magnitude of Cue Reactivity Across Durations of Smoking History: A Meta-Analysis. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31050735>

Le, TL, Conklin, CA, George, TP, Levitan, RD, Mann, R., & Maunder, RG. (2019). Exposure to attachment figure cue reduces cigarette craving. *Exp Clin Psychopharmacol*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31070429>

Stevens, EM, Frank, D, Codispoti, M, Kyriotakis, G, Cinciripini, PM, Claiborne, K et al. (2019). The Late Positive Potentials Evoked by Cigarette-Related and Emotional Images Show no Gender Differences in Smokers. *Sci Rep*, 9(1), 3240. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30824792>

Allenby, C, Falcone, M, Wileyto, EP, Cao, W, Bernardo, L, Ashare, RL et al. Neural cue reactivity during acute abstinence predicts short-term smoking relapse. *Addict Biol*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30806013>

Scholten, H, Granic, I, Chen, Z, Veling, H, & Luijten, M. Do smokers devalue smoking cues after go/no-go training? *Psychol Health*, 2019. 1-17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30693789>

Fox, AT, Catley, D, Richter, KP, Ellerbeck, EF, Brucks, MG, Papa, VB, & Martin, LE. Functional brain activation changes associated with practice in delaying smoking among moderate to heavy smokers: study protocol and rationale of a randomized trial (COPE). *Trials*, 2018. 19(1), 623. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6233265/pdf/13063_2018_Article_2984.pdf

Pericot-Valverde, I, Secades-Villa, R, & Gutierrez-Maldonado, J. A randomized clinical trial of cue exposure treatment through virtual reality for smoking cessation. *J Subst Abuse Treat*, 2019. 96, 26-32. Available from: [https://www.journalofsubstanceabusetreatment.com/article/S0740-5472\(18\)30164-8/fulltext](https://www.journalofsubstanceabusetreatment.com/article/S0740-5472(18)30164-8/fulltext)

Wemm, SE, Cao, Z, Han, L, & Wulfert, E. Stress responding and stress-related changes in cue reactivity in heavy smokers, problem gamblers, and healthy controls. *Addict Biol*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30421575>

Tomko, RL, Saladin, ME, Baker, NL, McClure, EA, Carpenter, MJ, Ramakrishnan, VR et al. Sex Differences in Subjective and Behavioral Responses to Stressful and Smoking Cues Presented in the Natural Environment of Smokers. *Nicotine Tob Res*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30371887>

Kraplin, A, Scherbaum, S, Buhninger, G, Goschke, T. Decision-making and inhibitory control after smoking-related priming in nicotine dependent smokers and never-smokers. *Addict Behav.* 2018 Aug 18;88:114-121. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30176499>

Otto, MW, Pachas, GN, Cather, C, Hoepfner, SS, Moshier, SJ, Hearon, BA, Ward, HB, Laffer, AB, Smits, JAJ, Evins, A E. A placebo-controlled randomized trial of D-cycloserine augmentation of cue exposure therapy for smoking cessation. *Cogn Behav Ther*, Aug 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30111253>

Brown, CRH, Forster, S, Duka, T. Goal-driven attentional capture by appetitive and aversive smoking-related cues in nicotine-dependent smokers. *Drug Alcohol Depend.* 2018 Jul 19;190:209-215. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30055425>

Mondino, M, Luck, D, Grot, S, Januel, D, Suaud-Chagny, M F, Poulet, E, Brunelin, J. Effects of repeated transcranial direct current stimulation on smoking, craving and brain reactivity to smoking cues. *Sci Rep.* 2018 Jun 7;8(1):8724. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29880873>

No authors listed. Correction: Enhanced corticobulbar excitability in chronic smokers during visual exposure to cigarette smoking cues. *J Psychiatry Neurosci.* 2018 Jul;43(4):261. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29947608>

Carter, P, Bignardi, G, Hollands, GJ, Marteau, TM. Information-based cues at point of choice to change selection and consumption of food, alcohol and tobacco products: a systematic review. *BMC Public Health.* 2018 Mar 27;18(1):418. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29587686>

Mashhoon, Y, Betts, J, Farmer, SL, Lukas, SE. Early onset cigarette smokers exhibit greater P300 reactivity to smoking-related stimuli and report greater craving. *Brain Res.* 2018 Mar 7. pii: S0006-8993(18)30107-0. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29524436>

Deweese, MM, Codispoti, M, Robinson, JD, Cinciripini, PM, Versace, F. Cigarette cues capture attention of smokers and never-smokers, but for different reasons. *Drug Alcohol Depend.* 2018 Feb 5;185:50-57. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29427915>

Gilman, JM, Radoman, M, Schuster, RM, Pachas, G, Azzouz, N, Fava, M, Evins, AE. Anterior insula activation during inhibition to smoking cues is associated with ability to maintain tobacco abstinence. *Addict Behav Rep.* 2018 Jan 9;7:40-46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29450255>

Harris, JA, Donohue, SE, Ilse, A, Ariel Schoenfeld, M, Heinze, HJ, Woldorff, MG. EEG measures of brain activity reveal that smoking-related images capture the attention of smokers outside of awareness. *Neuropsychologia.* 2018 Feb 7;111:324-333. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29427572>

Conklin, CA, McClernon, FJ, Vella, EJ, Joyce, CJ, Salkeld, RP, Parzynski, CS, Bennett, L. Combined smoking cues enhance reactivity and predict immediate subsequent smoking. *Nicotine Tob Res.* 2018 Jan 23. pii: 4821301. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29370401>

Rehme, AK, Bey, K, Frommann, I, Mogg, K, Bradley, BP, Bludau, J, Block, V, Strater, B, Schutz, CG, Wagner, M. Selective attention to smoking cues in former smokers. *Eur Neuropsychopharmacol*. 2018 Jan 19. pii: S0924-977X(17)32029-1. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29371023>

Wang, C, Zhang, Y, Yan, C, Sun, M, Cheng, J. The thalamo-cortical resting state functional connectivity and abstinence-induced craving in young smokers. *Brain Imaging Behav*. 2018 Jan 3. pii: 10.1007/s11682-017-9809-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29297152>

Bi, Y, Yuan, K, Yu, D, Wang, R, Li, M, Li, Y, Zhai, J, Lin, W, Tian, J. White matter integrity of central executive network correlates with enhanced brain reactivity to smoking cues. *Hum Brain Mapp*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28960762>

Li, X, Sahlem, GL, Badran, BW, McTeague, LM, Hanlon, CA, Hartwell, KJ, Henderson, S, George, MS. Transcranial magnetic stimulation of the dorsal lateral prefrontal cortex inhibits medial orbitofrontal activity in smokers. *Am J Addict*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28898485>

Owens, MM, MacKillop, J, Gray, JC, Beach, SRH, Stein, MD, Niaura, RS, Sweet, LH. Neural correlates of tobacco cue reactivity predict duration to lapse and continuous abstinence in smoking cessation treatment. *Addict Biol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28877410>

Detandt, S, Bazan, A, Schroder, E, Olyff, G, Kajosch, H, Verbanck, P, Campanella, S. A smoking-related background helps moderate smokers to focus: An event-related potential study using a Go-NoGo task. *Clin Neurophysiol*. 2017 Oct;128(10):1872-1885. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28826017>

Domaradzka, E, Bielecki, M. Deadly Attraction - Attentional Bias toward Preferred Cigarette Brand in Smokers. *Front Psychol*. 2017 Aug 11;8:1365. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28848479>

Janes, AC, Gilman, JM, Radoman, M, Pachas, G, Fava, M, Evins, AE. Revisiting the role of the insula and smoking cue-reactivity in relapse: A replication and extension of neuroimaging findings. *Drug Alcohol Depend*. 2017 Jul 12;179:8-12. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28735078>

Detandt, S, Bazan, A, Quertemont, E, Verbanck, P. Smoking addiction: the shift from head to hands: Approach bias towards smoking-related cues in low-dependent versus dependent smokers. *J Psychopharmacol*. 2017 Jul;31(7):819-829. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28440102>

Havermans, A, van Schayck, OCP, Vuurman, EFPM, Riedel, WJ, van den Hurk, J. Nicotine deprivation elevates neural representation of smoking-related cues in object-sensitive visual cortex: a proof of concept study. *Psychopharmacology (Berl)*, Apr 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28429068>

Keyser-Marcus, L, Vassileva, J, Stewart, K, Johns, S. Impulsivity and cue reactivity in smokers with comorbid depression and anxiety: Possible implications for smoking cessation treatment strategies.

Am J Drug Alcohol Abuse. 2017 Jul;43(4):432-441. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28590844>

Manglani, HR, Lewis, AH, Wilson, SJ, Delgado, MR. Pavlovian-to-Instrumental Transfer of Nicotine and Food Cues in Deprived Cigarette Smokers. *Nicotine Tob Res.* 2017 Jun 1;19(6):670-676. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28486716>

Robinson, CD, Muench, C, Brede, E, Endrighi, R, Szeto, EH, Sells, JR, Lammers, JP, Okuyemi, KS, Waters, AJ. Effect of Attentional Retraining on Cognition, Craving, and Smoking in African American Smokers. *Psychol Addict Behav*, Jun 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28627913>

Dimoff, JD, Sayette, MA. From consensus to action: time to incorporate social context into laboratory studies of smoking. *Addiction.* 2017 Mar;112(3):399-400. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28168793>

Gass, JC, Tiffany, ST. Craving and Tobacco Use: Development of the Choice Behavior Under Cued Conditions (CBUCC) Procedure. *Psychol Addict Behav*, Feb 2017. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28240934>

Guillot, CR, Halliday, TM, Kirkpatrick, MG, Pang, RD, Leventhal, AM. Anhedonia and Abstinence as Predictors of the Subjective Pleasantness of Positive, Negative, and Smoking-Related Pictures. *Nicotine Tob Res*, Feb 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28186553>

Tarantola, ME, Heath, AC, Sher, KJ, Piasecki, TM. WISDM Primary and Secondary Dependence Motives: Associations with Smoking Rate, Craving, and Cigarette Effects in the Natural Environment. *Nicotine Tob Res*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28182245>

Zanchi, D, Brody, A, Borgwardt, S, Haller, S. Sex Effects on Smoking Cue Perception in Non-Smokers, Smokers, and Ex-Smokers: A Pilot Study. *Front Psychiatry.* 2016 Nov 17;7:187. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27909413>

Cochran, JR, Consedine, NS, Lee, JM, Pandit, C, Sollers III, JJ, Kydd, RR. Visual cue-specific craving is diminished in stressed smokers. *Am J Drug Alcohol Abuse*, 2016. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27870557>

Miller, MA, Bershad, A, King, AC, Lee, R, de Wit, H. Intranasal oxytocin dampens cue-elicited cigarette craving in daily smokers: a pilot study. *Behav Pharmacol.* 2016 Dec;27(8):697-703. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27661192>

Piasecki, TM, Fleming, KA, Trela, CJ, Bartholow, BD. P3 event-related potential reactivity to smoking cues: relations with craving, tobacco dependence, and alcohol sensitivity in young adult smokers. *Psychol Addict Behav*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27854454>

Weywadt, CR, Kiehl, KA, Claus, ED. Neural correlates of response inhibition in current and former smokers. *Behav Brain Res.* 2016 Nov 17;319:207-218. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/27867102>

Kroczek, AM, Haussinger, FB, Rohe, T, Schneider, S, Plewnia, C, Batra, A, Fallgatter, AJ, Ehlis, AC. Effects of transcranial direct current stimulation on craving, heart-rate variability and prefrontal hemodynamics during smoking cue exposure. *Drug Alcohol Depend.* 2016 Nov 1;168:123-127. Available from; <http://www.ncbi.nlm.nih.gov/pubmed/27639130>

Miller, MA, Bershad, A, King, AC, Lee, R, de Wit, H. Intranasal oxytocin dampens cue-elicited cigarette craving in daily smokers: a pilot study. *Behav Pharmacol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27661192>

Janes, AC, Betts, J, Jensen, JE, Lukas, SE. Dorsal anterior cingulate glutamate is associated with engagement of the default mode network during exposure to smoking cues. *Drug Alcohol Depend.* 2016 Aug 9. pii: S0376-8716(16)30218-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27522872>

Oliver, JA, Jentink, KG, Drobles, DJ, Evans, DE. Smokers exhibit biased neural processing of smoking and affective images. *Health Psychol.* 2016 Aug;35(8):866-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27505209>

Veilleux, JC, Skinner, KD, Pollert, GA. Quit interest influences smoking cue-reactivity. *Addict Behav.* 2016 Dec;63:137-40. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27487082>

Cheng, J, Guan, Y, Zhang, Y, Bi, Y, Bu, L, Li, Y, Shi, S, Liu, P, Lu, X, Yu, D, Yuan, K. Electrophysiological mechanisms of biased response to smoking-related cues in young smokers. *Neurosci Lett.* 2016 Jun 29;629:85-91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27373532>

Correa, JB, Brandon, TH. Exposure to in vivo stimuli and attentional bias among female smokers. *Exp Clin Psychopharmacol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27337026>

Luijten, M, Kleinjan, M, Franken, IH. Event-related potentials reflecting smoking cue reactivity and cognitive control as predictors of smoking relapse and resumption. *Psychopharmacology (Berl)*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27277662>

Borzekowski, DL, Chen, JC. Tobacco cues in India: An ecological momentary assessment. *Tob Induc Dis.* 2016 May 4;14:16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27147939>

Engelmann, JM, Versace, F, Gewirtz, JC, Cinciripini, PM. Individual differences in brain responses to cigarette-related cues and pleasant stimuli in young smokers. *Drug Alcohol Depend.* 2016 Jun 1;163:229-35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27141838>

Robinson, JD, Versace, F, Engelmann, JM, Cui, Y, Gilbert, DG, Waters, AJ, Gritz, ER, Cinciripini, PM. Attentional bias to smoking and other motivationally relevant cues is affected by nicotine exposure and dose expectancy. *J Psychopharmacol.* 2016 Apr 19. pii: 0269881116642879. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27097731>

Veilleux, JC, Skinner, KD. Introspective responses to cues and motivation to reduce cigarette smoking influence state and behavioral responses to cue exposure. *Addict Behav.* 2016 Apr 23;60:103-108. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27115733>

MacLean, RR, Nichols, TT, LeBreton, JM, Wilson, SJ. Effects of cognitive load on neural and behavioral responses to smoking-cue distractors. *Cogn Affect Behav Neurosci*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27012714>

Schlagintweit, HE, Barrett, SP. Does acute tobacco smoking prevent cue-induced craving? *J Psychopharmacol*, 2016 May;30(5):468-73. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27026532>

Woud, ML, Maas, J, Wiers, RW, Becker, ES, Rinck, M. Assessment of tobacco-related approach and attentional biases in smokers, cravers, ex-smokers, and non-smokers. *Front Psychol*. 2016 Feb 26;7:172. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26955359>

Zelle, SL, Gates, KM, Fiez, JA, Sayette, MA, Wilson, SJ. The first day is always the hardest: Functional connectivity during cue exposure and the ability to resist smoking in the initial hours of a quit attempt. *Neuroimage*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26975550>

Giovancarli, C et al. Virtual reality cue exposure for the relapse prevention of tobacco consumption: a study protocol for a randomized controlled trial. *Trials*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26892001>

Marks, KR et al. Cigarette cue attentional bias in cocaine-smoking and non-cocaine-using cigarette smokers. *Nicotine Tob Res*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26920649>

Deweese, MM et al. Conditioned cortical reactivity to cues predicting cigarette-related or pleasant images. *Int J Psychophysiol*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26826400>

Kroczek, AM et al. Prefrontal functional connectivity measured with near-infrared spectroscopy during smoking cue exposure. *Addict Biol*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26687485>

Xin, Z et al. Response inhibition of cigarette-related cues in male light smokers: behavioral evidence using a two-choice oddball paradigm. *Front Psychol*, Oct 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26528200>

Cortese, BM et al. The fMRI BOLD response to unisensory and multisensory smoking cues in nicotine-dependent adults. *Psychiatry Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26475784>

Pericot-Valverde, I et al. The use of virtual reality in the production of cue-specific craving for cigarettes: a meta-analysis. *Nicotine Tob Res*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26453669>

DiGirolamo, GJ et al. Breakdowns of eye movement control toward smoking cues in young adult light smokers. *Addict Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26406974>

Shiffman, S et al. Does laboratory cue reactivity correlate with real-world craving and smoking responses to cues? *Drug Alcohol Depend*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26277429>

Hughes, JR et al. Do environmental cues prompt attempts to stop smoking? A prospective natural history study. *Drug and Alcohol Dependence*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26190558>

Robinson, CD et al. Black cigarette smokers report more attention to smoking cues than white smokers: Implications for smoking cessation. *Nicotine & Tobacco Research*, Aug 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26180228>

Shiffman, S et al. Nondaily smokers' experience of craving on days they do not smoke. *Journal of Abnormal Psychology*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26052617>

Pachas, GN et al. Erratum to: Single dose propranolol does not affect physiologic or emotional reactivity to smoking cues. *Psychopharmacology*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25877745>

Conklin, CA et al. Examining the relationship between cue-induced craving and actual smoking. *Experimental and clinical psychopharmacology*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25730416>

Ferguson, SG et al. Gender and stimulus control of smoking behaviour. *Nicotine & tobacco research*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25762752>

Franklin, TR et al. Influence of menstrual cycle phase on neural and craving responses to appetitive smoking cues in naturally cycling females. *Nicotine & tobacco research*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25762748>

Nair, US et al. Promoting pre-quit physical activity to reduce cue reactivity among low-income sedentary smokers: A randomized proof of concept study. *Contemporary clinical trials*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25795145>

Wray, JM et al. Gender differences in responses to cues presented in the natural environment of cigarette smokers. *Nicotine & tobacco research*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25762753>

Begh, R et al. Lack of attentional retraining effects in cigarette smokers attempting cessation: A proof of concept double-blind randomised controlled trial. *Drug and Alcohol Dependence*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25697911>

Fatseas, M et al. Craving and substance use among patients with alcohol, tobacco, cannabis or heroin addiction: a comparison of substance-specific and person-specific cues. *Addiction*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25688760>

Gantiva, C et al. From appetitive to aversive: Motivational interviewing reverses the modulation of the startle reflex by tobacco cues in smokers not ready to quit. *Behaviour Research and Therapy*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25698163>

McGrath, DS et al. Acute effects of nicotine on alcohol cue-reactivity in nondependent and dependent smokers. *Experimental and clinical psychopharmacology*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25643027>

Stoker, AK, Markou, A. Neurobiological bases of cue- and nicotine-induced reinstatement of nicotine seeking: implications for the development of smoking cessation medications. *Current Topics in Behavioral Neurosciences*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25638336>

News reports:

7.7 Factors that predict success or failure in quit attempts

Timmins, Genevieve. WHO World No Tobacco Day: why the key to quitting smoking could lie in our guts. Imperial College London, 2018. June 6, 2018. Available from: <http://www.imperial.ac.uk/news/186493/who-world-no-tobacco-day-quitting/>

Wen-Bin, Chiou, Wen-Hsiung, Wu, Ying-Yao, Cheng,. Beauty against tobacco control: viewing photos of attractive women may induce a mating mindset, leading to reduced self-control over smoking among male smokers. *Evolution & Human Behavior*, 2014. Nov 19, 2014. Available from: <http://www.ehonline.org/article/S1090-5138%2814%2900141-X/fulltext>

7.7.1.2 Level of dependence (heaviness, time to first cigarette)

Chapman, S. Tobacco giant Philip Morris is paying people £50 if they persuade a smoker to quit. *Independent*, 2017. June 30, 2017. Available from: <http://www.independent.co.uk/news/business/news/philip-morris-international-quit-smoking-tobacco-giant-smoke-free-cigarettes-a7815861.html>

Morphett, K, Carter, A, Hall, W, Lucke, J, Partridge, B and Gartner, C. Do neurobiological understandings of smoking influence quitting self-efficacy or treatment intentions? *Nicotine Tob Res*, 2017. Jun 22, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx144/3884407/Do-neurobiological-understandings-of-smoking?redirectedFrom=fulltext>

de Graaf, Mia. Mixing cannabis with tobacco 'increases risk of addiction': Smoking drug 'makes you 60% LESS likely to want to quit'. *Daily Mail*, 2016. July 6, 2016. Available from: <http://www.dailymail.co.uk/health/article-3675965/Mixing-cannabis-tobacco-increases-dependence-risk-study-claims-Smoking-drug-joint-makes-60-likely-want-quit.html>

Hindocha, C, Freeman, TP, Ferris, JA, Lynskey, MT and Winstock, AR. No Smoke without Tobacco: A Global Overview of Cannabis and Tobacco Routes of Administration and Their Association with Intention to Quit. *Front Psychiatry*. 2016 Jul 5;7:104. Available from: <http://journal.frontiersin.org/article/10.3389/fpsyt.2016.00104/full>

Newman, Tim. Smoking cannabis with tobacco increases risk of dependence. *Medical News Today*, 2016. July 6, 2016. Available from: <http://www.medicalnewstoday.com/articles/311441.php>

7.7.1.4 Genetic influences

Sorensen, Eric. Researchers develop potential drugs to help curb smoking. Medical Xpress, 2018. Aug 28, 2018. Available from: <https://medicalxpress.com/news/2018-08-potential-drugs-curb.html>

Chen, LS, Zawertailo, L, Piasecki, TM, Kaprio, J, Foreman, M, Elliott, HR, David, SP, Bergen, AW, Baurley, JW, Tyndale, RF, Baker, TB, Bierut, LJ, Saccone, NL, Genetics, Treatment Workgroup of the Society for Research on, Nicotine and Tobacco. Leveraging genomic data in smoking cessation trials in the era of Precision Medicine: Why and how. Nicotine Tob Res, 2017. May 12, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx097/3819371/Leveraging-genomic-data-in-smoking-cessation?redirectedFrom=fulltext>

Saccone, NL, Baurley, JW, Bergen, AW, David, SP, Elliott, HR, Foreman, MG, Kaprio, J, Piasecki, TM, Relton, CL, Zawertailo, L, Bierut, LJ, Tyndale, RF, Chen, LS, Genetics, Treatment Networks of the Society for Research on, Nicotine and Tobacco. The Value of Biosamples in Smoking Cessation Trials: A Review of Genetic, Metabolomic, and Epigenetic Findings. Nicotine Tob Res, 2017. May 3, 2017. Available from: <https://academic.oup.com/ntr/article-abstract/doi/10.1093/ntr/ntx096/3791468/The-Value-of-Biosamples-in-Smoking-Cessation?redirectedFrom=fulltext>

Thomas David. Does giving up smoking depend on genes and not willpower? West Briton, 2015. Dec 1, 2015. Available from: <http://www.westbriton.co.uk/Does-giving-smoking-depend-genes-willpower/story-28276080-detail/story.html>

No authors listed. Some smokers may be 'hardwired' to succeed at quitting. Health Day, 2015. May 13, 2015. Available from: http://consumer.healthday.com/cognitive-health-information-26/brain-health-news-80/some-smokers-may-be-hard-wired-to-succeed-at-quitting-699316.html?lexp=true&utm_expid=38353063-4.pIV1hUrQR8K_MJ1_OqjLag.1&utm_referrer=http%3A%2F%2Fconsumer.healthday.com%2Fsearch.aspx%3Fexp%3Dtrue%26search%3Dsmoking

Park, Alice. The new science of how to quit smoking. Time, 2015. May 13, 2015. Available from: <http://time.com/3857265/how-to-quit-smoking/>

7.7.1.8 Concern about weight gain

No authors listed. Women smokers concerned about weight are less likely to try to quit. Medical News Today, 2015. Apr 9, 2015. Available from: <http://www.medicalnewstoday.com/releases/292076.php?tw>

7.7.1.9 Disturbances of mood

No authors listed. Scientists identify brain circuitry responsible for anxiety in smoking cessation. Medical Xpress, 2015. Apr 21, 2015. Available from: <http://medicalxpress.com/news/2015-04-scientists-brain-circuitry-responsible-anxiety.html>

7.7.2 Environmental factors that predict success or failure in quit attempts

North American Quitline Consortium (2021). Report on the Impact of the COVID-19 Pandemic on Smoking Cessation. Retrieved from

https://cdn.ymaws.com/www.naquitline.org/resource/resmgr/reports-naqc/Report_Impact_of_COVID-19_P.pdf

Knapton, Sarah. Why moving house could be the best time to give up smoking. The Telegraph, 2016. Jan 27, 2016. Available from: <http://www.telegraph.co.uk/news/science/science-news/12123337/Why-moving-house-could-be-the-best-time-to-give-up-smoking.html>

Rapaport, Lisa. Talking to kids about smoking risks may help parents quit. Reuters, 2015. Oct 15, 2015. Available from: <http://uk.reuters.com/article/2015/10/15/us-health-smokingcessation-parents-kids-idUKKCNOS927I20151015>

7.7.2.1 Social factors

No authors listed. Ex-smokers often relapse to recapture their lost social identity. Medical Life Sciences News, 2018. July 5, 2018. Available from: <https://www.news-medical.net/news/20180705/Ex-smokers-often-relapse-to-recapture-their-lost-social-identity.aspx>