

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 8.10 Cessation interventions for Aboriginal and Torres Strait Islander peoples

*Last updated December 2024*

Research:	2
8.10 Cessation interventions for Aboriginal and Torres Strait Islander peoples	2
8.10.1 Considering the context to develop relevant tobacco action programs	15
8.10.2 Taking a comprehensive approach	15
8.10.3 Pharmacological assistance: nicotine replacement therapies, bupropion (Zyban) and varenicline (Champix)	15
8.10.4 Telephone and internet support	16
8.10.4.1 Quitlines	16
8.10.4.2 Internet and mobile phone interventions	17
8.10.5 Support groups	17
8.10.6 Interventions for specific groups	17
8.10.6.1 Aboriginal health workers	17
8.10.6.2 Young people	17
8.10.6.3 Pregnant women	18
8.10.6.4 Prisoners	23
News:	23
8.10 Cessation interventions for Aboriginal and Torres Strait Islander peoples	23
8.10.1 Considering the context to develop relevant tobacco action programs	26
8.10.2 Taking a comprehensive approach	26
8.10.3 Pharmacological assistance: nicotine replacement therapies, bupropion (Zyban) and varenicline (Champix)	26
8.10.4 Telephone and internet support	26

8.10.4.1 Quitlines .....	26
8.10.4.2 Internet and mobile phone interventions .....	26
8.10.5 Support groups .....	26
8.10.6 Interventions for specific groups .....	26
8.10.6.1 Aboriginal health workers.....	26
8.10.6.2 Young people .....	26
8.10.6.3 Pregnant women.....	26
8.10.6.4 Prisoners .....	26

## Research:

### *8.10 Cessation interventions for Aboriginal and Torres Strait Islander peoples*

Bryant, J, Noble, N, Eades, S, & Sanson-Fisher, R. (2023). Delivery of tobacco control programs by Aboriginal Community Controlled Health Organisations in New South Wales, Australia: A cross-sectional survey. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37012613>

Cohen R, Maddox R, Sedgwick M, Thurber KA, Brinckley MM, et al. Tobacco related attitudes and behaviours in relation to exposure to the tackling indigenous smoking program: Evidence from the mayi kuwayu study. *International Journal of Environmental Research and Public Health*, 2021; 18(20). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34682708>

Carson-Chahhoud KV, Brinn MP, Labiszewski NA, Peters M, Chang AB, et al. Interventions for tobacco use prevention in indigenous youth. *Cochrane Database of Systematic Reviews*, 2021; 11:CD009325. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34847239>

Khan RJ, Poder N, Kovai V, Robinson L, Wright D, et al. Culturally tailored tobacco control: Aboriginal community perspectives in sydney, Australia. *Health Promotion Journal of Australia*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32196787>

Tane MP, Hefler M, and Thomas DP. Do the yol engu people of east arnhem land experience smoking related stigma associated with local and regional tobacco control strategies?: An indigenous qualitative study from Australia. *Glob Public Health*, 2019:1-10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31378142>

Australian Government. Closing the gap 2018. Indigenous Affairs, Canberra: Department of Prime Minister and Cabinet, 2018. Available from: <https://www.pmc.gov.au/indigenous-affairs/closing-gap>.

Tane MP, Hefler M, and Thomas DP. An evaluation of the 'yaka engarali' tackling indigenous smoking program in east arnhem land: Yol engu people and their connection to engarali'. *Health*

Promotion Journal of Australia, 2018; 29(1):10-7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29700930>

Wright A, Cameron H, Roe Y, and Lovett R. Analysing aggregate clinical data to support evaluation of the tackling indigenous smoking program, 2014-16. Aust Health Rev, 2018. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30145996>

Bovill M, Bar-Zeev Y, Gruppetta M, Clarke M, Nicholls K, et al. Giri-nya-la-nha (talk together) to explore acceptability of targeted smoking cessation resources with Australian aboriginal women. Public Health, 2018. Available from:

[https://www.publichealthjrn.com/article/S0033-3506\(18\)30277-4/pdf](https://www.publichealthjrn.com/article/S0033-3506(18)30277-4/pdf)

CIRCA. Tackling indigenous smoking program final evaluation report. Produced for the Australian Government, 2018. Available from: <https://www.health.gov.au/resources/publications/tackling-indigenous-smoking-program-final-evaluation-report-july-2018>.

Chamberlain C, Perlen S, Brennan S, Rychetnik L, Thomas D, et al. Evidence for a comprehensive approach to aboriginal tobacco control to maintain the decline in smoking: An overview of reviews among indigenous peoples. Syst Rev, 2017; 6(1):135. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28693556>

Kwan P, Sabado-Liwag M, Lee C, Lepule J, Pang V, et al. Development of an online smoking cessation curriculum for pacific islanders: A community-based participatory research approach. Prog Community Health Partnersh, 2017; 11(3):263-74. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29056618>

Ball J, Hoek J, Tautolo ES, and Gifford H. New Zealand policy experts' appraisal of interventions to reduce smoking in young adults: A qualitative investigation. BMJ Open, 2017; 7(12):e017837.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29229655>

Minichiello A, Lefkowitz AR, Firestone M, Smylie JK, and Schwartz R. Effective strategies to reduce commercial tobacco use in indigenous communities globally: A systematic review. BMC Public Health, 2016; 16(1):21. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/26754922>

Glover M, Kira A, Cornell T, and Smith C. Could 'aunties' recruit pregnant indigenous women who smoke into a trial and deliver a cessation intervention? A feasibility study. Matern Child Health J, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26971268>

Gould GS, Cadet-James Y, and Clough AR. Getting over the shock: Taking action on indigenous maternal smoking. Aust J Prim Health, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27426721>

Choi WS, Beebe LA, Nazir N, Kaur B, Hopkins M, et al. All nations breath of life: A randomized trial of smoking cessation for american indians. American Journal of Preventive Medicine, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27436332>

Gould GS, Stevenson LC, Cadet-James Y, and Clough AR. Cultural challenges when developing anti-tobacco messages for indigenous australians. Health Promot Int, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/27550321>

Scott S, D'Silva J, Hernandez C, Villaluz NT, Martinez J, et al. The tribal tobacco education and policy initiative: Findings from a collaborative, participatory evaluation. *Health Promotion Practice*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27744374>

Vujcich D, Rayner M, Allender S, and Fitzpatrick R. When there is not enough evidence and when evidence is not enough: An Australian indigenous smoking policy study. *Front Public Health*, 2016; 4:228. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27812523>

Nicholson A, Borland R, Davey M, Stevens M, and Thomas D. Past quit attempts in a national sample of aboriginal and torres strait islander smokers. *Medical Journal of Australia*, 2015; 202(10):S20–5. Available from: <http://europepmc.org/abstract/med/26017251>

Nicholson A, Borland R, Davey M, Stevens M, and Thomas D. Predictors of wanting to quit in a national sample of aboriginal and torres strait islander smokers. *Medical Journal of Australia*, 2015; 202(10):S26–32. Available from: <http://europepmc.org/abstract/med/26017252>

Davey ME, Hunt JM, Foster R, Couzos S, van der Sterren AE, et al. Tobacco control policies and activities in aboriginal community-controlled health services. *Medical Journal of Australia*, 2015; 202(10):S63–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26017260>

Nicholson AK, Borland R, Davey ME, Stevens M, and Thomas DP. Predictors of wanting to quit in a national sample of aboriginal and torres strait islander smokers. *Medical Journal of Australia*, 2015; 202(10):S26–32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26017252>

Nicholson AK, Borland R, Davey ME, Stevens M, and Thomas DP. Past quit attempts in a national sample of aboriginal and torres strait islander smokers. *Medical Journal of Australia*, 2015; 202(10):S20–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26017251>

Sabesan S, Kelly J, Budden L, and Geia LK. My family's anti-tobacco education (my-fate) model for aboriginal and torres strait islander peoples. *Aust J Rural Health*, 2015; 23(3):189–90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25988922>

Thomas DP, Briggs VL, Couzos S, Davey ME, Hunt JM, et al. Research methods of talking about the smokes: An international Tobacco Control policy evaluation project study with aboriginal and torres strait islander australians. *Medical Journal of Australia*, 2015; 202(10):S5–S12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26017257>

Thomas DP, Davey ME, Briggs VL, and Borland R. Talking about the smokes: Summary and key findings. *Medical Journal of Australia*, 2015; 202(10):S3–4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26017253>

Thomas DP, Davey ME, Panaretto KS, Hunt JM, Stevens M, et al. Smoking among a national sample of aboriginal and torres strait islander health service staff. *Medical Journal of Australia*, 2015; 202(10):S85–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26017264>

Thomas D, Briggs V, Couzos S, Panaretto K, van der Sterren A, et al. Use of nicotine replacement therapy and stop-smoking medicines in a national sample of aboriginal and torres strait islander smokers and ex-smokers. *Medical Journal of Australia*, 2015; 202(10):S78–84. Available from:

<https://www.mja.com.au/journal/2015/202/10/use-nicotine-replacement-therapy-and-stop-smoking-medicines-national-sample>

Eades S and Chamberlain C. Seeking a comprehensive approach to tobacco control for aboriginal and torres strait islander people. The Medical Journal of Australia, 2015; 202(10):511–2. Available from: <https://www.mja.com.au/journal/2015/202/10/seeking-comprehensive-approach-tobacco-control-aboriginal-and-torres-strait>

<http://www.ncbi.nlm.nih.gov/pubmed/26027693>

Sabesan S, Kelly J, Budden L, Knott V, and Garvey G. Telehealth: A new opportunity to discuss smoking cessation with indigenous cancer patients and their families. Psychooncology, 2015.

Available from:

<http://onlinelibrary.wiley.com/doi/10.1002/pon.3892/abstract;jsessionid=F68F2225EBA0694A85E5B89166D44A31.f03t01>

<http://www.ncbi.nlm.nih.gov/pubmed/26086321>

Robertson J, Stevenson L, Usher K, Devine S, and Clough A. A review of trends in indigenous Australian tobacco research (from 2004 to 2013), its associated outputs and evidence of research translation. Nicotine & Tobacco Research, 2015; 17(8):1039–48. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26180230>

Glover M, Kira A, and Smith C. Enlisting "aunties" to support indigenous pregnant women to stop smoking: Feasibility study results. Nicotine & Tobacco Research, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26253617>

Sarin J, Hunt J, Ivers R, and Smyth C. Lifting the burden: A coordinated approach to action on aboriginal tobacco resistance and control in NSW. Public Health Res Pract, 2015; 25(3). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26243487>

Australian Department of Health. Tackling indigenous smoking. 2015. Available from:

<http://www.health.gov.au/internet/main/publishing.nsf/Content/indigenous-tis-lp>

Gould GS, Watt K, Stevenson L, McEwen A, Cadet-James Y, et al. Developing anti-tobacco messages for Australian aboriginal and torres strait islander peoples: Evidence from a national cross-sectional survey. BMC Public Health, 2014; 14:250. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/24625235>

Marley JV, Atkinson D, Kitaura T, Nelson C, Gray D, et al. The be our ally beat smoking (boabs) study, a randomised controlled trial of an intensive smoking cessation intervention in a remote aboriginal Australian health care setting. BMC Public Health, 2014; 14(1):32. Available from:

<http://www.biomedcentral.com/1471-2458/14/32>

Brusse C, Gardner K, McAullay D, and Dowden M. Social media and mobile apps for health promotion in Australian indigenous populations: Scoping review. Journal of Medical Internet Research, 2014; 16(12):e280. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25498835>

Campbell S, Bohanna I, McKeown-Young D, Esterman A, Cadet-James Y, et al. Evaluation of a community-based tobacco control intervention in five remote north queensland indigenous communities. *International Journal of Health Promotion and Education*, 2014; 52(2):78–89. Available from: <http://dx.doi.org/10.1080/14635240.2013.859444>

Passey ME, Sanson-Fisher RW, and Stirling JM. Supporting pregnant aboriginal and torres strait islander women to quit smoking: Views of antenatal care providers and pregnant indigenous women. *Matern Child Health J*, 2014; 18(10):2293–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24150690>

Twyman L, Bonevski B, Paul C, and Bryant J. Perceived barriers to smoking cessation in selected vulnerable groups: A systematic review of the qualitative and quantitative literature. *BMJ Open*, 2014; 4(12). Available from: <http://bmjopen.bmj.com/content/4/12/e006414.abstract>

Dries D, Herceg A, Webb C, and Chapman P. An evaluation of the ‘no more boondah’ smoking cessation program at winnunga nimmitijah aboriginal health service, in *Reducing smoking in the act among aboriginal and torres strait islander women who are pregnant or who have young children*. van der Sterren A and Fowlie C, Editors. ATODA Monograph Series, No.1. Canberra: Alcohol, Tobacco and Other Drug Association ACT (ATODA); 2014. Available from: <https://winnunga.org.au/publications/research-projects/>.

The Royal Australian College of General Practitioners, Supporting smoking cessation: A guide for health professionals. Melbourne: RACGP; 2014. Available from: <http://www.racgp.org.au/your-practice/guidelines/smoking-cessation/>.

Gould GS, McEwen A, Watters T, Clough AR, and van der Zwan R. Should anti-tobacco media messages be culturally targeted for indigenous populations? A systematic review and narrative synthesis. *Tobacco Control*, 2013; 22(4):e7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22918939>

Cosh S, Maksimovic L, Ettridge K, Copley D, and Bowden JA. Aboriginal and torres strait islander utilisation of the quitline service for smoking cessation in south Australia. *Aust J Prim Health*, 2013; 19(2):113–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22950938>

Hefler M and Thomas D, The use of incentives to stop smoking in pregnancy among aboriginal and torres strait islander women. Melbourne: The Lowitja Institute; 2013.

Civiljak M, Stead LF, Hartmann-Boyce J, Sheikh A, and Car J. Internet-based interventions for smoking cessation. *Cochrane Database of Systematic Reviews*, 2013; 7(7):CD007078. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23839868>

Carson KV, Brinn MP, Peters M, Veale A, Esterman AJ, et al. Interventions for smoking cessation in indigenous populations. *Cochrane Database of Systematic Reviews*, 2012; 1:CD009046. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22258998>

Australian Institute of Health and Welfare, Aboriginal and torres strait islander health services report, 2010–11: Oatsih services reporting—key results. Cat. No. IHW 79. Canberra: AIHW; 2012. Available from: <http://www.aihw.gov.au/publication-detail/?id=10737423052>.

Adams K, Fredericks B, Finlay S, and Liebzeit A, Goreen narrkwarren ngrn-toura – healthy family air; final report to the department of health. Melbourne: VACCHO; 2012. Available from: [https://aodknowledgecentre.ecu.edu.au/key-resources/programs-and-projects/572/?title=Goreen+Narrkwarren+Ngrn-toura+-+Healthy+family+air&contentid=572\\_4](https://aodknowledgecentre.ecu.edu.au/key-resources/programs-and-projects/572/?title=Goreen+Narrkwarren+Ngrn-toura+-+Healthy+family+air&contentid=572_4).

Passey ME, D'Este CA, Stirling JM, and Sanson-Fisher RW. Factors associated with antenatal smoking among aboriginal and torres strait islander women in two jurisdictions. *Drug Alcohol Rev*, 2012; 31(5):608–16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22487020>

Bohanna I and Clough AR. Cannabis use in cape york indigenous communities: High prevalence, mental health impacts and the desire to quit. *Drug & Alcohol Review*, 2012; 31(4):580–4. Available from: <http://search.ebscohost.com/login.aspx?direct=true&db=s3h&AN=76330278&site=ehost-live>

Carson KV, Verbiest ME, Crone MR, Brinn MP, Esterman AJ, et al. Training health professionals in smoking cessation. *Cochrane Database of Systematic Reviews*, 2012; (5):CD000214. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22592671>

Bond C, Brough M, Spurling G, and Hayman N. 'It had to be my choice' indigenous smoking cessation and negotiations of risk, resistance and resilience. *Health, Risk & Society*, 2012; 14(6):565-81. Available from: <http://dx.doi.org/10.1080/13698575.2012.701274>

Buckland A, Jones T, and Tall J. Paakantji kiira-muuku: Evaluation of a smoking cessation intervention in remote new south wales. in *Coalition for Research to Improve Aboriginal Health 3rd Aboriginal Health Research Conference*. 2011.

Butler TG and Stevens CF. National summit on tobacco smoking in prisons: Report on the summit. Perth, Western Australia: National Drug Research Institute, Curtin University, 2011. Available from: <http://db.ndri.curtin.edu.au/research/pubsearchres.asp>.

Cahill K and Perera R. Competitions and incentives for smoking cessation. *Cochrane Database of Systematic Reviews*, 2011; (4):CD004307. DOI: 10.1002/14651858.CD004307.pub4. Available from: <http://www2.cochrane.org/reviews/en/ab004307.html>

Cahill K, Stead LF, and Lancaster T. Nicotine receptor partial agonists for smoking cessation. *Cochrane Database of Systematic Reviews*, 2011; (2):CD006103. DOI: 10.1002/14651858.CD006103.pub5. Available from: <http://www2.cochrane.org/reviews/en/ab006103.html>

Carson KV, Brinn MP, Labiszewski NA, Esterman AJ, Chang AB, et al. Community interventions for preventing smoking in young people. *Cochrane Database of Systematic Reviews*, 2011; (7):CD001291. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21735383>

Clifford A, Pulver LJ, Richmond R, Shakeshaft A, and Ivers R. Smoking, nutrition, alcohol and physical activity interventions targeting indigenous australians: Rigorous evaluations and new directions needed. *Australian and New Zealand Journal of Public Health*, 2011; 35(1):38–46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21299699>

DiGiacomo M, Davidson P, Abbott P, Davison J, Moore L, et al. Smoking cessation in indigenous populations of Australia, New Zealand, canada and the united states: Elements of effective



interventions. *International Journal of Environmental Research and Public Health*, 2011; 8:388–410. Available from: <http://www.mdpi.com/1660-4601/8/2/388/>

Doyle M, Butler T, and Stevens C. The national tobacco summit on tobacco smoking in prison: Australian national university, canberra, august 2010—an aboriginal perspective. *Aboriginal and Islander Health Worker Journal*, 2011; 35(3):10–2. Available from: <http://search.informit.com.au/documentSummary;dn=128860924645597;res=IELIND>

Fredericks B, Adams K, Finlay S, Andy S, Briggs L, et al. Effective partnerships between the victorian aboriginal community controlled health organisation (vaccho) and victorian aboriginal community controlled health organisations (acchos) in tackling smoking. in *Coalition for Research to Improve Aboriginal Health 3rd Aboriginal Health Research Conference*. 2011.

Indig D, Trends in chronic and infectious diseases and risk behaviours among aboriginal inmates in NSW, 1996–2000. 3rd aboriginal health research conference: Coalition for Research to Improve Aboriginal Health; 2011.

Ivers R. Anti-tobacco programs for aboriginal and torres strait islander people 2011. Produced for the closing the gap clearinghouse. cat. no. IHW 37. Canberra: Australian Institute of Health and Welfare and Melbourne: Australian Institute of Family Studies, 2011. Available from: <https://www.aihw.gov.au/reports/indigenous-australians/anti-tobacco-programs-for-aboriginal-and-torres-st/summary>.

Robertson J. Tackling tobacco: A call to arms for remote area nurses. *Contemporary Nurse*, 2011; 37(1):49–56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21591826>

Stewart HS, Bowden JA, Bayly MC, Sharplin GR, Durkin SJ, et al. Potential effectiveness of specific anti-smoking mass media advertisements among Australian indigenous smokers. *Health Education Research*, 2011; 26(6):961–75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21893685>

Whittaker R, Dorey E, Bramley D, Bullen C, Denny S, et al. A theory-based video messaging mobile phone intervention for smoking cessation: Randomized controlled trial. *Journal of Medical Internet Research*, 2011; 13(1):e10. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21371991>

Hearn S, Nancarrow H, Rose M, Massi L, Wise M, et al. Evaluating NSW smokecheck: A culturally specific smoking cessation training program for health professionals working in aboriginal health. *Health Promotion Journal of Australia*, 2011; 22(3):189–95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22497062>

Making inroads to smoking cessation. *Maari Ma Health Rounds*, 2010; 07(8):3. Available from: [http://www.maarima.com.au/media/1493/health\\_rounds\\_8.pdf](http://www.maarima.com.au/media/1493/health_rounds_8.pdf)

Brinn MP, Carson KV, Esterman AJ, Chang AB, and Smith BJ. Mass media interventions for preventing smoking in young people. *Cochrane Database of Systematic Reviews*, 2010; (11):CD001006. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21069667>

Centre for Excellence in Indigenous Tobacco Control. Learning from each other. in *Oceania Tobacco Control 09 Indigenous Pre-Conference Workshop*. Melbourne, Australia. CEITC, The University of Melbourne; 2010.



Couzos S and Delaney Thiele D. The new 'indigenous health' incentive payment: Issues and challenges. Medical Journal of Australia, 2010; 192(3):154–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20121684>

Johnston V and Thomas D. What works in indigenous tobacco control? The perceptions of remote indigenous community members and health staff. Health Promotion Journal of Australia, 2010; 21(1):45–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20406152>

Kimberley Aboriginal Medical Services Council. Resources—beyond the big smoke. 2010. Available from: <https://aodknowledgecentre.ecu.edu.au/key-resources/programs-and-projects/538/?title=Beyond+the+Big+Smoke>

Northern Rivers University Department of Rural Health. 'Stop smoking in its tracks' project takes off! NRUDRH News, 2010:Winter.

Passey M, Gale J, Stirling J, and Sanson-Fisher R. Tobacco, cannabis and alcohol: Changes in pregnancy among aboriginal women in NSW. in Primary Health Care Research Conference. Adelaide. Flinders University Primary Health Care Research & Information Service; 2010. Available from: <http://www.phcris.org.au/download.php?id=6874&spi=3>.

Thomas D, Johnston V, and Fitz J. Lessons for aboriginal tobacco control in remote communities: An evaluation of the northern territory 'tobacco project'. Australia and New Zealand Journal of Public Health, 2010; 34(1):34–45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20920104>

National Institute for Healthcare and Excellence (NICE). Quitting smoking in pregnancy and following childbirth. Public health guidance 26. 2010. Available from: <http://www.nice.org.uk/guidance/ph26>

Ballard P and Radley A. Give it up for baby: A smoking cessation intervention for pregnant women in scotland. Cases in Public Health Communication & Marketing, 2009; 3(147–60).

Boffa J, Tilton E, Legge D, and Genat B. Reducing the harm from alcohol, tobacco and obesity in indigenous communities. Produced for the National Preventative Health Taskforce, Canberra: Department of Health and Ageing, 2009. Available from: [http://www.preventativehealth.org.au/internet/preventativehealth/publishing.nsf/Content/0FBE203C1C547A82CA257529000231BF/\\$File/commpaper-indig-boffa.pdf](http://www.preventativehealth.org.au/internet/preventativehealth/publishing.nsf/Content/0FBE203C1C547A82CA257529000231BF/$File/commpaper-indig-boffa.pdf).

Boles M, Rohde K, He H, Maher JE, Stark MJ, et al. Effectiveness of a tobacco quitline in an indigenous population: A comparison between alaska native people and other first-time quitline callers who set a quit date. International Journal of Circumpolar Health, 2009; 68:170–81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19517876>

Browne R. Starving for ngarali: Tobacco and culture in east arnhem land. The Chronicle, 2009; 14(3):4–5. Available from: <http://digitallibrary.health.nt.gov.au/dspace/bitstream/10137/419/2/Chronicle%20August%2009%20WEB.pdf>

Davey M and Goodwin T. Clearing the haze: An aboriginal health service approach to decreasing tobacco related harms in the tasmanian aboriginal community. in Oceania Tobacco Control Conference, Reducing inequality through tobacco control. Darwin, Australia. 2009.

Goodman J, Stoneham M, and Daube M. Indigenous smoking project report. Perth: Public Health Advocacy Institute of Western Australia, 2009. Available from:  
<https://www.phaiwa.org.au/indigenous-smoking-project/>.

Hosking J, Stewart H, and Chong A. Smokecheck tobacco brief intervention program: Results of client three and six month follow-ups. in Oceania Tobacco Control Conference, Reducing inequality through tobacco control. 2009.

Lewis P, Harris C, Yap M, Metcalf S, Marley JV, et al. Beyond the big smoke: An aboriginal community controlled health services led approach to tobacco control in western Australia. in Oceania Tobacco Control Conference, Reducing inequality through tobacco control. 2009.

Lumley J, Chamberlain C, Dowswell T, Oliver S, Oakley L, et al. Interventions for promoting smoking cessation during pregnancy. Cochrane Database of Systematic Reviews, 2009; (3):CD001055. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19588322>

Panaretto K, Anderson L, Deemal A, and Leon D. Time to quit: A workplace approach to support quit smoking. in Oceania Tobacco Control Conference, Reducing inequality through tobacco control. 2009.

Pascall J. 'Walala baynuhna bulu narrali'. The Chronicle, 2009; 14(3):3. Available from:  
<http://digitallibrary.health.nt.gov.au/dspace/bitstream/10137/419/2/Chronicle%20August%2009%20WEB.pdf>

Passey M, Gale J, Holt B, Leatherday C, Roberts C, et al., Stop smoking in its tracks: Understanding smoking by rural aboriginal women. The 10th national rural health conference, ed., Gregory G. Canberra: National Rural Health Alliance; 2009. Available from:  
[https://www.ruralhealth.org.au/10thNRHC/10thnrhc.ruralhealth.org.au/papers/docs/Passey\\_Megan\\_D9.pdf](https://www.ruralhealth.org.au/10thNRHC/10thnrhc.ruralhealth.org.au/papers/docs/Passey_Megan_D9.pdf).

Patten C, Renner C, Decker P, O'Campo E, Larsen K, et al. Tobacco use and cessation among pregnant alaska natives from western alaska enrolled in the wic program, 2001-2002. Maternal and Child Health Journal, 2009; 12(1):30–6. Available from:  
<https://commerce.metapress.com/content/4783305353555682/resource-secured/?target=fulltext.html&sid=n4psa345dtrjsutap1p4f45&sh=www.springerlink.com>

Power J, Grealy C, and Rintoul D. Tobacco interventions for indigenous australians: A review of current evidence. Health Promotion Journal of Australia, 2009; 20(3):186–94. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/19951238>

Gould GS, McGechan A, and van der Zwan R. Give up the smokes: A smoking cessation program for indigenous australians. in 10th National Rural Health Conference, Cairns. Available from:  
[http://10thnrhc.ruralhealth.org.au/papers/docs/Gould\\_Gillian\\_D](http://10thnrhc.ruralhealth.org.au/papers/docs/Gould_Gillian_D). 2009. Available from:  
[http://www.ruralhealth.org.au/10thNRHC/10thnrhc.ruralhealth.org.au/papers/docs/Gould\\_Gillian\\_D9.pdf](http://www.ruralhealth.org.au/10thNRHC/10thnrhc.ruralhealth.org.au/papers/docs/Gould_Gillian_D9.pdf).

Hughes JR, Stead LF, and Lancaster T. Antidepressants for smoking cessation. Cochrane Database of Systematic Reviews, 2008 (1):CD000031. DOI:10.1002/14651858.CD000031.pub3. Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD000031/frame.html>

Campbell S, Duquemin A, Swinbourne A, and McDermott R. The north queensland indigenous tobacco project 2003–2006. Adelaide: University of South Australia, 2008.

Centre for Excellence in Indigenous Tobacco Control. Addressing tobacco use in aboriginal and torres strait islander communities. Review of evidence for the national indigenous Tobacco Control initiative. Unpublished report prepared by anke van der sterren, research fellow, ceitc for the commonwealth department of health and ageing. Melbourne, Australia: CEITC, The University of Melbourne, 2008.

Centre for Excellence in Indigenous Tobacco Control. Indigenous tobacco control in Australia: Everybody's business. National indigenous Tobacco Control research roundtable report. Melbourne, Australia: CETIC, The University of Melbourne, 2008. Available from: <https://healthbulletin.org.au/articles/indigenous-tobacco-control-in-australia-everybodys-business-national-indigenous-tobacco-control-research-roundtable-report/>.

Department of Health South Australia. Indigenous smoking scoping study: Prepared for the South Australian department of health. Adelaide: Department of Health, 2008. Available from: <https://catalogue.nla.gov.au/Record/4469455>.

Gilligan C. Aboriginal and torres strait islander women: An examination of smoking during pregnancy, 2008, The University of Newcastle: Newcastle, Australia. Available from: <https://ogma.newcastle.edu.au/vital/access/manager/Repository/uon:2591>.

Ivers RG. Tobacco and aboriginal people in NSW. N S W Public Health Bull, 2008; 19(3-4):65–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18507969>

Kulunga Research Network. Evaluation of the 'make smoking history' campaign. Perth: Telethon Institute for Child Health Research, 2008.

Rice VH and Stead LF. Nursing interventions for smoking cessation. Cochrane Database of Systematic Reviews, 2008; (1):CD001188. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18253987>

Robles GI, Singh-Franco D, and Ghin HL. A review of the efficacy of smoking-cessation pharmacotherapies in nonwhite populations. Clinical Therapeutics, 2008; 30(5):800–12. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18555928>

Sarin J. Clean air dreaming (conference paper). in 5th NSW Aboriginal Drug and Alcohol Symposium. Surry Hills. Aboriginal Health & Medical Research Council of New South Wales; 2008. Available from: <http://www.pdfio.com/k-51163.html#>.

Stead LF, Bergson G, and Lancaster T. Physician advice for smoking cessation. Cochrane Database of Systematic Reviews, 2008; (2):CD000165. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18425860>

Stead LF, Perera R, Bullen C, Mant D, and Lancaster T. Nicotine replacement therapy for smoking cessation. Cochrane Database of Systematic Reviews, 2008; (1):CD000146. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18253970>

TNS Social Research. Environmental scan of tobacco control interventions in aboriginal populations: What works? What doesn't? Final report Perth, Western Australia: WA Department of Health, 2008. Available from: [http://www.health.wa.gov.au/smokefree/docs/Report\\_of\\_Audit\\_Aboriginal\\_Smoking\\_Prevention\\_Cessation\\_Services.pdf](http://www.health.wa.gov.au/smokefree/docs/Report_of_Audit_Aboriginal_Smoking_Prevention_Cessation_Services.pdf).

Whittaker R, Maddison R, McRobbie H, Bullen C, Denny S, et al. A multimedia mobile phone–based youth smoking cessation intervention: Findings from content development and piloting studies. Journal of Medical Internet Research, 2008; 10(5):e49. Available from: <http://www.jmir.org/2008/5/e49/>

Zandes S, Holloway E, and Mason T. Quit victoria's darwin and alice springs educator training. Aboriginal and Islander Health Worker Journal, 2008; 32(2):16–7.

Centre for Excellence in Indigenous Tobacco Control. National indigenous Tobacco Control research workshop report. Melbourne, Australia: CEITC, The University of Melbourne, 2007. Available from: <https://catalogue.nla.gov.au/Record/4318462>.

Day G. Deadly nungas say no to puiya! Project. in Oceania Tobacco Control Conference. 2007. Available from: <http://otcc.confex.com/otcc/otcc07/recordingredirect.cgi/id/90>.

DiGiacomo M, Davidson P, Davison J, Moore L, and Abbott P. Stressful life events, resources and access: Key considerations in quitting smoking at an aboriginal medical service. Australian and New Zealand Journal of Public Health, 2007; 31(2):174–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17461010>

Hayward LM, Campbell HS, and Sutherland-Brown C. Aboriginal users of canadian quitlines: An exploratory analysis. Tobacco Control, 2007; 16 Suppl 1(suppl. 1):i60–4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18048634>

Jochelson K. Paying the patient. Improving health using financial incentives. London: King's Fund, 2007. Available from: [http://www.keewu.com/IMG/pdf/19\\_Paying\\_the\\_Patient1\\_1.pdf](http://www.keewu.com/IMG/pdf/19_Paying_the_Patient1_1.pdf).

Maher JE, Rohde K, Dent CW, Stark MJ, Pizacani B, et al. Is a statewide tobacco quitline an appropriate service for specific populations? Tobacco Control, 2007; 16(suppl. 1):i65–70. Available from: [http://tobaccocontrol.bmj.com/content/16/Suppl\\_1/i65.abstract](http://tobaccocontrol.bmj.com/content/16/Suppl_1/i65.abstract)

Stead LF, Perera R, and Lancaster T. A systematic review of interventions for smokers who contact quitlines. Tobacco Control, 2007; 16 Suppl 1(suppl. 1):i3–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18048627>

Young D and Campbell S. Butt out. Nicotine replacement therapy trial, in National indigenous Tobacco Control research workshop. Report. Centre for Excellence in Indigenous Tobacco Control, Editor Melbourne, Australia: Centre for Excellence in Indigenous Tobacco Control; 2007. p 29–34.

Adams K, Rumbiolo D, and Charles S. Evaluation of the rumbalara's 'no more dhonga' short course in giving up smokes. *Aboriginal and Islander Health Worker Journal*, 2006; 30(5):11–2. Available from: <http://search.informit.com.au/documentSummary;dn=268519156015085;res=E-LIBRARY>

Carr AB and Ebbert JO. Interventions for tobacco cessation in the dental setting. *Cochrane Database of Systematic Reviews*, 2006; (1):CD005084. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16437517>

Ivers RG, Castro A, Parfitt D, Bailie RS, Richmond RL, et al. The role of remote community stores in reducing the harm resulting from tobacco to aboriginal people. *Drug Alcohol Rev*, 2006; 25(3):195–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16753641>

Richmond RL, Butler T, Belcher JM, Wodak A, Wilhelm KA, et al. Promoting smoking cessation among prisoners: Feasibility of a multi-component intervention. *Australian and New Zealand Journal of Public Health*, 2006; 30(5):474–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17073232>

Thomas R and Perera R. School-based programmes for preventing smoking. *Cochrane Database of Systematic Reviews*, 2006; (3):CD001293. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16855966>

Bramley D, Riddell T, Whittaker R, Corbett T, Lin R-B, et al. Smoking cessation using mobile phone text messaging is as effective in maori as non-maori. *The New Zealand Medical Journal*, 2005; 118(1216):U1494. Available from: <http://journal.nzma.org.nz/journal/118-1216/1494/>

Holt S, Timu-Parata C, Ryder-Lewis S, Weatherall M, and Beasley R. Efficacy of bupropion in the indigenous māori population in New Zealand. *Thorax*, 2005; 60(2):120–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15681499>

Hunter P, Mayers N, Couzos S, Daniels J, Murray R, et al. Aboriginal community controlled health services, in *General practice in Australia*: 2004. Canberra: Department of Health and Ageing; 2005. p 336–57.

Ivers R. *The tobacco project*. Darwin, Australia: Cooperative Research Centre for Aboriginal Health, 2005.

Wilson N, Grigg M, Graham L, and Cameron G. The effectiveness of television advertising campaigns on generating calls to a national quitline by maori. *Tobacco Control*, 2005; 14(4):284–6. Available from: <http://tc.bmjournals.com/cgi/content/abstract/14/4/284>

Ivers RG. An evidence-based approach to planning tobacco interventions for aboriginal people. *Drug Alcohol Rev*, 2004; 23(1):5–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/14965882>

Mark A, McLeod I, Booker J, and Ardler C. The koori tobacco cessation project. *Health Promotion Journal of Australia*, 2004; 15(3):200–4.

Gray D, Sputore B, and Walker J. Evaluation of an aboriginal health promotion program: A case study from karalundi, in *Indigenous Australian alcohol and other drug issues: Research from the national drug institute*. Gray D and Saggars S, Editors. Perth: Curtin University of Technology National Drug

Research Institute; 2002. Available from:

<http://ndri.curtin.edu.au/local/docs/pdf/publications/M38.pdf>.

Vale P, Sullivan S, and Cass Y. Tobacco and health in the la perouse aboriginal community: A project report. *Aboriginal and Islander Health Worker Journal*, 2002; 26(1):21–6. Available from:

<http://search.informit.com.au/documentSummary;dn=185434737174772;res=IELIND>

Carter S, Borland R, and Chapman S, Finding the strength to kill your best friend: Smokers talk about smoking and quitting. Sydney: Australian Smoking Cessation Consortium and GlaxoSmithKline Consumer Healthcare; 2001. Available from:

<http://old.tobacco.health.usyd.edu.au/site/supersite/resources/pdfs/killbestfriend.pdf>.

Rigotti N, Munafo M, Murphy M, and Stead L. Interventions for smoking cessation in hospitalised patients. *Cochrane Database of Systematic Reviews*, 2001; (3):CD001837. DOI: 10.1002/14651858.CD001837.pub2. Available from:

<http://www2.cochrane.org/reviews/en/ab001837.html>

Donatelle RJ, Prows SL, Champeau D, and Hudson D. Randomised controlled trial using social support and financial incentives for high risk pregnant smokers: Significant other supporter (sos) program. *Tobacco Control*, 2000; 9(suppl. 3):iii67–9. Available from:

[http://tobaccocontrol.bmj.com/content/9/suppl\\_3/iii67.extract](http://tobaccocontrol.bmj.com/content/9/suppl_3/iii67.extract)

Eades S. Reconciliation, social equity and indigenous health [editorial]. *Medical Journal of Australia*, 2000; 172:468–9. Available from:

[http://www.mja.com.au/public/issues/172\\_10\\_150500/eades/eades.html](http://www.mja.com.au/public/issues/172_10_150500/eades/eades.html)

Lancaster T, Silagy C, and Fowler G. Training health professional in smoking cessation. *Cochrane Database of Systematic Reviews*, 2000; (3):CD000214. DOI: 10.1002/14651858. Available from:

<http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD000214/frame.html>

Farkas AJ, Gilpin EA, Distefan JM, and Pierce JP. The effects of household and workplace smoking restrictions on quitting behaviours. *Tobacco Control*, 1999; 8(3):261–5. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/10599569>

National Aboriginal Health Strategy Working Party. A national aboriginal health strategy. Canberra, Australia: Department of Health and Ageing, 1989. Available from:

[https://aodknowledgecentre.ecu.edu.au/key-resources/policies-and-strategies/10967/?title=A+national+Aboriginal+health+strategy&contentid=10967\\_1](https://aodknowledgecentre.ecu.edu.au/key-resources/policies-and-strategies/10967/?title=A+national+Aboriginal+health+strategy&contentid=10967_1).

Smoke-free pregnancy project—aboriginal women and their families (ceitc project register).

Melbourne, Australia: Centre for Excellence in Indigenous Tobacco Control, The University of Melbourne, Available from: [www.ceitc.org.au/indigenous-projects-register](http://www.ceitc.org.au/indigenous-projects-register).

Winnunga Nimmityjah Aboriginal Health Service. Tobacco cessation services. Available from:

[www.winnunga.org.au/index.php?page=tobacco-cessation-services](http://www.winnunga.org.au/index.php?page=tobacco-cessation-services)

Gippsland Tobacco Action & Healthy Lifestyle Team. Available from: [www.facebook.com/Gippsland-Tobacco-Action-Healthy-Lifestyle-Team-746399065399939/timeline?ref=page\\_internal](https://www.facebook.com/Gippsland-Tobacco-Action-Healthy-Lifestyle-Team-746399065399939/timeline?ref=page_internal)

Cancer Council South Australia. Smoking cessation training for tackling indigenous smoking. Available from: <https://www.cancersa.org.au/support/aboriginal-communities/healthy-lifestyles/quitskills-smoking-cessation-training/>

#### *8.10.1 Considering the context to develop relevant tobacco action programs*

Couzos S, Nicholson AK, Hunt JM, Davey ME, May JK, et al. Talking about the smokes: A large-scale, community-based participatory research project. *Medical Journal of Australia*, 2015; 202(10):S13–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26017250>

Lanumata T, Thomson G, and Wilson N. Pacific solutions to reducing smoking around pacific children in New Zealand: A qualitative study of pacific policymaker views. *The New Zealand Medical Journal*, 2010; 123(1308):54–63. Available from: <http://www.nzma.org.nz/journal/123-1308/3945/>

Varcoe C, Bottorff J, Carey J, Sullivan D, and Williams W. Wisdom and influence of elders: Possibilities for health promotion and decreasing tobacco exposure in first nations communities. *Canadian Journal of Public Health*, 2010; 101(2):154–8. Available from: [http://www.unboundmedicine.com/medline/ebm/record/20524382/full\\_citation/Wisdom\\_and\\_influence\\_of\\_elders:\\_possibilities\\_for\\_health\\_promotion\\_and\\_decreasing\\_tobacco\\_exposure\\_in\\_First\\_Nations\\_communities](http://www.unboundmedicine.com/medline/ebm/record/20524382/full_citation/Wisdom_and_influence_of_elders:_possibilities_for_health_promotion_and_decreasing_tobacco_exposure_in_First_Nations_communities)

Webb M. Culturally specific interventions for african american smokers: An efficacy experiment. *Journal of the National Medical Association*, 2009; 101(9):927–35. Available from: <http://www.nmanet.org/images/uploads/Documents/OC927.pdf>

CIRCA. Development of anti-smoking campaigns for indigenous smokers. Sydney: Cancer Institute NSW, 2008.

#### *8.10.2 Taking a comprehensive approach*

##### *8.10.3 Pharmacological assistance: nicotine replacement therapies, bupropion (Zyban) and varenicline (Champix)*

Kennedy, M, Maddox, R, Mersha, AG, Chamberlain, C, Segan, C, Clarke, K et al. (2024). Koori Quit Pack: A feasibility study of a multi-component mailout smoking cessation support for Aboriginal and Torres Strait Islander people: "I would recommend it to anybody. It's just so much easier". *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38700502>

Kennedy, M, Mersha, AG, Maddox, R, Chamberlain, C, Maidment, S, O'Mara, P et al. (2022). Koori Quit Pack mailout smoking cessation support for Aboriginal and Torres Strait Islander people who smoke: a feasibility study protocol. *BMJ Open*, 12(10), e065316. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36229142>

Rusk, AM, Kanj, AN, Murad, MH, Hassett, LC& Kennedy, CC. (2022). Smoking Cessation Interventions in Indigenous North Americans: A Meta-Narrative Systematic Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35869642>

Carroll, DM, Murphy, S, Meier, E, Rhodes, K, Dorr, C, Braaten, G et al. (2022). Exploring potential for a personalized medicine approach to smoking cessation with an American Indian Tribe. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35661899>



Keitaanpaa S, Cass A, Hefler M, and Thomas DP. Using pharmaceutical benefit scheme data to understand the use of smoking cessation medicines by aboriginal and torres strait islander smokers. *Australian and New Zealand Journal of Public Health*, 2021; 45(1):34-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33522685>

Walker N, Smith B, Barnes J, Verbiest M, Parag V, et al. Cytisine versus varenicline for smoking cessation in New Zealand indigenous maori: A randomized controlled trial. *Addiction*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33761149>

Walker N, Smith B, Barnes J, Verbiest M, Kurdziel T, et al. Cytisine versus varenicline for smoking cessation for maori (the indigenous people of New Zealand) and their extended family: Protocol for a randomised non-inferiority trial. *Addiction*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30276931>

<https://onlinelibrary.wiley.com/doi/pdf/10.1111/add.14449>

Thomas DP, Briggs VL, Couzos S, Panaretto KS, van der Sterren AE, et al. Use of nicotine replacement therapy and stop-smoking medicines in a national sample of aboriginal and torres strait islander smokers and ex-smokers. *Medical Journal of Australia*, 2015; 202(S10):S78-S84. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.5694/mja15.00205>

#### *8.10.4 Telephone and internet support*

Khan, A, Green, K, Medlin, L, Khandaker, G, Lawler, S, & Gartner, C. (2022). Impact of the '10,000 lives' program on Quitline referrals, use and outcomes by demography and Indigenous status. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35830355>

##### *8.10.4.1 Quitlines*

Colonna, E, Heris, CL, Barrett, EM, Wells, S, & Maddox, R. (2024). Aboriginal and Torres Strait Islander peoples' Quitline use and the Tackling Indigenous Smoking program. *Public Health Res Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38467485>

Lachter, RB, Rhodes, KL, Roland, KM, Villaluz, C, Short, E, Vargas-Belcher, R et al. (2022). Turning Community Feedback into a Culturally Responsive Program for American Indian/Alaska Native Commercial Tobacco Users. *Prog Community Health Partnersh*, 16(3), 321-329. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36120875>

Martin K, Dono J, Rigney N, Rayner J, Sparrow A, et al. Barriers and facilitators for health professionals referring aboriginal and torres strait islander tobacco smokers to the quitline. *Australian and New Zealand Journal of Public Health*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29044907>

Thomas DP, Bennet PT, Briggs VL, Couzos S, Hunt JM, et al. Smoking cessation advice and non-pharmacological support in a national sample of aboriginal and torres strait islander smokers and ex-smokers. *Medical Journal of Australia*, 2015; 202(10):S73-7.

#### 8.10.4.2 Internet and mobile phone interventions

Carroll, DM, Jennings, D, Stately, A, Kamath, A, Tessier, KM, Cotoc, C et al. (2024). Pilot randomised controlled trial of a culturally aligned smoking cessation app for American Indian persons. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38964856>

Peiris D, Wright L, News M, Rogers K, Redfern J, et al. A smartphone app to assist smoking cessation among aboriginal australians: Findings from a pilot randomized controlled trial. *JMIR Mhealth Uhealth*, 2019; 7(4):e12745. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30938691>

Kerrigan V, Herdman RM, Thomas DP, and Hefler M. 'I still remember your post about buying smokes. *Aust J Prim Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31590703>

#### 8.10.5 Support groups

Glover M and Cowie N. Increasing delivery of smoking cessation treatments to maori and pacific smokers. *The New Zealand Medical Journal*, 2010; 123(1308):6–8. Available from: <http://www.nzma.org.nz/journal/123-1308/3942/>

#### 8.10.6 Interventions for specific groups

Kennedy, M, Heris, C, Barrett, E, Bennett, J, Maidment, S, Chamberlain, C et al. (2022). Smoking cessation support strategies for Aboriginal and Torres Strait Islander women of reproductive age: findings from the Which Way? study. *Med J Aust*, 217 Suppl 2, S19-S26. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35842910>

##### 8.10.6.1 Aboriginal health workers

Cunningham, FC, Murphy, MG, Ward, G, Fagan, R, Arley, B, Hornby-Turner, YC, & d'Abbs, PH. (2022). Impact of an Aboriginal and Torres Strait Islander brief intervention training program on health staff participants' own health behaviours: Smoking, nutrition and physical activity. *Health Promot J Austr*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35661321>

Dawson AP, Cargo M, Stewart H, Chong A, and Daniel M. Corrigendumto: Identifying multi-level culturally appropriate smoking cessation strategies for aboriginal health staff: A concept mapping approach. *Health Education Research*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29136158>

##### 8.10.6.2 Young people

Ramos, GG, Sussman, S, Moerner, L, Unger, JB, & Soto, C. (2022). Project SUN: Pilot Study of a Culturally Adapted Smoking Cessation Curriculum for American Indian Youth. *J Drug Educ*, 472379221111542. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35788160>

Roland, KM, Anderson, M D, Carroll, DM, Webber, AG, Rhodes, KL, Poupart, J et al. (2022). Tribal Tobacco Use Project II: Planning, Implementation, and Dissemination Using Culturally Relevant Data Collection among American Indian Communities. *Int J Environ Res Public Health*, 19(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35805376>

Habash M, Sheppard AJ, and Steiner R. An evaluation of indigenous tobacco program smoking prevention workshops with first nations youth in ontario, canada. *Canadian Journal of Public Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33830477>

McCallum GB, Chang AB, Wilson CA, Petsky HL, Saunders J, et al. Feasibility of a peer-led asthma and smoking prevention project in Australian schools with high indigenous youth. *Front Pediatr*, 2017; 5:33. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28303238>

Johnson GM. Technology use among indigenous adolescents in remote regions of Australia. *International Journal of Adolescence and Youth*, 2016; 21(2):218-31. Available from: <https://doi.org/10.1080/02673843.2013.823553>

Rice ES, Haynes E, Royce P, and Thompson SC. Social media and digital technology use among indigenous young people in Australia: A literature review. *International Journal for Equity in Health*, 2016; 15(1):81. Available from: <https://doi.org/10.1186/s12939-016-0366-0>

Bell J. No smokes project: Summative evaluation report: Findings from qualitative focus groups. Darwin: Menzies School of Health Research, 2012. Available from: [http://www.menzies.edu.au/icms\\_docs/165312\\_Summative\\_evaluation\\_report.pdf](http://www.menzies.edu.au/icms_docs/165312_Summative_evaluation_report.pdf).

#### *8.10.6.3 Pregnant women*

**Rusk, AM, Paul, M, Kelleher, DP, Tilburt, J, Northfelt, D, Rank, M et al. (2024). Identifying pragmatic solutions to reduce cigarette smoking prevalence in Indigenous North Americans: A sequential exploratory mixed-methods study protocol. *PLoS One*, 19(11), e0306512. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39527530>**

Cameron, E, Bryant, J, Cashmore, A, Passmore, E, Oldmeadow, C, Neill, S et al. (2023). A mixed methods evaluation of Quit for new life, a smoking cessation initiative for women having an Aboriginal baby. *BMC Health Serv Res*, 23(1), 532. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37226175>

Gould Judean, GS, Kumar, R, Ryan, NM, Stevenson, L, Oldmeadow, C, La Hera Fuentes, G et al. (2022). Protocol for iSISTAQUIT: Implementation phase of the supporting indigenous smokers to assist quitting project. [MS Top Pick]. *PLoS One*, 17(11), e0274139. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36350896>

Rusk, AM, Giblon, RE, Chamberlain, AM, Patten, CA, Felzer, JR, Bui, YT et al. (2022). Smoking Behaviors Among Indigenous Pregnant People Compared to a Matched Regional Cohort. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36250476>

Gould, GS, Ryan, NM, Kumar, R, Stevenson, LC, Carson-Chahhoud, KV, Oldmeadow, C et al. SISTAQUIT: training health care providers to help pregnant Aboriginal and Torres Strait Islander women quit smoking. A cluster randomised controlled trial. *Med J Aust*, 217(1), 36-42. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35780458>

Tane, M, Stevenson, LC, Cameron, L, & Gould, GS. (2022). Evaluation of Aboriginal and Torres Strait Islander smoking cessation interventions with pregnant women in Australia: utilising a culturally

appropriate tool. *Aust J Prim Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35836347>

Daly JB, Dowe S, Tully B, Tzelepis F, Lecathelinais C, et al. Acceptance of smoking cessation support and quitting behaviours of women attending aboriginal maternal and infant health services for antenatal care. *BMC Pregnancy Childbirth*, 2021; 21(1):85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33499811>

Rahman T, Eftekhari P, Bovill M, Baker A, and Gould G. Socioecological mapping of barriers and enablers to smoking cessation in indigenous Australian women during pregnancy and postpartum: A systematic review. *Nicotine & Tobacco Research*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33428764>

Bovill M, Chamberlain C, Bennett J, Longbottom H, Bacon S, et al. Building an indigenous-led evidence base for smoking cessation care among aboriginal and torres strait islander women during pregnancy and beyond: Research protocol for the which way? Project. *International Journal of Environmental Research and Public Health*, 2021; 18(3). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33540747>

Jorda M, Conant BJ, Sandstrom A, Klug MG, Angal J, et al. Protective factors against tobacco and alcohol use among pregnant women from a tribal nation in the central United States. *PLoS One*, 2021; 16(2):e0243924. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33571225>

Bovill M, Bar-Zeev Y, Bonevski B, Reath J, Oldmeadow C, et al. Ngaa-bi-nya-nhumi-nya (to test first): Piloting the feasibility of using the growth and empowerment measure with aboriginal pregnant women who smoke. *J Smok Cessat*, 2021; 2021:6610500. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34306223>

Rahman T, Foster J, Hera Fuentes GL, Cameron L, and Gould GS. Perspectives about smoking cessation during pregnancy and beyond of aboriginal women in Australia: A qualitative analysis using the com-b model. *Int J Gynaecol Obstet*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34355395>

Flemington T, La Hera-Fuentes G, Bovill M, Hart A, Bennett J, et al. Smoking cessation messages for pregnant aboriginal and torres strait islander women: A rapid review of peer-reviewed literature and assessment of research translation of media content. *International Journal of Environmental Research and Public Health*, 2021; 18(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34501931>

Small SP and Porr C. Indigenous women's experiences of smoking and quitting smoking in pregnancy: A phenomenological study. *Can J Nurs Res*, 2021:8445621211044324. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34668420>

Rahman T, Baker AL, Gould GS, Palazzi K, Lambkin D, et al. Factors associated with smoke-free pregnancy among aboriginal and torres strait women and their experience of quitting smoking in pregnancy: A mixed method cross-sectional study. *International Journal of Environmental Research and Public Health*, 2021; 18(21). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34769756>

Bovill M. What ngidhi yinaaru nhal yayi (this woman told me) about smoking during pregnancy. Medical Journal of Australia, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32105340>

Lyall V, Guy J, Egert S, Pokino LA, Rogers L, et al. "They were willing to work with me and not pressure me": A qualitative investigation into the features of value of a smoking cessation in pregnancy program for aboriginal and torres strait islander women. International Journal of Environmental Research and Public Health, 2020; 18(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33374701>

Walker RC, Graham A, Palmer SC, Jagroop A, and Tipene-Leach DC. Understanding the experiences, perspectives and values of indigenous women around smoking cessation in pregnancy: Systematic review and thematic synthesis of qualitative studies. International Journal for Equity in Health, 2019; 18(1):74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31118025>

Bar-Zeev Y, Bovill M, Bonevski B, Gruppetta M, Oldmeadow C, et al. Improving smoking cessation care in pregnancy at aboriginal medical services: 'I can quit in pregnancy' step-wedge cluster randomised study. BMJ Open, 2019; 9(6):e025293. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167863>

Bovill M, Bar-Zeev Y, Bonevski B, Gruppetta M, Oldmeadow C, et al. Aboriginal wingadhan birrang (woman's journey) of smoking cessation during pregnancy as they participate in the i can quit in pregnancy pilot step-wedge trial. Women and Birth, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31153777>

Ratsch A, Steadman K, Ryu B, and Bogossian F. Tobacco and pituri use in pregnancy: A protocol for measuring maternal and perinatal exposure and outcomes in central Australian aboriginal women. Methods Protoc, 2019; 2(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31181680>

Patten CA, Koller KR, Flanagan CA, Hiratsuka V, Merritt ZT, et al. Postpartum tobacco use and perceived stress among alaska native women: Maw phase 4 study. International Journal of Environmental Research and Public Health, 2019; 16(17). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31438550>

Patten CA, Lando HA, Desnoyers CA, Klejka J, Decker PA, et al. Association of tobacco use during pregnancy, perceived stress, and depression among alaska native women participants in the healthy pregnancies project. Nicotine & Tobacco Research, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31566239>

Bar-Zeev Y, Bovill M, Bonevski B, Gruppetta M, Oldmeadow C, et al. Improving smoking cessation care in pregnancy at aboriginal medical services: 'I can quit in pregnancy' step-wedge cluster randomised study. BMJ Open, 2019; 9(6):e025293. Available from: <https://bmjopen.bmj.com/content/bmjopen/9/6/e025293.full.pdf>

Wyndow P, Walker R, and Reibel T. A novel approach to transforming smoking cessation practice for pregnant aboriginal women and girls living in the pilbara. Healthcare (Basel), 2018; 6(1). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29360761>

Small S, Porr C, Swab M, and Murray C. Experiences and cessation needs of indigenous women who smoke during pregnancy: A systematic review of qualitative evidence. *JBIC Database System Review Implement Rep*, 2018; 16(2):385-452. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29419622>

Passey ME and Stirling JM. Evaluation of 'stop smoking in its tracks': An intensive smoking cessation program for pregnant aboriginal women incorporating contingency-based financial rewards. *Public Health Res Pract*, 2018; 28(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29925084>

Tzelepis F, Daly J, Dowe S, Bourke A, Gillham K, et al. Supporting aboriginal women to quit smoking: Antenatal and postnatal care providers' confidence, attitudes, and practices. *Nicotine & Tobacco Research*, 2017; 19(5):642-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28403464>

Bovill M, Gruppetta M, Cadet-James Y, Clarke M, Bonevski B, et al. Wula (voices) of aboriginal women on barriers to accepting smoking cessation support during pregnancy: Findings from a qualitative study. *Women Birth*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28689764>

Gould GS, Lim LL, and Mattes J. Prevention and treatment of smoking and tobacco use during pregnancy in selected indigenous communities in high-income countries of the United States, Canada, Australia, and New Zealand: An evidence-based review. *Chest*, 2017. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28694200>

Roberts V, Glover M, McCowan L, Walker N, Ussher M, et al. Exercise to support indigenous pregnant women to stop smoking: Acceptability to Maori. *Matern Child Health J*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28702867>

Bar-Zeev Y, Bonevski B, Bovill M, Gruppetta M, Oldmeadow C, et al. The indigenous counselling and nicotine (ican) quit in pregnancy pilot study protocol: A feasibility step-wedge cluster randomised trial to improve health providers' management of smoking during pregnancy. *BMJ Open*, 2017; 7(8):e016095. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28780551>

Bar-Zeev Y, Bovill M, Bonevski B, Gruppetta M, Reath J, et al. Assessing and validating an educational resource package for health professionals to improve smoking cessation care in aboriginal and Torres Strait Islander pregnant women. *International Journal of Environmental Research and Public Health*, 2017; 14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28961160>

Gould GS, Bar-Zeev Y, Bovill M, Atkins L, Gruppetta M, et al. Designing an implementation intervention with the behaviour change wheel for health provider smoking cessation care for Australian indigenous pregnant women. *Implement Sci*, 2017; 12(1):114. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/28915815>

Bar-Zeev Y, Bonevski B, Bovill M, Gruppetta M, Oldmeadow C, et al. The indigenous counselling and nicotine (ican) quit in pregnancy pilot study protocol: A feasibility step-wedge cluster randomised trial to improve health providers' management of smoking during pregnancy. *BMJ Open*, 2017; 7(8):e016095. Available from: <https://bmjopen.bmj.com/content/bmjopen/7/8/e016095.full.pdf>

Kira A, Glover M, Walker N, and Bauld L. Recruiting pregnant indigenous women who smoke into a high contact incentivized cessation trial: A feasibility study. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27154970>

Gould GS, Bittoun R, and Clarke MJ. Guidance for culturally competent approaches to smoking cessation for aboriginal and torres strait islander pregnant women. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25901066>

Passey ME and Sanson-Fisher RW. Response to gould et al's letter to the editor: Provision of antenatal smoking cessation support: A survey with pregnant aboriginal and torres strait islander women. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25895949>

Gould Gea. Guidance for culturally competent approaches to smoking cessation for aboriginal and torres strait islander pregnant women. . *Nicotine & Tobacco Research*, 2015. Available from: <http://ntr.oxfordjournals.org/content/18/1/104.full>

Glover M, Kira A, Walker N, and Bauld L. Using incentives to encourage smoking abstinence among pregnant indigenous women? A feasibility study. *Matern Child Health J*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25427877>

Passey ME, Bryant J, Hall AE, and Sanson-Fisher RW. How will we close the gap in smoking rates for pregnant indigenous women? *The Medical Journal of Australia*, 2013; 199(1):39–41. Available from: <https://www.mja.com.au/journal/2013/199/1/how-will-we-close-gap-smoking-rates-pregnant-indigenous-women>

Eades SJ, Sanson-Fisher RW, Wenitong M, Panaretto K, D'Este C, et al. An intensive smoking intervention for pregnant aboriginal and torres strait islander women: A randomised controlled trial. *Medical Journal of Australia*, 2012; 197(1):42–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/22762231>

van der Sterren A. Goreen narrkwarren ngrn-toura. Healthy family air: A literature review to inform the vaccho smoking amongst pregnant aboriginal women research project Melbourne Victorian Aboriginal Community Controlled Health Organisation and the Centre for Excellence in Indigenous Tobacco Control, 2010. Available from: [https://aodknowledgecentre.ecu.edu.au/healthinonet/getContent.php?linkid=311344&title=Goreen+Narrkwarren+Ngrn-toura+%E2%80%93+healthy+family+air%3A+a+literature+review+to+inform+the+VACCHO+Smoking+amongst+Pregnant+Aboriginal+Women+research+project&contentid=18479\\_1](https://aodknowledgecentre.ecu.edu.au/healthinonet/getContent.php?linkid=311344&title=Goreen+Narrkwarren+Ngrn-toura+%E2%80%93+healthy+family+air%3A+a+literature+review+to+inform+the+VACCHO+Smoking+amongst+Pregnant+Aboriginal+Women+research+project&contentid=18479_1)

Panaretto KS, Mitchell MR, Anderson L, Gilligan C, Buettner P, et al. Tobacco use and measuring nicotine dependence among urban indigenous pregnant women. *Medical Journal of Australia*, 2009; 191(10):554–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19912088>



#### 8.10.6.4 Prisoners

### News:

#### *8.10 Cessation interventions for Aboriginal and Torres Strait Islander peoples*

Tailored coaching available for native americans to keep tobacco sacred. The Sault News, 2021.

Available from: <https://www.sooeveningnews.com/story/news/2021/06/30/tailored-coaching-available-native-americans-keep-tobacco-sacred/7809330002/>

Roberts L. Ama nt calls for 'urgent' tobacco reform to butt out high indigenous smoking rates. ABC

News, 2021. Available from: [https://www.abc.net.au/news/2021-07-18/ama-nt-high-indigenous-smoking-rates-call-for-urgent-action/100294182?utm\\_campaign=news-article-share-control&utm\\_content=twitter&utm\\_medium=content\\_shared&utm\\_source=abc\\_news\\_web](https://www.abc.net.au/news/2021-07-18/ama-nt-high-indigenous-smoking-rates-call-for-urgent-action/100294182?utm_campaign=news-article-share-control&utm_content=twitter&utm_medium=content_shared&utm_source=abc_news_web)

No authors listed. Join a walk to stop smoking. Koori Mail, 2019; (43). Available from:

[https://customreport.mediaportal.com/#/articlepresenter/6c8e1e52a37adf862979ea327e207f75/494360127/1145191793?\\_k=rka3cz](https://customreport.mediaportal.com/#/articlepresenter/6c8e1e52a37adf862979ea327e207f75/494360127/1145191793?_k=rka3cz)

<https://readnow.isentia.com/Temp/142902-524158/1123228383.pdf>

No authors listed. Smoking focus. Wimmera Mail Times, 2019; (1). Available from:

[https://customreport.mediaportal.com/#/articlepresenter/c5f8d4e2-76df-43df-9849-847012364392/498770022/1156532655?\\_k=8jvkez](https://customreport.mediaportal.com/#/articlepresenter/c5f8d4e2-76df-43df-9849-847012364392/498770022/1156532655?_k=8jvkez)

No authors listed. Three programs launched. Lakes Post, 2019. Available from:

[https://customreport.mediaportal.com/#/articlepresenter/c56f6cb0-2783-411a-8834-655a3b16d0b5/503772704/1170444990?\\_k=vdrh9c](https://customreport.mediaportal.com/#/articlepresenter/c56f6cb0-2783-411a-8834-655a3b16d0b5/503772704/1170444990?_k=vdrh9c)

No authors listed. Over \$5.5m will be allocated for research to improve the health outcomes of older indigenous australians, 2019, 4RO: Rockhampton QLD. Available from:

<http://www.mediaportal.com/mp/playnow.aspx?u=142902&p=1178547730&key=962341242401123113485611111318410920791151>.

Hunter F. New funding to curb indigenous smoking rates, the cause of 1 in 5 preventable deaths.

Sydney Morning Herald, 2018. Available from: <http://www.smh.com.au/federal-politics/political-news/new-funding-to-curb-indigenous-smoking-rates-the-cause-of-1-in-5-preventable-deaths-20180210-p4yzvy.html>

No authors listed. A blueprint for tobacco control in indigenous communities. Truth Initiative, 2018.

Available from: <https://truthinitiative.org/news/blueprint-tobacco-control-indigenous-communities>

Werner C. Goolum goolum smoking campaign continues | video The Wimmera Mail-Times, 2017.

Available from: <http://www.mailtimes.com.au/story/4847245/phase-two-for-smoking-campaign-video/>

listed Na. Campaign targets indigenous smokers. Sky Media 2016. Available from:

<http://www.skynews.com.au/news/national/2016/05/01/campaign-targets-indigenous-smokers.html>

Parkes-Hupton H. Marrin weejali aims to cut smoking rates in western sydney. St Marys/Mt Druitt Star 2016. Available from: <http://www.stmarysstar.com.au/story/3917740/indigenous-smoking-rates-still-double-state-average/>

Mid North Coast Division of General Practice. Unsw 'no smokes north coast'. Coffs Harbour, New South Wales: Mid North Coast Division of General Practice, 2011. Last update: Viewed.

Aboriginal Health and Medical Research Council. About us. Tobacco resistance & control. Tobacco resistance and control (a-trac) program. Sydney: Aboriginal Health and Medical Research Council,, 2010. Last update: Viewed Available from: [http://www.ahmrc.org.au/index.php?option=com\\_content&view=article&id=20&Itemid=21](http://www.ahmrc.org.au/index.php?option=com_content&view=article&id=20&Itemid=21).

Department of Health and Ageing. Accessing the pbs co-payment measure. Closing the gap: Tackling indigenous chronic disease. Canberra, Australia: Department of Health and Ageing, 2010. Last update: Viewed Available from: <https://www.pbs.gov.au/info/publication/factsheets/closing-the-gap-pbs-co-payment-measure>.

Kimberley Aboriginal Medical Services Council. Beyond the big smoke. Broome, Western Australia: Kimberley Aboriginal Medical Services Council, 2010. Last update: Viewed Available from: <https://aodknowledgecentre.ecu.edu.au/key-resources/programs-and-projects/538/?title=Beyond+the+Big+Smoke>.

Kimberley Aboriginal Medical Services Council. Be our ally beat smoking (boabs) study Broome, Western Australia: Kimberley Aboriginal Medical Services Council, 2010. Last update: Viewed Available from: [http://www.kamsc.org.au/research/Current\\_Projects/BOABS\\_Study.html](http://www.kamsc.org.au/research/Current_Projects/BOABS_Study.html).

Snowden W. \$10.7 million to combat indigenous smoking, The Hon Warren Snowden MP Minister for Indigenous Health Rural and Regional Health and Regional Service Delivery, Editor 2010. Available from: [http://www.health.gov.au/internet/ministers/publishing.nsf/Content/B87DF5E87D51C847CA2576DC0081D038/\\$File/ws015.pdf](http://www.health.gov.au/internet/ministers/publishing.nsf/Content/B87DF5E87D51C847CA2576DC0081D038/$File/ws015.pdf).

Wellington Aboriginal Corporation Health Service. Bila muuji smoking cessation project. New South Wales: Wellington Aboriginal Corporation Health Service,, 2010. Last update: Viewed Available from: <http://www.wachs.net.au/?page=KPYYMF>.

Urbis. Indigenous smoking scoping study. Adelaide: South Australian Department of Health, 2008. Last update: Viewed Available from: <http://www.publications.health.sa.gov.au/cgi/viewcontent.cgi?article=1023&context=atsi>.

Howard J. Prime minister of Australia-interview-joint press conference with senator amanda vanstone, parliament house, Commonwealth of Australia, Editor 2004: Parliament House Canberra. Available from: <http://www.pm.gov.au/media/Interview/2004/Interview795.cfm>.

Te reo mārama. Kaupapa tupeka kore – tobacco free. Homepage. Wellington: Te Reo Mārama, Last update: Viewed 1 July. Available from: <http://www.tereomarama.co.nz/Site/default.aspx>.

No smokes (ceitc project register). Melbourne, Australia: Centre for Excellence in Indigenous Tobacco Control, The University of Melbourne, Last update: Viewed Available from: [www.ceitc.org.au/indigenous-projects-register](http://www.ceitc.org.au/indigenous-projects-register).

Justice health quit smoking project (ceitc project register). Melbourne, Australia: Centre for Excellence in Indigenous Tobacco Control, The University of Melbourne, Last update: Viewed Available from: [www.ceitc.org.au/indigenous-projects-register](http://www.ceitc.org.au/indigenous-projects-register).

Regional tobacco smoking and healthy lifestyle workforce and activities (ceitc project register). Melbourne, Australia: Centre for Excellence in Indigenous Tobacco Control, The University of Melbourne, Last update: Viewed Available from: [www.ceitc.org.au/indigenous-projects-register](http://www.ceitc.org.au/indigenous-projects-register).

Top end tobacco project (ceitc project register). Melbourne, Australia: Centre for Excellence in Indigenous Tobacco Control, The University of Melbourne, Last update: Viewed Available from: [www.ceitc.org.au/indigenous-projects-register](http://www.ceitc.org.au/indigenous-projects-register).

Asthma Foundation of Western Australia. Newborns asthma parental smoking project. Perth: Asthma Foundation of Western Australia, Last update: Viewed Available from: <https://www.yumpu.com/en/document/view/29127714/how-your-baby-grows-asthma-foundation-of-western-australia>.

Department of Health and Ageing. Listings on the pbs for aboriginal and torres strait islander people. Canberra: Commonwealth of Australia, Last update: Viewed Available from: <https://www.pbs.gov.au/info/publication/factsheets/shared/pbs-listings-for-aboriginal-and-torres-strait-islander-people>.

Hunt J and Appoo S. Breathe building research evidence to address aboriginal tobacco habits effectively. Surry Hills: Aboriginal Health and Medical Research Council of New South Wales, Last update: Viewed Available from: <http://bahsl.com.au/old/pdf/BREATHE.pdf>.

Wuchopperen Health Service. 'Our space smoke free' project plan—executive summary. Manoora, Queensland: Wuchopperen Health Service, Last update: Viewed.

*8.10.1 Considering the context to develop relevant tobacco action programs*

*8.10.2 Taking a comprehensive approach*

*8.10.3 Pharmacological assistance: nicotine replacement therapies, bupropion (Zyban) and varenicline (Champix)*

*8.10.4 Telephone and internet support*

*8.10.4.1 Quitlines*

*8.10.4.2 Internet and mobile phone interventions*

*8.10.5 Support groups*

*8.10.6 Interventions for specific groups*

*8.10.6.1 Aboriginal health workers*

*8.10.6.2 Young people*

*8.10.6.3 Pregnant women*

Lysaght I. Program for smoke-free pregnancy. Kalgoorlie Miner, Kalgoorlie, 2020. Available from:

<https://customreport.mediaportal.com/#/articlepresenter/34b42673-936e-4d33-8c91-f485e119a869/568220720/1352614888? k=urpai5>

No authors listed. New support will help pregnant indigenous women quit smoking. The University of Newcastle Australia, 2019. Available from: <https://www.newcastle.edu.au/newsroom/featured-news/new-support-will-help-pregnant-indigenous-women-quit-smoking>

*8.10.6.4 Prisoners*