

Tobacco in Australia

Facts & Issues

Relevant news and research

9.1 Socio-economic position and disparities in tobacco exposure and use

Last updated December 2024

Research:	3
9.1.1 Disparities in smoking prevalence among adults	12
9.1.2 Disparities in reported cigarette consumption.....	15
9.1.3 Disparities in duration of smoking	16
9.1.4 Disparities in smoking during pregnancy	16
9.1.5 Disparities in smoking behaviours among young people	18
9.1.6 Disparities	19
9.1.6.1 Disparities in children's exposure to secondhand smoke.....	22
9.1.6.2 Disparities in workplace exposure	24
9.1.6.3 Disparities in domestic exposure.....	24
9.1.6.4 Exposure in institutional settings.....	25
News reports:	25
9.1.1 Disparities in smoking prevalence among adults	26
9.1.2 Disparities in reported cigarette consumption.....	26
9.1.3 Disparities in duration of smoking	26
9.1.4 Disparities in smoking during pregnancy	26
9.1.5 Disparities in smoking behaviours among young people	26

9.1.6 Disparities in exposure to secondhand smoke	26
9.1.6.1 Disparities in children's exposure to secondhand smoke.....	27
9.1.6.2 Disparities in workplace exposure	27
9.1.6.3 Disparities in domestic exposure.....	27
9.1.6.4 Exposure in institutional settings.....	27

Research:

Burton, R, Sharpe, C, Sheron, N, Henn, C, Knight, S, Wright, VM, & Cook, M. (2023). The prevalence and clustering of alcohol consumption, gambling, smoking, and excess weight in an English adult population. *Prev Med*, 107683. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37633599>

Zavala-Arciniega, L, Meza, R, Hirschtick, JL, & Fleischer, NL. (2022). Disparities in cigarette, e-cigarette, cigar, and smokeless tobacco use at the intersection of multiple social identities in the U.S. adult population. Results from the TUS-CPS 2018-2019 survey. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36383443>

Weinberger, AH. (2022). Socioeconomic Status and Tobacco Use. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35245936>

Sharma, SR, Matheson, A, Lambrick, D, Faulkner, J, Lounsbury, DW, Vaidya, A, & Page, R. (2020). The role of tobacco and alcohol use in the interaction of social determinants of non-communicable diseases in Nepal: a systems perspective. *BMC Public Health*, 20(1), 1368. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32894104>

Henderson, E, Continente, X, Fernandez, E, Tigova, O, Cortes-Francisco, N, Gallus, S et al. (2020). Secondhand smoke exposure and other signs of tobacco consumption at outdoor entrances of primary schools in 11 European countries. *Sci Total Environ*, 743, 140743. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32758838>

Kastaun, S, Brown, J, & Kotz, D. (2020). Association between income and education with quit attempts, use of cessation aids, and short-term success in tobacco smokers: A social gradient analysis from a population-based cross-sectional household survey in Germany (DEBRA study). *Addict Behav*, 111, 106553. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32717499>

Takagi, D, Yokouchi, N, & Hashimoto, H. (2020). Smoking behavior prevalence in one's personal social network and peer's popularity: A population-based study of middle-aged adults in Japan. *Soc Sci Med*, 260, 113207. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32712558>

Giovenco, DP. (2019). Different Smokes for Different Folks? E-Cigarettes and Tobacco Disparities. *Am J Public Health*, 109(9), 1162-1163. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31390250>

Garrett, BE, Martell, BN, Caraballo, RS, & King, BA. (2019). Socioeconomic Differences in Cigarette Smoking Among Sociodemographic Groups. *Prev Chronic Dis*, 16, E74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31198164>

Jodalli, P. S., & Panchmal, G. S. (2019). Socioeconomic Correlates and Key Aspects of Tobacco Surveillance Using Global Adult Tobacco Survey Among College Students of Mangaluru, South India. *Cureus*, 11(2), e4115. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31058009>

Shusted, CS, & Kane, GC. (2019). Linkage Between Poverty and Smoking in Philadelphia and Its Impact on Future Directions for Tobacco Control in the City. *Popul Health Manag*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31140919>

Fernandez-Alvarez, I, Perez-Rios, M, & Montes, A. (2019). [Association between socioeconomic determinants and environmental tobacco smoke exposure in children]. *Gac Sanit*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30833114>

Amalia, B, Cadogan, S L, Prabandari, YS, & Filippidis, FT. (2019). Socio-demographic inequalities in cigarette smoking in Indonesia, 2007 to 2014. *Prev Med*, 123, 27-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30822433>

Fish, JN, Turner, B, Phillips, G, & Russell, ST. (2019). Cigarette Smoking Disparities Between Sexual Minority and Heterosexual Youth. *Pediatrics*, 143(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30862728>

Wallace, M, Sharfstein, JM, Kaminsky, J, & Lessler, J. Comparison of US County-Level Public Health Performance Rankings With County Cluster and National Rankings: Assessment Based on Prevalence Rates of Smoking and Obesity and Motor Vehicle Crash Death Rates. *JAMA Netw Open*, 2019. 2(1), e186816. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30646196>

Wang TW, Helms VE, Ashley PJ, and King BA. Characteristics and correlates of cigarette smoking status among us adults receiving federal housing assistance. *Preventing Chronic Disease*, 2018; 15:E34. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29565788>

Wang Q, Shen JJ, Sotero M, Li CA, and Hou Z. Income, occupation and education: Are they related to smoking behaviors in china? *PLoS ONE*, 2018; 13(2):e0192571. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29420649>

Sreeramareddy CT, Harper S, and Ernstsen L. Educational and wealth inequalities in tobacco use among men and women in 54 low-income and middle-income countries. *Tobacco Control*, 2018; 27(1):26-34. Available from: <http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/27/1/26.full.pdf>

Sahan C, Gunay T, Simsek H, Soysal A, and Ergor G. Socioeconomic factors associated with tobacco smoking in turkey: A cross-sectional, population-based study. *East Mediterr Health J*, 2018; 24(8):705-13. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30328600>

Poghosyan H, Moen EL, Kim D, Manjourides J, and Cooley ME. Social and structural determinants of smoking status and quit attempts among adults living in 12 us states, 2015. *American Journal of Health Promotion*, 2018:890117118792827. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30071738>

Pichora E, Polsky JY, Catley C, Perumal N, Jin J, et al. Comparing individual and area-based income measures: Impact on analysis of inequality in smoking, obesity, and diabetes rates in canadians 2003-2013. *Canadian Journal of Public Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29981091>

Macdonald L, Olsen JR, Shortt NK, and Ellaway A. Do 'environmental bads' such as alcohol, fast food, tobacco, and gambling outlets cluster and co-locate in more deprived areas in glasgow city, scotland? *Health Place*, 2018; 51:224-31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29747132>

Lau YK, Tam J, Fleischer NL, and Meza R. Neighbourhood deprivation, smoking, and race in south africa: A cross-sectional analysis. Preventive Medicine Reports, 2018; 11:202-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29998052>

Kim I, Bahk J, Kim YY, Lee J, Kang HY, et al. Comparison of district-level smoking prevalence and their income gaps from two national databases: The national health screening database and the community health survey in korea, 2009-2014. Journal of Korean Medical Science, 2018; 33(6):e44. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29349939>

Drope J, Liber AC, Cahn Z, Stoklosa M, Kennedy R, et al. Who's still smoking? Disparities in adult cigarette smoking prevalence in the united states. CA: A Cancer Journal for Clinicians, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29384589>

Curry L, Schmitt CL, Henes A, Ortega-Peluso C, and Battles H. How low-income smokers in new york access cheaper cigarettes. American Journal of Health Promotion, 2018;890117118805060. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30301365>

Csemy L, Sovinova H, and Dvorakova Z. Socioeconomic and gender inequalities in smoking. Findings from the czech national tobacco surveys 2012-2015. Cent Eur J Public Health, 2018; 26(1):28-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29684294>

Assari S and Mistry R. Erratum: Assari, s.; mistry, r. Educational attainment and smoking status in a national sample of american adults; evidence for the blacks' diminished return. Int. J. Environ. Res. Public health 2018, 15, 763. International Journal of Environmental Research and Public Health, 2018; 15(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30248958>

Assari S and Mistry R. Educational attainment and smoking status in a national sample of american adults; evidence for the blacks' diminished return. International Journal of Environmental Research and Public Health, 2018; 15(4). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29659482>

Allen SI, Wasserman E, Veldheer S, Yingst J, Hrabovsky S, et al. Characteristics of adult cigarette smokers who "relight" and the effects of exposure to tobacco smoke constituents. Nicotine & Tobacco Research, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29982710>

Abdulrahim S and Jawad M. Socioeconomic differences in smoking in jordan, lebanon, syria, and palestine: A cross-sectional analysis of national surveys. PLoS ONE, 2018; 13(1):e0189829. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29381734>

Weinberger AH. Tobacco use and socioeconomically disadvantaged groups. Nicotine & Tobacco Research, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29059393>

Steinmetz-Wood M, Gagne T, Sylvestre MP, and Frohlich K. Do social characteristics influence smoking uptake and cessation during young adulthood? International Journal of Public Health, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29082416>

Sharma D, Goel S, and Lal P. Education differential in relation to tobacco use and its predictors across different regions of india. Indian J Cancer, 2017; 54(3):584-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29798964>

Pernenkil V, Wyatt T, and Akinyemiju T. Trends in smoking and obesity among us adults before, during, and after the great recession and affordable care act roll-out. Preventive Medicine, 2017; 102:86-92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28694062>

Levinson AH. Where the u.S. Tobacco epidemic still rages: Most remaining smokers have lower socioeconomic status. Journal of Health Care for the Poor and Underserved, 2017; 28(1):100-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28238991>

Kjellsson G. Extending decomposition analysis to account for unobserved heterogeneity and persistence in health behavior: Income-related smoking inequality among swedish women. Health Economics, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28695631>

Kien VD, Jat TR, Giang KB, Hai PT, Huyen DTT, et al. Trends in socioeconomic inequalities among adult male hardcore smokers in vietnam: 2010-2015. Int J Equity Health, 2017; 16(1):126. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28705253>

Kaleta D, Polanska K, Wojtysiak P, and Szatko F. Involuntary smoking in adolescents, their awareness of its harmfulness, and attitudes towards smoking in the presence of non-smokers. International Journal of Environmental Research and Public Health, 2017; 14(10). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28934143>

Intarut N and Pukdeesamai P. Socioeconomic inequality in concurrent tobacco and alcohol consumption. Asian Pac J Cancer Prev, 2017; 18(7):1913-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28749620>

Boyle RG, D'Silva J, Stanton CA, Carusi C, and Tang Z. Erratum: Disparities in cigarette smoking and use of other tobacco products in minnesota, 2003-14. J Public Health (Oxf), 2017;1. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29106603>

Blumenthal DS. Racial and ethnic disparities in smoking prevalence in israel and the united states: Progress to date and prospects for the future. Isr J Health Policy Res, 2017; 6(1):51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28969689>

Beard E, Brown J, West R, Angus C, Kaner E, et al. Healthier central england or north-south divide? Analysis of national survey data on smoking and high-risk drinking. BMJ Open, 2017; 7(3):e014210. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28249851>

Al-Badri HJA, Khaleefah Ali MA, Ali AA, and Sahib AJ. Socio-economic determinants of smoking among iraqi adults: Data from non-communicable risk factor steps survey 2015. PLoS ONE, 2017; 12(9):e0184989. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28957349>

Vasiljevic D, Mihailovic N, and Radovanovic S. Socioeconomic patterns of tobacco use-an example from the balkans. Front Pharmacol, 2016; 7:372. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27807419>

Tee GH, Aris T, Rarick J, and Irimie S. Social determinants of health and tobacco use in five low and middle-income countries - results from the global adult tobacco survey (gats), 2011 - 2012. Asian Pac J Cancer Prev, 2016; 17(3):1269–76. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27039759>

Sreeramareddy CT, Harper S, and Ernstsen L. Educational and wealth inequalities in tobacco use among men and women in 54 low-income and middle-income countries. *Tobacco Control*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27885168>

Sarkar BK, Shahab L, Arora M, Ahluwalia JS, Reddy KS, et al. The social gradient in tobacco use does not generalize to low-income urban communities in India: Findings from a census survey. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613938>

Sakuma KK, Felicitas-Perkins JQ, Blanco L, Fagan P, Perez-Stable EJ, et al. Tobacco use disparities by racial/ethnic groups: California compared to the United States. *Preventive Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27575315>

McCarthy M. Smoking rates vary widely in US racial and ethnic groups. *British Medical Journal*, 2016; 354:i4343. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27495999>

Martell BN, Garrett BE, and Caraballo RS. Disparities in adult cigarette smoking - United States, 2002-2005 and 2010-2013. *Morbidity and Mortality Weekly Report*, 2016; 65(30):753-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27491017>

Kurti AN, Klemperer EM, Zvorsky I, Redner R, Priest JS, et al. Some context for understanding the place of the general educational development degree in the relationship between educational attainment and smoking prevalence. *Preventive Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26902876>

Higgins ST, Redner R, Priest JS, and Bunn JY. Socioeconomic disadvantage and other risk factors for using higher-nicotine/tar-yield (regular full-flavor) cigarettes. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613929>

Halonen JI, Pulakka A, Stenholm S, Pentti J, Kawachi I, et al. Change in neighborhood disadvantage and change in smoking behaviors in adults: A longitudinal, within-individual study. *Epidemiology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27337178>

Filippidis FT. Tobacco control: A victim of political instability in Greece. *Lancet*, 2016; 387(10016):338-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26842449>

Dehal N, Krishan K, Kanchan T, and Singh J. Strategies for effective tobacco control in countries with world's largest tobacco users: What more is needed? *Perspect Public Health*, 2016; 136(1):16-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26702111>

Casetta B, Videla AJ, Bardach A, Morello P, Soto N, et al. Association between cigarette smoking prevalence and income level: A systematic review and meta-analysis. *Nicotine & Tobacco Research*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27679607>

Bricard D, Jusot F, Beck F, Khlat M, and Legleye S. Educational inequalities in smoking over the life cycle: An analysis by cohort and gender. *International Journal of Public Health*, 2016; 61(1):101-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26310848>

Thakur JS, Prinja S, Bhatnagar N, Rana SK, Sinha DN, et al. Widespread inequalities in smoking & smokeless tobacco consumption across wealth quintiles in states of India: Need for targeted interventions. *Indian J Med Res*, 2015; 141(6):789-98. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26205022>

Singh A, Arora M, English DR, and Mathur MR. Socioeconomic gradients in different types of tobacco use in india: Evidence from global adult tobacco survey 2009-10. BioMed Research International, 2015; 2015:837804. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26273649>

Siddiqi K, Jawad M, Mushtaq N, Ali S, and Khan JA. Tobacco and health disparities. BioMed Research International, 2015; 2015:570173. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26273632>

Sartorius N. Sociodemographic correlates of continuing tobacco use in lifetime smokers-a descriptive report. Acta Psychiatrica Scandinavica, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26615006>

Sakuma KL, Felicitas J, Fagan P, Gruder CL, Blanco L, et al. Smoking trends and disparities among black and non-hispanic whites in california. Nicotine & Tobacco Research, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25666813>

Noble N, Paul C, Turon H, and Oldmeadow C. Which modifiable health risk behaviours are related? A systematic review of the clustering of smoking, nutrition, alcohol and physical activity ('snap') health risk factors. Preventive Medicine, 2015; 81:16–41. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26190368>

Lund M. Social inequality in cigarette consumption, cigarette dependence, and intention to quit among norwegian smokers. BioMed Research International, 2015; 2015:835080. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26273648>

Huang J, King BA, Babb SD, Xu X, Hallett C, et al. Sociodemographic disparities in local smoke-free law coverage in 10 states. American Journal of Public Health, 2015; 105(9):1806–13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26180972>

Du J and Leigh JP. Effects of wages on smoking decisions of current and past smokers. Annals of Epidemiology, 2015; 25(8):575–82 e1. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26066536>

De Maio FG, Konfino J, Ondarsuhu D, Goldberg L, Linetzky B, et al. Sex-stratified and age-adjusted social gradients in tobacco in argentina and uruguay: Evidence from the global adult tobacco survey (gats). Tobacco Control, 2015; 24(6):562–7. Available from:
<http://tobaccocontrol.bmjjournals.org/content/24/6/562.abstract>

Clark CB, Leventhal AM, Ahluwalia JS, and Cropsey KL. The minority are the majority: Today's smoker. J Allied Health, 2015; 44(2):115–6. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26046120>

Wise J. Uk survey confirms link between deprivation and smoking. British Medical Journal, 2014; 348:g2184. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24637849>

Syamlal G, Mazurek JM, Hendricks SA, and Jamal A. Cigarette smoking trends among u.S. Working adult by industry and occupation: Findings from the 2004-2012 national health interview survey. Nicotine & Tobacco Research, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25239956>

Shareck M, Kestens Y, and Frohlich KL. Erratum to "moving beyond the residential neighbourhood to explore social inequalities in exposure to area-level disadvantage: Results from the interdisciplinary

study on inequalities in smoking" [soc sci med 108 (2014) 106-114]. Social Science & Medicine, 2014; 124C:9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25481870>

Shareck M, Kestens Y, and Frohlich KL. Corrigendum to "moving beyond the residential neighbourhood to explore social inequalities in exposure to area-level disadvantage: Results from the interdisciplinary study on inequalities in smoking" [soc sci med 108 (2014) 106-114]. Social Science & Medicine, 2014; 124C:10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25481871>

Pennanen M, Broms U, Korhonen T, Haukkala A, Partonen T, et al. Smoking, nicotine dependence and nicotine intake by socio-economic status and marital status. Addictive Behaviors, 2014; 39(7):1145-51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24727110>

Pampel FC, Mollborn S, and Lawrence EM. Life course transitions in early adulthood and ses disparities in tobacco use. Soc Sci Res, 2014; 43:45-59. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24267752>

Nosa V, Gentles D, Glover M, Scragg R, McCool J, et al. Prevalence and risk factors for tobacco smoking among pre-adolescent pacific children in new zealand. J Prim Health Care, 2014; 6(3):181-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25194244>

Lee YC and Hashibe M. Tobacco, alcohol, and cancer in low and high income countries. Ann Glob Health, 2014; 80(5):378-83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25512153>

Kaplan RC, Bangdiwala SI, Barnhart JM, Castaneda SF, Gellman MD, et al. Smoking among u.S. Hispanic/latino adults: The hispanic community health study/study of latinos. American Journal of Preventive Medicine, 2014; 46(5):496-506. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24745640>

Gostin LO. Tobacco endgame: The poverty conundrum. Hastings Cent Rep, 2014; 44(3):10-1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24821245>

Meamar R, Etedali F, Sereshti N, Sabour E, Samani M, et al. Predictors of smoking cessation and duration: Implication for smoking prevention. Int J Prev Med, 2013; 4(Suppl 2):S194-200. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3678217/>

<http://www.ncbi.nlm.nih.gov/pubmed/23776723>

Gartner CE and Hall WD. Is the socioeconomic gap in childhood exposure to secondhand smoke widening or narrowing? Tobacco Control, 2013; 22(5):344-8. Available from: <http://tobaccocontrol.bmjjournals.org/content/early/2012/03/29/tobaccocontrol-2011-050297.abstract>

Garrett BE, Dube SR, Winder C, Caraballo RS, Centers for Disease C, et al. Cigarette smoking - united states, 2006-2008 and 2009-2010. MMWR Surveill Summ, 2013; 62 Suppl 3:81-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24264495>

French D, Jang S, Tait R, and Anstey K. Cross-national gender differences in the socioeconomic factors associated with smoking in australia, the united states of america and south korea. International Journal of Public Health, 2012; [Epub ahead of print]. Available from: <http://link.springer.com/article/10.1007%2Fs00038-012-0430-5>

<http://www.ncbi.nlm.nih.gov/pubmed/23203478>

Wu Z, Temple J, Shokar N, Nguyen-Oghalai T, and Grady J. Differential racial/ethnic patterns in substance use initiation among young, low-income women. *The American Journal of Drug and Alcohol Abuse*, 2010; 36(2):123–9. Available from:

<http://informahealthcare.com/doi/full/10.3109/00952991003718072>

Nichter M, Greaves L, Bloch M, Paglia M, Scarinci I, et al. Tobacco use and secondhand smoke exposure during pregnancy in low- and middle-income countries: The need for social and cultural research. *Acta Obstetricia et Gynecologica Scandinavica*, 2010; 89:465–77. Available from: <http://onlinelibrary.wiley.com/doi/10.3109/00016341003592552/pdf>

Lin S. Estimating the determinants of smoking behavior in taiwan. *Substance Use & Misuse*, 2010; 45(4):482–95. Available from: <http://informahealthcare.com/doi/full/10.3109/10826080903498929>

Li J, Grigg M, Weerasekera D, and Yeh L-C. Characteristics and quitting success of roll-your-own versus tailor-made cigarette smokers. *The New Zealand Medical Journal*, 2010; 123(1308). Available from: <http://www.nzma.org.nz/journal/123-1308/3947/>

Lawder R, Harding O, Stockton D, Fischbacher C, Brewster D, et al. Is the scottish population living dangerously? Prevalence of multiple risk factors: The scottish health survey 2003. *BMC Public Health*, 2010; 10(1):330. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-10-330.pdf>

Kalkbrenner A, Hornung R, Bernert J, Hammond S, Braun J, et al. Determinants of serum cotinine and hair cotinine as biomarkers of childhood secondhand smoke exposure. *Journal of Exposure Science & Environmental Epidemiology*, 2010; 20(7):615–24. Available from: <http://www.nature.com/jes/journal/vaop/ncurrent/full/jes20107a.html>

Jamil H, Elsouhag D, Hiller S, Arnetz J, and Arnetz B. Sociodemographic risk indicators of hookah smoking among white americans: A pilot study. *Nicotine & Tobacco Research*, 2010; 12(5):525–9. Available from: <http://ntr.oxfordjournals.org/content/12/5/525.long>

Chiu Y, Hart J, Spiegelman D, Garshick E, Smith T, et al. Workplace secondhand smoke exposure in the u.S. Trucking industry. *Environmental Health Perspectives*, 2010; 118(2):216–21. Available from: <http://ehp03.niehs.nih.gov/article/fetchArticle.action;jsessionid=EC05FB14DD01B22CF78D4E7725813E49?articleURI=info%3Adoi%2F10.1289%2Fehp.0900892>

Xiao F, Robson P, Ashbury F, Hatcher J, and Bryant H. Smoking frequency, prevalence and trends, and their socio-demographic associations in alberta, canada. *Canadian Journal of Public Health*, 2009; 100(6):453–8. Available from: <http://journal.cpha.ca/index.php/cjph/article/viewArticle/2100>

Wilson N, Edwards R, and Weerasekera D. High levels of smoker regret by ethnicity and socioeconomic status: National survey data. *New Zealand Medical Journal*, 2009; 122(1292):99–100. Available from: <http://www.labmeeting.com/paper/28949433/wilson-2009-high-levels-of-smoker-regret-by-ethnicity-and-socioeconomic-status-national-survey-data>

Tran S, Rosenberg K, and Carlson N. Racial/ethnic disparities in the receipt of smoking cessation interventions during prenatal care. *Maternal and Child Health Journal*, 2009; [Epub ahead of print]. Available from: <https://commerce.metapress.com/content/p72345p087167h82/resource-secured/?target=fulltext.html&sid=adapya55mthfzf45hsulk45&sh=www.springerlink.com>

Sanem J, Berg C, An L, Kirch M, and Lust K. Differences in tobacco use among two-year and four-year college students in minnesota. Journal of American College Health, 2009; 58(2):151–9. Available from: <http://heldref-publications.metapress.com/app/home/contribution.asp?referrer=parent&backto=issue,9,14;journal,2,36;linkingpublicationresults,1:119928,1>

Moore A, Karno M, Grella C, Lin J, Warda U, et al. Alcohol, tobacco, and nonmedical drug use in older u.S. Adults: Data from the 2001/02 national epidemiologic survey of alcohol and related conditions. Journal of the American Geriatrics Society, 2009; 57(12):2275–81. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1532-5415.2009.02554.x/full>

Mantziou V, Vardavas C, Kletsiou E, and Priftis K. Predictors of childhood exposure to parental secondhand smoke in the house and family car. International Journal of Environmental Research and Public Health, 2009; 6:433–4. Available from: <http://www.mdpi.com/1660-4601/6/2/433/>

King K, Martynenko M, Bergman MH, Liu Y-H, Winickoff JP, et al. Family composition and children's exposure to adult smokers in their homes. Pediatrics, 2009; 123(4):e559–64. Available from: <http://pediatrics.aappublications.org/cgi/content/full/123/4/e559>

Graham H, Hawkins S, and Law C. Lifecourse influences on women's smoking before, during and after pregnancy. Social Science & Medicine, 2009; 70(4):582–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19932931>

Dube S, Asman K, Malarcher A, and Carabollo R. Cigarette smoking among adults and trends in smoking cessation --- united states, 2008. MMWR. Morbidity and Mortality Weekly Report, 2009; 58(44):1227–32. Available from: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5844a2.htm>

Blake S, Murray K, El-Khorazaty M, Gantz M, Kiely M, et al. Environmental tobacco smoke avoidance among pregnant african-american nonsmokers. American Journal of Preventive Medicine, 2009; 36(3):225–34. Available from: [http://www.aipm-online.net/article/S0749-3797\(08\)00949-5/fulltext](http://www.aipm-online.net/article/S0749-3797(08)00949-5/fulltext)

Alwan N, Siddiqi K, Thomson H, and Cameron I. Children's exposure to second-hand smoke in the home: A household survey in the north of england. Health & Social Care in the Community, 2009; 18(3):257–63. Available from: www.ncbi.nlm.nih.gov/pubmed/2005093

Tramacere I, Gallus S, Zuccaro P, Colombo P, Rossi S, et al. Socio-demographic variation in smoking habits italy, 2008. Preventive Medicine, 2008; 48(3):213–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19159645>

Thomson G, Wilson N, Bushell L, Al Matar W, Ball B, et al. Butt lengths differ by area deprivation level: A field study to explore intensive smoking. Nicotine & Tobacco Research, 2008; 10(5):927–31. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200802027222>

Smith DR. Tobacco smoking by occupation in australia and the united states: A review of national surveys conducted between 1970 and 2005. Industrial Health 2008; 46:77–89. Available from: http://www.jstage.jst.go.jp/article/indhealth/46/1/46_77/_article

Ponniah S and Bloomfield A. Sociodemographic characteristics of new zealand adult smokers, ex-smokers, and non-smokers: Results from the 2006 census. New Zealand Medical Journal, 2008; 121(1284):34–42. Available from: <http://www.nzma.org.nz/journal/>

Morgen C, Bjørk C, Andersen P, Mortensen L, and Andersen A. Socioeconomic position and the risk of preterm birth--a study within the danish national birth cohort. International Journal of Epidemiology, 2008; 37(5):1109–20. Available from:
<http://ije.oxfordjournals.org/content/37/5/1109.long>

Lipton R, Cunradi C, and Chen M. Smoking and all-cause mortality among a cohort of urban transit operators. Journal of Urban Health, 2008; 85(5):759–65. Available from:
<https://springerlink3.metapress.com/content/a0w544621458153j/resource-secured/?target=fulltext.html&sid=1loiihmjonxf5lfec55nenmn&sh=www.springerlink.com>

Caraballo R, Yee S, Gfroerer J, and Mirza S. Adult tobacco use among racial and ethnic groups living in the united states, 2002-2005. Preventing Chronic Disease, 2008; 5(3):A78. Available from:
http://www.cdc.gov/pcd/issues/2008/Jul/pdf/07_0116.pdf

Bolte G and Fromme H. Socioeconomic determinants of children's environmental tobacco smoke exposure and family's home smoking policy. European Journal of Public Health, 2008; 19(1):52–8. Available from: <http://eurpub.oxfordjournals.org/content/19/1/52.long>

Mohsin M and Bauman A. Socio-demographic factors associated with smoking and smoking cessation among 426,344 pregnant women in new south wales, australia. BMC Public Health, 2005; 5:138. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-5-138.pdf>

Laaksonen M, Rahkonen O, Karvonen S, and Lahelma E. Socioeconomic status and smoking: Analysing inequalities with multiple indicators. European Journal of Public Health, 2005; 15(3):262–9. Available from: <http://eurpub.oxfordjournals.org/cgi/content/abstract/15/3/262>

Giskes K, Kunst AE, Benach J, Borrell C, Costa G, et al. Trends in smoking behaviour between 1985 and 2000 in nine european countries by education. Journal of Epidemiology and Community Health, 2005; 59(5):395–401. Available from: <http://jech.bmjjournals.org/cgi/content/abstract/59/5/395>

9.1.1 Disparities in smoking prevalence among adults

Rose, SW, Rayens, MK, Azadi, M, Kierstead, E, Kong, AY, & Horn, K. (2024). Examining the relationship between racial, ethnic and economic residential segregation and cigarette smoking among a nationally representative sample of young adults. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39579345>

Valentelyte, G, Sheridan, A, Kavanagh, P, Doyle, F., & Sorensen, J. (2024). Socioeconomic Variation in Tobacco Smoking Among the Adult Population in Ireland. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39566894>

Walsh, CP, Shariff-Marco, S, Lee, Y, Wilkens, LR, Marchand, LL, Haiman, CA et al . (2024). Joint Association of Education and Neighborhood Socioeconomic Status with Smoking Behavior: The Multiethnic Cohort Study. *Res Sq.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39574887>

Snell, LM, Barnes, AJ, & Eissenberg, T. (2024). Variation in Relative Risk Perceptions and Tobacco Use by Race and Socioeconomic Status among Older Adults who Smoke: Evidence from the Population Assessment of Tobacco and Health (PATH) Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39404138>

Baek, SU, Kim, MS, Lim, MH, Kim, T, Yoon, JH, Lee, YM, & Won, JU. (2024). Association between temporary employment and current smoking and change in smoking behaviors: A prospective cohort study from South Korea (2009-2018). *J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38462531>

Aw, JYH, Heris, C, Maddox, R, Joshy, G, & Banks Am, E. (2024). Who smokes in Australia? Cross-sectional analysis of Australian Bureau of Statistics survey data, 2017-19. *Med J Aust*, 220(3), 154-163. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38368552>

Kumari, N, Manisha, M, Paul, S, & Ram, R. (2024). Socioeconomic inequality among smoking and smokeless tobacco uses among males in India: a decomposition analysis. *Public Health*, 227, 176-186. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38232566>

Wehrli, D, Gilljam, H, Koh, DM, Matoori, S, Sartoretti, T, Boes, S et al. (2023). Smoking trends and health equity in Switzerland between 1992 and 2017: dependence of smoking prevalence on educational level and social determinants. *Front Psychiatry*, 14, 1258272. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38076700>

Aristides Dos Santos, AM, Triaca, LM, & Leivas, PHS. (2023). How is smoking distributed in relation to socioeconomic status? Evidence from Brazil in the years 2013 and 2019. *Econ Hum Biol*, 49, 101240. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37044042>

Nargis, N, Li, Q, Griffin, L, Asare, S, Bandi, P, Majmundar, A et al. (2021). Association of teleworking and smoking behavior of U.S. wage and salary workers. *J Occup Health*, 63(1), e12283. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34599638>

Casseus, M, Gruber, JM, West, B, & Wackowski, O. (2020). Tobacco use disparities and disability among US college students. *J Am Coll Health*, 1-6. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33151844>

Martin, L, White, MP, Pahl, S, May, J, & Wheeler, BW. (2020). Neighbourhood greenspace and smoking prevalence: Results from a nationally representative survey in England. *Soc Sci Med*, 113448. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33148395>

Hamad, R, Brown, DM, & Basu, S. (2019). The association of county-level socioeconomic factors with individual tobacco and alcohol use: a longitudinal study of U.S. adults. *BMC Public Health*, 19(1), 390. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30971249>

Spears, CA, Jones, DM, Pechacek, TF, & Ashley, DL. Use of other combustible tobacco products among priority populations of smokers: Implications for U.S. tobacco regulatory policy. *Addict Behav*, 2019, 93, 194-197. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30735829>

Tian, J, Gall, S, Patterson, K, Otahal, P, Blizzard, L, Patton, G et al. Socioeconomic position over the life course from childhood and smoking status in mid-adulthood: results from a 25-year follow-up study. *BMC Public Health*, 2019, 19(1), 169. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30736767>

Leas, EC, Schleicher, NC, Prochaska, JJ, & Henriksen, L. Place-Based Inequity in Smoking Prevalence in the Largest Cities in the United States. *JAMA Intern Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30615029>

Gagne, T, Lee, JGL, Steinmetz-Wood, M, & Frohlich, KL. Methodological systematic review of studies on social inequalities in smoking among young adults: A field coming of age? *Tob Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30397029>

Trinidad DR, Xie B, Fagan P, Pulvers K, Romero DR, et al. Disparities in the population distribution of african american and non-hispanic white smokers along the quitting continuum. *Health Educ Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25794519>

Zvolensky M, Johnson K, Leyro T, Hogan J, and Tursi L. Quit-attempt history: Relation to current levels of emotional vulnerability among adult cigarette users. *Journal of Studies on Alcohol and Drugs*, 2009; 70(4):551–4. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19515295

Stueve A and O'Donnell L. Continued smoking and smoking cessation among urban young adult women: Findings from the reach for health longitudinal study. *American Journal of Public Health*, 2007; 97(8):1408–11. Available from: <http://www.ajph.org/cgi/reprint/97/8/1408>

Solberg L, Asche S, Boyle R, McCarty M, and Thoelle M. Smoking and cessation behaviors among young adults of various educational backgrounds. *American Journal of Public Health*, 2007; 97(8):1421–6. Available from: <http://www.ajph.org/cgi/reprint/97/8/1421>

Smith D and Leggat P. Tobacco smoking by occupation in australia: Results from the 2004 to 2005 national health survey. *Journal of Occupational and Environmental Medicine*, 2007; 49(4):437–45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17426527>

Schlundt DG, Niebler S, Brown A, Pichert JW, McClellan L, et al. Disparities in smoking: Data from the nashville reach 2010 project. *Journal of Ambulatory Care Management*, 2007; 30(2):150–8. Available from: <http://www.ambulatorycaremanagement.com/pt/re/jacm/abstract.00004479-200704000-00010.htm;jsessionid=LqTCMLFRTQ0BIjhCq2PtTcvJylv1qWMLPSDKIMRQQJpMc7nDrZfg!851130288!181195628!8091!-1>

Lawlor D, Tooth L, Lee C, and Dobson A. A comparison of the association between socioeconomic position and cardiovascular disease risk factors in three age cohorts of australian women: Findings from the australian longitudinal study on women's health. *Journal of Public Health*, 2005; 27(4):378–87. Available from: <http://jpubhealth.oxfordjournals.org/cgi/content/abstract/fdi052v1>

Huisman M, Kunst AE, and Mackenbach JP. Educational inequalities in smoking among men and women aged 16 years and older in 11 european countries. *Tobacco Control*, 2005; 14(2):106–13. Available from: <http://tc.bmjjournals.com/cgi/content/abstract/14/2/106>

Huisman M, Kunst A, and Mackenbach J. Inequalities in the prevalence of smoking in the european union: Comparing education and income. *Preventive Medicine*, 2005; 40(6):756–64. Available from: www.ncbi.nlm.nih.gov/pubmed/15850876

Lindstrom M, Isacsson S-O, and Elmstahl S. Impact of different aspects of social participation and social capital on smoking cessation among daily smokers: A longitudinal study. *Tobacco Control*, 2003; 12(3):274–81. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/full/12/3/274>

Fernandez E, Garcia M, and Schiaffano A. Smoking initiation and cessation by gender and educational level in catalonia, spain. *Preventive Medicine*, 2001; 32(3):218–23. Available from: www.ncbi.nlm.nih.gov/pubmed/11277678

Najman J and Davey-Smith G. The embodiment of class-related and health inequalities: Australian policies. *Australian and New Zealand Journal of Public Health*, 2000; 24:3–4.

Whitlock G, MacMahon S, and Vander Hoorn S. Socioeconomic distribution of smoking in a population of 10,529 new zealanders. *The New Zealand Medical Journal*, 1997; 110(1051):327–30. Available from: www.ncbi.nlm.nih.gov/pubmed/9323370

9.1.2 Disparities in reported cigarette consumption

Nghipandulwa, MT, & Mukong, AK. (2023). Estimating Income-Related Health Inequalities Associated with Tobacco and Alcohol Consumption in Namibia. *Int J Environ Res Public Health*, 20(2). Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9500000/>

Hovanec, J, Weiss, T, Koch, HM, Pesch, B, Behrens, T, Kendzia, B et al. (2022). Smoking intensity and urinary nicotine metabolites by socioeconomic status in the Heinz Nixdorf Recall study. *BMC Public Health*, 22(1), 302. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9500000/>

Hovanec, J, Weiss, T, Koch, H, Pesch, B, Behrens, T, Kendzia, B et al. Smoking and urinary cotinine by socioeconomic status in the Heinz Nixdorf Recall Study. *J Epidemiol Community Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9500000/>

Si Y, Zhou Z, Su M, Wang X, Li D, et al. Socio-economic inequalities in tobacco consumption of the older adults in china: A decomposition method. *International Journal of Environmental Research and Public Health*, 2018; 15(7). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9500000/>

Dobson KG, Gilbert-Ouimet M, Mustard CA, and Smith PM. Association between dimensions of the psychosocial and physical work environment and latent smoking trajectories: A 16-year cohort study of the canadian workforce. *Occupational and Environmental Medicine*, 2018; 75(11):814-21. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9500000/>

<https://oem.bmjjournals.org/content/75/11/814.long>

Levy D, Biener L, and Rigotti N. The natural history of light smokers: A population-based cohort study. *Nicotine & Tobacco Research*, 2009; 11(2):156–63. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/2/156>

Fagan P and Rigotti N. Light and intermittent smoking: The road less traveled. *Nicotine & Tobacco Research*, 2009; 11(2):107–10. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/2/107>

Siahpush M. Unpublished analysis of 2001 national drug strategy survey., Melbourne: VicHealth Centre for Tobacco Control, 2003.

9.1.3 Disparities in duration of smoking

Chen, A, Machiorlatti, M, Krebs, NM, & Muscat, JE. (2019). Socioeconomic differences in nicotine exposure and dependence in adult daily smokers. *BMC Public Health*, 19(1), 375. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30943945>

Lindstrom M. Commentary on wang et al. (2017): Differing patterns of short-term transitions of nondaily smokers for different indicators of socioeconomic status (ses). *Addiction*, 2017; 112(5):873-4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28378330>

Bell R, Arcury T, Chen H, Anderson A, Savoca M, et al. Use of tobacco products among rural older adults: Prevalence of ever use and cumulative lifetime use. *Addictive Behaviors*, 2009; 34(8):662–7. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2694960/>

Ackerson L and Viswanath K. Communication inequalities, social determinants, and intermittent smoking in the 2003 health information national trends survey. *Preventing Chronic Disease*, 2009; 6(2):A40. Available from: http://www.cdc.gov/PCD/issues/2009/apr/08_0076.htm

Siahpush M, Heller G, and Singh G. Lower levels of occupation, income and education are strongly associated with a longer smoking duration: Multivariate results from the 2001 australian national drug strategy survey. *Public Health*, 2005; 119(12):1105–10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/16085150>

9.1.4 Disparities in smoking during pregnancy

Kondracki, AJ, Attia, JR, Valente, MJ, Roth, KB, Akin, M, McCarthy, CA, & Barkin, JL. (2024). Exploring a Potential Interaction Between the Effect of Specific Maternal Smoking Patterns and Comorbid Antenatal Depression in Causing Postpartum Depression. *Neuropsychiatr Dis Treat*, 20, 795-807. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38586309>

Roustaei, Z, Raisanen, S, Gissler, M, & Heinonen, S. (2020). Associations between maternal age and socioeconomic status with smoking during the second and third trimesters of pregnancy: a register-based study of 932 671 women in Finland from 2000 to 2015. *BMJ Open*, 10(8), e034839. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32847901>

Massetti GM, Thomas CC, and Ragan KR. Disparities in the context of opportunities for cancer prevention in early life. *Pediatrics*, 2016; 138(Suppl 1):S65-S77. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27940979>

Handley MC and Avery DM, Jr. Smoking in rural and underserved pregnant women. *Nurs Clin North Am*, 2015; 50(3):577–84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26333611>

Yang TC, Shoff C, Noah AJ, Black N, and Sparks CS. Racial segregation and maternal smoking during pregnancy: A multilevel analysis using the racial segregation interaction index. *Social Science & Medicine*, 2014; 107:26–36. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24602968>

Saint Onge JM, Gurley-Calvez T, Orth TA, and Okah FA. The association between social stressors and home smoking rules among women with infants in the united states. *American Journal of Public Health*, 2014:e1–e8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25322289>

Raisanen S, Kramer MR, Gissler M, Saari J, Hakulinen-Viitanen T, et al. Smoking during pregnancy was up to 70% more common in the most deprived municipalities - a multilevel analysis of all singleton births during 2005-2010 in finland. *Preventive Medicine*, 2014; 67:6–11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24983887>

Gilbert NL, Bartholomew S, Raynault MF, and Kramer MS. Temporal trends in social disparities in maternal smoking and breastfeeding in canada, 1992-2008. *Maternal and Child Health Journal*, 2014; 18(8):1905–11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24474592>

Higgins S, Heil S, Badger G, Skelly J, Solomon L, et al. Educational disadvantage and cigarette smoking during pregnancy. *Drug and Alcohol Dependence*, 2009; 104(suppl 1.):100–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19442460>

Sellström E, Arnoldsson G, Bremberg S, and Hjern A. The neighbourhood they live in - does it matter to women's smoking habits during pregnancy? *Health & Place*, 2007; 14(2):155–66. Available from: www.ncbi.nlm.nih.gov/pubmed/17616477

Giglia R, Binns C, Alfonso H, and Zhao Y. Which mothers smoke before, during and after pregnancy? *Public Health*, 2007; 121(12):942–9. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B73H6-4P0N90K-2&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=0b2441588f7e711a5d3bd286cefe695a

Erick-Peleti S, Paterson J, and Williams M. Pacific islands families study: Maternal factors associated with cigarette smoking amongst a cohort of pacific mothers with infants. *The New Zealand Medical Journal*, 2007; 120(1256):U2588. Available from: <http://www.nzma.org.nz/journal/120-1256/2588/content.pdf>

Giglia RC, Binns CW, and Alfonso HS. Which women stop smoking during pregnancy and the effect on breastfeeding duration. *BMC Public Health*, 2006; 6:195. Available from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1550397>

Giglia R, Binns C, and Alfonso H. Maternal cigarette smoking and breastfeeding duration *Acta Paediatrica*, 2006; 95(11):1370–4. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1080/08035250600771474>

Penn G and Owen L. Factors associated with continued smoking during pregnancy: Analysis of socio-demographic, pregnancy and smoking-related factors. *Drug and Alcohol Review*, 2002; 21(1):17–25. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/09595230220119291>

Lu Y, Tong S, and Oldenburg B. Determinants of smoking and cessation during and after pregnancy. *Health Promotion International*, 2001; 16(4):355–65. Available from:
<http://heapro.oxfordjournals.org/cgi/content/full/16/4/355>

9.1.5 Disparities in smoking behaviours among young people

Assari, S, Najand, B, & Sheikhattari, P. (2024). Household Income and Subsequent Youth Tobacco Initiation: Minorities' Diminished Returns. *J Med Surg Public Health*, 2. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38425566>

Danielsen, D, Vinther, JL, Holt, DH, Jakobsen, GS, Bast, LS, & Andersen, S. (2024). Factors sustaining legitimacy of smoking in Vocational Education and Training (VET) schools: a qualitative needs assessment. *BMC Public Health*, 24(1), 683. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/38438986>

Alves, J, Perelman, J, Ramos, E, & Kunst, AE. (2023). The emergence of socioeconomic inequalities in smoking during adolescence and early adulthood. *BMC Public Health*, 23(1), 1382. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/37464370>

Kuipers, MAG, Kang, K, Dragomir, AD, Monshouwer, K, Benedetti, E, Lombardi, G et al (2023). A Novel Methodological Approach to Measure Linear Trends in Health Inequalities: Proof-Of-Concept for Adolescent Smoking in Europe. *Am J Epidemiol*. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/36745706>

Gaiha, SM, & Halpern-Felsher, B. (2021). Corroborating Adolescent Tobacco Use and Sociodemographic Patterns From Multiple National Surveys. *J Adolesc Health*, 68(4), 642-643. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33781469>

Epperson, AE, Gonzalez, M, Skorek, M, & Song, AV. (2021). Challenging Assumptions About Race/Ethnicity, Socioeconomic Status, and Cigarette Smoking Among Adolescents. *J Racial Ethn Health Disparities*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33543446>

Kjeld, SG, Glenstrup, S, & Bast, LS. (2021). Gender and socioeconomic disparities in reasons for not smoking cigarettes among Danish adolescents. *BMC Res Notes*, 14(1), 33. Retrieved from
<https://www.ncbi.nlm.nih.gov/pubmed/33485377>

Moor, I, Kuipers, MAG, Lorant, V, Pfortner, TK, Kinnunen, JM, Rathmann, K et al. (2019). Inequalities in adolescent self-rated health and smoking in Europe: comparing different indicators of socioeconomic status. *J Epidemiol Community Health*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31302594>

Holstein, BE, Andersen, A, Damsgaard, MT, Due, P, Bast, LS, & Rasmussen, M. (2019). Trends in socioeconomic differences in daily smoking among 15-year-old Danes 1991-2014. *Scand J Public Health*, 1403494819848284. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31074327>

Wiggins, AT, Huntington-Moskos, L, Rayens, EA, Rayens, MK, Noland, M, Butler, K, & Hahn, EJ. (2019). Tobacco Use Among Rural and Urban US Middle and High School Students: National Youth Tobacco Survey, 2011-2016. *J Rural Health*. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/30865335>

Staff J, Maggs JL, Ploubidis GB, and Bonell C. Risk factors associated with early smoking onset in two large birth cohorts. *Addictive Behaviors*, 2018. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29935736>

Stone E and Peters M. Young low and middle-income country (lmic) smokers-implications for global tobacco control. *Transl Lung Cancer Res*, 2017; 6(Suppl 1):S44-S6. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29299409>

Kuntz B, Waldhauer J, Moor I, Rathmann K, Richter M, et al. [trends in educational inequalities in smoking among adolescents in germany : Evidence from four population-based studies]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*, 2017. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28980028>

Huddlestone L, Pritchard C, and Ratschen E. Smoking and looked-after children: A mixed-methods study of policy, practice, and perceptions relating to tobacco use in residential units. *International Journal of Environmental Research and Public Health*, 2016; 13(6). Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27314373>

Heffler M and Chapman S. Disadvantaged youth and smoking in mature tobacco control contexts: A systematic review and synthesis of qualitative research. *Tobacco Control*, 2015; 24(5):429–35. Available from: <http://tobaccocontrol.bmjjournals.org/content/24/5/429.abstract>

Timberlake D and Huh J. Demographic profiles of smokeless tobacco users in the u.S. *American Journal of Preventive Medicine*, 2009; 37(1):29–34. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19524142

9.1.6 Disparities

Titus, AR, Shelley, D, & Thorpe, LE. (2024). Variability in self-reported and biomarker-derived tobacco smoke exposure patterns among individuals who do not smoke by poverty income ratio in the USA. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39004510>

Arabi, S, Jahanmehr, N, & Khoramrooz, M. (2023). National and regional economic inequalities in first- and second-hand tobacco consumption among women of reproductive ages in Iran. *BMC Public Health*, 23(1), 2532. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38110920>

Mahabee-Gittens, EM, Vidourek, RA, King, KA, & Merianos, AL. (2022). Disparities in Neighborhood Characteristics among U.S. Children with Secondhand and Thirdhand Tobacco Smoke Exposure. *Int J Environ Res Public Health*, 19(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35409946>

Mlinaric, M, Kastaun, S, & Kotz, D. (2022). Exposure to Tobacco Smoking in Vehicles, Indoor, and Outdoor Settings in Germany: Prevalence and Associated Factors. *Int J Environ Res Public Health*, 19(7). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35409733>

Alkan, O, & Unver, S. (2022). Secondhand smoke exposure for different education levels: findings from a large, nationally representative survey in Turkey. *BMJ Open*, 12(2), e057360. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35177464>

Pelekanakis, A, O'Loughlin, JL, Maximova, K, Montreuil, A, Kalubi, J Dugas, EN, & Sylvestre, MP. (2021). Associations of Quantity Smoked and Socioeconomic Status With Smoke-Free Homes and Cars Among Daily Smokers. *Health Educ Behav*, 10901981211010437. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34027700>

Kang, SY, Lim, MK, & Cho, HJ. (2021). Trends in the socioeconomic inequalities related to second-hand smoke exposure as verified by urine cotinine levels among nonsmoking adults: Korea National Health and Nutrition Examination Survey 2008 - 2018. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33764416>

No authors listed. QuickStats: Trends in Secondhand Smoke Exposure* Among Nonsmoking Adults, by Race(dagger) and Hispanic Origin - National Health and Nutrition Examination Survey, United States, 2009-2018. (2021). *MMWR Morb Mortal Wkly Rep*, 70(6), 224. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33571178>

Sharma, D, & Panigrahi, A. (2020). Second-hand smoke exposure and its determinants among nonsmoking adolescents residing in slum areas of Bhubaneswar, India. *Indian J Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33402582>

Shastri, SS, Talluri, R, & Shete, S. (2020). Disparities in Secondhand Smoke Exposure in the United States: National Health and Nutrition Examination Survey 2011-2018. *JAMA Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33226402>

Wahidin, M, Hidayat, MS, Arasy, RA, Amir, V, & Kusuma, D. (2020). Geographic distribution, socio-economic disparity and policy determinants of smoke-free policy adoption in Indonesia. *Int J Tuberc Lung Dis*, 24(4), 383-389. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32317061>

Xiao, C, Yang, Y, Xu, X, & Ma, X. (2020). Housing Conditions, Neighborhood Physical Environment, and Secondhand Smoke Exposure at Home: Evidence from Chinese Rural-to-Urban Migrant Workers. *Int J Environ Res Public Health*, 17(8). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32290410>

Santero, M, Melendi, S, Hernandez-Vasquez, A, & Irazola, V. (2019). Socio-economic inequalities in smoking prevalence and involuntary exposure to tobacco smoke in Argentina: Analysis of three cross-sectional nationally representative surveys in 2005, 2009 and 2013. *PLoS One*, 14(6), e0217845. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31173615>

Saito J, Shibanuma A, Yasuoka J, Kondo N, Takagi D, et al. Education and indoor smoking among parents who smoke: The mediating role of perceived social norms of smoking. *BMC Public Health*, 2018; 18(1):211. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29394912>

Rahman M, Haque MN, Rahman MM, Mostofa MG, Zahan MS, et al. Socio-economic inequalities in secondhand smoke exposure at home in the context of mother-child pairs in bangladesh. *Public Health*, 2018; 161:106-16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30015081>

Berg CJ, Haardorfer R, Wagener TL, Kegler MC, and Windle M. Correlates of allowing alternative tobacco product or marijuana use in the homes of young adults. *Pediatrics*, 2018; 141(Suppl 1):S10-S20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29292302>

Benowitz NL, Nardone N, Jain S, Dempsey DA, Addo N, et al. Comparison of urine 4-(methylnitrosamino)-1-(3)pyridyl-1-butanol and cotinine for assessment of active and passive smoke exposure in urban adolescents. *Cancer Epidemiology Biomarkers & Prevention*, 2018. Available from: <http://cebp.aacrjournals.org/content/cebp/early/2018/02/20/1055-9965.EPI-17-0671.full.pdf>

Larson E and Santos B. Disparities in secondhand smoke exposure among nonsmoking adults in rhode island: Tobacco control's pro-equity approach. *R I Med J* (2013), 2017; 100(5):40-2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28459921>

Montreuil A, Hanusaik N, Cantinotti M, Leclerc BS, Kestens Y, et al. Social disparities in children's exposure to secondhand smoke in privately owned vehicles. *Tobacco Control*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27794067>

Klepis NE, Dhaliwal N, Hayward G, Acevedo-Bolton V, Ott WR, et al. Measuring indoor air quality and engaging california indian stakeholders at the win-river resort and casino: Collaborative smoke-free policy development. *International Journal of Environmental Research and Public Health*, 2016; 13(1). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26805860>

Holmes LM and Ling PM. Workplace secondhand smoke exposure: A lingering hazard for young adults in california. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27417380>

Tran TT, Yiengprugsawan V, Chinwong D, Seubsman SA, and Sleigh A. Environmental tobacco smoke exposure and health disparities: 8-year longitudinal findings from a large cohort of thai adults. *BMC Public Health*, 2015; 15(1):1217. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26646160>

Park S, Lim S, Kim J, Lee H, and June KJ. Socioeconomic disparities in household secondhand smoke exposure among non-smoking adolescents in the republic of korea. *Glob Public Health*, 2015;1–18. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26654579>

Thomson G, Oliver J, and Wilson N. Trends in smoking in vehicles at a local community-level in new zealand: Wainuiomata 2005-2013. *New Zealand Medical Journal*, 2014; 127(1397):47–56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24997701>

Levy D, Rigotti N, and Winickoff J. Tobacco smoke exposure in a sample of boston public housing residents. *American Journal of Preventive Medicine*, 2013; 44(1):63–6 Available from: <http://www.ajpmonline.org/article/S0749-3797%2812%2900715-5/fulltext>

<http://www.ncbi.nlm.nih.gov/pubmed/23253651>

King B, Babb S, Tynan M, and Gerzoff R. National and state estimates of secondhand smoke infiltration among u.S. Multiunit housing residents. *Nicotine & Tobacco Research*, 2012; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/content/early/2012/11/05/ntr.nts254.long>

<http://www.ncbi.nlm.nih.gov/pubmed/23248030>

Gartner CE. Reported smoking inside and outside in households with and without dependent children, data from national drug strategy household survey 2001, 2004 and 2007, 2010, University of Queensland: Brisbane.

Kollins S, Garrett M, McClernon F, Lachiewicz A, Morrissey-Kane E, et al. Effects of postnatal parental smoking on parent and teacher ratings of adhd and oppositional symptoms. *J Nerv Ment Dis*, 2009; 197(6):442–9. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19525745

Mak YW, Loke A, Abu Saleh A, and Lam T. Household smoking practices of parents with young children, and predictors of poor household smoking practices. *Public Health*, 2008; 122(11):1199–209. Available from: <http://www.publichealthjrnl.com/article/PIIS0033350608001066/fulltext>

Mak Y, Loke A, Abu Saleh A, and Lam T. Household smoking practices of parents with young children, and predictors of poor household smoking practices. *Public Health*, 2008; 122(11):1199–209. Available from: <http://www.publichealthjrnl.com/article/PIIS0033350608001066/fulltext>

Martin J, George R, Andrews K, Barr P, Bicknell D, et al. Observed smoking in cars: A method and differences by socioeconomic area. *Tobacco Control*, 2006; 15(5):409–11. Available from: <http://tc.bmjjournals.com/cgi/content/abstract/15/5/409>

Sweeney CT, Shopland DR, Hartman AM, Gibson JT, Anderson CM, et al. Sex differences in workplace smoking policies: Results from the current population survey. *Journal of the American Medical Women's Association*, 2000; 55(5):311–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11070655>

9.1.6.1 Disparities in children's exposure to secondhand smoke

Prado-Galbarro, FJ, Sanchez-Piedra, C, & Martinez-Nunez, JM. (2023). Effect of prevalence of alcohol consumption and tobacco use in Mexican municipalities on early childhood development. *Cad Saude Publica*, 39(12), e00112422. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38088737>

Mahabee-Gittens, EM, King, KA, Vidourek, RA, & Merianos, AL. (2022). Financial Insecurity and Food Insecurity among U.S. Children with Secondhand and Thirdhand Smoke Exposure. *Int J Environ Res Public Health*, 19(15).Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35954841>

Hashemi-Aghdam, MR, Shafiee, G, Ebrahimi, M, Ejtahed, HS, Yaseri, M, Motlagh, ME et al. (2022). Trend of passive smoking and associated factors in Iranian children and adolescents: the CASPIAN studies. *BMC Public Health*, 22(1), 603. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35351076>

Wheeler, DC, Boyle, J, Barsell, DJ, Maguire, RL, Dahman, B, Murphy, SK et al. (2022). Neighborhood Deprivation is Associated with Increased Risk of Prenatal Smoke Exposure. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35179695>

Kock, L, Brown, J, Shahab, L, Tattan-Birch, H, Moore, G, & Cox, S. (2021). Inequalities in smoking and quitting-related outcomes among adults with and without children in the household 2013-2019: A

population survey in England. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34634112>

Mahabee-Gittens, EM, Ding, L, Merianos, AL, Khoury, JC, & Gordon, JS. (2021). Examination of the '5-2-1-0' Recommendations in Racially Diverse Young Children Exposed to Tobacco Smoke. *Am J Health Promot*, 890117121995772. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33641482>

Mantey, DS, Omega-Njemnobi, O, & Barroso, CS. (2020). Secondhand Smoke Exposure at Home and/or in a Vehicle: Differences Between Urban and Non-Urban Adolescents in the United States, from 2015 to 2018. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33155051>

Merianos, AL, Jandarov, RA, Choi, K, & Mahabee-Gittens, EM. (2019). Tobacco smoke exposure disparities persist in U.S. children: NHANES 1999-2014. *Prev Med*, 123, 138-142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30902698>

Montreuil A, Hanusaik N, Cantinotti M, Leclerc B-S, Kestens Y, et al. Social disparities in children's exposure to secondhand smoke in privately owned vehicles. *Tobacco Control*, 2017; 26(6):663-8. Available from: <http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/26/6/663.full.pdf>

Lowrie C, Pearson A, and Thomson G. Inequities in coverage of smokefree space policies within the united states. *BMC Public Health*, 2017; 17(1):456. Available from: <https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-017-4385-6>

<http://www.ncbi.nlm.nih.gov/pubmed/28511682>

Shenassa ED, Rossen LM, Cohen J, Morello-Frosch R, and Payne-Sturges DC. Income inequality and u.S. Children's secondhand smoke exposure: Distinct associations by race-ethnicity. *Nicotine & Tobacco Research*, 2016. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27811157>

Kuntz B and Lampert T. Social disparities in parental smoking and young children's exposure to secondhand smoke at home: A time-trend analysis of repeated cross-sectional data from the german kiggs study between 2003-2006 and 2009-2012. *BMC Public Health*, 2016; 16(1):485. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27277721>

Hajizadeh M and Nandi A. The socioeconomic gradient of secondhand smoke exposure in children: Evidence from 26 low-income and middle-income countries. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27312823>

Saito J, Tabuchi T, Shibanuma A, Yasuoka J, Nakamura M, et al. 'Only fathers smoking' contributes the most to socioeconomic inequalities: Changes in socioeconomic inequalities in infants' exposure to second hand smoke over time in japan. *PLoS ONE*, 2015; 10(10):e0139512. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26431400>

Rees VW, Keske RR, Blaine K, Aronstein D, Gandelman E, et al. Factors influencing adoption of and adherence to indoor smoking bans among health disparity communities. *American Journal of Public Health*, 2014; 104(10):1928–34. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25208003>

Vargas P, Brenner B, Clark S, Boudreux E, and Camargo C. Exposure to environmental tobacco smoke among children presenting to the emergency department with acute asthma: A multicenter

study. *Pediatric Pulmonology*, 2007; 42(7):646–55. Available from:
<http://www3.interscience.wiley.com/user/accessdenied?ID=114274455&Act=2138&Code=4719&Page=cgi-bin/fulltext/114274455/PDFSTART>

Simons E, Curtin-Brosnan J, Buckley T, Breysse P, and Eggleston P. Indoor environmental differences between inner city and suburban homes of children with asthma. *Journal of Urban Health*, 2007; 84(4):577–90. Available from:
<http://www.ncbi.nlm.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=17551839>

Robinson J and Kirkcaldy AJ. Disadvantaged mothers, young children and smoking in the home: Mothers' use of space within their homes. *Health & Place*, 2007; 13(4):894–903. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VH5-4N9P4TB-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=9059675eeef3ab26502ffd0e1cc73164c

Hanson M and Chen E. Socioeconomic status and health behaviors in adolescence: A review of the literature. *Journal of Behavioral Medicine*, 2007; 30(3):263–85. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/17514418>

9.1.6.2 Disparities in workplace exposure

Assari, S, & Bazargan, M. (2019). Unequal Effects of Educational Attainment on Workplace Exposure to Second-Hand Smoke by Race and Ethnicity; Minorities' Diminished Returns in the National Health Interview Survey (NHIS). *J Med Res Innov*, 3(2). Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31404444>

Su, CP, Syamlal, G, Tamers, S, Li, J, & Luckhaupt, SE. (2019). Workplace Secondhand Tobacco Smoke Exposure Among U.S. Nonsmoking Workers, 2015. *MMWR Morb Mortal Wkly Rep*, 68(27), 604-607. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31295233>

Inomoto, A, Yamato, H, Michishita, R, Jiang, Y, Nishiyama, S, Fukuda, R, & Deguchi, J. (2019). Frequency of Exposure to Secondhand Smoke Outside the Home Is Associated with a Lower FEV1/FVC in Male Workers Regardless of Smoking Status. *J UOEH*, 41(1), 15-24. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30867396>

Johnson CY, Luckhaupt SE, and Lawson CC. Inequities in workplace secondhand smoke exposure among nonsmoking women of reproductive age. *American Journal of Public Health*, 2015:e1–e8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25905837>

Germain D. Smoking bans in victorian workplaces: 2005 update. Melbourne, Australia: Centre for Behavioural Research in Cancer, Cancer Council Victoria, 2007. Available from:
[http://www.cancervic.org.au/downloads/cbrc_research_papers/smokingbans05_rps24.pdf.](http://www.cancervic.org.au/downloads/cbrc_research_papers/smokingbans05_rps24.pdf)

9.1.6.3 Disparities in domestic exposure

Lee, B, & Levy, DE. (2024). Disparities in trends of smoke-free home associated with socioeconomic disadvantages in the United States from 2001 to 2019. *Prev Med*, 189, 108173. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/39528150>

Reyes-Guzman, CM, Patel, M, Wang, TW, Corcy, N, Chomenko, D, Slotman, B, & Vollinger, RE, Jr. (2023). Disparities in Smokefree and Vapefree Home Rules and Smokefree Policy Attitudes Based on Housing Type and Cigarette Smoking Status, United States, 2019. *Int J Environ Res Public Health*, 20(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37510588>

Thompson, T, Ebuoma-Fike, EI, Garg, R, McQueen, A, Caburnay, C, & Kreuter, MW. (2022). Examining Psychosocial Correlates of a Home Smoking Ban Among Low-income Smokers: Analysis of Social Support, Unmet Social Needs, Perceived Stress, and Depressive Symptoms. *J Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35932354>

Zajac, L, Gallate, X, Gu, G, Liu, B, Elaiho, C, Lin, E et al. (2021). Disparities in Marijuana and Tobacco Smoke Incursions Among New York City Families During Early Months of the COVID-19 Pandemic. *J Public Health Manag Pract*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34750327>

Titus, AR, Thrasher, JF, Gamarel, KE, Meza, R, & Fleischer, NL. (2021). Smoke-free laws and disparities in secondhand smoke exposure among nonsmoking adults in the United States, 1999-2014. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33690865>

Assari, S, & Bazargan, M. (2019). Second-Hand Smoke Exposure at Home in the United States; Minorities' Diminished Returns. *Int J Travel Med Glob Health*, 7(4), 135-141. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32195278>

9.1.6.4 Exposure in institutional settings

Jia, X, Wang, R, Qiu, X, Huang, Y, Wang, Y, Jia, X et al. (2022). Factors associated with secondhand smoke exposure among non-smoking employees in the workplace: A cross-sectional study in Qingdao, China. PLoS One, 17(8), e0263801. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36006979>

News reports:

UK Government. Smoking inequalities in england, 2016, 2018: Newport, England UK. Available from: <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/drugusealcoholandsmoking/adhocs/008181smokinginequalitiesinengland2016>.

No authors listed. Who's still smoking: Report highlights populations still at risk. Science Daily, 2018. Available from: <https://www.sciencedaily.com/releases/2018/01/180131133358.htm>

No authors listed. Tobacco nation: The deadly state of smoking disparity in the u.S. Truth Initiative (American Legacy), 2017. Available from: <https://truthinitiative.org/tobacconation>

No authors listed. Leaving the vulnerable behind TOBACCO IN AMERICA, 2017. Available from: <http://ash.org/wp-content/uploads/2017/05/Tobacco-in-America.pdf>

Parmet S. Researchers find disparities in smoke-free laws. Health Canal, 2015. Available from: <http://www.healthcanal.com/public-health-safety/65460-researchers-find-disparities-in-smoke-free-laws.html>

Myers ML. CDC reports adult smoking fell to record low in 2014 – bold action needed to address disparities and finish the job. Campaign for Tobacco-Free Kids, 2015. Available from: www.tobaccofreekids.org/press_releases/post/cdc_reports_adult_smoking_fell_to_record_low_in_2014_bold_action_needed_to

No authors listed. Financial dependence correlated with different smoking rates among millennials. Truth Initiative (American Legacy Foundation), 2015. Available from: <http://truthinitiative.org/research/financial-dependence-correlated-different-smoking-rates-among-millennials>

No authors listed. State-by-state smoking trends reveal big tobacco's targets. Truth Initiative (American Legacy Foundation), 2015. Available from: <http://truthinitiative.org/news/state-state-smoking-trends-reveal-big-tobacco%E2%80%99s-targets>

Humphreys K. Why the wealthy stopped smoking, but the poor didn't. The Washington Post, 2015. Available from: <http://www.washingtonpost.com/blogs/wonkblog/wp/2015/01/14/why-the-wealthy-stopped-smoking-but-the-poor-didnt/>

Cooper J and Borland R. Responses to fifth wave of the international tobacco control four-country survey, by educational attainment and income adjusted for household size, unpublished data, Michelle Scollo of the Tobacco Control Unit, Editor 2008, Knowledge Building Team, The Cancer Council Victoria: Melbourne.

9.1.1 Disparities in smoking prevalence among adults

9.1.2 Disparities in reported cigarette consumption

9.1.3 Disparities in duration of smoking

9.1.4 Disparities in smoking during pregnancy

No authors listed. Residential location affects pregnant women's likelihood of smoking Medical News Today, 2015. Available from: <http://www.medicalnewstoday.com/releases/297705.php>

9.1.5 Disparities in smoking behaviours among young people

No authors listed. CDC finds 'marked disparities' in youth tobacco use by race and ethnicity. Truth Initiative, 2018. Available from: <https://truthinitiative.org/research/cdc-finds-marked-disparities-youth-tobacco-use-race-and-ethnicity>

9.1.6 Disparities in exposure to secondhand smoke

No authors listed. Industry sector workers still being exposed to tobacco smoke and e-cig aerosols. Cancer Council WA, 2022. Nov 8, 2022. Retrieved from <https://cancerwa.asn.au/news/industry-sector-workers-still-being-exposed-to-tobacco-smoke/>

American Association for Cancer Research. Almost all adolescents in an economically disadvantaged urban population exposed to tobacco smoke. Medical Xpress, 2018. Available from:
<https://medicalxpress.com/news/2018-02-adolescents-economically-disadvantaged-urban-population.html>

9.1.6.1 Disparities in children's exposure to secondhand smoke

9.1.6.2 Disparities in workplace exposure

9.1.6.3 Disparities in domestic exposure

9.1.6.4 Exposure in institutional settings