

Tobacco in Australia

Facts & Issues

Relevant news and research

9.6 Smoking, ill-health, financial stress and smoking-related poverty among highly disadvantaged groups

Last updated December 2024

Research:	2
9.6.1 People living in regional and remote areas of Australia	11
9.6.2 People born overseas	12
9.6.3 Lone parents, especially lone mothers	16
9.6.4 People with mental and substance use disorders	17
9.6.5 The homeless	26
9.6.6 Prison populations	28
9.6.7 Military personnel and veterans	31
News reports:	39
9.6.1 People living in regional and remote areas of Australia	39
9.6.2 People born overseas	40
9.6.3 Lone parents, especially lone mothers	40
9.6.4 People with mental and substance use disorders	40
9.6.5 The homeless	40
9.6.6 Prison populations	40
9.6.7 Military personnel and veterans	41

Research:

Ogunsanya, ME, Frank-Pearce, SG, Chen, S, Sifat, M, Cohn, AM, Businelle, MS, & Kendzor, DE. (2024). The influence of sociodemographic, tobacco use, and mental health characteristics on treatment adherence among adults enrolled in a community-based tobacco cessation program. *Addict Behav Rep*, 20, 100568. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39559172>

Perry, EW, Self-Brown, S, Koontz, K, Haardorfer, R, Whitaker, DJ, Spears, CA et al. (2024). Evaluating the effectiveness of Smoke-Free Home SafeCare, an integrated intervention, among families at risk for secondhand smoke exposure and child maltreatment in the United States: a study protocol for a hybrid type 1 trial. *Trials*, 25(1), 661. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39375710>

Gudi, N, Mathias, EG, Swain, A, Gupta, V, Raj, EA, Pattanshetty, S et al. (2024). Interventions for Tobacco Prevention and Control in Humanitarian Settings: A Scoping Review. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38820229>

Kim-Mozeleski, JE, Castele, MC, Nambiar, P, Chagin, KM, Pike Moore, S, Hardy, P et al. (2024). A Randomized Trial to Address Food Insecurity and Promote Smoking Cessation Among Low-Income Adults. *J Prim Care Community Health*, 15, 21501319241245275. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38584453>

Lai, G, Morphett, K, Ait Ouakrim, D, Mason, KE, Howe, S, Rees, VW et al (2024). Tobacco control interventions for populations living in subsidised, low-income housing: a scoping review. *Public Health Res Pract*, 34(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38569574>

Lee, SS, Senft Everson, N, Sanderson, M, Selove, R, Blot, WJ, King, S et al. (2024). Feasibility of precision smoking treatment in a low-income community setting: results of a pilot randomized controlled trial in The Southern Community Cohort Study. *Addict Sci Clin Pract*, 19(1), 16. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38491559>

Kong, AY, Qingzi Tao, V, & Golden, SD. (2023). A thematic content analysis of 2010-2015 state tobacco control legislation in the United States: Bill rationales and priority populations. *Prev Med Rep*, 36, 102446. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37840595>

Poole, NL, van den Brand, FA, Willemse, MC, & Nagelhout, GE. (2023). Challenges and successes in the sustainment of Dutch community-level smoking cessation interventions for residents with a low socioeconomic position. *BMC Public Health*, 23(1), 1605. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37612663>

Vazquez-Otero, C, Bekalu, MA, Dhawan, D, & Viswanath, K. (2023). Tobacco-control policy support among people from low socioeconomic positions in Massachusetts. *Prev Med Rep*, 35, 102336. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37564123>

McGinnes, H, Kingsley, M, Song, G, Rosewarne, J, Gonthier, S, Doane, J, & Henley, P. (2023). Evaluation of a Statewide Flavored Tobacco Restriction on Use, Access, and Cessation Among Black and White Tobacco Users in Massachusetts. *Am J Health Promot*, 8901171231183308. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37295390>

De Zylva, R, Mortimer, E, Miller, E, Tsourtos, G, Lawn, S, Wilson, C et al. (2023). Efficacy of mindfulness and goal setting interventions for increasing resilience and reducing smoking in lower socio-economic groups: randomised controlled trial protocol. *Addict Sci Clin Pract*, 18(1), 7.

Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36747294>

Hayes, CB, Patterson, J, Castello, S, Burke, E, O'Connell, N, Darker, C et al. (2023). A pilot cluster randomised controlled trial of a peer-delivered outreach community-based smoking cessation intervention for women living in disadvantaged communities in Ireland. *Rural Remote Health*, 23(1), 8163. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36802719>

Mills, SD, Rosario, C, Yerger, VB, Kalb, MD, & Ribisl, KM. (2022). Recommendations to advance equity in tobacco control. [MS Top Pick]. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36535756>

Baishya, ML, Collins, BN, & Lepore, SJ. (2022). Antecedents of Self-Efficacy to Achieve Smoking-Behavior-Change Goals among Low-Income Parents Enrolled in an Evidence-Based Tobacco Intervention. *Int J Environ Res Public Health*, 19(20) Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36294153>

Hitsman, B, Matthews, PA, Papandonatos, GD, Cameron, KA, Rittner, SS, Mohanty, N et al. (2022). An EHR-automated and theory-based population health management intervention for smoking cessation in diverse low-income patients of safety-net health centers: a pilot randomized controlled trial. *Transl Behav Med*, 12(9), 892-899. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36205472>

Vilane, ZG, Kodali, PB, & Thankappan, KR. (2022). Effect of socioeconomic status on smoking cessation behavior in selected African countries: Secondary analysis of Global Adult Tobacco Survey data (2014-2018). *PLoS One*, 17(9), e0274746. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36121824>

Darker, CD, Burke, E, Castello, S, O'Sullivan, K, O'Connell, N, Vance, J et al. (2022). A process evaluation of 'We Can Quit': a community-based smoking cessation intervention targeting women from areas of socio-disadvantage in Ireland. *BMC Public Health*, 22(1), 1528. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35948970>

Spears, CA, Mhende, J, Hawkins, C, Do, VV, Hayat, MJ, Eriksen, MP et al. (2022). Mindfulness-Based Smoking Cessation Delivered Through Telehealth and Text Messaging for Low-Income Smokers: Protocol for a Randomized Controlled Trial. *JMIR Res Protoc*, 11(8), e35688. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35916707>

Tempchin, J, Vargas, E, Sherman, S, & Rogers, E. (2022). Predictors of Counseling Participation Among Low-Income People Offered an Integrated Intervention Targeting Financial Distress and Tobacco Use. *Prev Sci*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35932394>

Villanti, AC, Peasley-Miklus, C, Cha, S, Schulz, J, Klemperer, EM, LePine, SE et al. (2022). Tailored text message and web intervention for smoking cessation in U.S. socioeconomically-disadvantaged young adults: A randomized controlled trial. *Prev Med*, 107209. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35995105>

Battalio, SL, Pfammatter, AF, Kershaw, KN, Hernandez, A, Conroy, DE, & Spring, B. (2022). Mobile Health Tobacco Cessation Interventions to Promote Health Equity: Current Perspectives. *Front Digit Health*, 4, 821049. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35847415>

Llaneza, DH, Kim, H, & Correa-Fernandez, V. (2022). A Health Inequity: Associations between Cigarette Smoking Status and Mammogram Screening among Women of Color. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35869504>

Baker, TB, Burris, JL, & Fiore, MC. (2022). Helping African American Individuals Quit Smoking: Finally, Some Progress. *JAMA*, 327(22), 2192-2194. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35699718>

O'Connell, N, Burke, E, Dobbie, F, Dougall, N, Mockler, D, Darker, C et al. (2022). The effectiveness of smoking cessation interventions for socio-economically disadvantaged women: a systematic review and meta-analysis. *Syst Rev*, 11(1), 111. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35655281>

Huynh, N, Tariq, S, Charron, C, Hayes, T, Bhanushali, O, Kaur, T et al. (2022). Personalised multicomponent interventions for tobacco dependence management in low socioeconomic populations: a systematic review and meta-analysis. *J Epidemiol Community Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35623792>

Caldwell, KK, Staples, AH, Bnadad, L, & Lee, JGL. (2022). Promoting Smoking Cessation Among Lesbian and Bisexual Women: Lessons Learned From a Location-Based Media Campaign in Western North Carolina. *Health Promot Pract*, 15248399221083833. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35392700>

Kcomt, L, Evans-Polce, RJ, Engstrom, CW, Boyd, CJ, Veliz, PT, West, BT, & McCabe, S. E. (2022). Tobacco Use among Gender-Varying and Gender-Stable Adolescents and Adults Living in the U.S. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35417560>

Arauz, RF, Mayer, M, Reyes-Guzman, C, & Ryan, BM. (2022). Racial Disparities in Cigarette Smoking Behaviors and Differences Stratified by Metropolitan Area of Residence. *Int J Environ Res Public Health*, 19(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35270603>

Boman-Davis, MC, Irvin, VL, & Westling, E. (2022). Complete home smoking ban survey analysis: an opportunity to improve health equity among sexual minority adults in California, USA. *BMC Public Health*, 22(1), 537. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35303831>

Marcellin, F, Zucman, D, Ramier, C, Lotto, M, Mialhes, P, Piroth, L et al. (2022). Tobacco use in people living with HIV: The need for complementary descriptive data to see beyond the smoke screen. *Int J Drug Policy*, 102, 103616. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35182840>

Romm, KF, Wang, Y, Duan, Z, Bennett, B, Fuss, C, Ma, Y et al. (2022). Psychosocial predictors of longitudinal changes in tobacco and cannabis use among young adults. *Addict Behav*, 129, 107264. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35130131>

Kraus, A, Moskowitz, DA, Ma, J, & Macapagal, K. (2022). Cigarette Use and Vaping Among Sexual and Gender Minority (SGM) Adolescents Assigned Male at Birth: Patterns of Use and Associations with

Demographic and Psychosocial Factors. *Int J Behav Med.* Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35217994>

Dawson, DB, White, DL, Chiao, E, Walder, A, Kramer, JR, Kauth, MR, & Lindsay, JA. (2021). Mental and Physical Health Correlates of Tobacco Use Among Transgender Veterans of the Iraq and Afghanistan Conflicts. *Transgend Health*, 6(5), 290-295. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34993301>

Keller-Hamilton, B, Stevens, EM, Wedel, AV, LaPolt, DT, Miranda, A, Wagener, TL, & Patterson, JG. (2022). Associations of race and ethnicity with tobacco messaging exposures and tobacco use among bisexual and pansexual women. *Prev Med Rep*, 25, 101657. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34976704>

Sawyer, AN, Bono, RS, Kaplan, B & Breland, AB. (2022). Nicotine/tobacco use disparities among transgender and gender diverse adults: Findings from wave 4 PATH data. *Drug Alcohol Depend*, 232, 109268. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35038608>

Yang, J, & Lee, JGL. (2022). Widening sexual orientation inequities in smoking among older adults in the USA, 2015-2019. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34983818>

Cartujano-Barrera, F, Cox, LS, Catley, D, Shah, Z, Alpert, AB, & Cupertino, AP. (2021). "I'm a transgender man... I have to quit smoking for treatment and surgery": Describing the experience of a Latino transgender man during his attempt to quit smoking. *Explore (NY)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34823998>

Fontanari, AMV, Churchill, S, Schneider, MA, Soll, B, Costa, AB, & Lobato, MIR. (2021). Tobacco use among transgender and gender non-binary youth in Brazil. *Cien Saude Colet*, 26(suppl 3), 5281-5292. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34787219>

Budenz, A, & Grana, R. (2021). Cigarette Brand Use and Sexual Orientation: Intersections With Gender and Race or Ethnicity. *Prev Chronic Dis*, 18, E94. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34710347>

Rodriguez-Bolanos, R, Arillo-Santillan, E, Guzman-Rodriguez, C, Barrientos-Gutierrez, I, Gallegos-Carrillo, K, Titus, A et al. (2021). Similarities and Differences in Substance Use Patterns Among Lesbian, Gay, Bisexual, and Heterosexual Mexican Adult Smokers. *LGBT Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34619041>

Tan, AS, Gazarian, PK, Darwish, S, Hanby, E, Farnham, BC, Koroma-Coker, FA et al. (2021). Smoking Protective and Risk Factors Among Transgender and Gender-Expansive Individuals (Project SPRING): Qualitative Study Using Digital Photovoice. *JMIR Public Health Surveill*, 7(10), e27417. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34612842>

Gazibara, T, Milic, M, Parlic, M, Stevanovic, J, Mitic, N, Maric, G et al (2021). What differs former, light and heavy smokers? Evidence from a post-conflict setting. *Afr Health Sci*, 21(1), 112-122. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34394288>

Hinds, JT, Chow, S, Loukas, A, & Perry, CL. (2021). Exploring Transgender and Gender Diverse Young Adult Tobacco Use. *J Homosex*, 1-21. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34370630>

King, J. L., Shan, L., & Azagba, S. (2021). Trends in sexual orientation disparities in cigarette smoking: Intersections between race/ethnicity and sex. *Prev Med*, 153, 106760. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34352307>

McAfee, T., Malone, R. E., & Cataldo, J. (2021). Ignoring our elders: tobacco control's forgotten health equity issue. *Tob Control*, 30(5), 479-480. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34389689>

Wolford-Clevenger, C., Hill, S. V., & Cropsey, K. (2021). Correlates of Tobacco and Nicotine Use among Transgender and Gender Diverse People: A Systematic Review Guided by the Minority Stress Model. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34375426>

Azagba, S., & Shan, L. (2021). Disparities in the frequency of tobacco products use by sexual identity status. *Addict Behav*, 122, 107032. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34229134>

Cano, MT, Pennington, DL, Reyes, S, Pineda, BS, Llamas, JA, Periyakoil, VS, & Munoz, RF. (2021). Factors associated with smoking in low-income persons with and without chronic illness. *Tob Induc Dis*, 19, 59. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34305505>

Evans-Polce, RJ, Smith, DM, Veliz, P, Boyd, CJ, & McCabe, SE. (2021). Sexual identity differences in biomarkers of tobacco exposure among women in a national sample. *Cancer Epidemiol*, 74, 101980. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34247064>

Li, J, Huang, D, Windle, M, Escoffery, C, Wang, W, Li, X et al. (2021). Minority stress, depression, and cigarette smoking among Chinese gay versus bisexual men: a two-group structural equation model analyses. *BMC Public Health*, 21(1), 1358. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34243745>

Li, Y, Yang, B, & Chen, B. (2021). LGB Tobacco Control: Do Health Belief Model Constructs Predict Tobacco Use Intentions Differently between LGB and Heterosexual Individuals? *Int J Environ Res Public Health*, 18(13). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34209073>

McEntee, A, Kim, S, Harrison, N, Chapman, J, & Roche, A. (2021). Patterns and prevalence of daily tobacco smoking in Australia by industry and occupation: 2007-2016. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34129034>

Asfar, T, Perez, A, Shipman, P Carrico, AW, Lee, DJ, Alcaide, ML et al (2021). National Estimates of Prevalence, Time-Trend, and Correlates of Smoking in US People Living with HIV (NHANES 1999-2016). *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33856483>

Caceres, BA, Hughes, TL, Veldhuis, CB, & Matthews, AK. (2021). Past-year discrimination and cigarette smoking among sexual minority women: investigating racial/ethnic and sexual identity differences. *Journal of Behavioral Medicine*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33797683>

Merzah, M, Kosa, Z, Sandor, J, Natae, S, Piko, P, Adany, R, & Fiatal, S. (2021). Roma Socioeconomic Status Has a Higher Impact on Smoking Behaviour than Genetic Susceptibility. *International Journal of Environmental Research and Public Health*, 18(6). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33808833>

Del Pino, HE, Dacus, JD, Harawa, NT, & McWells, C. (2021). "Being downcast by society... adds to the stress levels and would explain why [we] smoke more.": Smoking among HIV-Positive Black Men Who Have Sex with Men. *J Gay Lesbian Soc Serv*, 33(1), 16-31. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33642841>

Nguyen, N, McQuoid, J Neilands, TB, Dermody, SS, Holmes, LM, Ling, PM, & Thrul, J. (2020). Same-day use of cigarettes, alcohol, and cannabis among sexual minority and heterosexual young adult smokers. *Psychol Addict Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32804517>

Doxbeck, CR. (2020). Up in Smoke: Exploring the Relationship between Bullying Victimization and E-Cigarette Use in Sexual Minority Youths. *Subst Use Misuse*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32720554>

Masa-Ud, AGA, Chelwa, G, & van Walbeek, C. (2020). Does tobacco expenditure influence household spending patterns in Ghana?: Evidence from the Ghana 2012/2013 Living Standards Survey. *Tob Induc Dis*, 18, 48. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32547351>

Sartor, CE, & Black, AC. (2020). Profiles of Psychosocial Risk and Protective Factors and their Associations with Alcohol Use and Regular Smoking in Black Adults. *J Racial Ethn Health Disparities*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32440916>

Potter, LN, Lam, CY, Cinciripini, PM, & Wetter, DW. (2020). Intersectionality and smoking cessation: Exploring various approaches for understanding health inequities. *Nicotine Tob Res*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32208484>

Parnes JE, Rahm-Knigge RL, and Conner BT. The curvilinear effects of sexual orientation on young adult substance use. *Addictive Behaviors*, 2017; 66:108-13. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27918997>

Deacon RM and Mooney-Somers J. Smoking prevalence among lesbian, bisexual and queer women in sydney remains high: Analysis of trends and correlates. *Drug and Alcohol Review*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28211962>

Buchting FO, Emory KT, Scout, Kim Y, Fagan P, et al. Transgender use of cigarettes, cigars, and e-cigarettes in a national study. *American Journal of Preventive Medicine*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28094133>

Chen JS, Nguyen AH, Malesker MA, and Morrow LE. High-risk smoking behaviors and barriers to smoking cessation among homeless individuals. *Respiratory Care*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26860400>

Baggett TP, Rigotti NA, and Campbell EG. Cost of smoking among homeless adults. *New England Journal of Medicine*, 2016; 374(7):697–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26886544>

Gamarel KE, Kahler CW, Lee JH, Reisner SL, Mereish EH, et al. Sexual orientation disparities in smoking vary by sex and household smoking among us adults: Findings from the 2003-2012 national health and nutrition examination surveys. *Preventive Medicine*, 2015; 82:1–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26598804>

Bennett K, McElroy JA, Johnson AO, Munk N, and Everett KD. A persistent disparity: Smoking in rural sexual and gender minorities. *LGBT Health*, 2015; 2(1):62–70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26000317>

Newcomb ME, Ryan DT, Greene GJ, Garofalo R, and Mustanski B. Prevalence and patterns of smoking, alcohol use, and illicit drug use in young men who have sex with men. *Drug and Alcohol Dependence*, 2014; 141:65–71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24907774>

Mangerud WL, Bjerkeset O, Holmen TL, Lydersen S, and Indredavik MS. Smoking, alcohol consumption, and drug use among adolescents with psychiatric disorders compared with a population based sample. *J Adolesc*, 2014; 37(7):1189–99. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25190498>

Lantini R, van den Berg JJ, Roberts MB, Bock BC, Stein LA, et al. Characteristics of smoking used cigarettes among an incarcerated population. *Psychol Addict Behav*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25180554>

Courtney-Long E, Stevens A, Caraballo R, Ramon I, and Armour BS. Disparities in current cigarette smoking prevalence by type of disability, 2009–2011. *Public Health Rep*, 2014; 129(3):252–60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24791023>

Chen X, Velez JC, Barbosa C, Pepper M, Andrade A, et al. Smoking and perceived stress in relation to short salivary telomere length among caregivers of children with disabilities. *Stress*, 2014;1–38. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25256607>

Liu F, Woodrow J, Loucks-Atkinson A, Buehler S, West R, et al. Smoking and alcohol consumption patterns among elderly canadians with mobility disabilities. *BMC Research Notes*, 2013; 6(1):218. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3680044/>

<http://www.ncbi.nlm.nih.gov/pubmed/23731926>

Hall A, Schumacher J, Cannell M, Berry J, Schiaffino M, et al. Tobacco use in florida: Comparisons between adults living with and without disabilities. *Disability and Health Journal*, 2013; 6(3):213–9 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23769480>

<http://www.sciencedirect.com/science/article/pii/S1936657413000095>

Businelle MS, Cuate EL, Kesh A, Poonawalla IB, and Kendzor DE. Comparing homeless smokers to economically disadvantaged domiciled smokers. *American Journal of Public Health*, 2013; 103 Suppl 2:S218–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24148069>

Smith E and Malone R. Why strong tobacco control measures 'can't' be implemented in the us military: A qualitative analysis. *Military Medicine*, 2012; 177(10):1202–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23113448>

Yoshihama M, Horrocks J, and Bybee D. Intimate partner violence and initiation of smoking and drinking: A population-based study of women in yokohama, japan *Social Science & Medicine*, 2010; [Epub ahead of print]. Available from: http://www.sciencedirect.com/science?_ob=PublicationURL&_tockey=%23TOC%235925%239999%23999999999%2399999%23FLA%23&_cdi=5925&_pubType=J&_auth=y&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=9b26a329bbeab20adf7f942ea155f10f

Marshall MM, Kirk GD, Caporaso NE, McCormack MC, Merlo CA, et al. Tobacco use and nicotine dependence among hiv-infected and uninfected injection drug users. *Addictive Behaviors*, 2010; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20875704>

Marie D, Fergusson D, and Boden J. Does socioeconomic inequality explain ethnic differences in nicotine dependence? Evidence from a new zealand birth cohort. *The Australian and New Zealand Journal of Psychiatry*, 2010; 44(4):378–83. Available from: <http://informahealthcare.com/doi/full/10.3109/00048670903489908>

Lo S, Heishman S, Raley H, Wright K, Wehring H, et al. Tobacco craving in smokers with and without schizophrenia. *Schizophrenia Research*, 2010; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20637571>

Bowden J, Miller C, and Hiller J. Smoking and mental illness: A population study in south australia. *The Australian and New Zealand Journal of Psychiatry*, 2010; [Epub ahead of print]. Available from: <http://informahealthcare.com/doi/full/10.3109/00048674.2010.536904>

Trocki K, Drabble L, and Midanik L. Tobacco, marijuana, and sensation seeking: Comparisons across gay, lesbian, bisexual, and heterosexual groups. *Psychology of Addictive Behaviors*, 2009; 23(4):620–31. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2009-24023-008&CFID=27432040&CFTOKEN=32123473>

Thibodeau L, Jorenby D, Seal D, Kim S, and Sosman J. Prerelease intent predicts smoking behavior postrelease following a prison smoking ban. *Nicotine & Tobacco Research*, 2009; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/ntp188v1>

Steinberg ML, Heimlich L, and Williams JM. Tobacco use among individuals with intellectual or developmental disabilities: A brief review. *Intellectual and Developmental Disabilities*, 2009; 47(3):197–207. Available from: <http://aamr.allenpress.com/aamronline/?request=get-document&doi=10.1352%2F1934-9556-47.3.197>

Riala K, Hakko H, and Rasanen P. Nicotine dependence is associated with suicide attempts and self-mutilation among adolescent females. *Comprehensive Psychiatry*, 2009; 50(4):293–8. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19486726

Mickens L, Ameringer K, Brightman M, and Leventhal A. Epidemiology, determinants, and consequences of cigarette smoking in african american women: An integrative review. *Addictive Behaviors*, 2009; 35(5):383–91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20061090>

Lee J. Social ecology of tobacco surveillance data for sexual and gender minority populations. *Nicotine & Tobacco Research*, 2009; 11(7):908–9. Available from: <http://ntr.oxfordjournals.org/content/11/7/908.long>

Hawkins S, Law C, and Graham H. Lifecourse influences on maternal smoking before pregnancy and postpartum among women from ethnic minority groups. *European Journal of Public Health*, 2009; 20(3):339–45. Available from: <http://eurpub.oxfordjournals.org/content/20/3/339.long>

Covey L, Weissman J, LoDuca C, and Duan N. A comparison of abstinence outcomes among gay/bisexual and heterosexual male smokers in an intensive, non-tailored smoking cessation study.

Nicotine & Tobacco Research, 2009; 11(11):1374–7. Available from:
<http://ntr.oxfordjournals.org/cgi/content/full/11/11/1374>

Chun J, Haug NA, Guydish JR, Sorensen JL, and Delucchi K. Cigarette smoking among opioid-dependent clients in a therapeutic community. American Journal of Addiction, 2009; 18(4):316–20. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/10550490902925490>

Burkhalter J, Warren B, Shuk E, Primavera L, and Ostroff J. Intention to quit smoking among lesbian, gay, bisexual, and transgender smokers. Nicotine & Tobacco Research, 2009; 11(11):1312–20. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/11/1312>

Brown D. Smoking prevalence among us veterans. Journal of General Internal Medicine, 2009; 25(2):147–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19894079>

Solberg LI, Flottemesch TJ, Foldes SS, Molitor BA, Walker PF, et al. Tobacco-use prevalence in special populations: Taking advantage of electronic medical records American Journal of Preventive Medicine, 2008; 35(6):S501–7. Available from:
<http://www.sciencedirect.com/science/journal/07493797>

Pritsos CA, Pritsos KL, and Spears KE. Smoking rates among gamblers at nevada casinos mirror us smoking rate. Tobacco Control, 2008; 17(2):82–5. Available from:
<http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/17/2/82>

Becker H and Brown A. Disparities in smoking behaviors among those with and without disabilities from 2001 to 2005. Public Health Nursing, 2008; 25(6):526–35. Available from:
<http://www3.interscience.wiley.com/journal/121473566/abstract>

El-Khorazaty M, Johnson A, Kiely M, El-Mohandes A, Subramanian S, et al. Recruitment and retention of low-income minority women in a behavioural intervention to reduce smoking, depression and intimate partner violence during pregnancy. BMC Public Health, 2007; 7(147):223. Available from:
<http://www.biomedcentral.com/1471-2458/7/233>

Department of Human Services. Annual report 2006-07. Melbourne 2007. Available from:
<http://www.dhs.vic.gov.au/annrep/ar0607/downloads/fullannualreport.pdf>

Best C, Sun K, de Pee S, Bloem M, Stallkamp G, et al. Parental tobacco use is associated with increased risk of child malnutrition in bangladesh. Nutrition, 2007; 23(10):731–8. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6TB0-4P9KCYX-4&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=cdb4eec551613af298bd2cb4bab6a1dc

Ackerson LK, Kawachi I, Barbeau EM, and Subramanian SV. Exposure to domestic violence associated with adult smoking in india: A population based study. Tobacco Control, 2007; 16(6):378–83. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/16/6/378>

Baker A, Ivers R, Bowman J, Butler T, Kay-Lambkin F, et al. Where there's smoke, there's fire: High prevalence of smoking among some sub-populations and recommendations for intervention. Drug and Alcohol Review, 2006; 25:85–96. Available from:

<http://www.informaworld.com/smpp/content~content=a741424195~db=all~order=page>

Kalman D, Morissette S, and George T. Co-morbidity of smoking in patients with psychiatric and substance use disorders. American Journal on Addictions, 2005; 14(2):106–23. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/10550490590924728>

Butler T, Alnut S, Cain D, Owens D, and Muller C. Mental disorder in the new south wales prisoner population. Australian & New Zealand Journal of Psychiatry, 2005; 39(5):407–13. Available from: <http://www3.interscience.wiley.com/journal/118682398/abstract>

Roy K, Parker G, Mitchell P, and Wilhelm K. Depression and smoking: Examining correlates in a subset of depressed patients. Australian and New Zealand Journal of Psychiatry, 2001; 35(3):329–35. Available from:

<http://www3.interscience.wiley.com/journal/118968452/abstract?CRETRY=1&SRETRY=0>

Lawn S. Australians with mental illness who smoke. The British Journal of Psychiatry, 2001; 178(1):85. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-5-138.pdf>

Rissel C, McLellan L, and Bauman A. Factors associated with delayed tobacco uptake among vietnamese/asian and arabic youth in sydney, nsw. Australian and New Zealand Journal of Public Health, 2000; 24(1):22–8. Available from:

<http://www3.interscience.wiley.com/journal/119012648/abstract>

Lasser K, Boyd L, Woolhandler S, Himmelstein S, McCormick D, et al. Smoking and mental illness: A population-based prevalence study. Journal of the American Medical Association, 2000; 284(2):2606–10. Available from: <http://jama.ama-assn.org/cgi/content/full/284/20/2606>

9.6.1 People living in regional and remote areas of Australia

Kendzor, DE, Businelle, MS, Frank-Pearce, SG, Waring, JJC, Chen, S, Hebert, ET et al. (2024). Financial Incentives for Smoking Cessation Among Socioeconomically Disadvantaged Adults: A Randomized Clinical Trial. *JAMA Netw Open*, 7(7), e2418821. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38954415>

Yuan, L, Zhao, Z, Wang, J, Du, M, Xiao, Y, Liu, L, & Sun, J. (2022). Decomposition and Comparative Analysis of the Prevalence of and Factors Associated With Smoking Between the Rural and Urban Elderly Population in China: A National Cross-Sectional Study. *Front Public Health*, 10, 824587. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35372230>

Dorilas, E, Hill, SC, & Pesko, MF. (2022). Tobacco Surcharges Associated With Reduced ACA Marketplace Enrollment. *Health Aff (Millwood)*, 41(3), 398-405. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35254928>

Ozga, JE, Romm, KF, Turiano, NA, Douglas, A, Dino, G, Alexander, L, & Blank, MD. (2021). Cumulative disadvantage as a framework for understanding rural tobacco use disparities. *Exp Clin Psychopharmacol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34014742>

Mitchell, SA, Woods-Giscombe, C, Kneipp, SM, Beeber, LS, & Kulbok, PA. (2021). Social determinants of smoking in women from low-income rural backgrounds: Findings from a photovoice study. *Arch Psychiatr Nurs*, 35(1), 56-65. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33593516>

Roberts, ME, Doogan, NJ, Tanenbaum, E, Stillman, FA, Mumford, EA, Chelluri, D, & Wewers, ME. (2020). How should we define "rural" when investigating rural tobacco use in the United States? *Subst Abus*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33320797>

Dong, X, Ding, M, Chen, W, Liu, Z, & Yi, X. (2020). Relationship between Smoking, Physical Activity, Screen Time, and Quality of Life among Adolescents. *Int J Environ Res Public Health*, 17(21). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33142847>

Hinton, A, Nagaraja, HN, Cooper, S, & Wewers, ME. Tobacco product transition patterns in rural and urban cohorts: Where do dual users go? *Prev Med Rep*, 2018. 12, 241-244. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30377574>

Gay C, Clements-Nolle K, Packham J, Ackerman G, Lensch T, et al. Community-level exposure to the rural mining industry: The potential influence on early adolescent alcohol and tobacco use. *Journal of Rural Health*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29388274>

Zhi K, Wang L, Han Y, Vaughn MG, Qian Z, et al. Trends in cigarette smoking among older male adults in china: An urban-rural comparison. *J Appl Gerontol*, 2017;733464817716967. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28653557>

Pesko MF and Robarts AMT. Adolescent tobacco use in urban versus rural areas of the united states: The influence of tobacco control policy environments. *The Journal of Adolescent Health*, 2017; 61(1):70-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28363718>

Skinner A, Havard A, Tran DT, and Jorm LR. Access to subsidized smoking cessation medications by australian smokers aged 45 years and older: A population-based cohort study. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613898>

Bailey B and Cole L. Rurality and birth outcomes: Findings from southern appalachia and the potential role of pregnancy smoking. *The Journal of Rural Health*, 2009; 25(2):141–9. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=122295777&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122295777/HTMLSTART>

Tracey E, Baker D, Chen W, Stavrou E, and Bishop J. Cancer in new south wales:Incidence, mortality and prevalence report 2005. Sydney: The Cancer Institute New South Wales, 2007. Available from: <http://www.cancercouncil.com.au/editorial.asp?pageid=9>.

Ministerial Council on Drug Strategy. Meeting the challenges of the next five years-5&6: Ideas and resources for addressing inequity in smoking-related harms by addressing social, cultural and economic determinants, and by tailoring to ensure access for disadvantaged groups National Tobacco Strategy, supporting documents, Canberra: Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/>.

9.6.2 People born overseas

Howard, BC, Donnelly, S, McRobbie, H, Barker, D, Petrie, D, Stockings, E et al. (2024). Tailored text-messaging versus standard Quitline telephone counselling for smoking cessation among people who smoke from a low-socio-economic status background in Australia: A study protocol for a non-inferiority randomized controlled trial (The Quit By Phone Study). *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39279642>

Matthews, AK, Steffen, A, Burke, L, Harris Vilona, B, & Donenberg, G. (2023). MiQuit: A Study Protocol to Link Low-Income Smokers to a State Tobacco Quitline. *Ethn Dis, DECIPHeR(Spec Issue)*, 44-51. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38846727>

Hirschtick, JL, Mukerjee, R, Mistry, R, Mattingly, D, & Fleischer, NL. (2022). Short communication: Racial/ethnic disparities in cigar and cigarette exclusive, dual, and polyuse among adults. *Addict Behav Rep*, 15, 100412. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35434249>

Nakajima, M, Sero, A, Jama, S, Habte, S, Taha, S, Habte, H et al. (2022). Acculturation Style Is Associated with Stress and Tobacco Use among East African Immigrants. *J Psychoactive Drugs*, 1-10. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35196959>

Lei, F, Lee, E, & Zheng, Y. (2021). Trajectory of smoking behavior change among Chinese immigrant smokers. *PLoS One*, 16(2), e0246280. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33529228>

Oda, A, Beukeboom, C, Bridekirk, J, Bayoumi, A, Hynie, M, & Sy, RIAlt. (2021). Examining Trends of Cigarette Smoking Amongst Syrian Refugees During Their First Two Years in Canada. *J Immigr Minor Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33570700>

Assari, S. (2020). Socioeconomic Status and Current Cigarette Smoking Status: Immigrants' Diminished Returns. *Int J Travel Med Glob Health*, 8(2), 66-72. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32656271>

Visser MJ, Ikram UZ, Derkx EM, Snijder MB, and Kunst AE. Perceived ethnic discrimination in relation to smoking and alcohol consumption in ethnic minority groups in the netherlands: The helius study. International Journal of Public Health, 2017. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28508943>

Samson FL. Immigration concern and the white/non-white difference in smoking: Group position theory and health. *SSM Popul Health*, 2017; 3:111-20. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/29349209>

Mathur R, Schofield P, Smith D, Gilkes A, White P, et al. Is individual smoking behaviour influenced by area-level ethnic density? A cross-sectional electronic health database study of inner south-east london. *ERJ Open Res*, 2017; 3(1). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28435842>

Haddad LG, Al-Bashaireh AM, Ferrell AV, and Ghadban R. Effectiveness of a culturally-tailored smoking cessation intervention for arab-american men. *International Journal of Environmental Research and Public Health*, 2017; 14(4). Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28406462>

Brathwaite R, Addo J, Kunst AE, Agyemang C, Owusu-Dabo E, et al. Smoking prevalence differs by location of residence among ghanaians in africa and europe: The rodam study. *PLoS ONE*, 2017; 12(5):e0177291. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28475620>

Bostean G, Ro A, and Fleischer NL. Smoking trends among U.S. Latinos, 1998-2013: The impact of immigrant arrival cohort. International Journal of Environmental Research and Public Health, 2017; 14(3). Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28257125>

Reiss K, Lehnhardt J, and Razum O. Factors associated with smoking in immigrants from non-western to western countries - what role does acculturation play? A systematic review. Tobacco Induced Diseases, 2015; 13(1):11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25908932>

Hossain MS, Kypri K, Rahman B, and Milton AH. Smokeless tobacco consumption in the south asian population of sydney, australia: Prevalence, correlates and availability. Drug and Alcohol Review, 2014; 33(1):86–92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24256138>

Olver IN. Women and tobacco: Part of the bigger picture. Tobacco Control, 2012; 21(2):243–4. Available from: <http://tobaccocontrol.bmjjournals.org/content/21/2/243.short>

Weber M, Banks E, and Sitas F. Smoking in migrants in new south wales, australia: Report on data from over 100 000 participants in the 45 and up study. Drug and Alcohol Review, 2010; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1465-3362.2010.00247.x/full>

Shaw R, Pickett K, and Wilkinson R. Ethnic density effects on birth outcomes and maternal smoking during pregnancy in the us linked birth and infant death data set. American Journal of Public Health, 2010; 100(4):707–13. Available from: <http://ajph.aphapublications.org/cgi/content/full/100/4/707?view=long&pmid=20167891>

Parker E, Solberg L, Foldes S, and Walker P. A surveillance source of tobacco use differences among immigrant populations. Nicotine & Tobacco Research, 2010; 12(3):309–14. Available from: www.ncbi.nlm.nih.gov/pubmed/20083645

O'Loughlin J, Maximova K, Fraser K, and Gray-Donald K. Does the "healthy immigrant effect" extend to smoking in immigrant children? The Journal of Adolescent Health, 2010; 46(3):299–301. Available from: <http://www.jahonline.org/article/PIIS1054139X09003322/fulltext>

Gillum R. Effect modification by acculturation and education of the association of religion and smoking in immigrants. Journal of Immigrant and Minority Health, 2010; [Epub ahead of print]. Available from: <http://www.springerlink.com/content/b237wv3280337805/fulltext.html>

Rooney B, Choudhary R, and Bliss A. Social determinants of smoking among hmong americans residing in wisconsin. Wisconsin Medical Journal, 2009; 108(9):439–46. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20131685>

Reitzel L, Mazas C, Cofta-Woerpel L, Vidrine J, Businelle M, et al. Acculturative and neighborhood influences on subjective social status among spanish-speaking latino immigrant smokers. Social Science & Medicine, 2009; 70(5):677–83. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20044186>

Girgis S, Adily A, Velasco M, Garden F, Zwar N, et al. Smoking patterns and readiness to quit - a study of the australian arabic community. Australian Family Physician, 2009; 38(3):154–61. Available from: <http://www.racgp.org.au/afp/200903/30559>

Castro Y, Reitzel L, Businelle M, Kendzor D, Mazas C, et al. Acculturation differentially predicts smoking cessation among latino men and women. *Cancer Epidemiology, Biomarkers & Prevention*, 2009; 18(12):3468–75. Available from: <http://cebp.aacrjournals.org/content/18/12/3468.long>

Tsai Y, Tsai T, Yang C, and Kuo K. Gender differences in smoking behaviors in an asian population. *Journal of Women's Health*, 2008; 17(6):971–8. Available from: <http://www.liebertonline.com/doi/pdf/10.1089/jwh.2007.0621?cookieSet=1>

Giuliani KK, Mire OA, Jama S, DuBois DK, Pryce D, et al. Tobacco use and cessation among somalis in minnesota American Journal of Preventive Medicine, 2008; 35(6):S457–62. Available from: <http://www.sciencedirect.com/science/journal/07493797>

Zhu S-H, Wong S, Tang H, Shi C-W, and Chen MS. High quit ratio among asian immigrants in california: Implications for population tobacco cessation Nicotine & Tobacco Research, 2007; 9(S3):S505–14. Available from: <http://www.informaworld.com/smpp/content~content=a783693058~db=all>

Zandes S. Multicultural community group leaders' views on environmental tobacco smoke in their communities, in Quit evaluation studies vol 11. Melbourne: The Cancer Council Victoria; 2007. Available from: <http://www.quit.org.au/downloads/QE/QE11/QE11Home.html>.

Koya D and Egede L. Association between length of residence and cardiovascular disease risk factors among an ethnically diverse group of united states immigrants. *Journal of General Internal Medicine*, 2007; 22(6):841–6. Available from:

<http://www.ncbi.nlm.nih.gov/picrender.fcgi?artid=2219871&blobtype=pdf>

Vera N, Hein de V, and Karien S. Smoking in immigrants: Do socioeconomic gradients follow the pattern expected from the tobacco epidemic? *Tobacco Control*, 2006; 15(5):385–91. Available from: <http://ejournals.ebsco.com/direct.asp?ArticleID=4032AB2E498F51D13C5E>

Nierkens V, de Vries H, and Stronks K. Smoking in immigrants: Do socioeconomic gradients follow the pattern expected from the tobacco epidemic? *Tobacco Control*, 2006; 15(5):385–91. Available from: <http://ejournals.ebsco.com/direct.asp?ArticleID=4032AB2E498F51D13C5E>

Australian Institute of Health and Welfare. Australia's health 2006. Australia's Health, no. 10, AIHW cat. no. AUS 73. Canberra: AIHW, 2006. Available from:

<http://www.aihw.gov.au/publications/aus/ah06/ah06-c00.pdf>.

Tang L, Rissel C, Bauman A, Fay K, Porter S, et al. A longitudinal study of smoking in year 7 and 8 students speaking english or a language other than english at home in sydney, australia. *Tobacco Control*, 1998; 7(1):35–40. Available from:

<http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/7/1/35>

Jukic A, Pino N, and Flaherty B. Alcohol and other drug use, attitudes and knowledge amongst arabic speakers in sydney. DAMEC, 1996. Available from: <http://catalogue.nla.gov.au/Record/1104884>

Rissel C and Russel C. Heart disease risk factors in the vietnamese community of south western sydney. *Australian Journal of Public Health*, 1993; 17(1):71–3. Available from: http://grande.nal.usda.gov/ibids/index.php?mode2=detail&origin=ibids_references&therow=80558

9.6.3 Lone parents, especially lone mothers

Demeester, B, Verloigne, M, Willems, S, Leta, K, & Lauwerier, E. (2024). Preventing smoking initiation in adolescents living in vulnerable socioeconomic conditions: Study protocol of the KickAsh!-intervention. *Scand J Public Health*, 14034948241236232. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/38481024>

Fahey, MC, Krukowski, RA, Anderson, RT, Cohn, WF, Porter, KJ, Reid, T et al. (2023). Reaching adults who smoke cigarettes in rural Appalachia: Rationale, design & analysis plan for a mixed-methods study disseminating pharmacy-delivered cessation treatment. *Contemp Clin Trials*, 134, 107335. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37730197>

Buss, VH, Cox, S, Moore, G, Angus, C, Shahab, L, Bauld, L, & Brown, J. (2023). Alcohol and smoking brief interventions by socioeconomic position: British population-based survey. *BJGP Open*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37549977>

Kim-Mozeleski, JE, Smell, A, Castele, MC, Ogden, E, & Trapl, ES. (2023). Assessing the Feasibility of Conducting Smoking Cessation Outreach in Food Pantries: A Pilot Intervention Study. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37531409>

Sperlich S, Maina MN, and Noeres D. The effect of psychosocial stress on single mothers' smoking. *BMC Public Health*, 2013; 13:1125. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24304663>

Waldron M, Heath A, Lynskey M, Nelson E, Bucholz K, et al. Smoking and illicit drug use associations with early versus delayed reproduction: Findings in a young adult cohort of Australian twins. *Journal of Studies on Alcohol and Drugs*, 2009; 70(5):786–96. Available from:

http://www.jsad.com/jsad/article/Smoking_and_Illicit_Drug_Use_Associations_With_Early_Versus_Delayed_Reprodu/4385.html

Webbink D, Martin N, and Visscher P. Does teenage childbearing increase smoking, drinking and body size? *Journal of Health Economics*, 2008; 27(4):888–903. Available from:
[http://www.ncbi.nlm.nih.gov/entrez/utils/fref.fcgi?PrId=3048&itool=AbstractPlus-def&uid=18378343&db=pubmed&url=http://linkinghub.elsevier.com/retrieve/pii/S0167-6296\(08\)00009-X](http://www.ncbi.nlm.nih.gov/entrez/utils/fref.fcgi?PrId=3048&itool=AbstractPlus-def&uid=18378343&db=pubmed&url=http://linkinghub.elsevier.com/retrieve/pii/S0167-6296(08)00009-X)

Chan DL and Sullivan EA. Teenage smoking in pregnancy and birthweight: A population study, 2001–2004. *Medical Journal of Australia*, 2008; 188(7):392–6. Available from:
http://www.mja.com.au/public/issues/188_07_070408/cha10972_fm.html

Jun H and Acevedo-Garcia D. The effect of single motherhood on smoking by socioeconomic status and race/ethnicity. *Social Science & Medicine*, 2007; 65(4):653–66. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/17493724>

White V and Hayman J. Smoking behaviours of Australian secondary students in 2005. National Drug Strategy monograph series no. 59, Canberra: Drug Strategy Branch, Australian Government Department of Health and Ageing, 2006. Available from:
<http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/mono59>

Spencer N. Maternal education, lone parenthood, material hardship, maternal smoking, and longstanding respiratory problems in childhood: Testing a hierarchical conceptual framework. *Journal of Epidemiology and Community Health*, 2005; 59(10):842–6. Available from: <http://jech.bmjjournals.org/cgi/content/abstract/59/10/842>

Rahkonen O, Laaksonen M, and Karvonen S. The contribution of lone parenthood and economic difficulties to smoking. *Social Science & Medicine*, 2005; 61:211–6. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC15847973/>

White V and Hayman J. Smoking behaviours of Australian secondary school students in 2002. National Drug Strategy monograph series no. 54, Canberra: Australian Government Department of Health and Ageing, 2004. Available from: <http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/content/mono54>.

9.6.4 People with mental and substance use disorders

Lin, SC, Gathua, N, Thompson, C, Sripathana, A, & Makaroff, L. (2022). Disparities in smoking prevalence and associations with mental health and substance use disorders in underserved communities across the United States. *Cancer*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC35253202/>

Dahal, R, Bhattacharai, A, & Adhikari, K. (2020). Variation in characteristics of people with mental disorders across smoking status in the Canadian general population. *Tob Prev Cessat*, 6, 61. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC33163707/>

Miller, SC, Hemmy Asamsama, O, Silvestri, MM, Bonanno, C, & Krondilou, K. (2020). Commentary on a study of tobacco-related violence in a mental health setting. *Int J Ment Health Nurs*. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC32510782/>

Kim JE, Flentje A, Tsoh JY, and Riley ED. Cigarette smoking among women who are homeless or unstably housed: Examining the role of food insecurity. *J Urban Health*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC28589340/>

Stockings EA, Bowman JA, Bartlem KM, McElwaine KM, Baker AL, et al. Implementation of a smoke-free policy in an inpatient psychiatric facility: Patient-reported adherence, support, and receipt of nicotine-dependence treatment. *International Journal of Mental Health Nursing*, 2015; 24(4):342–9. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC25970237/>

Mendelsohn CP, Kirby DP, and Castle DJ. Smoking and mental illness. An update for psychiatrists. *Australas Psychiatry*, 2015; 23(1):37–43. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC25512967/>

Taylor G, McNeill A, Girling A, Farley A, Lindson-Hawley N, et al. Change in mental health after smoking cessation: Systematic review and meta-analysis. *British Medical Journal*, 2014; 348:g1151. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC24524926/>

Cosgrove KP, McKay R, Esterlis I, Kloczynski T, Perkins E, et al. Tobacco smoking interferes with gabaa receptor neuroadaptations during prolonged alcohol withdrawal. Proc Natl Acad Sci U S A, 2014; 111(50):18031–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25453062>

Weinberger A, Pilver C, Hoff R, Mazure C, and McKee S. Changes in smoking for adults with and without alcohol and drug use disorders: Longitudinal evaluation in the us population. The American Journal of Drug and Alcohol Abuse, 2013; 39(3):186–93. Available from: <http://informahealthcare.com/doi/full/10.3109/00952990.2013.785557>

<http://www.ncbi.nlm.nih.gov/pubmed/23721534>

Hahn L, Rigby A, and Galletly C. Determinants of high rates of smoking among people with psychosis living in a socially disadvantaged region in south australia. The Australian and New Zealand Journal of Psychiatry, 2013; [Epub ahead of print]. Available from: <http://anp.sagepub.com/content/early/2013/06/04/0004867413491158.long>

<http://www.ncbi.nlm.nih.gov/pubmed/23739313>

Deruiter W, Cheng C, Gehrs M, Langley J, and Dewa C. Substance abuse and smoking among a canadian cohort of first episode psychosis patients. Community Mental Health Journal, 2013; [Epub ahead of print]. Available from: <http://link.springer.com/article/10.1007%2Fs10597-013-9634-2>

<http://www.ncbi.nlm.nih.gov/pubmed/23775243>

Wilson N, Weerasekera D, Kahler C, Borland R, and Edwards R. Hazardous patterns of alcohol use are relatively common in smokers: Itc project (new zealand). The New Zealand Medical Journal, 2012; 125(1348):34–41. Available from: <http://journal.nzma.org.nz/journal/abstract.php?id=5022>

Harrell P, Trenz R, Scherer M, Pacek L, and Latimer W. Cigarette smoking, illicit drug use, and routes of administration among heroin and cocaine users. Addictive Behaviors, 2012; [Epub ahead of print]. Available from: <http://www.sciencedirect.com/science/article/pii/S0306460312000123>

Strong D, Cameron A, Feuer S, Cohn A, Abrantes A, et al. Single versus recurrent depression history: Differentiating risk factors among current us smokers. Drug and Alcohol Dependence, 2010; [Epub ahead of print]. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&doct=Citation&list_uids=20074868

Shah A and Bhatia V. The relationship between elderly suicide rates and smoking in england and wales. Int Psychogeriatr, 2010; 22(3):504–7. Available from:

<http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=7453624>

Le Strat Y, Ramoz N, and Gorwood P. In alcohol-dependent drinkers, what does the presence of nicotine dependence tell us about psychiatric and addictive disorders comorbidity? Alcohol and Alcoholism, 2010; 45(2):167–72. Available from:

<http://alcalc.oxfordjournals.org/cgi/content/full/45/2/167>

Korhonen T, Prince van Leeuwen A, Reijneveld SA, Ormel J, Verhulst FC, et al. Externalizing behavior problems and cigarette smoking as predictors of cannabis use: The trails study. J Am Acad Child Adolesc Psychiatry, 2010; 49(1):61–9. Available from:

<http://www.jaacap.com/article/PIIS0890856709000033/fulltext>

Fountoulakis K, Siamouli M, Panagiotidis P, Magiria S, Kantartzis S, et al. Obesity and smoking in patients with schizophrenia and normal controls: A case-control study. *Psychiatry Reseacrh*, 2010; 176(1):13–6. Available from: www.ncbi.nlm.nih.gov/pubmed/20079934

Webb M and Carey M. The early health consequences of smoking: Relationship with psychosocial factors among treatment-seeking black smokers. *Nicotine & Tobacco Research*, 2009; 11(5):564–71. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/11/5/564>

Stapleton J, Keaney F, and Sutherland G. Illicit drug use as a predictor of smoking cessation treatment outcome. *Nicotine & Tobacco Research*, 2009; 11(6):685–9. Available from: <http://ntr.oxfordjournals.org/content/11/6/685.full>

Smith G, Wong H, MacEwan G, Kopala L, Ehmann T, et al. Predictors of starting to smoke cigarettes in patients with first episode psychosis. *Schizophrenia Research*, 2009; 108(1):258–64. Available from: <http://www.schres-journal.com/article/PIIS0920996408005598/fulltext>

Sharp DL and Blaakman SW. Report from the apna tobacco dependence council Journal of the American Psychiatric Nurses Association, 2009; 15(6):412–4. Available from: <http://jap.sagepub.com/cgi/reprint/15/6/412>

Ratschen E, Britton J, Doody GA, Leonardi-Bee J, and McNeill A. Tobacco dependence, treatment and smoke-free policies: A survey of mental health professionals' knowledge and attitudes. *General Hospital Psychiatry*, 2009; 31(6):576–82. Available from: <http://www.sciencedirect.com/science/journal/01638343>

Ratschen E, Britton J, Doody G, and McNeill A. Smoke-free policy in acute mental health wards: Avoiding the pitfalls. *General Hospital Psychiatry*, 2009; 31(2):131–6. Available from: <http://www.ghpjournal.com/article/PIIS0163834308002132/fulltext>

Prochaska JJ. Ten critical reasons for treating tobacco dependence in inpatient psychiatry Journal of the American Psychiatric Nurses Association, 2009; 15(6):404–9. Available from: <http://jap.sagepub.com/cgi/reprint/15/6/404>

Pickett K, Wilkinson R, and Wakschlag L. The psychosocial context of pregnancy smoking & quitting in the millennium cohort study. *Journal of Epidemiology and Community Health*, 2009; 63(6):474–80. Available from: <http://jech.bmjjournals.org/content/63/6/474.long>

McGrath D and Barrett S. The comorbidity of tobacco smoking and gambling: A review of the literature. *Drug and Alcohol Review*, 2009; 28(6):676–81. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=122539709&Act=2138&Code=4719&Page=cgi-bin/fulltext/122539709/HTMLSTART>

Kim S, Han D, Joo S, and Min K. The effect of dopamine partial agonists on the nicotine dependency in patients with schizophrenia. *Human Psychopharmacology*, 2009; 25(2):187–90. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/hup.1089/pdf>

Keizer I, Descloux V, and Eytan A. Variations in smoking after admission to psychiatric inpatient units and impact of a partial smoking ban on smoking and on smoking-related perceptions. *International Journal of Social Psychiatry*, 2009; 55(2):109–23. Available from: <http://isp.sagepub.com/cgi/reprint/55/2/109>

Johnson J, Malchy L, Ratner P, Hossain S, Procyshyn R, et al. Community mental healthcare providers' attitudes and practices related to smoking cessation interventions for people living with severe mental illness. *Patient Education and Counseling*, 2009; 77(2):289–95. Available from: www.ncbi.nlm.nih.gov/pubmed/19398293

Higgins S and Chilcoat H. Women and smoking: An interdisciplinary examination of socioeconomic influences. *Drug and Alcohol Dependence*, 2009; 104(suppl 1.):S1–S5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19586726>

Gupta A and Craig T. Diet, smoking and cardiovascular risk in schizophrenia in high and low care supported housing. *Epidemiologia E Psichiatria Sociale*, 2009; 18(3):200–7. Available from: http://www.eps-journal.com/articoli.php?archivio=yes&vol_id=446&id=5281

Fusar-Poli P, De Marco L, Cavallin F, Bertorello A, Nicolasi M, et al. Lifestyles and cardiovascular risk in individuals with functional psychoses. *Perspectives in Psychiatric Care*, 2009; 45(2):87–99. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=122298580&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122298580/HTMLSTART>

Dunn KE, Sigmon SC, Reimann E, Heil SH, and Higgins ST. Effects of smoking cessation on illicit drug use among opioid maintenance patients: A pilot study. *Journal of Drug Issues*, 2009; 39(2). Available from: <http://www.encyclopedia.com/doc/1P3-1826120741.html>

Diaz F, James D, Botts S, Maw L, Susce M, et al. Tobacco smoking behaviors in bipolar disorder: A comparison of the general population, schizophrenia, and major depression. *Bipolar Disorders*, 2009; 11(2):154–65. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=122218275&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122218275/HTMLSTART>

de Ruiter M, Veltman D, Goudriaan A, Oosterlaan J, Sjoerds Z, et al. Response perseveration and ventral prefrontal sensitivity to reward and punishment in male problem gamblers and smokers. *Neuropsychopharmacology*, 2009; 34:1027–38. Available from: <http://www.nature.com/npp/journal/vaop/ncurrent/full/npp2008175a.html>

Currie S and Crockford D. Authors' response to commentary *Journal of the American Psychiatric Nurses Association*, 2009; 15(6):410–11. Available from: <http://jap.sagepub.com/cgi/reprint/15/6/410>

Chapman S, Ragg M, and McGeechan K. Citation bias in reported smoking prevalence in people with schizophrenia. *Australian and New Zealand Journal of Psychiatry*, 2009; 43(3):277–82. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/00048670802653372>

Baker A, Richmond R, Castle D, Kulkarni J, Kay-Lambkin F, et al. Coronary heart disease risk reduction intervention among overweight smokers with a psychotic disorder: Pilot trial. *Australian and New Zealand Journal of Psychiatry*, 2009; 43(2):129–35. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/00048670802607147>

Wilens TE, Adamson J, Monuteaux MC, Faraone SV, Schillinger M, et al. Effect of prior stimulant treatment for attention-deficit/hyperactivity disorder on subsequent risk for cigarette smoking and alcohol and drug use disorders in adolescents. *Archives of Pediatrics & Adolescent Medicine*, 2008; 162(10):916–21. Available from: <http://archpedi.ama-assn.org/cgi/content/full/162/10/916>

Wilens T, Biederman J, Adamson J, Henin A, Sgambati S, et al. Further evidence of an association between adolescent bipolar disorder with smoking and substance use disorders: A controlled study Drug and Alcohol Dependence, 2008; 95(3):188 – 98. Available from:
[http://linkinghub.elsevier.com/retrieve/pii/S0376-8716\(08\)00050-1](http://linkinghub.elsevier.com/retrieve/pii/S0376-8716(08)00050-1)

Wilens T. Report confirms increased risk of smoking, substance abuse in bipolar adolescents. Massachusetts: PhysOrg.com 2008. Last update: June 2, 2008 Viewed 24th June 2008. Available from: <http://www.physorg.com/news131630951.html>.

Tobias M, Templeton R, and Collings S. How much do mental disorders contribute to new zealand's tobacco epidemic? Tobacco Control, 2008; 17(5):347–50. Available from:
<http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/17/5/347>

Tidey JW, Rohsenow DJ, Kaplan GB, Swift RM, and Adolfo AB. Effects of smoking abstinence, smoking cues and nicotine replacement in smokers with schizophrenia and controls. Nicotine & Tobacco Research, 2008; 10(6):1047–56. Available from:
<http://www.informaworld.com/smpp/content~content=a794502342~db=all~order=page>

Ribeiro S, Jennen-Steinmetz C, Schmidt M, and Becker K. Nicotine and alcohol use in adolescent psychiatric inpatients: Associations with diagnoses, psychosocial factors, gender and age. Nordic Journal of Psychiatry, 2008; 10:1–8. Available from:
<http://www.informaworld.com/smpp/content~db=all?content=10.1080/08039480801984073>

Mobascher A and Winterer G. The molecular and cellular neurobiology of nicotine abuse in schizophrenia. Pharmacopsychiatry, 2008; 41(Suppl 1):S51–9. Available from: <http://www.thieme-connect.com/ejournals/html/pharmacol/doi/10.1055/s-2008-1081463>

Martin C, Allan R, Fleming M, and Atkinson J. Mood and smoking in schizophrenia. Journal of Psychiatric and Mental Health Nursing, 2008; 15(9):722–7. Available from:
<http://www3.interscience.wiley.com/journal/121430260/abstract>

Lyons M, Hitsman B, Xian H, Panizzon M, Jerskey B, et al. A twin study of smoking, nicotine dependence, and major depression in men. Nicotine & Tobacco Research, 2008; 10(1):97–108. Available from:
<http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200701705332>

Lal A and Siahpush M. The effect of smoke-free policies on electronic gaming machine expenditure in victoria, australia. Journal of Epidemiology and Community Health, 2008; 62(1):11–5. Available from: <http://jech.bmjjournals.org/cgi/content/abstract/62/1/11>

Kristi A, Creedena SC, Reutenuera EL, and George TP. Effects of galantamine on cognitive deficits in smokers and non-smokers with schizophrenia. Schizophrenia Research, 2008; 103(1):326–7. Available from: [http://www.schres-journal.com/article/S0920-9964\(08\)00234-X/abstract](http://www.schres-journal.com/article/S0920-9964(08)00234-X/abstract)

Kotov R, Guey L, Bromet E, and Schwartz J. Smoking in schizophrenia: Diagnostic specificity, symptom correlates, and illness severity. Schizophrenia Bulletin, 2008; 36(1):173– 81. Available from: <http://schizophreniabulletin.oxfordjournals.org/content/36/1/173.full>

Ker S and Owens D. Admission to a psychiatric unit and changes in tobacco smoking. Clinical Practice and Epidemiology in Mental Health 2008; 4(12). Available from:
<http://www.cpmeh.com/content/4/1/12>

Haas A, Sorensen J, Hall S, Lin C, Delucchi K, et al. Cigarette smoking in opioid-using patients presenting for hospital-based medical services. American Journal on Addictions, 2008; 17(1):65–9. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/10550490701756112>

Goldstein B, Birmaher B, Axelson D, Goldstein T, Esposito-Smythers C, et al. Significance of cigarette smoking among youths with bipolar disorder. American Journal on Addictions, 2008; 17(5):364–71. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/10550490802266151>

Garcia-Portilla M, Saiz P, Bascaran M, Martinez A, Benabarre A, et al. Cardiovascular risk in patients with bipolar disorder. Journal of Affective Disorders, 2008; 115(3):302–8. Available from:

<http://www.jad-journal.com/article/PIIS0165032708003650/fulltext>

Diaz F, Velasquez D, Susce M, and de Leon J. The association between schizophrenia and smoking: Unexplained by either the illness or the prodromal period. Schizophrenia Research, 2008; 104(1–3):214–9. Available from: <http://www.schres-journal.com/article/PIIS0920996408002831/fulltext>

Culhane M, Schoenfeld D, Barr R, Cather C, Deckersbach T, et al. Predictors of early abstinence in smokers with schizophrenia. Journal of Clinical Psychiatry, 2008; 69(11):1743–50. Available from: http://article.psychiatrist.com/dao_1-login.asp?ID=10003783&RSID=98999193354782

Chaves L and Shirakawa I. Nicotine use in patients with schizophrenia evaluated by the fagerström tolerance questionnaire: A descriptive analysis from a brazilian sample. Revista Brasileira de Psiquiatria, 2008:S1516–44462008005000014. Available from:

http://www.scielo.br/scielo.php?script=sci_pdf&pid=S1516-44462008005000014&lng=en&nrm=iso&tlang=en

Chapman S. Questionable inflated estimate of smoking prevalence among mentally ill persons in australia. Australian and New Zealand Journal of Psychiatry, 2008; 42(7):646 – 8. Available from: http://www.unboundmedicine.com/medline/record/18623628/full_citation/Questionable_inflated_estimate_of_smoking_prevalence_among_mentally_ill_persons_in_Australia

Campion J, Checinski K, Nurse J, and McNeill A. Smoking by people with mental illness and benefits of smoke-free mental health services. Advances in Psychiatric Treatment, 2008; 14:217–28. Available from: <http://apt.rcpsych.org/cgi/content/abstract/14/3/217>

Buckner JD and Schmidt NB. Marijuana effect expectancies: Relations to social anxiety and marijuana use problems Addictive Behaviors, 2008; 33(11):1477–83. Available from:

http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6VC9-4SWN0VF-2-1&_cdi=5949&_user=10&_orig=browse&_coverDate=11%2F30%2F2008&_sk=999669988&view=c&_wchp=dGLbVlb-zSkWb&md5=cd09850e5d6924db6f1101a6f937c428&ie=/sdarticle.pdf

Beckham J, Wiley M, Miller S, Dennis M, Wilson S, et al. Ad lib smoking in post-traumatic stress disorder: An electronic diary study. Nicotine & Tobacco Research, 2008; 10(7):1149–57. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200802123302>

Olivier D, Lubman D, and Fraser R. Tobacco smoking within psychiatric inpatient settings: Biopsychosocial perspective. Australia and New Zealand Journal of Psychiatry, 2007; 41(7):572–80. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/00048670701392809>

Myers M, Doran N, and Brown S. Is cigarette smoking related to alcohol use during the 8 years following treatment for adolescent alcohol and other drug abuse? *Alcohol and Alcoholism* 2007; 42(3):226–33. Available from: <http://alcalc.oxfordjournals.org/cgi/content/full/42/3/226>

Little H. Introduction to special issue of alcohol and alcoholism on alcohol and nicotine. *Alcohol and Alcoholism*, 2007; 42(3):165–6. Available from:
<http://alcalc.oxfordjournals.org/cgi/content/full/42/3/165>

Leeman R, Huffman C, and O'Malley S. Alcohol history and smoking cessation in nicotine replacement therapy, bupropion sustained release and varenicline trials: A review. *Alcohol and Alcoholism*, 2007; 42(3):196 – 206. Available from:
<http://alcalc.oxfordjournals.org/cgi/content/full/42/3/196>

Heffner J, Barrett S, and Anthenelli R. Predicting alcohol misusers' readiness and ability to quit smoking: A critical review. *Alcohol and Alcoholism*, 2007; 42(3):186–95. Available from:
<http://alcalc.oxfordjournals.org/cgi/content/full/42/3/186>

Guydish J, Passalacqua E, Tajima B, and Manser S. Staff smoking and other barriers to nicotine dependence intervention in addiction treatment settings: A review. *Journal of Psychoactive Drugs*, 2007; 39(4):23–33. Available from: www.ncbi.nlm.nih.gov/pubmed/18303699

Friend K and Pagano M. Timevarying predictors of smoking cessation among individuals in treatment for alcohol abuse and dependence: Findings from project match. *Alcohol and Alcoholism* 2007; 42(3):234 – 40. Available from: <http://alcalc.oxfordjournals.org/cgi/content/full/42/3/234>

Evins A, Cather C, Culhane M, Birnbaum A, Horowitz J, et al. A 12-week double-blind, placebo-controlled study of bupropion sr added to high-dose dual nicotine replacement therapy for smoking cessation or reduction in schizophrenia. *Journal of Clinical Psychopharmacology*, 2007; 27(4):380–6. Available from: <http://www.psychopharmacology.com/pt/re/jclnpsychopharm/abstract.00004714-200708000-00010.htm;jsessionid=LtJJ3LChv5rsTS77Tg2L6LhtgXjXsKGDJXyJnKYZth7f612L9hrM!-1912992316!181195628!8091!-1>

De Leon J, Rendon D, Baca-Garcia E, Aizpuru F, Gonzalez-Pinto A, et al. Association between smoking and alcohol use in the general population: Stable and unstable odds ratios across two years in two different countries. *Alcohol and Alcoholism*, 2007; 42(3):252–7. Available from:
<http://alcalc.oxfordjournals.org/cgi/content/full/42/3/252>

Access Economics. *Smoking and mental illness: Costs.*, Melbourne: SANE Australia, 2007. Available from: http://www.sane.org/images/stories/information/research/0712_info_smokecosts.pdf.

Reilly P, Murphy L, and Alderton D. Challenging the smoking culture within a mental health service supportively. *International Journal of Mental Health Nursing*, 2006; 15(4):272–8. Available from: <http://www.ingentaconnect.com/content/bsc/inm/2006/00000015/00000004/art00009?token=00431e21f411d02dab97b5437a63736a425b47465d586625242c49566f642f46428>

Flick L, Cook C, Homan S, McSweeney M, Campbell C, et al. Persistent tobacco use during pregnancy and the likelihood of psychiatric disorders. *American Journal of Public Health*, 2006; 96(10):1799–807. Available from: <http://www.ajph.org/cgi/content/abstract/96/10/1799>

Baker A, Richmond R, Haile M, Lewin T, Carr V, et al. A randomised controlled trial of a smoking cessation intervention among people with a psychiatric disorder: Brief report of a pilot study.

American Journal of Psychiatry, 2006; 163(11):1934–42. Available from:
<http://ajp.psychiatryonline.org/cgi/content/abstract/163/11/1934?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=&fulltext=smoking+cessation+intervention&searchid=1&FIRSTINDEX=0&volume=163&issue=11&resourcetype=HWCIT>

Williams J and Ziedonis D. Addressing tobacco among individuals with a mental illness or an addiction. Addictive Behaviors, 2004; 29(6):1067–83. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VC9-4C82B3T-9&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_version=1&_urlVersion=0&_userid=10&md5=8095f68eba25b9b133e7794633a4511f

Prochaska JJ, Rossi JS, Redding CA, Rosen AB, Tsoh JY, et al. Depressed smokers and stage of change: Implications for treatment interventions. Drug and Alcohol Dependence, 2004; 76(2):143–51. Available from: <http://www.mrw.interscience.wiley.com/cochrane/clcentral/articles/422/CN-00504422/frame.html>

Prochaska JJ, Delucchi K, and Hall SM. A meta-analysis of smoking cessation interventions with individuals in substance abuse treatment or recovery. Journal of Consulting and Clinical Psychology, 2004; 72(6):1144–56. Available from:
<http://psycnet.apa.org/index.cfm?fa=search.displayRecord&uid=2004-21587-025>

Potenza MN, Steinberg MA, McLaughlin SD, Wu R, Rounsaville BJ, et al. Characteristics of tobacco-smoking problem gamblers calling a gambling helpline. American Journal on Addictions, 2004; 13(5):471–93. Available from:
<http://www.informaworld.com/smpp/content~content=a713665925~db=all~tab=content~order=page>

Lawn S. Systematic barriers to quitting smoking among institutionalised public mental health service populations: A comparison of two Australian sites. The International Journal of Social Psychiatry, 2004; 50(3):201–15. Available from: <http://isp.sagepub.com/cgi/content/abstract/50/3/204>

Lawn S and Pols R. Nicotine withdrawal: Pathway to aggression and assault in the locked psychiatric ward? Australasian Psychiatry, 2003; 11(2):199–203. Available from:
<http://www3.interscience.wiley.com/journal/118892099/abstract?CRETRY=1&SRETRY=0>

Kisley S, Wise M, Preston N, Malmgren S, and Shannon P. A group intervention to reduce smoking in individuals with psychiatric disorder: Brief report of a pilot study. Australian and New Zealand Journal of Public Health, 2003; 27(1):61–3. Available from:
<http://www3.interscience.wiley.com/journal/118894869/abstract>

Degenhardt L and Hall W. Patterns of co-morbidity between alcohol use and other substance use in the Australian population. Drug and Alcohol Review, 2003; 22(1):7–13. Available from:
<http://www.ingentaconnect.com/content/tandf/cdar/2003/00000022/00000001/art00002>

Bowman J and Walsh R. Smoking intervention within alcohol and other drug treatment services: A selective review with suggestions for practical management. Drug and Alcohol Review, 2003; 22(1):73–82. Available from:
<http://www.ingentaconnect.com/content/tandf/cdar/2003/00000022/00000001/art00010>

Petry NM and Oncken C. Cigarette smoking is associated with increased severity of gambling problems in treatment-seeking gamblers. *Addiction*, 2002; 97(6):745–53. Available from: www.blackwell-synergy.com/doi/pdf/10.1046/j.1360-0443.2002.00163.x

Reichler H, Baker A, Lewin T, and Carr V. Smoking among in-patients with drug-related problems in an australian psychiatric hospital. *Drug and Alcohol Review*, 2001; 20(2):231–7. Available from: <http://www.informaworld.com/smpp/content~content=a713659508~db=all~order=page>

Meadows G, Strassser K, Moeller-Saxone K, Hocking B, Stanton J, et al. Smoking cessation in schizophrenia: The development of collaborative management guidelines. *Australasian Psychiatry*, 2001; 9(4):340–4. Available from: <http://pt.wkhealth.com/pt/re/ausp/abstract.00127911-200112000-00006.htm;jsessionid=L9yLqrhJj6FRxpyDRnJjMNv5Cgj2QtqMcJVXHkF6XmyjQL96lFXf!353761397!181195628!8091!-1>

McNeill A. Smoking and mental health: A review of the literature. London: Smokefree London Programme, 2001. Available from: <http://www.ash.org.uk/html/policy/menlitrev.pdf>.

Lawrence D, Holman C, and Jablensky A. Duty to care. Preventable physical illness in people with mental illness. Perth: The University of Western Australia, 2001.

George T and Vessichio J. Nicotine addiction and other psychiatric disorders. *Psychiatric Times*, 2001; 18(2). Available from: <http://www.psychiatrictimes.com/display/article/10168/49511>

Frosch D, Shoptaw S, Nahom D, and Jarvik M. Associations between tobacco smoking and illicit drug use among methadone-maintained opiate-dependent individuals. *Experimental and Clinical Psychopharmacology*, 2000; 8(1):97–103. Available from: www.apa.org/journals/features/pha8197.pdf

Jorm A. Association between smoking and mental disorders: Results from an australian national prevalence survey. *Australian and New Zealand Journal of Public Health*, 1999; 23(3):245–8. Available from: <http://www3.interscience.wiley.com/journal/120141554/abstract>

Hitsman B, Pingitore R, Spring B, Mahableshwarkar A, Mizes JS, et al. Antidepressant pharmacotherapy helps some cigarette smokers more than others. *Journal of Consulting and Clinical Psychology*, 1999; 67(4):547–54. Available from: <http://psycnet.apa.org/index.cfm?fa=main.landing>

Hayford K, Patten C, Rummans T, Schroeder D, Offord K, et al. Efficacy of bupropion for smoking cessation in smokers with a former history of major depression or alcoholism. *The British Journal of Psychiatry*, 1999; 174:173–8. Available from: <http://bjp.rcpsych.org/cgi/content/abstract/174/2/173>

Covey L. Tobacco cessation among patients with depression. *Primary Care*, 1999; 26(3):691. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10436294>

Ashton C. Adverse effects of cannabis and cannabinoids. *British Journal of Anaesthesia*, 1999; 83(4):637–49. Available from: <http://bja.oxfordjournals.org/cgi/content/citation/83/4/637>

Roll J, Higgins S, and Tidey J. Cocaine use can increase cigarette smoking: Evidence from laboratory and naturalistic settings. *Experimental and Clinical Psychopharmacology*, 1997; 5(3):263–8. Available from: <http://psycnet.apa.org/index.cfm?fa=main.landing>

Smart RG and Ferris J. Alcohol, drugs and gambling in the ontario adult population, 1994. The Canadian Journal of Psychiatry, 1996; 41(1):36–45. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/8919422>

Polgar S, McGartland M, Borlongon C, Shytle R, and Sandber O. Smoking cessation programs are neglecting the needs of persons with neuropsychiatric disorders. Australian and New Zealand Journal of Medicine, 1996; 26(4):572–3. Available from:
<http://cat.inist.fr/?aModele=afficheN&cpsidt=3198056>

Lohr J and Flynn K. Smoking and schizophrenia. Schizophrenia Research, 1992; 8(2):93–102. Available from: www.blackwell-synergy.com/doi/pdf/10.1046/j.1365-2850.1997.00056.x

9.6.5 The homeless

Fahey, MC, Kruckowski, RA, Anderson, RT, Cohn, WF, Porter, KJ, Reid, T et al. (2023). Reaching adults who smoke cigarettes in rural Appalachia: Rationale, design & analysis plan for a mixed-methods study disseminating pharmacy-delivered cessation treatment. *Contemp Clin Trials*, 134, 107335. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37730197>

Glasser, AM, Hinton, A, Wermert, A, Macisco, J, & Nemeth, JM. (2022). Characterizing tobacco and marijuana use among youth combustible tobacco users experiencing homelessness - considering product type, brand, flavor, frequency, and higher-risk use patterns and predictors. *BMC Public Health*, 22(1), 820. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35468777>

Radcliffe, M, Kroll, T, & Frazer, K. (2022). Voice and choice: making a case for tailored smoking cessation programmes to support women experiencing homelessness. *Evid Based Nurs*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35473751>

Amiri, S. (2021). Smoking and alcohol use in unemployed populations: a systematic review and meta-analysis. *J Addict Dis*, 1-24. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34747337>

Patterson, JG Glasser, AM, Macisco, JM, Hinton, A, Wermert, A, & Nemeth, JM. (2021). "I smoked that cigarette, and it calmed me down": A qualitative analysis of intrapersonal, social, and environmental factors influencing decisions to smoke among youth experiencing homelessness. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34605550>

Reuven, SM, Chen, TA, Zvolensky, MJ, Businelle, MS, Kendzor, DE, & Reitzel, LR. (2020). Examining the moderating effect of anxiety sensitivity on past-month pain severity and heaviness of smoking among adult smokers experiencing homelessness. *Addict Behav*, 112, 106610. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32861987>

Alizaga, NM, Hartman-Filson, M, Elser, H, Halpern-Felsher, B, & Vijayaraghavan, M. (2020). Alternative flavored and unflavored tobacco product use and cigarette quit attempts among current smokers experiencing homelessness. *Addict Behav Rep*, 12, 100280. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32637560>

Tucker, JS, Shadel, WG, Seelam, R, Golinelli, D, & Siconolfi, D. (2019). Co-use of tobacco and marijuana among young people experiencing homelessness in Los Angeles County. *Drug Alcohol Depend*, 207, 107809. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31846847>

Shadel, WG, Tucker, JS, Seelam, R, Golinelli, D, & Siconolfi, D. (2019). Associations of Tobacco Advertising Appeal With Intentions to Use Alternative Tobacco Products Among Young Tobacco Users Experiencing Homelessness. *Am J Health Promot*, 890117119878350. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31581783>

Golinelli, D, Siconolfi, D, Shadel, WG, Seelam, R, & Tucker, JS. (2019). Patterns of alternative tobacco product use among youth experiencing homelessness. *Addict Behav*, 99, 106088. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31445484>

Shadel, WG, Tucker, JS, & Abbott, MM. (2019). Knowledge of Alternative Tobacco Products in Unaccompanied Homeless Youth. *Tob Regul Sci*, 5(1), 65-75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31289730>

Pratt, R, Pernat, C, Kerandi, L, Kmiecik, A, Strobel-Ayres, C, Joseph, A et al (2019). "It's a hard thing to manage when you're homeless": the impact of the social environment on smoking cessation for smokers experiencing homelessness. *BMC Public Health*, 19(1), 635. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31126265>

Garey L, Reitzel LR, Neisler J, Kendzor DE, Zvolensky MJ, et al. Health-related quality of life (hrqol) among homeless smokers: Risk and protective factors of latent class membership. *Behav Med*, 2018:1-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29558273>

Pinsker EA, Hennrikus DJ, Erickson DJ, Call KT, Forster JL, et al. Cessation-related weight concern among homeless male and female smokers. *Preventive Medicine Reports*, 2017; 7:77-85. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28593127>

Lantini R, Sillice MA, Fava JL, Jennings E, Rosen RK, et al. Butt why? Exploring factors associated with cigarette scavenging behaviors among adult smokers enrolling in a clinical trial for smoking cessation. *Addictive Behaviors*, 2017; 78:200-4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29202347>

Vijayaraghavan M, Hurst S, and Pierce JP. Implementing tobacco control programs in homeless shelters: A mixed-methods study. *Health Promotion Practice*, 2016; 17(4):501–11. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26678988>

No authors listed. Tobacco use among the homeless population : Faq. Public Health Law Center (William Mitchell College of Law), 2016. Available from: http://www.publichealthlawcenter.org/sites/default/files/resources/tclc-homeless-tobacco-FAQ-2016.pdf?utm_source=Public+Health+Law+Center&utm_campaign=1620468c54-EMAIL CAMPAIGN 2016 11 14&utm_medium=email&utm_term=0_59c1ffe67d-1620468c54-43105369.

Golinelli D, Tucker JS, and Shadel WG. Racial differences in cigarette smoking among homeless youth. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27162012>

Tucker JS, Shadel WG, Golinelli D, Mullins L, and Ewing B. Sniping and other high-risk smoking practices among homeless youth. *Drug and Alcohol Dependence*, 2015; 154:105–10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26160458>

Kendzor DE, Reitzel LR, and Businelle MS. Characterizing stressors and modifiable health risk factors among homeless smokers: An exploratory pilot study. *Health Educ Behav*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25616410>

Garey L, Reitzel LR, Kendzor DE, and Businelle MS. The potential explanatory role of perceived stress in associations between subjective social status and health-related quality of life among homeless smokers. *Behav Modif*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26530474>

Garey L, Reitzel LR, Bakhshaei J, Kendzor DE, Zvolensky MJ, et al. Subjective social status and readiness to quit among homeless smokers. *American Journal of Health Behavior*, 2015; 39(2):157–66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25564827>

Baggett TP, Campbell EG, Chang Y, Magid LM, and Rigotti NA. Post-traumatic stress symptoms and their association with smoking outcome expectancies among homeless smokers in boston. *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26508393>

Warner C, Sewali B, Olayinka A, Eischen S, Wang Q, et al. Smoking cessation in homeless populations: Who participates and who does not. *Nicotine & Tobacco Research*, 2014; 16(3):369–72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24158227>

Des Jarlais D. Commentary on reitzel et al. (2014): Is smoking cessation associated with worse comorbid substance use outcomes among homeless adults? *Addiction*, 2014; 109(12):2105–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25384937>

Buu MC, Carter L, Bruce JS, Baca EA, Greenberg B, et al. Asthma, tobacco smoke and the indoor environment: A qualitative study of sheltered homeless families. *The Journal of Asthma*, 2014; 51(2):142–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24147583>

Businelle MS, Poonawalla IB, Kendzor DE, Rios DM, Cuate EL, et al. Smoking policy change at a homeless shelter: Attitudes and effects. *Addictive Behaviors*, 2014; 40C:51–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25222848>

Baggett TP, Chang Y, Singer DE, Porneala BC, Gaeta JM, et al. Tobacco-, alcohol-, and drug-attributable deaths and their contribution to mortality disparities in a cohort of homeless adults in boston. *American Journal of Public Health*, 2014:e1–e9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25521869>

Okuyemi KS, Thomas JL, Hall S, Nollen NL, Richter KP, et al. Smoking cessation in homeless populations: A pilot clinical trial. *Nicotine & Tobacco Research*, 2007; 8(5):689–99. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200600789841>

9.6.6 Prison populations

Ablah, E, Kellogg, M, Rohleder, M, Cagan, R, & Richter, K. (2022). Institutional Tobacco Policy and Tobacco Use Among Kansas Sheriffs' Staff and Individuals Incarcerated in Jail. *J Correct Health Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35353016>

Hassett-Walker, C, & Shadden, M. (2020). Examining Arrest and Cigarette Smoking in Emerging Adulthood. *Tob Use Insights*, 13, 1179173X20904350. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/32082049>

Valera, P. (2019). Cigarette Smoke and Cancer Health Among Incarcerated Men in U.S. Northeastern Prison Facilities. *J Correct Health Care*, 1078345819856905. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/31262213>

Valera P, Bachman L, and Rucker AJ. A qualitative study of smoking behaviors among newly released justice-involved men and women in new york city. *Health & Social Work*, 2016; 41(2):121–8.
Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27263202>

Turan O. Smoking status and the presence of chronic obstructive pulmonary disease in prison. *Journal of Addiction Medicine*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25654698>

Parker DR, Roberts MB, van den Berg JJ, Bock B, Stein LA, et al. Exploration of incarcerated men's and women's attitudes of smoking in the presence of children and pregnant women: Is there a disparity between smoking attitudes and smoking behavior? *Nicotine & Tobacco Research*, 2015.
Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26014453>

Howell BA, Guydish J, Kral AH, and Comfort M. Prevalence and factors associated with smoking tobacco among men recently released from prison in california: A cross-sectional study. *Addictive Behaviors*, 2015; 50:157–60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26150399>

Gunter TD and Philibert RA. Smoking, methylation at ahrr, and recidivism risk in a community correction sample of individuals at high risk for recidivism. *Behav Sci Law*, 2015; 33(5):691–700.
Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26356606>

van den Berg JJ, Bock B, Roberts MB, Stein LA, Friedmann PD, et al. Cigarette smoking as an expression of independence and freedom among inmates in a tobacco-free prison in the united states. *Nicotine & Tobacco Research*, 2014; 16(2):238–42. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24151140>

Valera P, Cook SH, Darout R, and Dumont DM. "They are not taking cigarettes from me . . . I'm going to smoke my cigarettes until the day i die. I don't care if i get cancer": Smoking behaviors of men under community supervision in new york city. *Nicotine & Tobacco Research*, 2014; 16(6):800–6.
Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24480803>

Valera P, Anderson M, Cook SH, Wylie-Rosett J, Rucker J, et al. The smoking behaviors and cancer-related disparities among urban middle aged and older men involved in the criminal justice system. *J Cancer Educ*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24832966>

Ritter C and Elger BS. Attitudes of detainees and prison staff towards tobacco control policy in switzerland: A qualitative interview study. *Health Policy*, 2014; 115(1):104–9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24439362>

Parker DR, Fallone D, Martin RA, Stein LA, Bock B, et al. The relation between smoking status and medical conditions among incarcerated adults. *Journal of Addiction Medicine*, 2014; 8(2):90–5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24503925>

Binswanger IA, Carson EA, Krueger PM, Mueller SR, Steiner JF, et al. Prison tobacco control policies and deaths from smoking in united states prisons: Population based retrospective analysis. *British Medical Journal*, 2014; 349:g4542. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25097186>

Ramaswamy M, Faseru B, Cropsey KL, Jones M, Deculus K, et al. Factors associated with smoking among adolescent males prior to incarceration and after release from jail: A longitudinal study. *Substance Abuse Treatment, Prevention, and Policy*, 2013; 8(1):37. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24175959>

Nijhawan A, Salloway R, Nunn A, Poshkus M, and Clarke J. Preventive healthcare for underserved women: Results of a prison survey. *Journal of Women's Health* (2002), 2010; 19(1):17–22. Available from: <http://www.liebertonline.com/doi/full/10.1089/jwh.2009.1469?cookieSet=1>

Cropsey K, Jones-Whaley S, Jackson D, and Hale G. Smoking characteristics of community corrections clients. *Nicotine & Tobacco Research*, 2010; 12(1):53–8. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/12/1/53>

Papadodima S, Sakelliadis E, Sergentanis T, Giotakos O, Sergentanis I, et al. Smoking in prison: A hierarchical approach at the crossroad of personality and childhood events. *European Journal of Public Health*, 2009; 20(4):470–4. Available from: <http://eurpub.oxfordjournals.org/content/20/4/470.long>

Winstock A. Buprenorphine use by the smoking route in gaols in nsw. *Drug and Alcohol Review*, 2008; 27(4):449–50. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/09595230802043807>

Holmwood C, Marriott M, and Humeniuk R. Substance use patterns in newly admitted male and female south australian prisoners using the who-assist (alcohol, smoking and substance involvement screening test). *International Journal of Prisoner Health*, 2008; 4(4):198–207. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19061062>

Butler T and Papanastasiou C. National prison entrants' bloodborne virus and risk behaviour survey 2004 & 2007. ISBN: 1 74067 582 7. Perth and Sydney: National Drug Research Institute (Curtin University) & National Centre in HIV Epidemiology and Clinical Research (University of New South Wales). 2008.

Awofeso N, Irwin T, and Forrest G. Using positive deviance techniques to improve smoking cessation outcomes in new south wales prison settings. *Health Promotion Journal of Australia*, 2008; 19(1):72–3. Available from: www.positivedeviance.org/pdf/smokingnewwales.pdf

Eckstein G, Levy M, and Butler T. Can health inequalities be addressed? An assessment of prisoner health services in new south wales, australia. *International Journal of Prisoner Health*, 2007; 3(1):69–76. Available from: <http://www.informaworld.com/smpp/content~content=a770797330~db=all~jumptype=rss>

Australian Bureau of Statistics. 4517.0 prisoners in australia, 2007 Canberra: ABS, 2007. Available from: <http://www.abs.gov.au/AUSSTATS/abs@.nsf/DetailsPage/4517.02007?OpenDocument>.

Compliance Framework Branch Compliance Policy and Case Coordination Division. Chapter 10: Detaining unlawful citizens, in Managing the border: Immigration compliance Canberra: Department of Immigration and Multicultural and Indigenous Affairs; 2006. Available from: <http://www.immi.gov.au/media/publications/compliance/managing-the-border/>.

Butler T, Andrews G, Alnutt S, Smith N, Sakashita C, et al. Mental disorders in Australian prisoners: A comparison with a community sample. *Australian & New Zealand Journal of Psychiatry*, 2006; 40(3):272–6. Available from: <http://www3.interscience.wiley.com/journal/118579629/abstract>

Belcher J, Butler T, Richmond R, Wodak A, and Wilhelm K. Smoking and its correlates in an Australian prisoner population. *Drug and Alcohol Review*, 2006; 25(4):343–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16854660>

9.6.7 Military personnel and veterans

Schuler, MS, Wong, EC, & Ramchand, R. (2022). Military service branch differences in alcohol use, tobacco use, prescription drug misuse, and mental health conditions. *Drug Alcohol Depend*, 235, 109461. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35487079>

Whitworth, JW, Scioli, ER, Keane, TM, & Marx, BP. (2022). Physical inactivity, cigarette smoking, and psychiatric comorbidity among veterans with posttraumatic stress disorder. *Health Psychol*, 41(3), 169-177. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35298209>

Kong, AY, Golden, SD, Ribisl, KM, Krukowski, RA, Vandegrift, SM, & Little, MA. (2021). Cheaper tobacco product prices at US Air Force Bases compared with surrounding community areas, 2019. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34907089>

Krukowski, RA, Porter, K, Boothe, T, Talcott, GW, & Little, MA. (2021). "Nobody Views It As a Negative Thing to Smoke": A Qualitative Study of the Relationship Between United States Air Force Culture and Tobacco Use. *Mil Psychol*, 33(6), 409-416. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34924692>

Nieh, C, Mancuso, JD, Powell, TM, Welsh, MM, Gackstetter, GD, & Hooper, TI. (2021). Cigarette smoking patterns among U.S. military service members before and after separation from the military. *PLoS One*, 16(10), e0257539. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34606513>

Fitzke, RE, Davis, JP, & Pedersen, ER. (2021). Co-use of Tobacco Products and Cannabis among Veterans: A Preliminary Investigation of Prevalence and Associations with Mental Health Outcomes. *J Psychoactive Drugs*, 1-8. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34334112>

Nedic Erjavec, G, Nikolac Perkovic, M, Tudor, L Uzun, S, Kovacic Petrovic, Z, Konjevod, M et al. (2021). Moderating Effects of BDNF Genetic Variants and Smoking on Cognition in PTSD Veterans. *Biomolecules*, 11(5). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33926045>

Dunbar, MS, Nicosia, N, & Kilmer, B. (2021). Exposure to new smoking environments and individual-level cigarette smoking behavior: Insights from exogenous assignment of military personnel. *Soc Sci Med*, 280, 113983. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34020313>

Richardson, K. (2021). Royal Navy smoking policy. *BMJ Mil Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34035161>

Porter, KJ, Krukowski, RA, Bonilla, G, McKenna, L, Talcott, GW, & Little, MA. (2021). Using the Socio-ecological Model to Explore Facilitators and Deterrents of Tobacco Use Among Airmen in Technical Training. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33637975>

Little, MA, Fahey, MC Wang, XQ, Talcott, GW, McMurry, T, & Klesges, R C. (2021). Trends in Tobacco Use among Young Adults Presenting for Military Service in the United States Air Force between 2013 and 2018. *Subst Use Misuse*, 1-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33435813>

Roberts, W, & Rosenheck, RA. (2020). Correlates of Concurrent Morbid Obesity and Tobacco Use Disorder Nationally in the Veterans Health Administration. *J Dual Diagn*, 1-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32866073>

Coleman, JN, DeRycke, EC, Bastian, LA, Calhoun, PS, Beckham, JC, Kroll-Desrosiers, AR et al M. (2020). Predictors of prenatal smoking among US women veterans. *J Health Psychol*, 1359105320913100. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32255376>

Cooper, M, Yaqub, M, Hinds, JT, & Perry, CL. (2019). A longitudinal analysis of tobacco use in younger and older U.S. veterans. *Prev Med Rep*, 16, 100990. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31890466>

Siddall, A, Bilzon, J, Thompson, D, Tauler, P, Greeves, J, Izard, R, & Stokes, K. (2019). Smoking and Biochemical, Performance, and Muscle Adaptation to Military Training. *Med Sci Sports Exerc*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31809410>

Riviere, P, Kumar, A, Luterstein, E, Vitzthum, LK, Nalawade, V, Sarkar, RR et al. (2019). Tobacco smoking and death from prostate cancer in US veterans. *Prostate Cancer Prostatic Dis*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31624316>

Little, M, Ebbert, JO, Krukowski, RA, Halbert, J, Kalpinski, MR, Patten, CA et al. (2019). Factors Associated with Cigarette Use During Airmen's First Year of Service in the United States Air Force. *Mil Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31287888>

Dunkle, A, Kalpinski, R, Ebbert, J, Talcott, W, Klesges, R, & Little, MA. (2019). Predicting smokeless tobacco initiation and re-initiation in the United States Air Force. *Addict Behav Rep*, 9, 100142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193918>

No authors listed. Military Factors Associated with Smoking in Veterans: Erratum. (2019). *Mil Med*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30941428>

Odani S, Agaku IT, Graffunder CM, Tynan MA, and Armour BS. Tobacco product use among military veterans - united states, 2010-2015. *Morbidity and Mortality Weekly Report*, 2018; 67(1):7-12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29324732>

Lynch SM, Wilson SM, DeRycke EC, Driscoll MA, Becker WC, et al. Impact of cigarette smoking status on pain intensity among veterans with and without hepatitis c. *Pain Med*, 2018; 19(suppl_1):S5-S11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30203017>

Lopez AA, Toblin RL, Riviere LA, Lee JD, and Adler AB. Correlates of current and heavy smoking among u.S. Soldiers returning from combat. *Experimental and Clinical Psychopharmacology*, 2018; 26(3):215-22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29863380>

Kong AY, Golden SD, Myers AE, Little MA, Klesges R, et al. Availability, price and promotions for cigarettes and non-cigarette tobacco products: An observational comparison of us air force bases with nearby tobacco retailers, 2016. *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29705745>

Brown JM, Anderson Goodell EM, Williams J, and Bray RM. Socioecological risk and protective factors for smoking among active duty u.S. Military personnel. *Military Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29697835>

Wilson SM, Pacek LR, Dennis PA, Bastian LA, Beckham JC, et al. Veterans living with hiv: A high-risk group for cigarette smoking. *AIDS Behav*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28194586>

Trone DW, Powell TM, Bauer LM, Seelig AD, Peterson AV, et al. Smoking and drinking behaviors of military spouses: Findings from the millennium cohort family study. *Addictive Behaviors*, 2017; 77:121-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28992577>

Seelig AD, Rivera AC, Powell TM, Williams EC, Peterson AV, et al. Patterns of smoking and unhealthy alcohol use following sexual trauma among u.S. Service members. *J Trauma Stress*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28906037>

Rhon DI and Magel JS. The influence of smoking on recovery from subacromial pain syndrome: A cohort from the military health system. *US Army Med Dep J*, 2017; (3-17):36-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29214618>

Puthia A, Yadav AK, and Kotwal A. Tobacco use among serving army personnel: An epidemiological study. *Med J Armed Forces India*, 2017; 73(2):134-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28924313>

Poston WSC, Haddock CK, Jahnke SA, Jitnarin N, Malone RE, et al. Perspectives of us military commanders on tobacco use and tobacco control policy. *Tobacco Control*, 2017; 26(3):254-9. Available from: <http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/26/3/254.full.pdf>

Hicks TA, Wilson SM, Thomas SP, Dennis PA, Neal JM, et al. Low income as a multiplicative risk factor for oral pain and dental problems among u.S. Veteran smokers. *International Journal of Behavioral Medicine*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527104>

Basaza R, Otieno E, Musinguzi A, Mugyenyi P, and Haddock CK. Factors influencing cigarette smoking among soldiers and costs of soldier smoking in the work place at kakiri barracks, uganda. *Tobacco Control*, 2017; 26(3):330-3. Available from: <http://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/26/3/330.full.pdf>

Toblin RL, Anderson JA, Riviere LA, McGurk D, and Sipos ML. The impact of unit membership on smoking among soldiers. *Military Medicine*, 2016; 181(1):16–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26741472>

Teyhen DS, Rhon DI, Butler RJ, Shaffer SW, Goffar SL, et al. Association of physical inactivity, weight, smoking, and prior injury on physical performance in a military setting. *J Athl Train*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27690529>

Smith EA, Poston WS, Haddock CK, and Malone RE. Installation tobacco control programs in the us military. *Military Medicine*, 2016; 181(6):596–601. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27244072>

Smith EA, Jahnke SA, Poston WS, Malone RE, and Haddock CK. Tobacco pricing in military stores: Views of military policy leaders. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27146639>

Poston WS, Haddock CK, Jahnke SA, Smith E, Malone RE, et al. Cigarette prices and community price comparisons in us military retail stores. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27553357>

Poston WS, Haddock CK, Jahnke SA, Jitnarin N, Malone RE, et al. Perspectives of us military commanders on tobacco use and tobacco control policy. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27084960>

Little MA, Bursac Z, Derefinko KJ, Ebbert JO, Talcott GW, et al. Types of dual and poly-tobacco users in the us military. *American Journal of Epidemiology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27421292>

Lind MJ, Brown E, Farrell-Carnahan L, Brown RC, Hawn S, et al. Sleep disturbances in oef/oif/ond veterans: Associations with ptsd, personality, and coping. *J Clin Sleep Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27998375>

Korinek K, Loebach P, and Trinh HN. Military service and smoking in a cohort of northern vietnamese older adults. *International Journal of Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27321700>

Jones DP, Walker DI, Uppal K, Rohrbeck P, Mallon CT, et al. Metabolic pathways and networks associated with tobacco use in military personnel. *J Occup Environ Med*, 2016; 58(8 Suppl 1):S111–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27501098>

Herbst E. Installation tobacco control programs in the u.S. Military. *Military Medicine*, 2016; 181(9):1164. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27612371>

Cypel YS, Hamlett-Berry K, Barth SK, Christofferson DE, Davey VJ, et al. Cigarette smoking and sociodemographic, military, and health characteristics of operation enduring freedom and operation iraqi freedom veterans: 2009-2011 national health study for a new generation of us veterans. *Public Health Rep*, 2016; 131(5):714-27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28123213>

Bergman BP, Mackay DF, Morrison D, and Pell JP. Smoking-related cancer in military veterans: Retrospective cohort study of 57,000 veterans and 173,000 matched non-veterans. *BMC Cancer*, 2016; 16:311. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27178424>

Battaglia C, Peterson J, Whitfield E, Min SJ, Benson SL, et al. Integrating motivational interviewing into a home telehealth program for veterans with posttraumatic stress disorder who smoke: A

randomized controlled trial. *J Clin Psychol*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26783736>

Bastian LA, Gray KE, DeRycke E, Mirza S, Gierisch JM, et al. Differences in active and passive smoking exposures and lung cancer incidence between veterans and non-veterans in the women's health initiative. *Gerontologist*, 2016; 56 Suppl 1:S102–11. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26768384>

Bastian LA, Driscoll MA, Heapy AA, Becker WC, Goulet JL, et al. Cigarette smoking status and receipt of an opioid prescription among veterans of recent wars. *Pain Med*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27659441>

Weinberger AH, Esan H, Hunt MG, and Hoff RA. A review of research on smoking behavior in three demographic groups of veterans: Women, racial/ethnic minorities, and sexual orientation minorities. *American Journal of Drug and Alcohol Abuse*, 2015:1–16. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26151807>

Volkman JE, DeRycke EC, Driscoll MA, Becker WC, Brandt CA, et al. Smoking status and pain intensity among oef/oif/ond veterans. *Pain Med*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25917639>

Thorley V. Free supplies and the appearance of endorsement: Distribution of tobacco to soldiers and artificial infant formula to new mothers. *J Hum Lact*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25612747>

Talcott GW, Ebbert JO, Klesges RC, Linde BD, Seals RW, et al. Tobacco research in the military: Reflections on 20 years of research in the united states air force. *Military Medicine*, 2015; 180(8):848–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26226525>

Smith EA, Rojo R, and Malone RE. Tobacco use policy in military housing. *Military Medicine*, 2015; 180(6):612–4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26032376>

Smith EA, Grundy Q, and Malone RE. "It's not a priority when we're in combat": Public health professionals and military tobacco control policy. *American Journal of Public Health*, 2015:e1–e5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25713938>

Schmitz L and Conley D. The long-term consequences of vietnam-era conscription and genotype on smoking behavior and health. *Behavior Genetics*, 2015. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26341507>

Puthucheary Z, Kordi M, Rawal J, Eleftheriou KI, Payne J, et al. The relationship between lower limb bone and muscle in military recruits, response to physical training, and influence of smoking status. *Sci Rep*, 2015; 5:9323. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25792356>

Poston WS, Haddock CK, Jahnke SA, Hyder ML, and Jitnarin N. A content analysis of military commander messages about tobacco and other health issues in military installation newspapers: What do military commanders say about tobacco? *Military Medicine*, 2015; 180(6):708–17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26032388>

Lando HA, Michaud ME, Poston WSC, Jahnke SA, Williams L, et al. Banning cigarette smoking on us navy submarines: A case study. *Tobacco Control*, 2015; 24(e3):e188–e92. Available from: <http://tobaccocontrol.bmjjournals.org/content/24/e3/e188.abstract>

Japuntich SJ, Gregor K, Pineles SL, Gradus JL, Street AE, et al. Deployment stress, tobacco use, and postdeployment posttraumatic stress disorder: Gender differences. *Psychol Trauma*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26654688>

Hammett P, Fu SS, Lando HA, Owen G, and Okuyemi KS. The association of military discharge variables with smoking status among homeless veterans. *Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26400636>

Chapman SL and Wu LT. Associations between cigarette smoking and pain among veterans. *Epidemiologic Reviews*, 2015; 37(1):86–102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25595170>

Boyko EJ, Trone DW, Peterson AV, Jacobson IG, Littman AJ, et al. Longitudinal investigation of smoking initiation and relapse among younger and older us military personnel. *American Journal of Public Health*, 2015:e1–e10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25880953>

Anderson MK, Grier T, Canham-Chervak M, Bushman TT, and Jones BH. Physical training, smoking, and injury during deployment: A comparison of men and women in the us army. *US Army Med Dep J*, 2015:42–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26101905>

Combating tobacco use in military and veteran populations. *Military Medicine*, 2015; 180(1):1–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25562848>

Zhang X, Martinez-Donate AP, Cook J, Piper ME, Berg K, et al. Battling tobacco use at home: An analysis of smoke-free home rules among u.S. Veterans from 2001 to 2011. *American Journal of Public Health*, 2014; 104 Suppl 4:S572–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25100423>

Smith TC, LeardMann CA, Smith B, Jacobson IG, Miller SC, et al. Longitudinal assessment of mental disorders, smoking, and hazardous drinking among a population-based cohort of us service members. *Journal of Addiction Medicine*, 2014; 8(4):271–81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24950137>

Smith EA and Malone RE. Mediatory myths in the us military: Tobacco use as 'stress relief'. *American Journal of Health Promotion*, 2014; 29(2):115–22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24359178>

Smith EA, Jahnke SA, Poston WS, Williams LN, Haddock CK, et al. Is it time for a tobacco-free military? *New England Journal of Medicine*, 2014; 371(7):589–91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24988299>

Harte CB, Proctor SP, and Vasterling JJ. Prospective examination of cigarette smoking among iraq-deployed and nondeployed soldiers: Prevalence and predictive characteristics. *Annals of Behavioral Medicine*, 2014; 48(1):38–49. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24474618>

Haddock CK, Hyder ML, Poston WS, Jahnke SA, Williams LN, et al. A longitudinal analysis of cigarette prices in military retail outlets. *American Journal of Public Health*, 2014; 104(4):e82–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24524503>

Grundy Q, Smith EA, and Malone RE. "Throwing a rock at their armored tank": Civilian authority and military tobacco control. *BMC Public Health*, 2014; 14:1292. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25518726>

Ebert L, Malte C, Hamlett-Berry K, Beckham J, McFall M, et al. Use of a learning collaborative to support implementation of integrated care for smoking cessation for veterans with posttraumatic stress disorder. *American Journal of Public Health*, 2014; 104(10):1935–42. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25208004>

Barnett PG, Hamlett-Berry K, Sung HY, and Max W. Health care expenditures attributable to smoking in military veterans. *Nicotine & Tobacco Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25239960>

McClernon F, Calhoun P, Hertzberg J, Dedert E, Beckham J, et al. Associations between smoking and psychiatric comorbidity in us iraq- and afghanistan-era veterans. *Psychology of Addictive Behaviors*, 2013; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23713569>

Bray I, Richardson P, and Harrison K. Smoking prevalence amongst uk armed forces recruits: Changes in behaviour after 3 years follow-up and factors affecting smoking behaviour. *Journal of the Royal Army Medical Corps*, 2013; 159(1):44–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23720560>

<http://jramc.bmjjournals.org/content/159/1/44>

Hoerster K, Lehavot K, Simpson T, McFall M, Reiber G, et al. Health and health behavior differences: Us military, veteran, and civilian men. *American Journal of Preventive Medicine*, 2012; 43(5):483–9 Available from: <http://www.ajpmonline.org/article/S0749-3797%2812%2900534-X/fulltext>

<http://www.ncbi.nlm.nih.gov/pubmed/23079170>

Carmody T, McFall M, Saxon A, Malte C, Chow B, et al. Smoking outcome expectancies in military veteran smokers with posttraumatic stress disorder. *Nicotine & Tobacco Research*, 2012; [Epub ahead of print]. Available from:

<http://ntr.oxfordjournals.org/content/early/2012/01/22/ntr.ntr304.full>

O'Toole B, Catts S, Outram S, Pierse K, and Cockburn J. Factors associated with civilian mortality in australian vietnam veterans three decades after the war. *Military Medicine*, 2010; 175(2):88–95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20180477>

Marimoutou C, Queyriaux B, Michel R, Verret C, Haus-Cheymol R, et al. Survey of alcohol, tobacco, and cannabis use in the french army. *Journal of Addictive Diseases*, 2010; 29(1):98–106. Available from: <http://www.informaworld.com/smpp/ftinterface~content=a918578645~fulltext=713240930>

Jahnke S, Haddock C, Poston W, Hoffman K, Hughey J, et al. A qualitative analysis of the tobacco control climate in the u.S. Military. *Nicotine & Tobacco Research*, 2010; 12(2):88–95. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/12/2/88>

Fear N, Horn O, Hull L, Murphy D, Jones M, et al. Smoking among males in the uk armed forces: Changes over a seven year period. Preventive Medicine, 2010; 50((5–6)):282–4. Available from: www.ncbi.nlm.nih.gov/pubmed/20230851

Duffy S, Scholten R, and Karvonen-Gutierrez C. The relation of tobacco use during hospitalization to post-discharge smoking cessation among us veterans. Preventive Medicine, 2010; 50 ((5–6)):285–7. Available from: www.ncbi.nlm.nih.gov/pubmed/20122956

Dedert E, Wilson S, Calhoun P, Moore S, Hamlett-Berry K, et al. Public health clinical demonstration project for smoking cessation in veterans with posttraumatic stress disorder. Addictive Behaviors, 2010; 35(1):19–22. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19737675

Bastian L and Sherman S. Effects of the wars on smoking among veterans. Journal of General Internal Medicine, 2010; 25(2):102–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20077050>

Smith E and Malone R. 'Everywhere the soldier will be': Wartime tobacco promotion in the us military. American Journal of Public Health, 2009; 99(9):1595–602. Available from:

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2724442/pdf/nihms155182.pdf>

Smith E and Malone R. Tobacco promotion to military personnel: 'The plums are here to be plucked'. Military Medicine, 2009; 174(8):797–806. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/19743733>

Nelson JP, Pederson LL, and Lewis J. Tobacco use in the army: Illuminating patterns, practices, and options for treatment. Military Medicine, 2009; 174(2):162–9. Available from:

<http://www.dtic.mil/cgi-bin/GetTRDoc?AD=ADA521868>

Hamlett-Berry K, Davison J, Kivlahan D, Matthews M, Hendrickson J, et al. Evidence-based national initiatives to address tobacco use as a public health priority in the veterans health administration. Military Medicine, 2009; 174(1):29–34. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/19216295>

Cook J, Jakupcak M, Rosenheck R, Fontana A, and McFall M. Influence of ptsd symptom clusters on smoking status among help-seeking iraq and afghanistan veterans. Nicotine & Tobacco Research, 2009; 11(10):1189–95. Available from: <http://ntr.oxfordjournals.org/content/11/10/1189.long>

Bridger R, Munnoch K, Dew A, and Brasher K. Smoking, bmi and psychological strain and fitness in the naval service. Occupational Medicine, 2009; 59(3):195–6. Available from:

<http://occmed.oxfordjournals.org/content/59/3/195.full>

Smith B, Ryan M, Wingard D, Patterson T, Slymen D, et al. Cigarette smoking and military deployment: A prospective evaluation. American Journal of Preventive Medicine, 2008; 35(6):539–46. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18842388>

Poston WSC, Taylor JE, Hoffman KM, Peterson AL, Lando HA, et al. Smoking and deployment: Perspectives of junior-enlisted us air force and us army personnel and their supervisors. Military Medicine, 2008; 173(5):441–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18543564>

Owers R and Ballard K. "What else is there to do?"--a qualitative study of the barriers to soldiers stopping smoking. *Journal of the Royal Army Medical Corps*, 2008; 154(3):152–5. Available from: http://www.unboundmedicine.com/medline/ebm/record/19202818/full_citation/%22What_else_is_there_to_do%22_A_qualitative_study_of_the_barriers_to_soldiers_stopping_smoking

Nelson J and Pederson L. Military tobacco use: A synthesis of the literature on prevalence, factors related to use, and cessation interventions. *Nicotine & Tobacco Research*, 2008; 10(5):775–90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18569751>

Kirby A, Hertzberg B, Collie C, Yeatts B, Dennis M, et al. Smoking in help-seeking veterans with ptsd returning from afghanistan and iraq. *Addictive Behaviors*, 2008; 33(11):1448–53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18571871>

Green K, Hunter C, Bray R, Pemberton M, and Williams J. Peer and role model influences for cigarette smoking in a young adult military population. *Nicotine & Tobacco Research*, 2008; 10(10):1533–41. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200802398763>

Haddock C, Pyle S, Poston W, Bray R, and Stein R. Smoking and body weight as markers of fitness for duty among u.S. Military personnel. *Military Medicine*, 2007; 172(5):527–32. Available from: <http://www.ingentaconnect.com/content/amsus/zmm/2007/00000172/00000005/art00023>

News reports:

U.S. Department of Health and Human Services. (2024). *Eliminating Tobacco-Related Disease and Death: Addressing Disparities—A Report of the Surgeon General: Executive Summary*. Retrieved from Atlanta, GA: <https://www.hhs.gov/surgeongeneral/reports-and-publications/tobacco/index.html>

No authors listed. Tobacco is a social justice issue: Smoking and lgbt communities. Truth Initiative (American Legacy Foundation), 2017. Available from: <https://truthinitiative.org/news/tobacco-social-justice-issue-smoking-and-lgbt-communities>

No authors listed. Tobacco is a social justice issue: Smoking and low-income communities. Truth Initiative (American Legacy Foundation), 2017. Available from: <https://truthinitiative.org/news/smoking-and-low-income-communities>

No authors listed. Smoking hits all-time low... But not for these 3 groups Medical News Today, 2015. Available from: <http://www.medicalnewstoday.com/releases/302940.php?tw>

9.6.1 People living in regional and remote areas of Australia

Australian Bureau of Statistics. 3218.0 regional population growth, australia, 2006–07. Canberra: ABS, 2008. Last update: Viewed Available from: <http://www.abs.gov.au/AUSSTATS/abs@.nsf/Lookup/3218.0Main%20Features32006-07?opendocument&tabname=Summary&prodno=3218.0&issue=2006-07&num=&view=#POPULATION%20CHANGE%20BY%20REMOTENESS%20A>

Australian Bureau of Statistics. 2006 census quickstats. Canberra: ABS, 2007. Last update: Viewed Available from: <http://www.censusdata.abs.gov.au/ABSNavigation/prenav/ViewData?subaction=1&producttype=QuickStats&areacode=0&action=401&collection=Census&textversion=false&breadcrum=PL&period=2006&javascript=true&navmapdisplayed=true&>.

9.6.2 People born overseas

9.6.3 Lone parents, especially lone mothers

9.6.4 People with mental and substance use disorders

No authors listed. Giving up cigarettes linked with recovery from illicit substance use disorders.

ScienceDaily, 2017. Available from:

<https://www.sciencedaily.com/releases/2017/03/170308081136.htm>

Wilens T. Report confirms increased risk of smoking, substance abuse in bipolar adolescents. Massechusettts: PhysOrg.com 2008. Last update: June 2, 2008 Viewed 24th June 2008. Available from: <http://www.physorg.com/news131630951.html>.

Ashton M. Policy within mental health services- pro-actively addressing tobacco. in *The Mental Health Service Conference*. Sydney. 2005.

Centre for Gambling Research Australian National University. Victorian longitudinal community attitudes survey 2003 (on gambling) Melbourne: Department of Justice, 2004. Last update: Viewed Available from:

[http://www.crimesmart.vic.gov.au/wps/wcm/connect/DOJ+Internet/Home/Gambling+and+Racing/Research+and+Statistics/JUSTICE+-+Victorian+Longitudinal+Community+Attitudes+Survey+on+Gambling+2003+\(PDF\).](http://www.crimesmart.vic.gov.au/wps/wcm/connect/DOJ+Internet/Home/Gambling+and+Racing/Research+and+Statistics/JUSTICE+-+Victorian+Longitudinal+Community+Attitudes+Survey+on+Gambling+2003+(PDF).)

9.6.5 The homeless

Duffy A. Breaking tobacco habit among homeless cuts opioid use, ottawa study finds. Ottawa Citizen, 2018. Available from: <http://ottawacitizen.com/news/local-news/breaking-tobacco-habit-among-homeless-cuts-opioid-use-ottawa-study-finds>

No authors listed. Young activist focuses on helping the homeless population live tobacco-free. Truth Initiative, 2017. Available from: <https://truthinitiative.org/news/young-activist-focuses-helping-homeless-population-live-tobacco-free>

Norton A. Smoking's grip adds to misery of the homeless. Medical Xpress 2016. Available from: <http://medicalxpress.com/news/2016-02-misery-homeless.html>

9.6.6 Prison populations

Australian Bureau of Statistics. 4512.0 - corrective services, australia, mar 2008 Canberra: Australian Bureau of Statistics, 2008. Last update: Viewed Available from:

<http://www.abs.gov.au/AUSSTATS/abs@.nsf/productsbyCatalogue/9B3F80C43A73AF6CCA2568B7001B4595?OpenDocument>.

Australian Bureau of Statistics. 4512.0 corrective services, australia, mar 2008 Canberra: ABS, 2008. Last update: Viewed Available from:
<http://www.abs.gov.au/AUSSTATS/abs@.nsf/productsbyCatalogue/9B3F80C43A73AF6CCA2568B7001B4595?OpenDocument>.

Turner S and Stillman S. Safe smoking intervention in correctional facilities. in *36th Public Health Association of Australia Conference*. Perth. 2005.

Australian Bureau of Statistics. 4517.0 prisoners in australia, 2003 Canberra: ABS, 2004. Last update: 22 January 2004; Viewed Available from:
<http://www.abs.gov.au/ausstats/abs@.nsf/mediareleasesbyCatalogue/0F19E252DC4C48D0CA256E22007D35C6?OpenDocument>.

9.6.7 Military personnel and veterans

British Army to extinguish smoking in 2022. Oct 1, 2021. Retrieved from
<https://www.army.mod.uk/news-and-events/news/2021/10/british-army-to-extinguish-smoking-in-2022/>

Shane III, L. Troops younger than 21 could again buy, use tobacco products under proposed change. *Military Times*, 2021. July 21, 2021. Retrieved from
<https://www.militarytimes.com/news/pentagon-congress/2021/07/21/troops-younger-than-21-could-again-buy-use-tobacco-products-under-proposed-change/>

No authors listed. Tobacco use in the military. Truth Initiative, 2018. Available from:
<https://truthinitiative.org/news/tobacco-use-military>

Wan W. New ads accuse big tobacco of targeting soldiers and people with mental illness. The Washington Post, 2017. Available from: https://www.washingtonpost.com/national/health-science/new-ads-accuse-big-tobacco-of-targeting-soldiers-and-people-with-mental-illness/2017/08/23/02bff930-8843-11e7-a50f-e0d4e6ec070a_story.html?utm_term=.10b8f0c62060

No authors listed. Former navy secretary ray mabus on the culture of smoking in the military. Truth Initiative, 2017. Available from: https://truthinitiative.org/news/former-navy-secretary-ray-mabus-culture-smoking-military?utm_source=Truth+Initiative+Mailing+List&utm_campaign=2d95057a13-Newsletter_081_2017_12_21&utm_medium=email&utm_term=0_c91fd8a5c5-2d95057a13-86454907

No authors listed. One big way to improve the wellbeing of military veterans and caregivers. Truth Initiative (American Legacy Foundation), 2017. Available from: <https://truthinitiative.org/news/one-big-way-improve-wellbeing-military-veterans-and-caregivers>

No authors listed. Tobacco is a social justice issue: The military. Truth Initiative 2017. Available from: <https://truthinitiative.org/news/tobacco-social-justice-issue-military>

No authors listed. Smoking prevalence increases substantially during compulsory military service, israeli research shows. Alpha Galileo, 2017. Available from:
<http://www.alphagalileo.org/ViewItem.aspx?ItemId=171854&CultureCode=en>

Hoyt A. Why smoking rates in the military are so high. HowStuffWorks, 2017. Available from: <http://science.howstuffworks.com/why-smoking-rates-in-military-are-so-high.htm#mkcpgn=rssnws1>

Mincer J and Stewart P. Pentagon aims to curb tobacco use by military: Memo. Reuters, 2016. Available from: <http://www.reuters.com/article/us-usa-military-tobacco-idUSKCN0XN2VP>

Back A. Army did not cause soldier's smoking-related diseases, tribunal finds. The Age, 2016. Available from: <http://www.theage.com.au/act-news/army-did-not-cause-soldiers-smokingrelated-diseases-tribunal-finds-20160421-goc68n>

Centre for Military and Veterans' Health. Research into veterans' quality of life, health care utilisation and personal attributes. Canberra: University of Queensland, 2005. Available from: <http://www.uq.edu.au/cmvh/index.html?page=21146>.