

Tobacco in Australia

Facts & Issues

Relevant news and research

9.8 Are current strategies to discourage smoking in Australia inequitable?

Last updated December 2024

Research:	3
9.8.1 Impact of mass media	30
9.8.1.1 Impact of mass media in reducing disparities in smoking-related knowledge.....	30
9.8.1.2 Impact of mass media led campaigns across socio-economic groups in Australia	30
9.8.2 Impact of price increases on low-income groups in Australia	30
9.8.3 Impact of smokefree policies.....	31
9.8.4 Impact of pictorial health warnings	32
9.8.5 Impact of retail promotion and access	32
9.8.6 Reducing uptake among disadvantaged children in Australia.....	32
9.8.7 Summary of factors that could help to reduce tobacco related disparities	34
News reports:	34
9.8 Are current strategies to discourage smoking in Australia inequitable?.....	34
9.8.1 Impact of mass media	35
9.8.1.1 Impact of mass media in reducing disparities in smoking-related knowledge.....	36
9.8.1.2 Impact of mass media led campaigns across socio-economic groups in Australia	36
9.8.2 Impact of price increases on low-income groups in Australia	36
9.8.3 Impact of smokefree policies.....	36
9.8.4 Impact of pictorial health warnings	36

9.8.5 Impact of retail promotion and access	36
9.8.6 Reducing uptake among disadvantaged children in Australia.....	36
9.8.7 Summary of factors that could help to reduce tobacco related disparities	36

Research:

Reba, YA, Prasetya, YY, Muttaqin, MZ, & Partino, HR. (2024). The role of children in anti-smoking campaigns: addressing socio-economic barriers and reverse influence. *J Public Health (Oxf)*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39152045>

Vander Woude, CA, Buszkiewicz, JH, Travis, N, James, LN, & Fleischer, NL. (2024). Tobacco Control Policies and Sociodemographic Disparities in Cigarette Smoking Behaviors in the U.S.: A Systematic Review Protocol. *AJPM Focus*, 3(5), 100256. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39161402>

Sreeramareddy, CT, & Kuan, LP (2024). Smoking Cessation and Utilization of Cessation Assistance in 13 low- and middle-income countries - changes between Two Survey Rounds of Global Adult Tobacco Surveys, 2009-2021. *J Epidemiol Glob Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39133364>

Gurram, N, Carroll, F, Elers, CNH, Fox, R, Minster, ST, Wikaire, E, & Brown, L. (2024). Understanding ethnic inequities associated with tobacco use in Aotearoa New Zealand: a quantitative analysis. *Health Promot Int*, 39(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38916147>

Tan, ASL, Roberts, J, Liu, J, E, PH, Gundersen, DA, Reynolds, MJ et al. (2024). Key Informants' Perceptions of Health Equity and Racial Justice Impacts of the 2019 Massachusetts An Act Modernizing Tobacco Control. *Nicotine Tob Res*, 26(Supplement_2), S96-S102. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38817028>

Hoetger, C, White, A, Bono, RS, Hall, CJ, Hood, KB, Everhart, RS et al (2024). Perceptions of African American Youth and Adults Regarding Tobacco Use-Related Factors in Their Community: A Mixed-Methods Approach in Richmond, Virginia. *Fam Community Health*, 47(2), 176-190. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38372334>

Kalousova, L, Xie, Y, Levy, D, Meza, R, Thrasher, JF, Elliott, MR et al. (2023). Cigarette Prices and Disparities in Cessation in the United States. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38127643>

Fagrell Trygg, N, Gustafsson, PE, Hurtig, AK, & Mansdotter, A. (2022). Reducing or reproducing inequalities in health? An intersectional policy analysis of how health inequalities are represented in a Swedish bill on alcohol, drugs, tobacco and gambling. *BMC Public Health*, 22(1), 1302. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35794588>

Herndon, S, Martin, J, Swetlick, J, Gans, S, Heck, C, Staples, AH et al. (2022). Advancing Commercial Tobacco Control and Health Equity Through Policy, Systems, and Environmental Change. *N C Med J*, 83(4), 270-274. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35817453>

Munafo, M. (2022). Diversifying the Editorial Board of Nicotine & Tobacco Research. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35417542>

Cwalina, SN, Ihenacho, U, Barker, J, Smiley, SL, Pentz, MA, & Wipfli, H. (2021). Advancing racial equity and social justice for Black communities in US tobacco control policy. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34526408>

Khan, Z, & Siddiqi, K. (2021). Population-level interventions and health disparities -the devil is in the detail. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34498697>

Mills, S. D., Golden, S. D., O'Leary, M. C., Logan, P., & Hassmiller Lich, K. (2021). Using systems science to advance health equity in tobacco control: a causal loop diagram of smoking. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34535509>

Hoek, J, Barbalich, I, Edwards, R, & Gartner, C. (2021). A qualitative analysis of how people who smoke and manage lower incomes perceive the Smokefree 2025 goal. *N Z Med J*, 134(1535), 83-87. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34012143>

Feliu, A, Filippidis, FT, Joossens, L, Amalia, B, Tigova, O, Martinez, C, & Fernandez, E. (2021). The association between tobacco control policy implementation and country-level socioeconomic factors in 31 European countries. *Scientific Reports*, 11(1), 8912. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33903637>

Lepage, B, Colineaux, H, Kelly-Irving, M, Vineis, P, Delpierre, C, & Lang, T. (2020). Comparison of smoking reduction with improvement of social conditions in early life: simulation in a British cohort. *Int J Epidemiol*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33349858>

Sakuma, KK, Pierce, JP, Fagan, P, F, T N-G Leas, EC, Messer, K et al(2020). WORKING Racial/Ethnic Disparities Across Indicators of Cigarette Smoking in the Era of Increased Tobacco Control, 1992-2019. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33196799>

Smith, CE, Hill, SE, & Amos, A. (2020). Impact of population tobacco control interventions on socioeconomic inequalities in smoking: a systematic review and appraisal of future research directions. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32994297>

Veldheer S, Wright RR, and Foulds J. What low-income smokers have learned from public health pedagogy: A narrative inquiry. *American Journal of Health Behavior*, 2019; 43(4):691-704. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31239013>

Serrano-Alarcon M, Kunst AE, Bosdriesz JR, and Perelman J. Tobacco control policies and smoking among older adults: A longitudinal analysis of 10 European countries. *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30868688>

Mussener U, Linderoth C, and Bendtsen M. Exploring the experiences of individuals allocated to a control setting: Findings from a mobile health smoking cessation trial. *JMIR Hum Factors*, 2019; 6(2):e12139. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30938682>

Maynard OM. Addressing health disparities with Tobacco policy research. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31050741>

Kava CM, Harris JR, Gary Chan KC, Kohn MJ, Parrish AT, et al. Tobacco evidence-based practice implementation and employee Tobacco-related outcomes at small low-wage worksites. *J Occup Environ Med*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31022102>

Dignan MB, Jones K, Burhansstipanov L, Ahamed SI, Krebs LU, et al. A randomized trial to reduce smoking among American Indians in South Dakota: The Walking Forward study. *Contemporary Clinical Trials*, 2019; 81:28-33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30986536>

Cupertino AP, Cartujano-Barrera F, Ramirez M, Rodriguez-Bolanos R, Thrasher JF, et al. A mobile smoking cessation intervention for Mexico (vive sin tabaco... Inverted exclamation markdecidete!): Single-arm pilot study. *JMIR Mhealth Uhealth*, 2019; 7(4):e12482. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31021326>

Collins SE, Nelson LA, Stanton J, Mayberry N, Ubay T, et al. Harm reduction treatment for smoking (hart-s): Findings from a single-arm pilot study with smokers experiencing chronic homelessness. *Substance Abuse*, 2019;1-11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30924732>

Apata J, Sheikhattari P, Bleich L, Kamangar F, O'Keefe AM, et al. Addressing Tobacco use in underserved communities through a peer-facilitated smoking cessation program. *Journal of Community Health*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30843139>

Alizaga NM, Nguyen T, Petersen AB, Elser H, and Vijayaraghavan M. Developing Tobacco control interventions in permanent supportive housing for formerly homeless adults. *Health Promotion Practice*, 2019:1524839919839358. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30971139>

Zhu SH, Anderson CM, Wong S, and Kohatsu ND. The growing proportion of smokers in Medicaid and implications for public policy. *American Journal of Preventive Medicine*, 2018; 55(6S2):S130-S7. Available from: [https://www.ajpmonline.org/article/S0749-3797\(18\)32132-9/pdf](https://www.ajpmonline.org/article/S0749-3797(18)32132-9/pdf)

Zhu SH, Anderson CM, Wong S, and Kohatsu ND. The growing proportion of smokers in Medicaid and implications for public policy. *American Journal of Preventive Medicine*, 2018; 55(6S2):S130-S7. Available from: [https://www.ajpmonline.org/article/S0749-3797\(18\)32132-9/pdf](https://www.ajpmonline.org/article/S0749-3797(18)32132-9/pdf)

Yu H, Engberg J, and Scharf D. One size fits all? Disentangling the effects of tobacco taxes, laws, and control spending on adult subgroups in the US. *Substance Abuse*, 2018;1-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29513158>

Tottenborg SS, Clark AJ, Thomsen RW, Johnsen SP, and Lange P. Socioeconomic inequality in the use of prescription medications for smoking cessation among patients with COPD: A nationwide study. *Int J Chron Obstruct Pulmon Dis*, 2018; 13:1775-81. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29881267>

Roeseler A and Kohatsu ND. Advancing smoking cessation in California's Medicaid population. *American Journal of Preventive Medicine*, 2018; 55(6S2):S126-S9. Available from: [https://www.ajpmonline.org/article/S0749-3797\(18\)32134-2/pdf](https://www.ajpmonline.org/article/S0749-3797(18)32134-2/pdf)

Puljevic C and Kinner SA. No smoker left behind: It's time to tackle tobacco in Australian priority populations. *Medical Journal of Australia*, 2018; 208(1):52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29320674>

Parnell A, Box E, Biagioli N, Bonevski B, Coffin J, et al. Attitudinal and behavioural responses to increasing tobacco control regulation among high smoking prevalence groups: A qualitative study. *Drug and Alcohol Review*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30302848>

Lowrie C, Pearson AL, and Thomson G. Inequities in coverage of smokefree outdoor space policies within the United States: School grounds and playgrounds. *BMC Public Health*, 2018; 18(1):736. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29902978>

Lowrie C, Pearson AL, and Thomson G. Retraction note: Inequities in coverage of smokefree space policies within the United States. *BMC Public Health*, 2018; 18(1):799. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29945576>

Global Tobacco Economics Consortium. The health, poverty, and financial consequences of a cigarette price increase among 500 million male smokers in 13 middle income countries: Compartmental model study. *British Medical Journal*, 2018; 361. Available from: <https://www.bmjjournals.org/content/bmjj/361/bmj.k1162.full.pdf>

Davis DR, Hickman NJ, Choi K, Robinson CD, Patten CA, et al. Impact of the srnt health disparities network's scholarship on professional development of its recipients. *Nicotine & Tobacco Research*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30476316>

Danan ER, Fu SS, Clothier BA, Noorbaloochi S, Hammett PJ, et al. The equity impact of proactive outreach to smokers: Analysis of a randomized trial. *American Journal of Preventive Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30139707>

Bailey, SR, Heintzman, J, Jacob, RL, Puro, J, Marino, M. Disparities in Smoking Cessation Assistance in US Primary Care Clinics. *Am J Public Health*. 2018 Jun 21:e1-e9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29927641>

Bonevski B, Thomas DP, and Richmond RL. No smoker left behind: It's time to tackle tobacco in Australian priority populations. *Medical Journal of Australia*, 2018; 208(1):52. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29384613>

Tabuchi T, Iso H, and Brunner E. Tobacco control measures to reduce socioeconomic inequality in smoking: The necessity, time-course perspective, and future implications. *J Epidemiol*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29151476>

Sung H and Apollonio DE. Evaluation of Tobacco control policies in San Francisco homeless housing programs. *Health Promotion Practice*, 2017; 18(4):571-80. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28438037>

Pinilla J and Abasolo I. The effect of policies regulating tobacco consumption on smoking initiation and cessation in spain: Is it equal across socioeconomic groups? *Tobacco Induced Diseases*, 2017; 15:8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28149259>

No authors listed. Social justice and Tobacco control: Impact on underserved populations. University of Michigan, 2017. Available from: <https://hr.umich.edu/about-uhr/uhr-news/attend-nov-14-discussion-tobacco-industry-practices-targeting-underserved-populations>.

National Cancer Institute. Monograph 22: A socioecological approach to addressing Tobacco-related health disparities. Division of Cancer Control and Population Sciences: NCI, 2017. Available from: <https://cancercontrol.cancer.gov/brp/tcrb/monographs/22/index.html>.

Helms VE, King BA, and Ashley PJ. Cigarette smoking and adverse health outcomes among adults receiving federal housing assistance. *Preventive Medicine*, 2017. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28192095>

Dahne J, Wahlquist AE, Garrett-Mayer E, Heckman BW, Michael Cummings K, et al. The differential impact of state tobacco control policies on cessation treatment utilization across established tobacco disparities groups. *Preventive Medicine*, 2017; 105:319–25. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/28987337>

Waller M, Blomstrand A, Hogberg T, Ariai N, Thorn J, et al. A primary care lifestyle programme suitable for socioeconomically vulnerable groups - an observational study. *Scand J Prim Health Care*, 2016; 34(4):352-9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27978782>

Vijayaraghavan M, Schroeder SA, and Kushel M. The effectiveness of tobacco control policies on vulnerable populations in the USA: A review. *Postgrad Med J*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27660283>

Tchicaya A, Lorentz N, and Demarest S. Socioeconomic inequalities in smoking and smoking cessation due to a smoking ban: General population-based cross-sectional study in luxembourg. *PLoS ONE*, 2016; 11(4):e0153966. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27100293>

Hu Y, van Lenthe FJ, Platt S, Bosdriesz JR, Lahelma E, et al. The impact of Tobacco control policies on smoking among socioeconomic groups in nine European countries, 1990-2007. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27613922>

Hoek J and Smith K. A qualitative analysis of low income smokers' responses to tobacco excise tax increases. *Int J Drug Policy*, 2016; 37:82-9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27639173>

Hitsman B. A new blueprint for addressing Tobacco use disparities to reduce health disparities: The sociopharmacology theory of Tobacco addiction. *Nicotine & Tobacco Research*, 2016; 18(2):109. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26759341>

Golden SD, Farrelly MC, Luke DA, and Ribisl KM. Comparing projected impacts of cigarette floor price and excise tax policies on socioeconomic disparities in smoking. *Tobacco Control*, 2016; 25(Suppl 1):i60–i6. Available from: http://tobaccocontrol.bmjjournals.org/content/25/Suppl_1/i60.abstract

Costa A, Cortes M, Sena C, Nunes E, Nogueira P, et al. Equity-focused health impact assessment of portuguese tobacco control legislation. *Health Promotion International*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/27694228>

Bosdriesz JR, Willemsen MC, Stronks K, and Kunst AE. Tobacco control policy and socio-economic inequalities in smoking in 27 European countries. *Drug and Alcohol Dependence*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27262899>

Boland VC, Stockings EA, Mattick RP, McRobbie H, Brown J, et al. The methodological quality and effectiveness of technology-based smoking cessation interventions for disadvantaged groups: A systematic review and meta-analysis. *Nicotine & Tobacco Research*, 2016. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/28034998>

Allen K, Kypridemos C, Hyseni L, Gilmore AB, Diggle P, et al. The effects of maximising the uk's tobacco control score on inequalities in smoking prevalence and premature coronary heart disease mortality: A modelling study. *BMC Public Health*, 2016; 16(1):292. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27036296>

Tong EK, Fagan P, Cooper L, Canto M, Carroll W, et al. Working to eliminate cancer health disparities from Tobacco: A review of the national cancer institute's community networks program. *Nicotine & Tobacco Research*, 2015; 17(8):908–23. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26180215>

Tall JA, Brew BK, Saurman E, and Jones TC. Implementing an anti-smoking program in rural-remote communities: Challenges and strategies. *Rural Remote Health*, 2015; 15(4):3516. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26530272>

Purcell KR, O'Rourke K, and Ravis M. Tobacco control approaches and inequity-how far have we come and where are we going? *Health Promotion International*, 2015; 30 Suppl 2:ii89–ii101. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26420813>

Pfortner TK, Hublet A, Schnohr CW, Rathmann K, Moor I, et al. Socioeconomic inequalities in the impact of tobacco control policies on adolescent smoking. A multilevel study in 29 European countries. *Addictive Behaviors*, 2015; 53:58–66. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26454551>

Okuyemi KS, Reitzel LR, and Fagan P. Interventions to reduce Tobacco-related health disparities. *Nicotine & Tobacco Research*, 2015; 17(8):887–91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26180213>

Okuyemi K, Reitzel L, and Fagan P. Interventions to reduce tobacco-related health disparities. *Nicotine & Tobacco Research*, 2015; 17(8):887–91. Available from: <http://ntr.oxfordjournals.org/content/17/8/887.full>

No authors listed. Themed issue on interventions to reduce tobacco-related health disparities. *Nicotine & Tobacco Reserach*, 2015; 17(8). Available from: <http://ntr.oxfordjournals.org/content/17/8?etoc>

Kuipers MA, Monshouwer K, van Laar M, and Kunst AE. Tobacco control and socioeconomic inequalities in adolescent smoking in Europe. *American Journal of Preventive Medicine*, 2015; 49(5):e64–e72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26164833>

Hummel K, Nagelhout GE, Willemsen MC, Driezen P, Springvloet L, et al. Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the international Tobacco control (ITC) Europe surveys. *Drug and Alcohol Dependence*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26282108>

Chao D, Hashimoto H, and Kondo N. Dynamic impact of social stratification and social influence on smoking prevalence by gender: An agent-based model. *Social Science & Medicine*, 2015; 147:280–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26610078>

Bonevski B, Twyman L, Paul C, D'Este C, West R, et al. Comparing socially disadvantaged smokers who agree and decline to participate in a randomised smoking cessation trial. *BMJ Open*, 2015; 5(9):e008419. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26369799>

Benson FE, Nierkens V, Willemse MC, and Stronks K. Smoking cessation behavioural therapy in disadvantaged neighbourhoods: An explorative analysis of recruitment channels. *Substance Abuse Treatment, Prevention, and Policy*, 2015; 10:28. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/26227135>

Venn A, Dickinson A, Murray R, Jones L, Li J, et al. Effectiveness of a mobile, drop-in stop smoking service in reaching and supporting disadvantaged UK smokers to quit. *Tobacco Control*, 2014; Epub ahead of print. Available from:
<http://tobaccocontrol.bmjjournals.org/content/early/2014/09/26/tobaccocontrol-2014-051760.abstract?papetoc>

<http://www.ncbi.nlm.nih.gov/pubmed/25260749>

Sussman S, Arriaza B, and Grigsby TJ. Alcohol, tobacco, and other drug misuse prevention and cessation programming for alternative high school youth: A review. *J Sch Health*, 2014; 84(11):748–58. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25274175>

Strickland JR, Smock N, Casey C, Poor T, Kreuter MW, et al. Development of targeted messages to promote smoking cessation among construction trade workers. *Health Education Research*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25231165>

Siddiqi K and Dogar O. Can the internet help economically disadvantaged smokers? *The Lancet Respiratory Medicine*, 2014. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25262457>

Over EA, Feenstra TL, Hoogenveen RT, Droomers M, Uiters E, et al. Tobacco control policies specified according to socioeconomic status: Health disparities and cost-effectiveness. *Nicotine & Tobacco Research*, 2014; 16(6):725–32. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24388862>

Nowak Ba C, Sharif Ba F, Eischen Ba S, Thomas J, Wang Q, et al. Retention of homeless smokers in the power to Quit study. *Nicotine & Tobacco Research*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25301816>

Hill S, Amos A, Clifford D, and Platt S. Impact of tobacco control interventions on socioeconomic inequalities in smoking: Review of the evidence. *Tobacco Control*, 2014; 23(e2):e89–e97. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24046211>

Guillaumier A, Bonevski B, Paul C, D'Este C, Doran C, et al. Paying the price: A cross-sectional survey of Australian socioeconomically disadvantaged smokers' responses to hypothetical cigarette price rises. *Drug and Alcohol Review*, 2014; 33(2):177–85. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24350887>

Businelle M, Poonawalla I, Kendzor D, Rios D, Cuate E, et al. Smoking policy change at a homeless shelter: Attitudes and effects. *Addictive Behaviors*, 2014; 40C:51–6. Available from:
<http://www.sciencedirect.com/science/article/pii/S0306460314002883>

<http://www.ncbi.nlm.nih.gov/pubmed/25222848>

Bull ER, Dombrowski SU, McCleary N, and Johnston M. Are interventions for low-income groups effective in changing healthy eating, physical activity and smoking behaviours? A systematic review and meta-analysis. *BMJ Open*, 2014; 4(11):e006046. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25432903>

Brown T, Platt S, and Amos A. Equity impact of population-level interventions and policies to reduce smoking in adults: A systematic review. *Drug and Alcohol Dependence*, 2014; 138:7–16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24674707>

Bala MM, Strzeszynski L, Topor-Madry R, and Cahill K. Mass media interventions for smoking cessation in adults. *Cochrane Database of Systematic Reviews*, 2013; (6). Available from: <http://dx.doi.org/10.1002/14651858.CD004704.pub3>

Bain E, Durkin S, and Wakefield M. Smoking prevalence and consumption in Victoria: Key findings from the 1998–2012 population surveys. CBRC Research Paper Series, No. 45 Centre for Behavioural Research in Cancer, Melbourne: Cancer Council Victoria, 2013. Available from: http://www.cancervic.org.au/downloads/cbrc_research_papers/RPS45.pdf.

Thrasher J, Carpenter M, Andrews J, Gray K, Alberg A, et al. Cigarette warning label policy alternatives and smoking-related health disparities. *American Journal of Preventive Medicine*, 2012; 43(6):590–600. Available from: <http://www.ajpmonline.org/article/S0749-3797%2812%2900623-X/fulltext>

<http://www.ncbi.nlm.nih.gov/pubmed/23159254>

Streja L, Crespi C, Bastani R, Wong G, Jones C, et al. Can a minimal intervention reduce secondhand smoke exposure among children with asthma from low income minority families? Results of a randomized trial. *Journal of Immigrant and Minority Health*, 2012; [Epub ahead of print]. Available from: <http://link.springer.com/article/10.1007%2Fs10903-012-9713-4>

<http://www.ncbi.nlm.nih.gov/pubmed/22945813>

Shoff C and Yang T. Understanding maternal smoking during pregnancy: Does residential context matter? *Social Science & Medicine*, 2012; [Epub ahead of print]. Available from: <http://www.sciencedirect.com/science/article/pii/S027795361200785X>

Sherriff N and Coleman L. Understanding the needs of smokers who work as routine and manual workers on building sites: Results from a qualitative study on workplace smoking cessation. *Public Health*, 2012; [Epub ahead of print]. Available from: <http://www.publichealthjnl.com/article/S0033-3506%2812%2900349-6/fulltext>

Rexing C and Ibrahim J. State tobacco control plans: Who falls outside the plans? *American Journal of Health Promotion*, 2012; 27(1):29–36. Available from: <http://ajhpcontents.org/doi/full/10.4278/ajhp.100408-QUAL-109>

Myers M, Edland S, Hofstetter C, and Al-Delaimy W. Perceived price sensitivity by ethnicity and smoking frequency among California Hispanic and non-Hispanic white smokers. *Nicotine & Tobacco Research*, 2012; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23136268>

McNeill A, Amos A, McEwen A, Ferguson J, and Croghan E. Developing the evidence base for addressing inequalities and smoking in the United Kingdom. *Addiction*, 2012; 107 Suppl 2:1–7 Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1360-0443.2012.04080.x/full>

McEwen A, Hackshaw L, Jones L, Laverty L, Amos A, et al. Evaluation of a programme to increase referrals to stop-smoking services using children's centres and smoke-free families schemes.

Addiction, 2012; 107 Suppl 2:8–17. Available from:
<http://onlinelibrary.wiley.com/doi/10.1111/j.1360-0443.2012.04081.x/full>

Matone M, O'Reilly A, Luan X, Localio R, and Rubin D. Home visitation program effectiveness and the influence of community behavioral norms: A propensity score matched analysis of prenatal smoking cessation. BMC Public Health, 2012; 12(1):1016. Available from:
<http://www.biomedcentral.com/content/pdf/1471-2458-12-1016.pdf>

Hood N, Ferketich A, Klein E, Wewers M, and Pirie P. Individual, social, and environmental factors associated with support for smoke-free housing policies among subsidized multiunit housing tenants. Nicotine & Tobacco Research, 2012; [Epub ahead of print]. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/23136269>

Hoff G, Okah F, Cai J, and Liu Y. Smoking during pregnancy rates trends in a high smoking prevalence state, 1990-2009. South Med J, 2012; 105(12):636–44. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/23211497>

Goldstein A, Faulkner B, and Wekerle C. The relationship between internal resilience, smoking, alcohol use, and depression symptoms in emerging adults transitioning out of child welfare. Child Abuse Negl, 2012; [Epub ahead of print]. Available from:
<http://www.sciencedirect.com/science/article/pii/S0145213412002219>

Goldade K, Guo H, Jarlais D, Connett J, Whembolua G, et al. Homeless former smokers' interest in helping homeless current smokers quit. American Journal of Health Promotion, 2012; 27(2):90–3. Available from: <http://ajhpcontents.org/doi/abs/10.4278/ajhp.110311-ARB-112>

Goldade K, Burgess D, Olayinka A, Whembolua G, and Okuyemi K. Applying anthropology to eliminate tobacco-related health disparities. Nicotine & Tobacco Research, 2012; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/content/early/2012/01/22/ntr.ntr270.full>

Ericson R, Claire A, Schillo B, Martinez J, Matter C, et al. Developing leaders in priority populations to address tobacco disparities: Results from a leadership institute. Journal of Public Health Management and Practice, 2012; [Epub ahead of print]. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/22960392>

Durkin S, Brennan E, and Wakefield M. Mass media campaigns to promote smoking cessation among adults: An integrative review. Tobacco Control, 2012; 21(2):127–38. Available from:
<http://tobaccocontrol.bmjjournals.org/content/21/2/127.abstract>

Dawson A, Cargo M, Stewart H, Chong A, and Daniel M. Identifying multi-level culturally appropriate smoking cessation strategies for Aboriginal health staff: A concept mapping approach. Health Education Research, 2012; [Epub ahead of print]. Available from:
<http://her.oxfordjournals.org/content/early/2012/12/07/her.cys111.long>

Bond L, Egan M, Kearns A, Clark J, and Tannahill C. Smoking and intention to quit in deprived areas of glasgow: Is it related to housing improvements and neighbourhood regeneration because of improved mental health? Journal of Epidemiology and Community Health, 2012; [Epub ahead of print]. Available from: <http://jech.bmjjournals.org/content/early/2012/12/03/jech-2012-201828.long>

<http://www.ncbi.nlm.nih.gov/pubmed/23213114>

Bitton A. Moving towards more equitable and integrated approaches for tobacco control and non-communicable diseases: Invited commentary. *Tobacco Control*, 2012; 21(2):273. Available from: <http://tobaccocontrol.bmjjournals.org/content/21/2/273.short>

Balwicki Åu. Invited commentary. *Tobacco Control*, 2012; 21(2):297–8. Available from: <http://tobaccocontrol.bmjjournals.org/content/21/2/297.short>

Asbridge M, Ralph K, and Stewart S. Private space second-hand smoke exposure and the mental health of non-smokers: A cross-sectional analysis of Canadian adults. *Addictive Behaviors*, 2012; 38(3):1679–86. Available from: <http://www.sciencedirect.com/science/article/pii/S0306460312003541>

Amos A, Greaves L, Nichter M, and Bloch M. Women and tobacco: A call for including gender in tobacco control research, policy and practice. *Tobacco Control*, 2012; 21(2):236–43. Available from: <http://tobaccocontrol.bmjjournals.org/content/21/2/236.abstract>

Nonnemaker J and Farrelly M. Smoking initiation among youth: The role of cigarette excise taxes and prices by race/ethnicity and gender. *Journal of Health Economics*, 2011; 30(3):560–7 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21477875>

Licht AS, Hyland AJ, O'Connor RJ, Chaloupka FJ, Borland R, et al. Socio-economic variation in price minimizing behaviors: Findings from the international Tobacco control (ITC) four country survey. *International Journal of Environmental Research and Public Health*, 2011; 8(1):234–52. Available from: <http://www.mdpi.com/1660-4601/8/1/234/pdf>

International Agency for Research on Cancer. Effectiveness of tax and price policies for tobacco control. *Handbooks of Cancer Prevention*, Vol.14. Lyon, France: IARC, 2011. Available from: <http://www.iarc.fr/en/publications/list/handbooks/>.

Durkin S, Wakefield M, and Spittal M. Which types of televised anti-tobacco campaigns prompt more quitline calls from disadvantaged groups? *Health Education Research*, 2011; 26(6):998–1009. Available from: <http://her.oxfordjournals.org/content/26/6/998.abstract>

Bader P, Boisclair D, and Ferrence R. Effects of tobacco taxation and pricing on smoking behavior in high risk populations: A knowledge synthesis. *International Journal of Environmental Research and Public Health*, 2011; 8(11):4118–39. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3228562/>

Webb M, de Ybarra D, Baker E, Reis I, and Carey M. Cognitive-behavioral therapy to promote smoking cessation among African American smokers: A randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 2010; 78(1):24–33. Available from: <http://psycnet.apa.org/index.cfm?fa=buy.optionToBuy&id=2010-00910-006&CFID=27951098&CFTOKEN=69967056>

Vidrine J, Rabius V, Alford M, Li Y, and Wetter D. Enhancing dissemination of smoking cessation quitlines through t2 translational research: A unique partnership to address disparities in the delivery of effective cessation treatment. *Journal of Public Health Management and Practice*, 2010; 16(4):304–8. Available from: [http://journals.lww.com/pages/login.aspx?ReturnUrl=%2fjphmp%2fsecure%2fpages%2fpurchase.aspx%3an%3d00124784-201007000-00005](http://journals.lww.com/pages/login.aspx?ReturnUrl=%2fjphmp%2fsecure%2fpages%2fpurchase.aspx%3fan%3d00124784-201007000-00005)

Tappin D, Macaskill S, Bauld L, Eadie D, Shipton D, et al. Smoking prevalence and smoking cessation services for pregnant women in Scotland. *Substance Abuse Treatment, Prevention, and Policy*, 2010; 5(1):1. Available from: <http://www.substanceabusepolicy.com/content/pdf/1747-597x-5-1.pdf>

Stewart MJ, Kushner KE, Greaves L, Letourneau N, Spitzer D, et al. Impacts of a support intervention for low-income women who smoke. *Social Science & Medicine*, 2010; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20970232>

Sorensen G, Stoddard A, Quintiliani L, Ebbeling C, Nagler E, et al. Tobacco use cessation and weight management among motor freight workers: Results of the gear up for health study. *Cancer Causes & Control*, 2010; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20725775>

Simpson C, Hippisley-Cox J, and Sheikh A. Trends in the epidemiology of smoking recorded in UK general practice. *The British Journal of General Practice*, 2010; 60(572):121–7. Available from: <http://www.ingentaconnect.com/content/rcgp/bjgp/2010/00000060/00000572/art00006>

Sargent JD, Tanski S, Stoolmiller M, and Hanewinkel R. Using sensation seeking to target adolescents for substance use interventions. *Addiction*, 2010; 105(3):506–14. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=123275733&Act=2138&Code=4719&Page=/cgi-bin/fulltext/123275733/HTMLSTART>

Quintiliani L, Yang M, and Sorensen G. A process evaluation of tobacco-related outcomes from a telephone and print-delivered intervention for motor freight workers. *Addictive Behaviors*, 2010; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20605073

Pisinger C, Aadahl M, Toft U, and Jorgensen T. Motives to quit smoking and reasons to relapse differ by socioeconomic status. *Preventive Medicine*, 2010; [Epub ahead of print]. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21047525

Perusco A, Poder N, Mohsin M, Rikard-Bell G, Rissel C, et al. Evaluation of a comprehensive tobacco control project targeting Arabic-speakers residing in south west Sydney, Australia. *Health Promotion International*, 2010; 25(2):153–65. Available from: <http://heapro.oxfordjournals.org/content/25/2/153.long>

Okechukwu C, Nguyen K, and Hickman N. Partner smoking characteristics: Associations with smoking and quitting among blue-collar apprentices. *American Journal of Industrial Medicine*, 2010; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/ajim.20890/full>

Netto G, Bhopal R, Lederle N, Khatoon J, and Jackson A. How can health promotion interventions be adapted for minority ethnic communities? Five principles for guiding the development of behavioural interventions. *Health Promotion International*, 2010; 25(2):248–57. Available from: <http://heapro.oxfordjournals.org/content/25/2/248.full>

Lubetkin E, Lu W, Krebs P, Yeung H, and Ostroff J. Exploring primary care providers' interest in using patient navigators to assist in the delivery of tobacco cessation treatment to low income, ethnic/racial minority patients. *Journal of Community Health*, 2010; [Epub ahead of print]. Available

from: <https://commerce.metapress.com/content/d107j751x64703pt/resource-secured/?target=fulltext.pdf&sid=l2ro41f42zla4cynsxo4sw45&sh=www.springerlink.com>

King B, Travers M, Cummings K, Mahoney M, and Hyland A. Prevalence and predictors of smoke-free policy implementation and support among owners and managers of multiunit housing. *Nicotine & Tobacco Research*, 2010; 12(2):159–63. Available from:
<http://ntr.oxfordjournals.org/cgi/content/full/12/2/159>

Guilamo-Ramos V, Jaccard J, Dittus P, Gonzalez B, Bouris A, et al. The linking lives health education program: A randomized clinical trial of a parent-based tobacco use prevention program for african American and latino youths. *American Journal of Public Health*, 2010; [Epub ahead of print]. Available from:
<http://ajph.aphapublications.org/cgi/reprint/AJPH.2009.171637v1?view=long&pmid=20634469>

Froelicher E, Doolan D, Yerger V, McGruder C, and Malone R. Combining community participatory research with a randomized clinical trial: The protecting the hood against tobacco (phat) smoking cessation study. *Heart & Lung : The Journal of Critical Care*, 2010; 39(1):50–63. Available from:
<http://www.heartandlung.org/article/PIIS0147956309001496/fulltext>

Farrimond H, Joffe H, and Stenner P. A q-methodological study of smoking identities. *Psychology & Health*, 2010; 25(8):979–98. Available from:
<http://www.informaworld.com/smpp/content~content=a920105845~db=all~jumptype=rss>

English K, Merzel C, and Moon-Howard J. Translating public health knowledge into practice: Development of a lay health advisor perinatal tobacco cessation program. *Journal of Public Health Management and Practice*, 2010; 16(3):E9–19. Available from:
<http://journals.lww.com/jphmp/pages/articleviewer.aspx?year=2010&issue=05000&article=00014&type=abstract>

Eek F, Ostergren P, Diderichsen F, Rasmussen N, Andersen I, et al. Differences in socioeconomic and gender inequalities in tobacco smoking in sweden and Denmark; a cross sectional comparison of the equity effect of different public health policies. *BMC Public Health*, 2010; 10(1):9. Available from:
<http://www.biomedcentral.com/content/pdf/1471-2458-10-9.pdf>

Douglas F, Gray D, and van Teijlingen E. Using a realist approach to evaluate smoking cessation interventions targeting pregnant women and young people. *BMC Health Services Research*, 2010; 10(1):49. Available from: <http://www.biomedcentral.com/content/pdf/1472-6963-10-49.pdf>

D'Onise K, Lynch J, and McDermott R. Can attending preschool reduce the risk of tobacco smoking in adulthood? The effects of kindergarten union participation in South Australia. *Journal of Epidemiology and Community Health*, 2010; [Epub ahead of print]. Available from:
<http://jech.bmjjournals.org/content/early/2010/06/27/jech.2009.101840.long>

Deason L, Adhikari S, Clopton T, Oches B, and Jensen C. The ohio cross-cultural tobacco control alliance: Understanding and eliminating tobacco-related disparities through the integration of science, practice, and policy. *American Journal of Public Health*, 2010; 100(Suppl 1):S240–5. Available from:
<http://ajph.aphapublications.org/cgi/content/full/100/S1/S240?view=long&pmid=20147668>

de Araújo VA, Loukas A, and Gottlieb NH. Examining differences between light and heavier smoking vocational students: A pilot study. *Health Education Journal*, 2010; [Epub ahead of print]. Available from: <http://hej.sagepub.com/content/70/1/67.full.pdf+html>

Christiansen B, Brooks M, Keller P, Theobald W, and Fiore M. Closing tobacco-related disparities: Using community organizations to increase consumer demand. *American Journal of Preventive Medicine*, 2010; 38(3 suppl.):S397–402. Available from: <http://www.ajpm-online.net/article/PIIS0749379709008563/fulltext>

Burton D, Zeng X, Chiu C, Sun J, Sze N, et al. A phone-counseling smoking-cessation intervention for male Chinese restaurant workers. *Journal of Community Health*, 2010; 35(6):579–85. Available from: <https://springerlink3.metapress.com/content/4213wk6282478v67/resource-secured/?target=fulltext.pdf&sid=1rm0k2eesvld0hmkz10gzb3o&sh=www.springerlink.com>

Burns E and Levinson A. Reaching spanish-speaking smokers: State-level evidence of untapped potential for quitline utilization. *American Journal of Public Health*, 2010; 100(S1):S165–S710. Available from: <http://ajph.aphapublications.org/cgi/content/full/100/S1/S165>

Bonevski B, Bryant J, and Paul C. Encouraging smoking cessation among disadvantaged groups: A qualitative study of the financial aspects of cessation. *Drug and Alcohol Review*, 2010; [Epub ahead of print]. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1465-3362.2010.00248.x/full>

Bondy S and Bercovitz K. Non-smoking worksites in the residential construction sector: Using an online forum to study perspectives and practices. *Tobacco Control*, 2010; [Epub ahead of print]. Available from: <http://tobaccocontrol.bmjjournals.org/content/early/2010/11/29/tc.2010.038398.long>

Bell K, McCullough L, Salmon A, and Bell J. 'Every space is claimed': Smokers' experiences of tobacco denormalisation. *Social Health Illn*, 2010; 32(6):914–29. Available from: <http://onlinelibrary.wiley.com/doi/10.1111/j.1467-9566.2010.01251.x/pdf>

Yao T, Lee A, and Mao Z. Potential unintended consequences of smoke-free policies in public places on pregnant women in China. *American Journal of Preventive Medicine*, 2009; 37(2 Suppl):S159–64. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591756

Wye P, Bowman J, Wiggers J, Baker A, Knight J, et al. Smoking restrictions and treatment for smoking: Policies and procedures in psychiatric inpatient units in Australia Psychiatric Services (Washington, D.C.), 2009; 60(1):100–7. Available from: <http://ps.psychiatryonline.org/cgi/content/full/60/1/100>

Wu D, Ma G, Zhou K, Zhou D, Liu A, et al. The effect of a culturally tailored smoking cessation for Chinese American smokers. *Nicotine & Tobacco Research*, 2009; 11(12):1448–57. Available from: <http://ntr.oxfordjournals.org/content/11/12/1448.full>

Winickoff J. Ban smoking in public housing. *Newsweek*, 2009; 154(2):19. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19655657

Willemse G and Boomsma D. Multiparous women: A key target population for smoking intervention? *Public Health*, 2009; 123(5):401–2. Available from:

http://www.tweelingenregister.org/nederlands/verslaggeving/NTR-publicaties_2009/Willemsen_2009_PHepub.pdf

Wilkinson AV, Shete S, Vasudevan V, Prokhorov AV, Bondy ML, et al. Influence of subjective social status on the relationship between positive outcome expectations and experimentation with cigarettes. *Journal of Adolescent Health*, 2009; 44(4):342–8. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T80-4TT1G37-7&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=1f0ed3155f69989a736358a2a6ab7920

White V, Mason T, and Briggs V. How do trends in smoking prevalence among Indigenous and non-Indigenous Australian secondary students between 1996 and 2005 compare? *Australia and New Zealand Journal of Public Health* 2009; 33(2):147–53. Available from:
<http://www3.interscience.wiley.com/user/accessdenied?ID=122310244&Act=2138&Code=4719&Page=/cgi-bin/fulltext/122310244/HTMLSTART>

Webb MS. Culturally specific interventions for african American smokers: An efficacy experiment. *Journal of the National Medical Association*, 2009; 101(9):927–35. Available from:
<http://www.highbeam.com/doc/1P3-1858638801.html>

Volpp K, Troxel A, Pauly M, Glick H, Puig A, et al. A randomized, controlled trial of financial incentives for smoking cessation. *New England Journal of Medicine*, 2009; 360(7):699–709. Available from:
<http://content.nejm.org/cgi/content/full/360/7/699>

Vogt F, Hall S, and Marteau T. Examining why smokers do not want behavioral support with stopping smoking. *Patient Education and Counseling*, 2009; [Epub ahead of print]. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19932580

Verdonk-Kleinjan W, Knibbe R, Tan F, Willemsen M, de Groot H, et al. Does the workplace-smoking ban eliminate differences in risk for environmental tobacco smoke exposure at work? . *Health Policy*, 2009; [Epub ahead of print]. Available from: www.ncbi.nlm.nih.gov/pubmed/19398142

Vallone D, Allen J, and Xiao H. Is socioeconomic status associated with awareness of and receptivity to the truth((r)) campaign? *Drug and Alcohol Dependence*, 2009; [Epub ahead of print]. Available from: www.ncbi.nlm.nih.gov/pubmed/19442459

Tremblay M, Payette Y, and Montreuil A. Use and reimbursement costs of smoking cessation medication under the Quebec public drug insurance plan. *Canadian Journal of Public Health*, 2009; 100(6):417–20. Available from: <http://journal.cpha.ca/index.php/cjph/article/viewArticle/2093>

Tong E, Tang H, Tsoh J, Wong C, and Chen M. Smoke-free policies among Asian-American women: Comparisons by education status. *American Journal of Preventive Medicine*, 2009; 37(2 Suppl):S144–50. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591754

Tidey J and Rohsenow D. Smoking expectancies and intention to quit in smokers with schizophrenia, schizoaffective disorder and non-psychiatric controls. *Schizophrenia Research*, 2009; [Epub ahead of print]. Available from: http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6TC2-4XG3DC2-2

[3&_cdi=5158&_user=10&_orig=search&_coverDate=10%2F16%2F2009&_sk=999999999&view=c&wchp=dGLbVzW-zSkWz&md5=e56cae45890c85ea31a3a6809aa63af8&ie=/sdarticle.pdf](http://www.ncbi.nlm.nih.gov/pubmed/19201146)

Siahpush M, Wakefield M, Spittal M, Durkin S, and Scollon M. Taxation reduces social disparities in adult smoking prevalence. *American Journal of Preventive Medicine*, 2009; 36(4):285–91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19201146>

Sheffer C, Stitzer M, Payne T, Applegate B, Bourne D, et al. Treatment for tobacco dependence for rural, lower-income smokers: Outcomes, predictors, and measurement considerations. *American Journal of Health Promotion*, 2009; 23(5):328–38. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19445436

Schorr G, Ulbricht S, Baumeister S, Ruge J, Grothues J, et al. Mental health and readiness to change smoking behavior in daily smoking primary care patients. *International Journal of Behavioral Medicine*, 2009; 16(4):347–54. Available from:
<http://www.springerlink.com/content/7463m020575361g7/fulltext.html>

Schnohr C, Kreiner S, Rasmussen M, Due P, and Diderichsen F. School-related mediators in social inequalities in smoking: A comparative cross-sectional study of 20,399 adolescents. *International Journal for Equity in Health*, 2009; 8(1):17. Available from:
<http://www.equityhealthj.com/content/pdf/1475-9276-8-17.pdf>

Ritchie D, Amos A, Phillips R, Cunningham-Burley S, and Martin C. Action to achieve smoke-free homes- an exploration of experts' views. *BMC Public Health*, 2009; 9(1):112. Available from:
<http://www.biomedcentral.com/content/pdf/1471-2458-9-112.pdf>

Reimers S, Maylor EA, Stewart N, and Chatera N. Associations between a one-shot delay discounting measure and age, income, education and real-world impulsive behavior. *Personality and Individual Differences*, 2009; 47(8):973–8. Available from:
http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6V9F-4X4G2HX-1-5&_cdi=5897&_user=10&_orig=search&_coverDate=12%2F31%2F2009&_sk=999529991&view=c&wchp=dGLbVtz-zSkz&md5=4c0ae5d2a90a7250491266ab37b55934&ie=/sdarticle.pdf

Peretti-Watel P, Villes V, Duval X, Collin F, Reynes J, et al. How do HIV-infected smokers react to cigarette price increases? Evidence from the aproco-copilote-anrs co8 cohort. *Current HIV Research*, 2009; 7(4):462–7. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19601784

Osypuk T, Subramanian S, Kawachi I, and Acevedo-Garcia D. Is workplace smoking policy equally prevalent and equally effective for immigrants? *Journal of Epidemiology and Community Health*, 2009; 63(10):784–91. Available from: <http://jech.bmjjournals.org/content/63/10/784.long>

Murray R, Bauld L, Hackshaw L, and McNeill A. Improving access to smoking cessation services for disadvantaged groups: A systematic review. *Journal of Public Health*, 2009; 31(2):258–77. Available from: <http://jpubhealth.oxfordjournals.org/content/31/2/258.long>

Morris C, Waxmonsky J, May M, and Giese A. What do persons with mental illnesses need to quit smoking? Mental health consumer and provider perspectives. *Psychiatric Rehabilitation Journal*, 2009; 32(4):276–84. Available from:

<http://prj.metapress.com/app/home/contribution.asp?referrer=parent&backto=issue,5,14;journal,1,28;linkingpublicationresults,1:119989,1>

Moore RS, McLellan DL, Tauras JA, and Fagan P. Tobacco policy and its unintended consequences among low-income women American Journal of Preventive Medicine, 2009; 37(2 Supplement (August 2009)):S117–20. Available from: [http://www.ajpm-online.net/article/S0749-3797\(09\)00318-3/fulltext](http://www.ajpm-online.net/article/S0749-3797(09)00318-3/fulltext)

Moore R, McLellan D, Tauras J, and Fagan P. Securing the health of disadvantaged women: A critical investigation of tobacco-control policy effects on women worldwide. American Journal of Preventive Medicine, 2009; 37(2 suppl.):S117–20. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591749

Moore R, Annechino R, and Lee J. Unintended consequences of smoke-free bar policies for low-SES women in three California counties. American Journal of Preventive Medicine, 2009; 37(2 Suppl):S138–43. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591753

Matthews AK, Sanchez-Johnsen L, and King A. Development of a culturally targeted smoking cessation intervention for African American smokers. Journal of Community Health, 2009; Epub ahead of print. Available from: <http://www.springerlink.com/content/g46485820341g673/>

Matthews A, Sanchez-Johnsen L, and King A. Development of a culturally targeted smoking cessation intervention for African American smokers. Journal of Community Health, 2009; 34(6):480–92. Available from: <https://springerlink3.metapress.com/content/g46485820341g673/resource-secured/?target=fulltext.html&sid=1loiihmjonxf5fec55nenmn&sh=www.springerlink.com>

Luk R, Cohen J, Ferrence R, McDonald P, Schwartz R, et al. Prevalence and correlates of purchasing contraband cigarettes on First Nations reserves in Ontario, Canada. Addiction, 2009; 104(3):488–95. Available from:

<http://www3.interscience.wiley.com/user/accessdenied?ID=121685334&Act=2138&Code=4719&Page=cgi-bin/fulltext/121685334/HTMLSTART>

Lowry R, Billett A, Buchanan C, and Whiston S. Increasing breastfeeding and reducing smoking in pregnancy: A social marketing success improving life chances for children. Perspectives in Public Health, 2009; 129(6):277–80. Available from: <http://rsh.sagepub.com/cgi/reprint/129/6/277>

Liu F. Effect of Medicaid coverage of tobacco-dependence treatments on smoking cessation. International Journal of Environmental Research and Public Health, 2009; 6(12):3143–55. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2800340/pdf/ijerph-06-03143.pdf>

Lincoln T, Tuthill RW, Roberts C, Kennedy S, Hammett T, et al. Resumption of smoking after release from a tobacco-free correctional facility. Journal of Correctional Health Care, 2009; 15(3):190–6. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19477804

Lim S, Chung W, Kim H, and Lee S. The influence of housing tenure and marital status on smoking in South Korea. *Health Policy*, 2009; 94(2):101–10. Available from:
<http://www.healthpolicyjrnl.com/article/PIIS0168851009002334/fulltext>

Liles S, Hovell M, Matt G, Zakarian J, and Jones J. Parent quit attempts after counseling to reduce children's secondhand smoke exposure and promote cessation: Main and moderating relationships. *Nicotine & Tobacco Research*, 2009; 11(12):1395–406. Available from:
<http://ntr.oxfordjournals.org/content/11/12/1395.long>

Li W, Land T, Zhang Z, Keithly L, and Kelsey J. Small-area estimation and prioritizing communities for tobacco control efforts in Massachusetts. *American Journal of Public Health*, 2009; 99:470–9.
Available from:
<http://www.aph.org/cgi/content/full/99/3/470?maxtoshow=&HITS=10&hits=10&RESULTFORMAT=1&author1=Li%2C+W&title=Small-area+estimation+and+exacttitle=and+andorexacttitleabs=and+andorexactfulltext=and&searchid=1&FIRSTINDEX=0&sortspec=relevance&resourcetype=HW CIT>

Larson C, Schlundt D, Patel K, Wang H, Beard K, et al. Trends in smoking among African-Americans: A description of Nashville's Reach 2010 initiative. *Journal of Community Health*, 2009; 34(4):311–20.
Available from: <https://springerlink3.metapress.com/content/33j8886060607m15/resource-secured/?target=fulltext.html&sid=1loiihmjonxf5fec55nenmn&sh=www.springerlink.com>

Kotz D and West R. Explaining the social gradient in smoking cessation: It's not in the trying, but in the succeeding. *Tobacco Control*, 2009; 18(1):43–6. Available from:
<http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/18/1/43>

Khang Y, Yun S, Cho H, and Jung-Choi K. The impact of governmental antismoking policy on socioeconomic disparities in cigarette smoking in South Korea. *Nicotine & Tobacco Research*, 2009; 11(3):262–9. Available from: <http://ntr.oxfordjournals.org/content/11/3/262.long>

Hiscock R, Pearce J, Barnett R, Moon G, and Daley V. Do smoking cessation programmes influence geographical inequalities in health? An evaluation of the impact of the pegs programme in Christchurch, New Zealand. *Tobacco Control*, 2009; 18(5):371–6. Available from:
<http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/18/5/371>

Hickling J, A., Miller C, and Hiller J. Smoking and mental illness: A population study in South Australia. In submission, 2009.

Healton C, Vallone D, and Cartwright J. Unintended consequences of tobacco policies: Implications for public health practice. *American Journal of Preventive Medicine*, 2009; 37(2 Suppl):S181–2.
Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591760

Guyer B, Ma S, Grason H, Frick KD, Perry DF, et al. Early childhood health promotion and its life course health consequences. *Academic Pediatrics*, 2009; 9(3):142–9. Available from:
<http://www.sciencedirect.com/science/journal/18762859>

Greaves L and Hemsing N. Sex, gender, and secondhand smoke policies: Implications for disadvantaged women. *American Journal of Preventive Medicine*, 2009; 37(2 suppl.):S131–7.
Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591752

Farchaus Stein K and Sharp DL. A clinical translation of the research article titled, "the impact of opening a smoking room on psychiatric inpatient behavior following implementation of a hospital-wide smoking ban" Journal of the American Psychiatric Nurses Association, 2009; 15(6):401–3.

Available from: <http://jap.sagepub.com/cgi/reprint/15/6/401?etoc>

Eldridge G and Cropsey K. Smoking bans and restrictions in U.S. Prisons and jails: Consequences for incarcerated women. American Journal of Preventive Medicine, 2009; 37(2 suppl.):S179–80.

Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591759

Edwards R, Gifford H, Waa A, Glover M, Thomson G, et al. Beneficial impacts of a national smokefree environments law on an indigenous population: A multifaceted evaluation International Journal for Equity in Health, 2009; 8(1):12. Available from: <http://www.equityhealthj.com/content/pdf/1475-9276-8-12.pdf>

Durkin S, Biener L, and Wakefield M. Effects of different types of antismoking ads on reducing disparities in smoking cessation among socioeconomic subgroups. American Journal of Public Health, 2009; 99(12):2217–23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19833980>

Duke J, Vallone D, Allen J, Cullen J, Mowery P, et al. Increasing youths' exposure to a tobacco prevention media campaign in rural and low-population-density communities. American Journal of Public Health, 2009; 99(12):2210–6. Available from:

<http://ajph.aphapublications.org/cgi/content/full/99/12/2210?view=long&pmid=19833994>

Dixon L, Medoff D, Goldberg R, Lucksted A, Kreyenbuhl J, et al. Is implementation of the 5 a's of smoking cessation at community mental health centers effective for reduction of smoking by patients with serious mental illness? American Journal on Addictions, 2009; 18(5):386–92. Available from: <http://www.informaworld.com/smpp/ftinterface~content=a913559065~fulltext=713240928>

Dinno A and Glantz S. Tobacco control policies are egalitarian: A vulnerabilities perspective on clean indoor air laws, cigarette prices, and tobacco use disparities. Social Science and Medicine, 2009; 68(8):1439–47. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19282078>

D'Onise K, McDermott R, and Lynch J. Does attendance at preschool affect adult health? . in *Royal Australian College of Physicians Annual Conference*. Sydney. 2009.

Cropsey K, Weaver M, Eldridge G, Villalobos G, Best A, et al. Differential success rates in racial groups: Results of a clinical trial of smoking cessation among female prisoners. Nicotine & Tobacco Research, 2009; 11(6):690–7. Available from: <http://ntr.oxfordjournals.org/content/11/6/690.long>

Crockford D, Kerfoot K, and Currie S. The impact of opening a smoking room on psychiatric inpatient behavior following implementation of a hospital-wide smoking ban. Journal of the American Psychiatric Nurses Association, 2009; 15(6):393–400. Available from:

<http://jap.sagepub.com/cgi/content/abstract/15/6/393>

Cowell A, Farrelly M, Chou R, and Vallone D. Assessing the impact of the national 'truth' antismoking campaign on beliefs, attitudes, and intent to smoke by race/ethnicity. Ethnicity and Health, 2009;

14(1):75–91. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/13557850802257715>

Charlier N, Glover M, and Robertson J. Keeping kids smokefree: Lessons learned on community participation. *Health Education Research*, 2009; 24(6):949–56. Available from:

<http://her.oxfordjournals.org/content/24/6/949.long>

Burgess D, Fu S, and van Ryn M. Potential unintended consequences of tobacco-control policies on mothers who smoke: A review of the literature. *American Journal of Preventive Medicine*, 2009; 37(2 suppl.):S151–8. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19591755

Bottorff J, Carey J, Mowatt R, Varcoe C, Johnson J, et al. Bingo halls and smoking: Perspectives of first nations women. *Health & Place*, 2009; 15(4):1014–21. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/19482540>

Borland T and Amos A. An exploratory study of the perceived impact of raising the age of cigarette purchase on young smokers in Scotland. *Public Health*, 2009; 123(10):673–9. Available from:

<http://www.publichealthjrnl.com/article/PIIS0033350609002637/fulltext>

Bitler MP, Carpenter C, and Zavodny M. Effects of venue-specific state clean indoor air laws on smoking-related outcomes. *Working Paper Series (National Bureau of Economic Research)*, 2009; 15229. Available from: <http://papers.nber.org/papers/w15229>

Bell K, McCullough L, Devries K, Jategaonkar N, Greaves L, et al. Location restrictions on smoking: Assessing their differential impacts and consequences in the workplace. *Canadian Journal of Public Health*, 2009; 100(1):46–50. Available from:

<http://journal.cpha.ca/index.php/cjph/article/view/1735>

Batra A, Collins SE, Schroter M, Eck S, Torchalla I, et al. A cluster-randomized effectiveness trial of smoking cessation modified for at-risk smoker subgroups. *Journal of Substance Abuse Treatment*, 2009; Epub ahead of print. Available from:

http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T90-4XF7XT7-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=1ab1518e63ea303cf00b3f8319fe348

Batra A, Collins S, Schroter M, Eck S, Torchalla I, et al. A cluster-randomized effectiveness trial of smoking cessation modified for at-risk smoker subgroups. *Journal of Substance Abuse Treatment*, 2009; 38(2):128–40. Available from:

<http://www.journalofsubstanceabusetreatment.com/article/PIIS0740547209001469/fulltext>

Akhtar P, Haw S, Levin K, Currie D, Zachary R, et al. Socioeconomic differences in secondhand smoke exposure among children in Scotland after introduction of the smoke-free legislation. *Journal of Epidemiology and Community Health*, 2009; 64(4):341–6. Available from:

<http://jech.bmjjournals.org/content/64/4/341.long>

Zulman D, Vijan S, Omenn G, and Hayward R. The relative merits of population-based and targeted prevention strategies. *The Milbank Quarterly*, 2008; 86(4):557–80. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19120980

World Health Organization. Closing the gap in a generation. Geneva 2008. Available from: http://whqlibdoc.who.int/hq/2008/WHO_IER_CSDH_08.1_eng.pdf.

Wakefield M, Germain D, and Henriksen L. The effect of retail cigarette pack displays on impulse purchase. *Addiction*, 2008; 103:322–30.

Vangeli E and West R. Sociodemographic differences in triggers to quit smoking: Findings from a national survey. *Tobacco Control*, 2008; 17(6):410–15. Available from: <http://tobaccocontrol.bmjjournals.org/content/17/6/410.full>

Tsourtos G and O'Dwyer L. Stress, stress management, smoking prevalence and quit rates in a disadvantaged area: Has anything changed? *Health Promotion Journal of Australia*, 2008; 19(1):40–4. Available from: http://www.ncbi.nlm.nih.gov/pubmed/18481931?ordinalpos=16&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief

Thomas S, Fayter D, Misso K, Ogilvie D, Petticrew M, et al. Population tobacco control interventions and their effects on social inequalities in smoking: Systematic review. *Tobacco Control*, 2008; 17(4):230–7. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/17/4/230>

Schaap MM, Kunst AE, Leinsalu M, Regidor E, Ekholm O, et al. Effect of nationwide tobacco control policies on smoking cessation in high and low educated groups in 18 European countries. *Tobacco Control*, 2008; 17(4):248–55. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/17/4/248>

Sanson-Fisher R, Campbell E, Htun A, Bailey L, and Millar C. We are what we do: Research outputs of public health. *American Journal of Preventative Medicine*, 2008; 35(4):380–5. Available from: <http://www.ajpm-online.net/article/S0749-3797%2808%2900610-7/fulltext>

Robles G, Singh-Franco D, and Ghin H. A review of the efficacy of smoking-cessation pharmacotherapies in nonwhite populations. *Clinical Therapeutics*, 2008; 30(5):800–12. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VRS-4SRN8MY-2&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urIVersion=0&_userid=10&md5=2dff4b08f5f3203752e5cbb95bd56f3b

Reinert B, Carver V, Range L, and Pike C. Church leaders' tobacco opinions: Send materials, not money. *Journal of Cultural Diversity*, 2008; 15(2):81 – 5. Available from: http://www.find-health-articles.com/rec_pub_18649446-church-leaders-tobacco-opinions-send-materials-money.htm

Nixon CL, Mansfield PM, and Thoms P. Effectiveness of antismoking public service announcements on children's intent to smoke. *Psychology of Addictive Behaviors*, 2008; 22(4):496–503. Available from: <http://psycnet.apa.org/index.cfm?fa=main.doiLanding&uid=2008-17215-004>

Niederdeppe J, Kuang X, Crock B, and Skelton A. Critical steps in building the evidence base regarding media campaign effects on disadvantaged populations: A response to fagan. *Social Science & Medicine*, 2008; 67(9):1359–60. Available from: www.elsevier.com/locate/socscimed

Niederdeppe J, Kuang X, Crock B, and Skelton A. Media campaigns to promote smoking cessation among socioeconomically disadvantaged populations: What do we know, what do we need to learn, and what should we do now? *Social Science & Medicine*, 2008; 67(9):1343–55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18691793>

Niederdeppe J, Fiore MC, Baker TB, and Smith SS. Smoking-cessation media campaigns and their effectiveness among socioeconomically advantaged and disadvantaged populations. American Journal of Public Health, 2008; 98(5):xxx–xx. Available from:
<http://www.ajph.org/cgi/doi/10.2105/AJPH.2007.117499>

Nelson D, Gallogly M, Pederson L, Barry M, McGoldrick D, et al. Use of consumer survey data to target cessation messages to smokers through mass media. American Journal of Public Health, 2008; 98(3):536–42. Available from: <http://www.ajph.org/cgi/reprint/98/3/536>

Main C, Thomas S, Ogilvie D, Stirkl L, Petticrew M, et al. Population tobacco control interventions and their effects on social inequalities in smoking: Placing an equity lens on existing systematic reviews. BMC Public Health, 2008; 27(8):178. Available from:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2412872/>

Mackenbach JP, Stirbu I, Roskam A-JR, Schaap MM, Menvielie G, et al. Socioeconomic inequalities in health in 22 European countries. New England Journal of Medicine, 2008; 358:2468–81. Available from: <http://content.nejm.org/cgi/reprint/358/23/2468.pdf>

Louis G. Surveillance recommendations for developing effective tobacco prevention and control interventions for low-SES populations. Health Promotion Practice, 2008; 10(2):276–83. Available from: <http://hpp.sagepub.com/content/10/2/276.long>

Heil SH, Higgins ST, Bernstein IM, Solomon LJ, Rogers RE, et al. Effects of voucher-based incentives on abstinence from cigarette smoking and fetal growth among pregnant women. Addiction, 2008; 103(6):1009–18 Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1360-0443.2008.02237.x>

Hall WD and West R. Thinking about the unthinkable: A de facto prohibition on smoked tobacco products. Addiction, 2008; 103:873–4.

Green J and Edwards P. The limitations of targeting to address inequalities in health: A case study of road traffic injury prevention from the UK. Critical Public Health, 2008; 18(2):175–87. Available from: <http://www.informaworld.com/smpp/content~content=a794220607~db=all~jumptype=rss>

Gospodinov N and Irvine I. Tobacco taxes and regressivity. Journal of Health Economics, 2008; 28(2):375–84. Available from:
http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6V8K-4TVJ3H8-2-5&_cdi=5873&_user=10&_pii=S0167629608001562&_origin=na&_coverDate=03%2F31%2F2009&_sk=999719997&view=c&wchp=dGLzVtb-zSkWb&md5=aa1dca4d1cdd9888d4265ff9fdd1c062&ie=/sdarticle.pdf

Gilman S, Martin L, Abrams D, Kawachi I, Kubzansky L, et al. Educational attainment and cigarette smoking: A causal association? International Journal of Epidemiology, 2008; 37(3):615–24. Available from: <http://ije.oxfordjournals.org/content/37/3/615.full>

Gartner CE and Hall WD. Should Australia lift its ban on low nitrosamine smokeless tobacco products? . Medical Journal of Australia, 2008; 188:44–6.

Fowkes FJ, Stewart MC, Gerald F, Fowkes R, Amos A, et al. Scottish smoke-free legislation and trends in smoking cessation. Addiction, 2008; 103(11):1888–95. Available from:
<http://www3.interscience.wiley.com/journal/121458999/abstract>

Fagan P. Examining the evidence base of mass media campaigns for socially disadvantaged populations: What do we know, what do we need to learn, and what should we do now? A commentary on niederdeppe's article. *Social Science & Medicine*, 2008; 67(1356-8). Available from: www.elsevier.com/locate/socscimed

Durkin S. Graphic emotive advertising about the health effects of smoking is equally effective across different socio-economic groups. in *xxth Conference on Smoking or Health*. Mumbai. 2008.

Castañeda H, Nichter M, Nichter M, and Muramoto M. Enabling and sustaining the activities of lay health influencers: Lessons from a community-based tobacco cessation intervention study. *Health Promotion Practice*, 2008; 11(4):483–92. Available from: <http://hpp.sagepub.com/content/11/4/483.full.pdf+html>

Campbell R, Starkey F, Holliday J, Audrey S, Bloor M, et al. An informal school-based peer-led intervention for smoking prevention in adolescence (assist): A cluster randomised trial. *The Lancet*, 2008; 371:1595–602. Available from: http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6T1B-4SG0CT8-12-7&_cdi=4886&_user=10&_orig=search&_coverDate=05%2F16%2F2008&_sk=996280375&view=c&wchp=dGLbVzW-zSkWb&md5=62d1a32410d4c079588352bde2a3c44b&ie=/sdarticle.pdf

Burris S. Stigma, ethics and policy: A commentary on bayer's "stigma and the ethics of public health: Not can we but should we". *Social Science & Medicine*, 2008; 67(3):473 – 5. Available from: http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6VBF-4S9M03G-2-1&_cdi=5925&_user=10&_orig=browse&_coverDate=08%2F31%2F2008&_sk=999329996&view=c&wchp=dGLbVzb-zSkWA&md5=16b0cb3b32cc663bf14c33e9737ee5d1&ie=/sdarticle.pdf

Bomlitz L and Brezis M. Misrepresentation of health risks by mass media. *Journal of Public Health* (Oxford, England), 2008; 30(2):202–4. Available from: <http://jpubhealth.oxfordjournals.org/cgi/reprint/30/2/202>

Blackman T. Can smoking cessation services be better targeted to tackle health inequalities? Evidence from a cross-sectional study. *Health Education Journal*, 2008; 67(2):91–101. Available from: <http://hej.sagepub.com/cgi/reprint/67/2/91>

Bayer R. Stigma and the ethics of public health: Not can we but should we Social Science & Medicine, 2008; 67(3):463 – 72. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VBF-4SKDH9G-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_uriVersion=0&_userid=10&md5=eb4677a7f08afcefabe566c38de37c13

Bala M, Strzeszynsk L, and Cahill K Mass media interventions for smoking cessation in adults. Cochrane Database of Systematic Reviews, 2008 DOI: [10.1002/14651858.CD004704.pub2](https://doi.org/10.1002/14651858.CD004704.pub2). Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD004704/frame.html>

Australian Institute of Health and Welfare. Housing assistance in Australia 2008. AIHW cat. no. HOU 173. Canberra: AIHW, 2008. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/10563>.

Ahern J, Jones M, Bakshis E, and Galea S. Revisiting rose: Comparing the benefits and costs of population-wide and targeted interventions. *The Milbank Quarterly*, 2008; 86(4):581–600. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19120981

Agrawal A, Sartor C, Pergadia ML, Huizink AC, and Lynskey MT. Correlates of smoking cessation in a nationally representative sample of U.S. Adults. *Addictive Behaviors*, 2008; 33(9):1223–6. Available from: <http://www.sciencedirect.com/science/article/B6VC9-4S7J5R5-4/2/c2d03c42cba836a060b00749111fcfb>

Adams K, Melvin C, and Raskind-Hood C. Sociodemographic, insurance, and risk profiles of maternal smokers post the 1990s: How can we reach them? *Nicotine & Tobacco Research*, 2008; 10(7):1121 – 9. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200802123278>

Abrevaya J. Trends and determinants of second-pregnancy smoking among young-adult mothers who smoked during their first pregnancy. *Nicotine & Tobacco Research*, 2008; 10(6):951–7. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200802087531>

Xue Y, Zimmerman MA, and Caldwell CH. Neighborhood residence and cigarette smoking among urban youths: The protective role of prosocial activities. *American Journal of Public Health*, 2007. Available from: <http://www.ajph.org/cgi/content/abstract/AJPH.2005.081307v1>

West P, Sweeting H, and Young R. Smoking in Scottish youths: Personal income, parental social class and the cost of smoking. *Tobacco Control*, 2007; 16(5):329–35. Available from:
<http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/16/5/329>

Thompson L, Pearce J, and Barnett J. Moralising geographies: Stigma, smoking islands and responsible subjects. *Area*, 2007; 39(4):508–17. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1475-4762.2007.00768.x>

Spector A, Alpert H, and Karam-Hage M. Smoking cessation delivered by medical students is helpful to homeless population. *Academic Psychiatry*, 2007; 31(5):402–5. Available from:
<http://ap.psychiatryonline.org/cgi/content/full/31/5/402>

Okuyemi KS, Thomas JL, Hall S, Nollen NL, Richter KP, et al. To target or not to target? Smoking cessation in homeless populations: A pilot clinical trial. *Nicotine & Tobacco Research*, 2007; 8(5):689–99.

Moolchan ET, Fagan P, Fernander A, Velicer W, Hayward MD, et al. Addressing tobacco-related health disparities. *Addiction*, 2007; 102 (suppl. 2):30–42. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/17850612>

Maglione M, Larson C, Giannotti T, and Lapin P. Use of medicare summary notice inserts to generate interest in the medicare stop smoking program. *American Journal of Health Promotion*, 2007; 21(5):422–5. Available from: [http://apt.allenpress.com/perlserv/?request=get-abstract&doi=10.1043%2F0890-1171\(2007\)021%5B0422%3AUOMSNI%5D2.0.CO%3B2&ct=1](http://apt.allenpress.com/perlserv/?request=get-abstract&doi=10.1043%2F0890-1171(2007)021%5B0422%3AUOMSNI%5D2.0.CO%3B2&ct=1)

Low A, Unsworth L, Low A, and Miller I. Avoiding the danger that stop smoking services may exacerbate health inequalities: Building equity into performance assessment. *BMC Public Health*, 2007; 9(7):198. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-7-198.pdf>

Littleton J, Barron S, Prendergast M, and Nixon S. Smoking kills (alcoholics)! Shouldn't we do something about it? *Alcohol and Alcoholism*, 2007; 42(3):167–73. Available from: <http://alcalc.oxfordjournals.org/cgi/content/full/42/3/167>

Kevin Rudd MP Federal Labor Leader, Jenny Macklin MP Shadow Minister for Families and Community Services, Nicola Roxon MP Shadow Minister for Health, and Stephen Smith MP Shadow Minister for Education and Training. Labor's plan for early childhood election 2007 policy document. 2007. Available from: http://www.alp.org.au/download/now/early_childhood_policy.pdf.

Julia Gillard MP Deputy Federal Labor Leader and Shadow Minister for Employment and Industrial Relations and Shadow Minister for Social Inclusion and Senator Penny Wong Shadow Minister for Workforce Participation. An Australian social inclusion agenda: Election 2007. 2007. Available from: http://www.alp.org.au/download/now/071122_social_inclusion.pdf.

Harwell T, Lee L, Haugland C, Wilson S, Campbell S, et al. Utilization of a tobacco quit line prior to and after a tobacco tax increase. *Journal of Public Health Management and Practice*, 2007; 13(6):637–41. Available from: <http://www.jphmp.com/pt/re/jphmp/abstract.00124784-200711000-00016.htm;jsessionid=LJzLHGgdffpvRl0lpvDrB79Nyw6KGHB3zwn8GZ94cnGy9Kz28KZS!-629222879!181195628!8091!-1>

Hall WD, Gartner CE, and Carter A. Horizons review: The genetics of nicotine addiction liability: Ethical and social policy implications. *Addiction*, 2007; 103(3):350–9.

Giskes K, Kunst A, Ariza C, Benach J, Borrell C, et al. Applying an equity lens to tobacco-control policies and their uptake in six Western-European countries. *Journal of Public Health Policy*, 2007; 28(2):261–80. Available from: <http://www.palgrave-journals.com/jphp/journal/v28/n2/full/3200132a.html>

Gartner CE, Hall WD, Vos T, Bertram MY, Wallace AL, et al. Assessment of swedish snus for tobacco harm reduction: An epidemiological modelling study. *The Lancet*, 2007; 369:210–14.

Franks P, Jerant A, Leigh J, Lee D, Chiem A, et al. Cigarette prices, smoking, and the poor: Implications of recent trends. *American Journal of Public Health*, 2007; 97(10):1873–7. Available from: <http://www.ajph.aphapublications.org/cgi/content/full/97/10/1873>

Baum F. Cracking the nut of health equity: Top down and bottom up pressure for action on the social determinants. *Promotion and Education*, 2007; 14(2):90–119. Available from: <http://ped.sagepub.com/cgi/content/abstract/14/2/90>

Bauld L, Judge K, and Platt S. Assessing the impact of smoking cessation services on reducing health inequalities in England: Observational study. *Tobacco Control*, 2007; 16(6):400–4. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/16/6/400>

Wilson N, Blakely T, and Tobias M. What potential has tobacco control for reducing health inequalities? The New Zealand situation. *International Journal for Equity in Health*, 2006; 2(1):14. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17081299>

Viswanath K and Emmons KM. Message effects and social determinants of health: Its application to cancer disparities. *Journal of Communication*, 2006; 56:s238–64.

Viswanath K, Breen N, Meissner H, Moser RP, Hesse B, et al. Cancer knowledge and disparities in the information age. *Journal of Health Communication*, 2006; 11:1–17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16641071>

The Cancer Council New South Wales. Lifting the burden: tobacco control and social equity strategy July 2006 to june 2011. Sydney: The Cancer Council New South Wales 2006. Available from: <http://www.cancercouncil.com.au/editorial.asp?pageid=2210>.

Poland B, Frohlich K, Haines RJ, Mykhalovskiy E, Rock M, et al. The social context of smoking: The next frontier in tobacco control? *Tobacco Control*, 2006; 15(1):59–63. Available from: <http://tc.bmjjournals.com/cgi/content/abstract/15/1/59>

Nichter M and The Project Quit Tobacco International Group. Introducing tobacco cessation in developing countries: An overview of project Quit Tobacco international. *Tobacco Control*, 2006; 15(suppl. 1):i12–7. Available from: http://tc.bmjjournals.com/cgi/content/abstract/15/suppl_1/i12

Miles R. Neighborhood disorder and smoking: Findings of a European urban survey *Social Science & Medicine*, 2006; 63(9):2464–75. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16904800>

Maziak W, Arora M, Reddy KS, Mao Z, and Fogarty International Center's "International Tobacco Research and Capacity Building Program. On the gains of seeding tobacco research in developing countries. *Tobacco Control*, 2006; 15(suppl. 1):i3–4. Available from: http://tobaccocontrol.bmjjournals.com/cgi/content/full/15/suppl_1/i3

Levy D, Mumford E, and Compton C. Tobacco control policies and smoking in a population of low education women, 1992–2002. *Journal of Epidemiology and Community Health*, 2006; 60(60):ii20–6. Available from: http://jech.bmjjournals.com/cgi/reprint/60/suppl_2/ii20.pdf

Green M. Narratives and cancer communication. *Journal of Communication*, 2006; 56(s1):S163–83. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-2466.2006.00288.x>

Greaves L, Johnson J, Bottorff J, Kirkland S, Jategaonkar N, et al. What are the effects of tobacco policies on vulnerable populations? A better practice review. *Canadian Journal of Public Health*, 2006; 97(4):310–5. Available from: http://resources.cpha.ca/cpha/cjph/code/Article_e.php?item=J097-310-315

Erbas B, Bui Q, Huggins R, Harper T, and White V. Investigating the relation between placement of Quit antismoking advertisements and number of telephone calls to Quitline: A semiparametric modelling approach. *Tobacco Control*, 2006; 15(2):74. Available from: <http://tc.bmjjournals.com>

UK Department of Health. Tackling inequalities: Status report on the programme for action. London: UK Department of Health, 2005. Available from: <http://www.dh.gov.uk/assetRoot/04/11/76/98/04117698.pdf>.

Stanton H. The millennium development goals and tobacco control: An opportunity for global partnership. *Tobacco Control*, 2005; 14(6):432. Available from: <http://tobaccocontrol.bmjjournals.com/cgi/content/extract/14/6/432>

Levy D, Romano E, and Mumford E. The relationship of smoking cessation to sociodemographic characteristics, smoking intensity, and tobacco control policies. *Nicotine & Tobacco Research*, 2005;

7(3):387–96. Available from:

<http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200500125443>

Hall WD. The prospects for tobacco harm reduction. International Journal of Drug Policy, 2005; 16:139–42.

Scollo M. Do Australian tobacco package "health warnings" offer consumers adequate information about the risks posed by smoking?, in Draft regulatory impact statement on proposed change to the trade practices (consumer product information standards (Tobacco) regulations. National Heart Foundation and the Cancer Council Australia, Editor Melbourne: VicHealth Centre for Tobacco Control; 2004.

Jamrozik K, Weller D, and Heller R. The UK smoking time-warp: Roll on 1989! Targets for the prevalence of smoking in 2010 are embarrassingly modest. Medical Journal of Australia, 2004; 180(6):266–7.

Dal Cin S, Zanna M, and Fong G. Narrative persuasion and overcoming resistance, in Resistance to persuasion. Knowles E and Linn J, Editors. Mahwah, NJ: Erlbaum; 2004.

Wakefield M, Durrant R, Terry-McElrath Y, Ruel E, Balch G, et al. Appraisal of anti-smoking advertising by youth at risk for regular smoking: A comparative study in the United States, Australia, and britain. Tobacco Control, 2003; 12(Suppl II):ii82–6. Available from:
http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/12/suppl_2/ii82

Scollo M, Younie S, Wakefield M, Freeman J, and Icasiano F. Impact of tobacco tax reforms on tobacco prices and tobacco use in Australia. Tobacco Control, 2003; 12(suppl. 2):ii59–ii66. Available from: http://tc.bmjjournals.com/cgi/content/abstract/12/suppl_2/ii59

Currie J and Moretti E. Mother's education and the intergenerational transmission of human capital: Evidence from college openings. The Quarterly Journal of Economics, 2003; VCXVIII(4):1495–532.

Carroll T and Rock B. Generating Quitline calls during Australia's national Tobacco campaign: Effects of television advertisement execution and programme placement. Tobacco Control, 2003; 12(suppl 2):ii40–4.

Slater M. Entertainment education and the persuasive impact of narratives, in Narrative impact: Social and cognitive foundations. Green M, Strange J, and Brock T, Editors. Mahwah, NJ: Erlbaum; 2002. p 157–81.

McBride CM, Bepler G, Lipkus IM, Lynda P, Samsa G, et al. Incorporating genetic susceptibility feedback into a smoking cessation program for african-American smokers with low income. Cancer Epidemiology, Biomarkers & Prevention, 2002; 11(6):521–8. Available from:
<http://cebp.aacrjournals.org/cgi/content/full/11/6/521>

Juon HS, Ensminger ME, and Sydnor KD. A longitudinal study of developmental trajectories to young adult cigarette smoking. Drug & Alcohol Dependence, 2002; 66(3):303–14.

Biener L and Taylor TM. The continuing importance of emotion in tobacco control media campaigns: A response to hastings and macfadyen. Tobacco Control, 2002; 11(1):75–7.

Heath C, Bell C, and Sternberg E. Emotional selection in memes: The case of urban legends. *Journal of Personality and Social Psychology*, 2001; 81(6):1028–41. Available from:
<http://content.apa.org/journals/psp/81/6/1028>

Chapman S and Dominello A. A strategy for increasing news media coverage of tobacco and health in Australia. *Health Promotion International*, 2001; 16(2):137–43.

Luminet O, Bouts P, Delie F, Manstead A, and Rime B. Social sharing of emotion following exposure to negatively valenced situation. *Cognition and Emotion*, 2000; 14:661–88. Available from:
<http://www.informaworld.com/smpp/content~content=a713751280~db=all>

Hill D, Borland R, Carroll T, Donovan R, and Taylor J. Perspectives of the Australian national Tobacco campaign, in Australia's national Tobacco campaign, evaluation volume two. Hassard K, Editor Canberra: Commonwealth Department of Health and Aged Care; 2000. p 1–9 Available from:
http://www.health.gov.au/internet/main/publishing.nsf/Content/health-pubhlth-publicat-document-tobccamp_2-cnt.htm.

Green M and Brock T. The role of transportation in the persuasiveness of public narratives. *Journal of Personality and Social Psychology*, 2000; 79(5):701–21. Available from:
<http://content.apa.org/journals/psp/79/5/701>

Biener L, McCallum-Keeler G, and Nyman A. Adults' response to massachusetts anti-tobacco television advertisements: Impact of viewer and advertisement characteristics. *Tobacco Control*, 2000; 9(4):401–7. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/content/abstract/9/4/401>

Alcock J. Background to the campaign in 1998, in Australia's national Tobacco campaign. Evaluation report volume two. Canberra: Commonwealth Department of Health and Aged Care; 2000. p 11–20 Available from: http://www.health.gov.au/internet/main/publishing.nsf/Content/health-pubhlth-publicat-document-tobccamp_2-cnt.htm.

Hill D and Alcock J. Background to campaign, in Australia's national Tobacco campaign: Evaluation report volume one. Hassard K, Editor Canberra: Commonwealth Department of Health and Aged Care; 1999. Available from:
<http://www.health.gov.au/internet/main/publishing.nsf/Content/health-pubhlth-publicat-document-metadata-tobccamp.htm>.

Farrelly MC, Evans WN, and Sfekas AE. The impact of workplace smoking bans: Results from a national survey. *Tobacco Control*, 1999; 8(3):272–7.

Watt J. Overview, in Quit evaluation studies no. 9. Trotter L and Mullins R, Editors. Melbourne: Centre for Behavioural Research in Cancer, Anti-Cancer Council of Victoria; 1998.

Farrelly M and Bray J. Response to increases in cigarette prices by race/ethnicity, income, and age groups—United States, 1976-1993. *Morbidity and Mortality Weekly Report*, 1998; 47(29):605–9. Available from: <http://www.cdc.gov/mmwr/preview/mmwrhtml/00054047.htm>

Viswanath K and Finnegan J. The knowledge-gap hypothesis: Twenty-five years later, in *Communication yearbook 19*. Buleson B, Editor Thousand Oaks: Sage Publications; 1996.

Harris A, Holdsworth R, McDonnell L, Sheehan M, Taylor B, et al. Mental health education in Australian schools. Canberra: Mental Health Branch of the Commonwealth Department of Health and Family Services, 1996.

Townsend JL, Roderick P, and Cooper J. Cigarette smoking by socioeconomic group, sex, and age: Effects of price, income, and health publicity. BMJ (Clinical Research Ed.), 1994; 309(6959):923–6. Available from: <http://www.bmjjournals.org/cgi/content/full/309/6959/923>

Macaskill P, Pierce JP, Simpson JM, and Lyle DM. Mass media-led antismoking campaign can remove the education gap in quitting behavior. American Journal of Public Health, 1992; 82(1):96–8. Available from: <http://www.ajph.aphapublications.org/cgi/reprint/82/1/96>

Chapman S. Stop-smoking clinics: A case for their abandonment. The Lancet, 1985; 8434:918–20.

9.8.1 Impact of mass media

Elkefi, S, Lelutiu-Weinberger, C, Bruzzese, JM, & Matthews, AK. (2024). Disparities in Exposure to Pro-Tobacco and anti-Tobacco Advertisements in the United States. *Subst Use Misuse*, 1-8.
Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/39551941/>

van Meurs, T, Coban, FR, de Koster, W, van der Waal, J, & Oude Groeniger, J. (2022). Why are anti-smoking health-information interventions less effective among low-socioeconomic status groups? A systematic scoping review. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/3538409/>

Colston, DC, Cho, B, Thrasher, JF Titus, AR, Xie, Y, Emery, S et al (2021). Anti-Smoking Media Campaigns and Disparities in Smoking Cessation in the United States, 2001-2015. *Am J Health Promot*, 890117120985818. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/33415988/>

Durkin S, Bayly M, Brennan E, Biener L, and Wakefield M. Fear, sadness and hope: Which emotions maximize impact of anti-Tobacco mass media advertisements among lower and higher SES groups? *Journal of Health Communication*, 2018:1–17. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/29702038/>

Bala MM, Strzeszynski L, and Topor-Madry R. Mass media interventions for smoking cessation in adults. Cochrane Database of Systematic Reviews, 2017; 11(11):CD004704–CD. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/29159862/>

9.8.1.1 Impact of mass media in reducing disparities in smoking-related knowledge

Chiosi JJ, Andes L, Asma S, Palipudi K, and McAfee T. Warning about the harms of tobacco use in 22 countries: Findings from a cross-sectional household survey. *Tobacco Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/25953532/>

9.8.1.2 Impact of mass media led campaigns across socio-economic groups in Australia

9.8.2 Impact of price increases on low-income groups in Australia

Cizmovic, M, Mugosa, A, Kovacevic, M, & Lakovic, T. (2022). Effectiveness of tax policy changes in Montenegro: smoking behaviour by socio-economic status. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35279643>

Vladisavljevic, M, Zubovic, J, Dukic, M, & Jovanovic, O. (2021). Inequality-Reducing Effects of Tobacco Tax Increase: Accounting for Behavioral Response of Low-, Middle-, and High-Income Households in Serbia. *Int J Environ Res Public Health*, 18(18). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34574420>

Zheng R and Huang J. Would raising tobacco tax in China unfairly burden the poor? *Lancet Glob Health*, 2015; 3(4):e181–2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25772691>

Verguet S, Gauvreau CL, Mishra S, MacLennan M, Murphy SM, et al. The consequences of tobacco tax on household health and finances in rich and poor smokers in China: An extended cost-effectiveness analysis. *Lancet Glob Health*, 2015; 3(4):e206–16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25772692>

Dunlop SM, Perez D, and Cotter T. Australian smokers' and recent quitters' responses to the increasing price of cigarettes in the context of a tobacco tax increase. *Addiction*, 2011; 106(9):1687–95. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21561498>

Farrelly M, Bray J, Pechacek T, and Woollery T. Response by adults to increases in cigarette prices by sociodemographic characteristics. *Southern Economic Journal*, 2001; 68(1):156–65. Available from: http://findarticles.com/p/articles/mi_qa5421/is_200107/ai_n21475043

9.8.3 Impact of smokefree policies

Gonzalez-Salgado, IL, Rivera-Navarro, J, Sureda, X, & Franco, M. (2020). Qualitative examination of the perceived effects of a comprehensive smoke-free law according to neighborhood socioeconomic status in a large city. *SSM Popul Health*, 11, 100597. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32478163>

Middleton J. Protecting children from passive smoking in their home. *The Faculty of Public Health*, 2017. Available from: http://www.fph.org.uk/protecting_children_from_passive_smoking_in_their_home.

Marchese ME, Shamo F, Miller CE, Wahl RL, and Li Y. Racial disparities in asthma hospitalizations following implementation of the smoke-free air law, michigan, 2002-2012. *Preventing Chronic Disease*, 2015; 12:E201. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26583573>

Lawn S. Should psychiatric facilities be smoke free, and are we even asking the right questions? *Australas Psychiatry*, 2007; 15(3):246. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/10398560701200125>

Shavers VL, Fagan P, Jouridine Alexander LA, Clayton R, Doucet J, et al. Workplace and home smoking restrictions and racial/ethnic variation in the prevalence and intensity of current cigarette smoking among women by poverty status, tus-cps 1998-1999 and 2001-2002. *Journal of*

Epidemiology and Community Health, 2006; 60(Suppl 2):ii34–43. Available from:
http://jech.bmjjournals.org/cgi/content/abstract/60/suppl_2/ii34

9.8.4 Impact of pictorial health warnings

Nagelhout G, Willemsen M, de Vries H, Mons U, Hitchman S, et al. Educational differences in the impact of pictorial cigarette warning labels on smokers: Findings from the international Tobacco control (ITC) Europe surveys. *Tobacco Control*, 2015. Available from:
<http://tobaccocontrol.bmjjournals.org/content/early/2015/04/14/tobaccocontrol-2014-051971.full>

9.8.5 Impact of retail promotion and access

Jackson, A, Fleischli, ME, Haeny, A, Rose, SW, Fagan, P, Krishnan-Sarin, S et al. (2022). Association of non-cigarette tobacco advertisements and racial discrimination with non-cigarette tobacco product use among Black adults. *Nicotine Tob Res.* Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/3616956/>

Colston, DC, Titus, AR, Thrasher, JF, Elliott, MR, & Fleischer, NL. (2020). Area-Level Predictors of Tobacco 21 Coverage in the U.S. Before the National Law: Exploring Potential Disparities. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/3316079/>

Melody SM, Martin-Gall V, Harding B, and Veitch MG. The retail availability of tobacco in Tasmania: Evidence for a socio-economic and geographical gradient. *Medical Journal of Australia*, 2018; 208(5):205-8. Available from: <https://www.mja.com.au/journal/2018/208/5/retail-availability-tobacco-tasmania-evidence-socio-economic-and-geographical>

Kite J, Rissel C, Greenaway M, and Williams K. Tobacco outlet density and social disadvantage in New South Wales, Australia. 2014; 23(2):181-2. Available from:
<https://tobaccocontrol.bmjjournals.org/content/tobaccocontrol/23/2/181.full.pdf>

9.8.6 Reducing uptake among disadvantaged children in Australia

Yeretzian J and Afifi R. 'It won't happen to me': The knowledge-attitude nexus in adolescent smoking. *Journal of Public Health*, 2009; 31(3):354–9. Available from:
<http://jpubhealth.oxfordjournals.org/content/31/3/354.full>

Grogan S, Conner M, Fry G, Gough B, and Higgins A. Gender differences in smoking: A longitudinal study of beliefs predicting smoking in 11-15 year olds. *Psychology & Health*, 2009; 24(3):301–16. Available from:
<http://www.informaworld.com/smpp/ftinterface~content=a787473895~fulltext=713240928>

Paul SL, Blizzard L, Patton GC, Dwyer T, and Venn A. Parental smoking and smoking experimentation in childhood increase the risk of being a smoker 20 years later: The childhood determinants of adult

health study. *Addiction*, 2008; 103(5):846–53. Available from:
<https://www.ncbi.nlm.nih.gov/pubmed/18412765>

Gallopades B, Lynch J, and Smith DG. Childhood socioeconomic circumstances and cause-specific mortality in adulthood: Systematic review and interpretation. *Epidemiologic Reviews*, 2004; 26(1):7–21. Available from: <http://epirev.oxfordjournals.org/cgi/content/full/26/1/7>

Bond L, Patton G, Glover S, Carlin J, Butler H, et al. The gatehouse project: Can a multi level school intervention affect emotional well-being and health risk behaviours? *Journal of Epidemiology and Community Health*, 2004; 58(12):997–1003. Available from:
<http://jech.bmjjournals.org/cgi/content/full/58/12/997>

Scragg R, Laugesen M, and Robinson E. Cigarette smoking, pocket money and socio-economic status: Results from a national survey of 4th form students in 2000. *The New Zealand Medical Journal*, 2002; 115(1158):U108. Available from: <http://www.nzma.org.nz/journal/115-1158/108/>

Bryant AL, Schulenberg JE, Bachman JG, O'Malley PM, and Johnston LD. Understanding the links among school misbehavior, academic achievement, and cigarette use: A national panel study of adolescents. *Prevention Science*, 2000; 1(2):71–87. Available from:
<http://sambuca.umdl.umich.edu/handle/2027.42/45498>

Derschewitz R and Anda R. Adverse childhood experiences and smoking during adolescence and adulthood. *Journal of the American Medical Association*, 1999; 282(17):1652–8. Available from:
<http://jama.ama-assn.org/cgi/content/full/282/17/1652>

Kellam S and Anthony J. Targeting early antecedents to prevent tobacco smoking: Findings from an epidemiologically based randomized field trial. *American Journal of Public Health*, 1998; 88(10):1490–5. Available from: <http://www.ajph.aphapublications.org/reprint/88/10/1490>

Jackson C. Cognitive susceptibility to smoking and initiation of smoking during childhood: A longitudinal study. *Preventive Medicine*, 1998; 27(1):129–34. Available from:
http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-45JJX0J-17&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_version=1&_urlVersion=0&_userid=10&md5=6c0595f41706636367414ddd9f4dd4ed29

Gritz E, Prokhorov A, Hudmon K, Chamberlain R, Taylor W, et al. Cigarette smoking in a multiethnic population of youth: Methods and baseline findings. *Preventative Medicine*, 1998; 27(3):365–84. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-45JB1WV-1K&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_version=1&_urlVersion=0&_userid=10&md5=32e7ff1ba4e9a2f4b9231b3855baca3e

Brook J, Cohen P, and Brook W. Longitudinal study of co-occurring psychiatric disorders and substance use. *Journal of the American Academy of Child Adolescent Psychiatry*, 1998; 37(3):322–30. Available from: <http://www.jaacap.com/pt/re/jaacap/abstract.00004583-199803000-00018.htm;jsessionid=LPXP1fnfTHJck78hJpwFghvyKnJNTKRDhKd51LCS08mzfF8DQqrz!1629792715!181195629!8091!-1>

Schoenmakers I, Nyhuis A, Rissel C, and Chapman S. The role of ethnicity in sales of cigarettes to minors. *Health Promotion Journal of Australia*, 1997; 7(1):62–6.

Charlton A, While D, Kelly S, and Huang W. Causes of absence from school related to children's and their parents' smoking. *Tobacco Control*, 1997; 6(2):150–1. Available from: <http://tobaccocontrol.bmjjournals.org/cgi/reprint/6/2/150>

Botvin G, Epstein J, and Schinke S. Predictors of smoking among inner-city minority youth. *Journal of Developmental and Behavioral Pediatrics*, 1994; 15(2):67–73.

9.8.7 Summary of factors that could help to reduce tobacco related disparities

News reports:

9.8 Are current strategies to discourage smoking in Australia inequitable?

Wheeler E. American lung association helping people in low-income housing quit smoking. WQOW, 2018. Available from: <http://www.wqow.com/story/37256600/2018/01/Friday/free-quit-smoking-support-for-hud-residents-ahead-of-rule-change>

No authors listed. Cigarette tax hike could ease poverty for millions worldwide: Study. Health Day, 2018. Available from: <https://consumer.healthday.com/cancer-information-5/cigarette-smoking-tobacco-health-news-665/cigarette-tax-hike-could-ease-poverty-for-millions-worldwide-study-732778.html>

Sullivan P. The link uniting donors and doers for social change. *The New York Times*, 2017. Available from: https://www.nytimes.com/2017/10/13/your-money/philanthropy-wealth.html?emc=edit_tnt_20171013&nlid=60534081&tntemail0=y

No authors listed. Clear local tobacco control assessment UK 2017. Available from: <https://www.gov.uk/government/publications/clear-local-tobacco-control-assessment>.

No authors listed. Clearway Minnesota(sm) to help low-income smokers get quitting assistance PR NewsWire, 2015. Available from: <http://www.prnewswire.com/news-releases/clearway-minnesotasm-to-help-low-income-smokers-get-quitting-assistance-300087507.html>

listed Na. Health inequalities resource pack. ASH London, 2015. Available from: <http://www.ash.org.uk/current-policy-issues/health-inequalities/health-inequalities-resource-pack>

(FDA) FaDA. Federal video collaboration strives to reduce military tobacco use. US 2015. Available from: <http://www.fda.gov/TobaccoProducts/NewsEvents/ucm455371.htm>.

Cancer Council NSW. Tackling tobacco: Action on smoking and disadvantage. NSW, Australia 2012. Last update: Viewed 11 May 2012. Available from: <http://askthequestion.com.au/tackling-tobacco/>.

Weber B Dr. Julius b. Richmond, who led head start and battled Tobacco, dies at 91 The New York Times, 2008.20 July. Available from:

http://www.nytimes.com/2008/07/30/us/30richmond.html?_r=2&scp=2&sq=smoking&st=nyt&oref=slogin&oref=slogin

The World Bank Group. Social capital implementation framework. Washington DC: World Bank, 2008. Last update: Viewed Available from:

<http://web.worldbank.org/WBSITE/EXTERNAL/TOPICS/EXTSOCIALDEVELOPMENT/EXTSOCIALCAPITAL/0,,contentMDK:20461319~isCURL:Y~menuPK:418218~pagePK:148956~piPK:216618~theSitePK:401015,00.html>.

Government of Victoria. Victorian Tobacco control strategy 2008-2013 consultation submission. Melbourne: Department of Human Services, 2008. Available from:
www.health.vic.gov.au/tobaccoreforms

Department of Prime Minister and Cabinet. Education, skills and the productivity agenda. Canberra: Government of Australia, 2008. Last update: Viewed Available from:
<http://www.australia2020.gov.au/topics/infrastructure.cfm>.

Department of Prime Minister and Cabinet. Education, skills and the productivity agenda. Canberra: Government of Australia, 2008. Last update: Viewed Available from:
<http://www.australia2020.gov.au/topics/infrastructure.cfm>.

Department of Prime Minister and Cabinet. Strengthening communities: Supporting families and social inclusion. Canberra: Government of Australia, 2008. Last update: Viewed Available from:
<http://www.australia2020.gov.au/topics/communities.cfm>.

Chapman S. The next step in pack warnings?, GLOBAlink network, Editor 2008, Union Internationale Contre Cancer: Geneva.

Bowditch G Bribing voters is the fag end of politics: A plan in dundee to pay smokers to quit is a long-term recipe for disaster. The Sunday Times, 2008. Available from:
<http://www.timesonline.co.uk/tol/comment/article4232039.ece>

Lancaster T and Silagy C. Tobacco addiction module of the cochrane database of systematic reviews. The Cochrane Collaboration. Oxford, 1998. Last update: Viewed.

Anon Smokers offered money to give up BBC News.21 June 2008. Available from:
http://news.bbc.co.uk/1/hi/scotland/tayside_and_central/7465908.stm

9.8.1 Impact of mass media

Armitage H. National anti-smoking campaign helps smokers with mental health conditions try to quit. Scope, 2018. Available from: <https://scopeblog.stanford.edu/2018/11/29/national-anti-smoking-campaign-helps-smokers-with-mental-health-conditions-try-to-quit/>

9.8.1.1 Impact of mass media in reducing disparities in smoking-related knowledge

9.8.1.2 Impact of mass media led campaigns across socio-economic groups in Australia

9.8.2 Impact of price increases on low-income groups in Australia

9.8.3 Impact of smokefree policies

McIntyre N. Smoking should be banned in council housing, public health chief says. The Independent 2017. Available from: <http://www.independent.co.uk/news/uk/home-news/smoking-banned-council-housing-faculty-of-public-health-a7722726.html>

9.8.4 Impact of pictorial health warnings

9.8.5 Impact of retail promotion and access

9.8.6 Reducing uptake among disadvantaged children in Australia

No authors listed. Scheme's success at stopping mums-to-be smoking. Medical Xpress (PhysOrg.com), 2017. Available from: <https://medicalxpress.com/news/2017-02-scheme-success-mums-to-be.html>

Administration USFaD. FDA launches public education campaign to prevent and reduce tobacco use among lgbt young adults. 2016. Available from:
<http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm498544.htm>.

Stiles S. Former U.S. Surgeon general leads tobacco-free historically black colleges and universities initiative American Legacy Foundation 2015. Available from:
<http://legacyforhealth.org/newsroom/press-releases/former-u.s.-surgeon-general-leads-tobacco-free-historically-black-colleges-and-universities-initiative>

listed Na. Ccny's theresa montini awarded \$300,000 for tobacco cessation study. Phys.org Science News Wire, 2015. Available from: <http://phys.org/wire-news/190035699/ccnys-theresa-montini-awarded-300000-for-tobacco-cessation-study.html>

Doyle K. Online tool may help low-income people quit smoking. Reuters, 2014. Available from:
<http://uk.reuters.com/article/2014/10/06/us-health-smoking-web-cessation-idUKKCN0HV1W720141006>

Australian Institute of Health and Welfare. Australia's young people: Their health and wellbeing 2003. Canberra 2003. Last update: Viewed Available from:
<http://www.aihw.gov.au/publications/index.cfm?type=detail&id=9569>.

9.8.7 Summary of factors that could help to reduce tobacco related disparities

Asthma + Lung UK. (2022). *Clearing the Smoke: Levelling up health by stamping out tobacco*.
Retrieved from https://www.blf.org.uk/sites/default/files/ALUK_clearing_the_smoke_report.pdf