

# Tobacco in Australia

## Facts & Issues

---

### Relevant news and research

#### 9A.5 People experiencing incarceration

*Last updated December 2024*

Research:.....	2
9A.5 People experiencing incarceration .....	2
9A.5.1 Trends in the prevalence of smoking .....	11
9A.5.2 Contribution of smoking to health outcomes and social inequality .....	11
9A.5.3 Explanations for higher smoking prevalence.....	11
9A.5.4 Interventions for reducing smoking .....	11
News: .....	15
9A.5 People experiencing incarceration .....	15
9A.5.1 Trends in the prevalence of smoking .....	15
9A.5.2 Contribution of smoking to health outcomes and social inequality .....	15
9A.5.3 Explanations for higher smoking prevalence.....	15
9A.5.4 Interventions for reducing smoking .....	15

## Research:

### 9A.5 People experiencing incarceration

Zhao, J, Staton, E, Soltoff, A, George, PE, & Yabroff, KR. (2024). Association of Family Member Incarceration During Childhood and Smoking and Unhealthy Drinking Behaviors, Access to Care, and Functional Status Among Adults in the United States. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39103604>

Health Alo and Welfare. Youth justice in Australia 2020–21. Canberra: AIHW, 2022. Available from: <https://www.aihw.gov.au/reports/youth-justice/youth-justice-in-australia-2020-21>.

Alokan DS and Kabir Z. Tobacco use among people incarcerated in western europe: A systematic review and meta-analysis. *Tob Use Insights*, 2022; 15:1179173X221096641. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35600560>

Ablah E, Kellogg M, Rohleder M, Cagan R, and Richter K. Institutional tobacco policy and tobacco use among kansas sheriffs' staff and individuals incarcerated in jail. *J Correct Health Care*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35353016>

Winkelman TNA, Ford BR, Dunsiger S, Chrastek M, Cameron S, et al. Feasibility and acceptability of a smoking cessation program for individuals released from an urban, pretrial jail: A pilot randomized clinical trial. *JAMA Netw Open*, 2021; 4(7):e2115687. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34228127>

Plugge E and Leclerc E. Smoking bans in prisons. *Lancet Public Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34537109>

Bowe A, Marron L, Devlin J, and Kavanagh P. An evaluation of the impact of a multicomponent stop smoking intervention in an Irish prison. *International Journal of Environmental Research and Public Health*, 2021; 18(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34831737>

Australian Institute of Health and Welfare. Youth detention population in Australia 2021. AIHW, Australian Government 2021. Available from: <https://www.aihw.gov.au/reports/youth-justice/youth-detention-population-in-australia-2021/contents/summary>.

Albany H, Richmond R, Simpson M, Kariminia A, Hwang YIJ, et al. Smoking beyond prison bans: The impact of prison tobacco bans on smoking among prison entrants. *J Correct Health Care*, 2021. Available from: <https://www.liebertpub.com/doi/10.1089/jchc.19.08.0066>

Wand H, Richmond R, Adily A, Le A, Wilhelm K, et al. Identifying significant contributors for smoking cessation among male prisoners in Australia: Results from a randomised clinical trial. *BMJ Open*, 2020; 10(7):e034046. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32690730>

Valera P, Acuna N, and Vento I. The preliminary efficacy and feasibility of group-based smoking cessation treatment program for incarcerated smokers. *American Journal of Men's Health*, 2020; 14(4):1557988320943357. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32705965>

Semple S, Dobson R, Sweeting H, Brown A, Hunt K, et al. The impact of implementation of a national smoke-free prisons policy on indoor air quality: Results from the tobacco in prisons study. *Tobacco Control*, 2020; 29(2):234–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31064866>

McCormick R and Seibenhener SL. Influences of antenatal smoking cessation education on smoking rates of incarcerated women. *J Correct Health Care*, 2020:1078345820953630. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32878548>

Hassett-Walker C and Shadden M. Examining arrest and cigarette smoking in emerging adulthood. *Tob Use Insights*, 2020; 13:1179173X20904350. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32082049>

Demou E, Dobson R, Sweeting H, Brown A, Sidwell S, et al. From smoking-permitted to smokefree prisons: A 3-year evaluation of the changes in occupational exposure to second-hand smoke across a national prison system. *Ann Work Expo Health*, 2020; 64(9):959–69. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32756912>

Brown A, O'Donnell R, Eadie D, Purves R, Sweeting H, et al. Initial views and experiences of vaping in prison: A qualitative study with people in custody preparing for the imminent implementation of scotland's prison smokefree policy. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32447381>

Brown A, Eadie D, Purves R, Mohan A, and Hunt K. Perspectives on smokefree prison policy among people in custody in scotland. *Int J Prison Health*, 2020; 16(4):389-402. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33634669>

Australian Institute of Health and Welfare. Young people under youth justice supervision and in child protection 2018–19. Canberra: AIHW, 2020. Available from: <https://www.aihw.gov.au/getmedia/8442b61a-f3b9-4741-a5d7-75023cb0cd19/aihw-csi-28.pdf.aspx?inline=true>.

Australian Institute for Health and Welfare. Health and ageing of australia's prisoners 2018. Canberra: AIHW, 2020. Available from: <https://www.aihw.gov.au/getmedia/1656721b-e93e-42f2-8f2c-3d6fafe647e6/aihw-phe-269.pdf.aspx?inline=true>.

Australian Bureau of Statistics. Prisoners in Australia. Canberra: Australian Government, 2020. Available from: <https://www.abs.gov.au/statistics/people/crime-and-justice/prisoners-australia/latest-release#prisoner-characteristics-australia>.

Winkelman TNA, Vickery KD, and Busch AM. Tobacco use among non-elderly adults with and without criminal justice involvement in the past year: United States, 2008-2016. *Addiction Science & Clinical Practice*, 2019; 14(1):2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30635028>

Valera P, Reid A, Acuna N, and Mackey D. The smoking behaviors of incarcerated smokers. *Health Psychol Open*, 2019; 6(1):2055102918819930. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30671253>

Valera P, Mackey D, and Cropsey K. A pilot study of cancer 101 for incarcerated male smokers. *Behav Med*, 2019;1-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31039104>

Valera P. Cigarette smoke and cancer health among incarcerated men in u.S. Northeastern prison facilities. *J Correct Health Care*, 2019;1078345819856905. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31262213>

Sweeting H, Semple S, Demou E, Brown A, and Hunt K. Predictors of opinions on prison smoking bans: Analyses of survey data from Scottish staff and prisoners. *Tobacco Induced Diseases*, 2019; 17:47. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31516490>

Puljevic C, Coomber R, de Andrade D, and Kinner SA. Barriers and facilitators of maintained smoking abstinence following release from smoke-free prisons: A qualitative enquiry. *Int J Drug Policy*, 2019; 68:9–17. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30974331>

Johnson C, Chaput JP, Diasparra M, Richard C, and Dubois L. How did the tobacco ban increase inmates' body weight during incarceration in canadian federal penitentiaries? A cohort study. *BMJ Open*, 2019; 9(7):e024552. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31315854>

Dugdale S, Semper H, Povey R, Elison-Davies S, Davies G, et al. Offenders' perceptions of the UK prison smoking ban. *Int J Prison Health*, 2019; 15(2):114-25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31172853>

Awooda EM and Shashati DE. Tobacco use among male inmates and their attitudes toward its prevention in khartoum state: A cross-sectional study. *Tob Prev Cessat*, 2019; 5:25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411888>

Australian Institute of Health and Welfare. The health of australia's prisoners 2018. Cat. no. PHE 246.: AIHW, 2019. Available from: <https://www.aihw.gov.au/getmedia/2e92f007-453d-48a1-9c6b-4c9531cf0371/aihw-phe-246.pdf.aspx?inline=true>.

Woodward E and Richmond R. Significance of reduced number of cigarettes smoked after release from smoke-free prisons. *Drug and Alcohol Dependence*, 2018; 194:195-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30447511>

Woodward E and Richmond R. Maintaining abstinence from smoking after a period of enforced abstinence: Considerations of non-compliance and the significance of reduced smoking [psychological medicine, 2018, 48, 669-678]. *Psychological Medicine*, 2018;1-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30353793>

<https://www.cambridge.org/core/services/aop-cambridge-core/content/view/91DAA89E8158BA1B2C0EFB480FB8D3B3/S0033291718003045a.pdf/div-class-title-maintaining-abstinence-from-smoking-after-a-period-of-enforced-abstinence-considerations-of-non-compliance-and-the-significance-of-reduced-smoking-psychological-medicine-2018-48-669-678-div.pdf>

Schiavon S, Hodgin K, Sellers A, Hendricks PS, Gaggan A, et al. Differences among cigarette-only smokers compared to dual users of cigarettes and little cigars/cigarillos in the criminal justice

population. *Addictive Behaviors*, 2018; 90:236-40. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30458372>

Montgomery L, Schiavon S, and Cropsey K. Factors associated with marijuana use among treatment-seeking adult cigarette smokers in the criminal justice population. *Journal of Addiction Medicine*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30394995>

Mitchell C, Puljevic C, Coomber R, White A, Cresswell SL, et al. Constituents of "teabacco": A forensic analysis of cigarettes made from diverted nicotine replacement therapy lozenges in smoke-free prisons. *Drug Test Anal*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30109771>

Logan S, Twine S, Bromiley G, Curtis H, Ball J, et al. Factors influencing the smoking status of ex-prisoners reintegrating into the community after release: A pilot study. *New Zealand Medical Journal*, 2018; 131(1470):94-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29470478>

Jin X, Kinner SA, Hopkins R, Stockings E, Courtney RJ, et al. Brief intervention on smoking, nutrition, alcohol and physical (snap) inactivity for smoking relapse prevention after release from smoke-free prisons: A study protocol for a multicentre, investigator-blinded, randomised controlled trial. *BMJ Open*, 2018; 8(10):e021326. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30341114>

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6196819/pdf/bmjopen-2017-021326.pdf>

Brose LS, Simonavicius E, and McNeill A. Rejoinder relating to correspondence by dr eleanor woodward, professor robyn richmond on brose ls, simonavicius e, mcneill a (2018). Maintaining abstinence from smoking after a period of enforced abstinence. *Psychological Medicine*, 2018:1-2. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30457074>

Garver-Apgar C, Young S, Howard B, Udochi B, and Morris C. Effects of a statewide tobacco cessation program among individuals involved with arkansas community correction. *J Correct Health Care*, 2017:1078345817709017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28534434>

Cropsey KL, Clark CB, Stevens EN, Schiavon S, Lahti AC, et al. Predictors of medication adherence and smoking cessation among smokers under community corrections supervision. *Addictive Behaviors*, 2017; 65:111-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27816035>

Wiley A and O'Neill S. Alcohol, tobacco and other drugs nursing within a correctional setting. *Aust Nurs Midwifery J*, 2016; 24(6):39. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29251892>

Valera P, Bachman L, and Rucker AJ. A qualitative study of smoking behaviors among newly released justice-involved men and women in new york city. *Health & Social Work*, 2016; 41(2):121-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27263202>

Puchalski K and Korzeniowska E. [management of tobacco smoking in the prison service units - the effects of the health promotion program]. *Med Pr*, 2016; 67(5):605-21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27819700>

Muir S and Marshall B. Changes in health perceptions of male prisoners following a smoking cessation program. *J Correct Health Care*, 2016; 22(3):247-56. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27302710>

Kennedy SM, Sharapova SR, Beasley DD, and Hsia J. Cigarette smoking among inmates by race/ethnicity: Impact of excluding african american young adult men from national prevalence estimates. *Nicotine & Tobacco Research*, 2016; 18 Suppl 1:S73-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26980867>

Turan O and Turan PA. Smoking-related behaviors and effectiveness of smoking cessation therapy among prisoners and prison staff. *Respir Care*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26670470>

Turan O. Smoking status and the presence of chronic obstructive pulmonary disease in prison. *Journal of Addiction Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25654698>

Ritter C, Gayet-Ageron A, Buth S, and Stover H. Tobacco use among prison staff in germany: A cross-sectional study. *European Journal of Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26498955>

Parker DR, Roberts MB, van den Berg JJ, Bock B, Stein LA, et al. Exploration of incarcerated men's and women's attitudes of smoking in the presence of children and pregnant women: Is there a disparity between smoking attitudes and smoking behavior? *Nicotine & Tobacco Research*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26014453>

Howell BA, Guydish J, Kral AH, and Comfort M. Prevalence and factors associated with smoking tobacco among men recently released from prison in california: A cross-sectional study. *Addictive Behaviors*, 2015; 50:157–60. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26150399>

Gunter TD and Philibert RA. Smoking, methylation at ahrr, and recidivism risk in a community correction sample of individuals at high risk for recidivism. *Behav Sci Law*, 2015; 33(5):691–700. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26356606>

Djachenko A, St John W, and Mitchell C. Smoking cessation in male prisoners: A literature review. *Int J Prison Health*, 2015; 11(1):39–48. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25751706>

Dickert J, Williams JM, Reeves R, Gara M, and DeBilio L. Decreased mortality rates of inmates with mental illness after a tobacco-free prison policy. *Psychiatric Services*, 2015; 66(9):975–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25975892>

Cropsey KL, Clark CB, Zhang XN, Hendricks PS, Jardin BF, et al. Race and medication adherence moderate cessation outcomes in criminal justice smokers. *American Journal of Preventive Medicine*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26091924>

Australian Institute of Health and Welfare, The health of Australia's prisoners 2015. Cat. no. PHE 207. Canberra: AIHW; 2015. Available from: <http://www.aihw.gov.au/publication-detail/?id=60129553527>.

Australian Bureau of Statistics. 4517.0—prisoners in Australia 2015. Available from: <http://www.abs.gov.au/ausstats/abs@.nsf/Lookup/by%20Subject/4517.0~2015~Main%20Features~Key%20findings~1>.

van den Berg JJ, Bock B, Roberts MB, Stein LA, Friedmann PD, et al. Cigarette smoking as an expression of independence and freedom among inmates in a tobacco-free prison in the United States. *Nicotine & Tobacco Research*, 2014; 16(2):238–42. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24151140>

Valera P, Cook SH, Darout R, and Dumont DM. "They are not taking cigarettes from me . . . I'm going to smoke my cigarettes until the day i die. I don't care if i get cancer": Smoking behaviors of men under community supervision in new york city. *Nicotine & Tobacco Research*, 2014; 16(6):800–6. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24480803>

Valera P, Anderson M, Cook SH, Wylie-Rosett J, Rucker J, et al. The smoking behaviors and cancer-related disparities among urban middle aged and older men involved in the criminal justice system. *J Cancer Educ*, 2014. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24832966>

Ritter C and Elger BS. Attitudes of detainees and prison staff towards tobacco control policy in Switzerland: A qualitative interview study. *Health Policy*, 2014; 115(1):104–9. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24439362>

Ritter C. Tobacco use in prisons. *British Medical Journal*, 2014; 349:g4946. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25097208>

Parker DR, Fallone D, Martin RA, Stein LA, Bock B, et al. The relation between smoking status and medical conditions among incarcerated adults. *Journal of Addiction Medicine*, 2014; 8(2):90–5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24503925>

Naik S, Khanagar S, Kumar A, Ramachandra S, Vadavadagi SV, et al. Assessment of effectiveness of smoking cessation intervention among male prisoners in India: A randomized controlled trial. *J Int Soc Prev Community Dent*, 2014; 4(Suppl 2):S110–5. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25558450>

Mackay A. Stubbing out smoking in prisons: Bans are an ineffective mechanism. *Alternative Law Journal*, 2014; 39(2):99–103. Available from:

<http://heinonline.org/HOL/LandingPage?handle=hein.journals/alterlj39&div=28&id=&page=>

Binswanger IA, Carson EA, Krueger PM, Mueller SR, Steiner JF, et al. Prison tobacco control policies and deaths from smoking in United States prisons: Population based retrospective analysis. *British Medical Journal*, 2014; 349:g4542. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/25097186>

Thornley S, Dirks KN, Edwards R, Woodward A, and Marshall R. Indoor air pollution levels were halved as a result of a national tobacco ban in a New Zealand prison. *Nicotine & Tobacco Research*, 2013; 15(2):343–7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/22589420>

Richmond RL, Indig D, Butler TG, Wilhelm KA, Archer VA, et al. Smoking and other drug characteristics of aboriginal and non-aboriginal prisoners in Australia. *J Addict*, 2013; 2013:516342. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/24940513>

Ramaswamy M, Faseru B, Cropsey KL, Jones M, Deculus K, et al. Factors associated with smoking among adolescent males prior to incarceration and after release from jail: A longitudinal study.

Substance Abuse Treatment, Prevention, and Policy, 2013; 8(1):37. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24175959>

Indig D, Wodak AD, Richmond RL, Butler TG, Archer VA, et al. Heroin use impairs smoking cessation among Australian prisoners. BMC Public Health, 2013; 13:1200. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/24354968>

Carbonnaux M, Fossard G, Amzallag E, Piegay C, Perot E, et al. Earlier onset and poor prognosis of lung cancer in imprisoned patients. Oncology, 2013; 85(6):370–7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/24335502>

Ritter C, Huynh CK, Etter JF, and Elger BS. Exposure to tobacco smoke before and after a partial smoking ban in prison: Indoor air quality measures. Tobacco Control, 2012; 21(5):488–91. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/21836161>

Intergovernmental Committee on Drugs. National tobacco strategy 2012-2018. Canberra: Commonwealth of Australia, 2012. Available from:

[http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/national\\_ts\\_2012\\_2018](http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/national_ts_2012_2018).

Intergovernmental Committee on Drugs, National tobacco strategy 2012–2018. Commonwealth of Australia; 2012. Available from:

[http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/national\\_ts\\_2012\\_2018](http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/national_ts_2012_2018).

Fazel S and Baillargeon J. The health of prisoners. Lancet, 2011; 377(9769):956–65. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/21093904>

Worley RM, Tewksbury R, and Frantzen D. Preventing fatal attractions: Lessons learned from inmate boundary violators in a southern penitentiary system Criminal Justice Studies, 2010; 23(4):347–60. Available from:

<http://www.informaworld.com/smpp/ftinterface~content=a929623748~fulltext=713240928~frm=content>

Papadodima SA, Sakelliadis EI, Sergeantanis TN, Giotakos O, Sergeantanis IN, et al. Smoking in prison: A hierarchical approach at the crossroad of personality and childhood events. European Journal of Public Health, 2010; 20(4):470–4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20034931>

Nijhawan A, Salloway R, Nunn A, Poshkus M, and Clarke J. Preventive healthcare for underserved women: Results of a prison survey. Journal of Women's Health (2002), 2010; 19(1):17–22. Available from: <http://www.liebertonline.com/doi/full/10.1089/jwh.2009.1469?cookieSet=1>

Cullen F. 'Two's up and poncing fags': Young women's smoking practices, reciprocity and friendship. Gender and Education, 2010; 22(5):491–504. Available from:

<https://doi.org/10.1080/09540250903481595>

Cropsey K, Jones-Whaley S, Jackson D, and Hale G. Smoking characteristics of community corrections clients. Nicotine & Tobacco Research, 2010; 12(1):53–8. Available from:

<http://ntr.oxfordjournals.org/cgi/content/full/12/1/53>



Connell R. Tobacco-free prison policies and health outcomes among inmates, 2010, University of Kentucky. Available from: [https://uknowledge.uky.edu/gradschool\\_diss/22/](https://uknowledge.uky.edu/gradschool_diss/22/).

Australian Institute of Health and Welfare, The health of Australia's prisoners 2009. Cat.No.Phe 123. Canberra: AIHW; 2010. Available from: <http://www.aihw.gov.au/publication-detail/?id=6442468371>.

Binswanger IA, Krueger PM, and Steiner JF. Prevalence of chronic medical conditions among jail and prison inmates in the USA compared with the general population. *Journal of Epidemiology and Community Health*, 2009; 63(11):912–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19648129>

Winstock A. Buprenorphine use by the smoking route in gaols in NSW. *Drug and Alcohol Review*, 2008; 27(4):449–50. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/09595230802043807>

Rosen DL, Schoenbach VJ, and Wohl DA. All-cause and cause-specific mortality among men released from state prison, 1980-2005. *American Journal of Public Health*, 2008; 98(12):2278–84. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18923131>

Proescholdbell SK, Foley KL, Johnson J, and Malek SH. Indoor air quality in prisons before and after implementation of a smoking ban law. *Tobacco Control*, 2008; 17(2):123–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18285386>

Kauffman RM, Ferketich AK, and Wewers ME. Tobacco policy in american prisons, 2007. *Tobacco Control*, 2008; 17(5):357–60. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/5/357>

Holmwood C, Marriott M, and Humeniuk R. Substance use patterns in newly admitted male and female South Australian prisoners using the WHO-assist (alcohol, smoking and substance involvement screening test). *International Journal of Prisoner Health*, 2008; 4(4):198–207. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19061062>

Cropsey K, Eldridge G, Weaver M, Villalobos G, Stitzer M, et al. Smoking cessation intervention for female prisoners: Addressing an urgent public health need. *American Journal of Public Health*, 2008; 98(10):1894–901. Available from: <http://ajph.aphapublications.org/cgi/content/full/98/10/1894?view=long&pmid=18703440>

Butler T and Papanastasiou C. National prison entrants' bloodborne virus and risk behaviour survey 2004 & 2007. ISBN: 1 74067 582 7. Perth and Sydney: National Drug Research Institute (Curtin University) & National Centre in HIV Epidemiology and Clinical Research (University of New South Wales). 2008.

Awofeso N, Irwin T, and Forrest G. Using positive deviance techniques to improve smoking cessation outcomes in new south wales prison settings. *Health Promotion Journal of Australia*, 2008; 19(1):72–3. Available from: [www.positivedeviance.org/pdf/smokingnewwales.pdf](http://www.positivedeviance.org/pdf/smokingnewwales.pdf)

Kariminia A, Butler T, Corben S, Levy M, Grant L, et al. Extreme cause-specific mortality in a cohort of adult prisoners--1988 to 2002: A data-linkage study. *Int J Epidemiol*, 2007; 36(2):310–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17158524>

Heng CK, Badner VM, Clemens DL, Mercer LT, and Mercer DW. The relationship of cigarette smoking to postoperative complications from dental extractions among female inmates. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 2007; 104(6):757–62. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/17764988>

Eckstein G, Levy M, and Butler T. Can health inequalities be addressed? An assessment of prisoner health services in new south wales, Australia. *International Journal of Prisoner Health*, 2007; 3(1):69–76. Available from:

<http://www.informaworld.com/smpp/content~content=a770797330~db=all~jumptype=rss>

Binswanger IA, Stern MF, Deyo RA, Heagerty PJ, Cheadle A, et al. Release from prison--a high risk of death for former inmates. *New England Journal of Medicine*, 2007; 356(2):157–65. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/17215533>

Australian Bureau of Statistics. 4517.0 prisoners in Australia, 2007 Canberra: ABS, 2007. Available from: <http://www.abs.gov.au/AUSSTATS/abs@.nsf/DetailsPage/4517.02007?OpenDocument>.

Compliance Framework Branch Compliance Policy and Case Coordination Division. Chapter 10: Detaining unlawful citizens, in *Managing the border: Immigration compliance* Canberra: Department of Immigration and Multicultural and Indigenous Affairs; 2006. Available from:

<http://www.immi.gov.au/media/publications/compliance/managing-the-border/>.

Butler T, Andrews G, Alnut S, Smith N, Sakashita C, et al. Mental disorders in Australian prisoners: A comparison with a community sample. *Australian & New Zealand Journal of Psychiatry*, 2006; 40(3):272–6. Available from: <http://www3.interscience.wiley.com/journal/118579629/abstract>

Belcher JM, Butler T, Richmond RL, Wodak AD, and Wilhelm K. Smoking and its correlates in an Australian prisoner population. *Drug and Alcohol Review*, 2006; 25(4):343–8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/16854660>

Belcher J, Butler T, Richmond R, Wodak A, and Wilhelm K. Smoking and its correlates in the Australian prisoner population. *Drug and Alcohol Review*, 2006; 25(4):343–8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/16854660>

Turner S and Stillman S. Safe smoking intervention in correctional facilities. in 36th Public Health Association of Australia Conference. Perth. 2005.

Hammond SK and Emmons KM. Inmate exposure to secondhand smoke in correctional facilities and the impact of smoking restrictions. *J Expo Anal Environ Epidemiol*, 2005; 15(3):205–11. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/15187988>

Deloitte Consulting. Report on prisoner health. Melbourne: Department of Justice, Victoria, 2003.

Butler T and Milner L. The 2001 inmate health survey. Sydney: NSW Corrections Health Service, 2003.

Awofeso N. Reducing smoking prevalence in Australian prisons: A review of policy options. *Applied Economics and Health Policy*, 2002; 1(4):1–8. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/14619250>

Awofeso N, Testaz R, Wyper S, and Morris S. Smoking prevalence in new south wales correctional facilities, 2000. *Tobacco Control*, 2001; 10(1):84–5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11347537>

Awofeso N, Levy M, and Morris S. Managing tobacco control programs in prison settings. *New South Wales Public Health Bulletin*, 2001; 12:193–5.

#### *9A.5.1 Trends in the prevalence of smoking*

**Brown, A, Woods-Brown, C, Angus, K, McMeekin, N, Hunt, K, & Demou, E. (2024). Recent evidence on rates and factors influencing smoking behaviours after release from smoke-free prisons: a scoping review. *Int J Prison Health* (2024), ahead-of-print(ahead-of-print). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39410826>**

Felner, JK, & Calzo, JP. (2023). Housing status as a social determinant of disparities in adolescent smoking, vaping, and dual use of cigarettes and e-cigarettes. *Addict Behav*, 141, 107631. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36821879>

#### *9A.5.2 Contribution of smoking to health outcomes and social inequality*

Scholze AR, Dalia Alves J, Berra TZ, Santos FLD, Ramos ACV, et al. The burden of alcohol, tobacco and others drugs among incarcerated population diagnosed with tuberculosis: Time trends and spatial determinants in southern Brazil. *BMC Public Health*, 2022; 22(1):999. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35581564>

#### *9A.5.3 Explanations for higher smoking prevalence*

Maurer, JM, Edwards, BG, Harenski, CL, & Kiehl, KA. (2023). Psychopathic Traits Are Associated with Lifetime History of Nicotine Dependence among Incarcerated Offenders. *Subst Use Misuse*, 58(3), 444-453. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36683568>

#### *9A.5.4 Interventions for reducing smoking*

**Brown, A, Woods-Brown, C, Angus, K, McMeekin, N, Hunt, K, & Demou, E. (2024). Recent evidence on rates and factors influencing smoking behaviours after release from smoke-free prisons: a scoping review. *Int J Prison Health* (2024), ahead-of-print(ahead-of-print). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39410826>**

Cropsey, KL, Wagner, WP, Bontemps, A, Hawes, E, Pridgen, B, Lahti, AC et al. (2024). Effects of in vivo NRT sampling on smoking abstinence and NRT adherence: A randomized clinical trial. *Drug Alcohol Depend*, 264, 112458. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39357075>

Gorrilla, AA, Kaye, JT, Pavlik, J, Bonniot, C, Vijayaraghavan, M, Conner, KL, & Morris, CD. (2024). A Call for Health Equity in Tobacco Control and Treatment for the Justice-Involved Population. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38838793>

McGowan, LJ, John, DA, Kenny, RPW, Joyes, EC, Adams, EA, Shabaninejad, H et al. (2024). Improving oral health and related health behaviours (substance use, smoking, diet) in people with severe and

multiple disadvantage: A systematic review of effectiveness and cost-effectiveness of interventions. *PLoS One*, 19(4), e0298885. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38635524>

Weng, X, Ma, EC, Song, CY, Lee, JJ, Tong, HSC, Lai, VWY et al. (2024). Experiences of quitting smoking in prisons: A qualitative study of people in custody. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38375095>

Garver-Apgar, CE, Morris, CM, Pavlik, J, Lenartz, T, & Hamm, M. (2023). Peer-Facilitated Tobacco Cessation in a Prison Setting: A Proof of Concept Study. *Tob Use Insights*, 16, 1179173X231168511. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37051590>

Sourry, RJ, Hyslop, F, Butler, TG, & Richmond, RL. (2022). Impact of smoking bans and other smoking cessation interventions in prisons, mental health and substance use treatment settings: A systematic review of the evidence. *Drug Alcohol Rev*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36097413>

Ives, K, Christiansen, B, Nolan, M, Kaye, JT, & Fiore, MC. (2022). Nine years of smoking data from incarcerated men: A call to action for tobacco dependence interventions. *Prev Med Rep*, 29, 101921. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35911575>

Martin, RA, Stein, LAR, Kang, A, Rohsenow, DJ, Bock, B, Martin, SA, & Clarke, JG. (2022). Circumstances Around Cigarette Use After Enforced Abstinence From Smoking in an American Prison. *J Addict Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35916410>

Hawes, ES, Mildrum Chana, S, Faust, A, Baker, JC, Hendricks, PS, Azuero, A et al. (2022). In vivo Experience With NRT to Increase Adherence and Smoking Abstinence Among Individuals in the Criminal Legal System: Study Protocol for a Randomized Clinical Trial. *Front Psychiatry*, 13, 886680. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35800020>

Acuna, N, Malarkey, S, Plaha, J, Smith, N, & Valera, P. (2022). Examining Attitudes, Expectations, and Tobacco Cessation Treatment Outcomes Among Incarcerated Tobacco Smokers. *J Correct Health Care*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35704917>

Perrett, SE, Craddock, C, Dunseath, G, Shankar, G, Luzio, S, & Gray, BJ. (2022). Evaluating the impact of a prison smoking ban on the cardiovascular health of men in a UK prison. *Int J Prison Health*, ahead-of-print(ahead-of-print). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35687323>

Brown A, Mitchell D, and Hunt K. Post-implementation perspectives on smokefree prison policy: A qualitative study with staff and people in custody. *European Journal of Public Health*, 2022; 32(1):112–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34448834>

Tweed EJ, Mackay DF, Boyd KA, Brown A, Byrne T, et al. Evaluation of a national smoke-free prisons policy using medication dispensing: An interrupted time-series analysis. *Lancet Public Health*, 2021; 6(11):e795–e804. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34537108>

Brown A, O'Donnell R, Eadie D, Purves R, Sweeting H, et al. Initial views and experiences of vaping in prisons: A qualitative study with people in custody preparing for the imminent implementation of Scotland's prison smokefree policy. *Nicotine & Tobacco Research*, 2021; 23(3):543–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32447381>

Young JT, Puljevic C, Love AD, Janca EK, Segan CJ, et al. Staying quit after release (square) trial protocol: A randomised controlled trial of a multicomponent intervention to maintain smoking abstinence after release from smoke-free prisons in victoria, Australia. *BMJ Open*, 2019; 9(6):e027307. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31167867>

Puljevic C and Segan CJ. Systematic review of factors influencing smoking following release from smoke-free prisons. *Nicotine & Tobacco Research*, 2019; 21(8):1011–20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29733380>

Spaulding AC, Eldridge GD, Chico CE, Morisseau N, Drobeniuc A, et al. Smoking in correctional settings worldwide: Prevalence, bans, and interventions. *Epidemiologic Reviews*, 2018; 40(1):82–95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29746635>

Puljevic C, de Andrade D, Coomber R, and Kinner SA. Relapse to smoking following release from smoke-free correctional facilities in queensland, Australia. *Drug and Alcohol Dependence*, 2018; 187:127–33. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29660697>

Puljevic C, de Andrade D, Carroll M, Spittal MJ, and Kinner SA. Use of prescribed smoking cessation pharmacotherapy following release from prison: A prospective data linkage study. *Tobacco Control*, 2018; 27(4):474–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28848000>

Puljevic C, Coomber R, Kinner SA, de Andrade D, Mitchell C, et al. 'Teabacco': Smoking of nicotine-infused tea as an unintended consequence of prison smoking bans. *Drug and Alcohol Review*, 2018; 37(7):912–21. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30051520>

Frank MR, Blumhagen R, Weitzenkamp D, Mueller SR, Beaty B, et al. Tobacco use among people who have been in prison: Relapse and factors associated with trying to quit. *J Smok Cessat*, 2017; 12(2):76–85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29430256>

Hefler M, Hopkins R, and Thomas DP. Successes and unintended consequences of the northern territory's smoke-free prisons policy: Results from a process evaluation. *Public Health Research and Practice*, 2016; 26(2). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27734062>

de Andrade D and Kinner SA. Systematic review of health and behavioural outcomes of smoking cessation interventions in prisons. *Tobacco Control*, 2016; 26(5):495–501. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27798322>

Quit Victoria. Correctional settings. 2015. Available from: <https://www.quit.org.au/resources/policy-advocacy/policy/smokefree-environments/prisons/>

Clarke JG, Martin SA, Martin RA, Stein LA, van den Berg JJ, et al. Changes in smoking-related symptoms during enforced abstinence of incarceration. *Journal of Health Care for the Poor and Underserved*, 2015; 26(1):106–18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25702731>

Richmond R, Indig D, Butler T, Wilhelm K, Archer V, et al. A randomized controlled trial of a smoking cessation intervention conducted among prisoners. *Addiction*, 2013; 108(5):966–74. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23228222>

Clarke JG, Stein LA, Martin RA, Martin SA, Parker D, et al. Forced smoking abstinence: Not enough for smoking cessation. *JAMA Internal Medicine*, 2013; 173(9):789–94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/23567902>

Richmond R, Butler T, Wilhelm K, Wodak A, Cunningham M, et al. Tobacco in prisons: A focus group study. *Tobacco Control*, 2009; 18(3):176–82. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19188210>

Butler T, Richmond R, Belcher J, Wilhelm K, and Wodak A. Should smoking be banned in prisons? *Tobacco Control*, 2007; 16(5):291–3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17897977>

Richmond RL, Butler T, Belcher JM, Wodak A, Wilhelm KA, et al. Promoting smoking cessation among prisoners: Feasibility of a multi-component intervention. *Australian and New Zealand Journal of Public Health*, 2006; 30(5):474–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/17073232>

Sieminska A, Jassem E, and Konopa K. Prisoners' attitudes towards cigarette smoking and smoking cessation: A questionnaire study in Poland. *BMC Public Health*, 2006; 6:181. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/16827930>

Butler T and Milner L. The 2001 new south wales inmate health survey. *Justice Health NSW*, 2001. Available from: <http://www.justicehealth.nsw.gov.au/publications/inmate-health-survey-2001.pdf>.

Lankenau SE. Smoke 'em if you got 'em: Cigarette black markets in u.S. Prisons and jails. *Prison J*, 2001; 81(2):142–61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18064295>

## News:

### *9A.5 People experiencing incarceration*

No authors listed. Tobacco use in prisons: A neglected public health issue. World Health Organization, 2022. Available from: <https://www.euro.who.int/en/health-topics/disease-prevention/tobacco/news/news/2022/5/tobacco-use-in-prisons-a-neglected-public-health-issue>

Australian Bureau of Statistics. 4517.0 - prisoners in Australia, 2019. ABS, 2019. Available from: <https://www.abs.gov.au/ausstats/abs@.nsf/mf/4517.0>

Australian Bureau of Statistics. 2071.0 - census of population and housing: Reflecting Australia - stories from the census, 2016. ABS, 2017. Available from: <http://www.abs.gov.au/ausstats/abs@.nsf/Lookup/by%20Subject/2071.0~2016~Main%20Features~Aboriginal%20and%20Torres%20Strait%20Islander%20Population%20Data%20Summary~10>

### *9A.5.1 Trends in the prevalence of smoking*

### *9A.5.2 Contribution of smoking to health outcomes and social inequality*

### *9A.5.3 Explanations for higher smoking prevalence*

### *9A.5.4 Interventions for reducing smoking*