

Tobacco in Australia

Facts & Issues

Relevant news and research

9A.7 Military personnel and veterans

Last updated December 2024

Research:.....	1
9A.7 Military personnel and veterans.....	1
9A.7.1 Trends in the prevalence of smoking	19
9A.7.2 Contribution of smoking to health outcomes and social inequality	20
9A.7.3 Explanations for higher smoking prevalence.....	20
9A.7.4 Interventions for reducing smoking	21
News:	26
9A.7 Military personnel and veterans.....	26
9A.7.1 Trends in the prevalence of smoking	27
9A.7.2 Contribution of smoking to health outcomes and social inequality	27
9A.7.3 Explanations for higher smoking prevalence.....	27
9A.7.4 Interventions for reducing smoking	27

Research:

9A.7 Military personnel and veterans

Rau, A, Baldomero, AK, Wendt, CH, Tarr, GA, Alexander, BH, & Berman, JD. (2024). Comorbidities, Tobacco Exposure, and Geography: Added Risk Factors of Heat and Cold Wave Related Mortality among United States Veterans with COPD. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39441102>

Ban, KF, Rogers, E, Khan, M, Scheidell, J, Charles, D, Bryant, KJ et al. (2024). Does smoking cessation reduce other substance use, psychiatric symptoms, and pain symptoms? Results from an emulated hypothetical randomized trial of US veterans. *PLoS One*, 19(7), e0298576. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38959263>

Ruiz, RA, Lehavot, K, Heffner, JL, Kava, CM, & Ornelas, JJ. (2023). Cigarette Smoking Motives and Stages of Change in Smoking Cessation Among Veterans: Differences by Gender and Sexual Orientation. *Am J Health Promot*, 8901171231197147. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37643248>

Lang, AE, Melzer, AC, Good, CB, & Upson, DJ. (2023). Recommendations for Addressing the Tobacco and Nicotine Use Epidemic in United States Military Service Members and Veterans. *Ann Am Thorac Soc*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37289723>

Park, M., Lee, J. S., & Kim, Y. H. (2023). Association of physical activity, smoking, and socioeconomic factors on health checkup participation in community-dwelling stroke survivors aged 50 years or older. *BMC Public Health*, 23(1), 502. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36922771>

Chan, WH, Lai, CH, Huang, SJ, Huang, CC, Lai, CY, Liu, YC et al. (2023). Verifying the accuracy of self-reported smoking behavior in female volunteer soldiers. *Sci Rep*, 13(1), 3438. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36859420>

Salas, J, Gillis, A, Schneider, D, Scherrer, J, van den Berk-Clark, C, Tuerk, P et al. (2022). PTSD symptom improvement and smoking cessation among a sample of veterans. *Ann Fam Med*(20 Suppl 1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36693205>

Nagamatsu, ST, Pietrzak, RH, Xu, K, Krystal, JH, Gelernter, J, & Montalvo-Ortiz, JL. (2023). Dissecting the epigenomic differences between smoking and nicotine dependence in a veteran cohort. *Addict Biol*, 28(1), e13259. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36577721>

Pebley, K, Wang, XQ, Fahey, M., Patten, CA, Mallawaarachchi, I, Talcott, GW et al. (2023). Examination of Tobacco-Related Messaging and Tobacco Use over Time among U.S. Military Young Adults. *Subst Use Misuse*, 58(1), 146-152. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36476101>

Hua, JPY, Cano, M, Batki, SL, & Pennington, DL. (2022). Impact of Alcohol Use, Traumatic Stress, and Cigarette Smoking on Cognitive Functioning in Veterans With Co-occurring Alcohol Use Disorder and Posttraumatic Stress Disorder. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36179109>

Health ALO and Welfare. Health of veterans. Canberra: AIHW, 2022. Available from: <https://www.aihw.gov.au/reports/veterans/health-of-veterans>.

Haber Y, Fu SS, Rogers E, Richter K, Tenner C, et al. A novel opt-in vs opt-out approach to referral-based treatment of tobacco use in veterans affairs (va) primary care clinics: A provider-level randomized controlled trial protocol. *Contemporary Clinical Trials*, 2022:106716. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35276337>

Schuler MS, Wong EC, and Ramchand R. Military service branch differences in alcohol use, tobacco use, prescription drug misuse, and mental health conditions. *Drug and Alcohol Dependence*, 2022; 235:109461. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35487079>

Whitworth JW, Scioli ER, Keane TM, and Marx BP. Physical inactivity, cigarette smoking, and psychiatric comorbidity among veterans with posttraumatic stress disorder. *Health Psychology*, 2022; 41(3):169-77. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35298209>

Pebley K, Krukowski RA, Mallawaarachchi I, Wayne Talcott G, Klesges RC, et al. Dual and polytobacco use after a period of enforced tobacco cessation. *Addictive Behaviors*, 2021; 123:107077. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34391132>

Maloney CJ, Kurtz J, Heim MK, Maloney JD, and Taylor LJ. Role of procedural intervention and acute illness in veterans affairs smoking cessation program referrals: A retrospective study. *Tob Prev Cessat*, 2021; 7:3. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33474516>

Liu YC, Yen LC, Liaw FY, Lin MH, Chiang SH, et al. Gender differences in the extended theory of planned behaviour on smoking cessation intention in young soldiers. *International Journal of Environmental Research and Public Health*, 2021; 18(15). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34360123>

Kroll-Desrosiers A, Holzhauer CG, Russo L, DeRycke EC, Kinney RL, et al. Factors associated with quitting smoking during pregnancy among women veterans. *Womens Health Issues*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34049763>

Fatollahi JJ, Bentley S, Doran N, and Brody AL. Changes in tobacco use patterns among veterans in san diego during the recent peak of the COVID-19 pandemic. *International Journal of Environmental Research and Public Health*, 2021; 18(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34831686>

Bishop A. Adapting smoking cessation targets for military smokers. *BMJ Mil Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34035157>

Bastian LA, Driscoll M, DeRycke E, Edmond S, Mattocks K, et al. Pain and smoking study (pass): A comparative effectiveness trial of smoking cessation counseling for veterans with chronic pain. *Contemp Clin Trials Commun*, 2021; 23:100839. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34485755>

Au-Yeung CS, Chao RF, and Hsu LY. Why it is difficult for military personnel to quit smoking: From the perspective of compensatory health beliefs. *International Journal of Environmental Research and Public Health*, 2021; 18(22). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34832015>

Krukowski RA, Porter K, Boothe T, Talcott GW, and Little MA. "Nobody views it as a negative thing to smoke": A qualitative study of the relationship between United States air force culture and tobacco use. *Mil Psychol*, 2021; 33(6):409–16. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34924692>

Kong AY, Golden SD, Ribisl KM, Krukowski RA, Vandegrift SM, et al. Cheaper tobacco product prices at US air force bases compared with surrounding community areas, 2019. *Tobacco Control*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34907089>

Nieh C, Mancuso JD, Powell TM, Welsh MM, Gackstetter GD, et al. Cigarette smoking patterns among u.S. Military service members before and after separation from the military. *PLoS One*, 2021; 16(10):e0257539. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34606513>

Fitzke RE, Davis JP, and Pedersen ER. Co-use of tobacco products and cannabis among veterans: A preliminary investigation of prevalence and associations with mental health outcomes. *J Psychoactive Drugs*, 2021:1–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34334112>

Australian Institute of Health and Welfare. Serving and ex-serving Australian defence force members who have served since 1985: Population characteristics 2019. Cat. no. PHE 289. Canberra: AIHW, 2021. Available from: <https://www.aihw.gov.au/getmedia/fa69181f-34b9-43cb-90df-fb62bbcf30d2/Serving-and-ex-serving-Australian-Defence-Force-members-who-have-served-since-1985-population.pdf.aspx?inline=true>.

Nedic Erjavec G, Nikolac Perkovic M, Tudor L, Uzun S, Kovacic Petrovic Z, et al. Moderating effects of bdnf genetic variants and smoking on cognition in ptsd veterans. *Biomolecules*, 2021; 11(5). Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33926045>

Richardson K. Royal navy smoking policy. *BMJ Mil Health*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34035161>

Dunbar MS, Nicosia N, and Kilmer B. Exposure to new smoking environments and individual-level cigarette smoking behavior: Insights from exogenous assignment of military personnel. *Social Science & Medicine*, 2021; 280:113983. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34020313>

Porter KJ, Krukowski RA, Bonilla G, McKenna L, Talcott GW, et al. Using the socio-ecological model to explore facilitators and deterrents of tobacco use among airmen in technical training. *Military Medicine*, 2021. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33637975>

Little MA, Fahey MC, Wang XQ, Talcott GW, McMurry T, et al. Trends in tobacco use among young adults presenting for military service in the United States air force between 2013 and 2018. *Substance Use and Misuse*, 2021; 56(3):370–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33435813>

Australian Institute for Health and Welfare. Australia's health 2020: Health of veterans. 2020. Available from: <https://www.aihw.gov.au/reports/aus/234/health-of-population-groups/health-of-veterans>.

Australian Institute for Health and Welfare. Health of veterans. 2020. Available from: <https://www.aihw.gov.au/reports/australias-health/health-of-veterans>.

Tan C, Lin L, Lim M, Ong SK, Wong ML, et al. Tobacco use patterns and attitudes in Singapore young male adults serving military national service: A qualitative study. *BMJ Open*, 2020; 10(9):e039367. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32988949>

Shahrir S, Crothers K, McGinnis K, Chan G, Baeten JM, et al. Receipt and predictors of smoking cessation pharmacotherapy among veterans with and without hiv. *Prog Cardiovasc Dis*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31987807>

Sammito S, Claus A, and Rose DM. Smoking prevalence in the area of responsibility of the german ministry of defense - results of the employee survey in the context of occupational health management. *Mil Med Res*, 2020; 7(1):5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32079544>

Nieh C, Powell TM, Gackstetter GD, and Hooper TI. Smoking among u.S. Service members following transition from military to veteran status. *Health Promotion Practice*, 2020; 21(1_suppl):165S-75S. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31908197>

Mahoney CT, Zweig IR, Marx BP, and Keane TM. Cross-lagged effects of posttraumatic stress disorder symptom severity and cigarette smoking among oef/oif/ond veterans. *Depress Anxiety*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32851756>

Little MA, Fahey MC, Klesges RC, McMurry T, and Talcott GW. Evaluating the effects of a brief tobacco intervention in the u.S. Air force. *Nicotine & Tobacco Research*, 2020. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31903494>

Jennings C, Gosnell S, Curtis KN, Kosten T, and Salas R. Altered habenula resting state functional connectivity in deprived veteran tobacco smokers: A pilot study. *Bull Menninger Clin*, 2020:1-14. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31939683>

Berg KM, Gruber SJ, and Jorenby DE. Helping women veterans quit smoking: A qualitative analysis of successful and unsuccessful attempts. *BMC Womens Health*, 2020; 20(1):63. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32228550>

Roberts W and Rosenheck RA. Correlates of concurrent morbid obesity and tobacco use disorder nationally in the veterans health administration. *Journal of Dual Diagnosis*, 2020:1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32866073>

Coleman JN, DeRycke EC, Bastian LA, Calhoun PS, Beckham JC, et al. Predictors of prenatal smoking among US women veterans. *Journal of Health Psychology*, 2020:1359105320913100. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32255376>

Wilson SM, Medenblik AM, Neal JM, Strauss JL, McNiel JM, et al. Lifetime smoking patterns and preferences for smoking cessation among women veterans receiving veterans health administration care. *Qual Health Res*, 2019:1049732319857536. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31307290>

Patten C, Wang XQ, Ebbert JO, Little MA, Talcott GW, et al. Influence of gender and peer tobacco use on tobacco use intentions after a period of involuntary tobacco abstinence among u.S. Air force trainees. *Preventive Medicine Reports*, 2019; 13:270-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30723662>

Orak U, Yildiz M, Solakoglu O, Aydogdu R, and Aydiner C. The utility of social learning theory in explaining cigarette use in a military setting. *Substance Use and Misuse*, 2019;1-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31847665>

McDaniel JT and Klesges R. State-specific cigarette use rates among service members and veterans, United States, 2017. *Tob Prev Cessat*, 2019; 5:28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32411891>

Katz DA, Hamlin C, Vander Weg MW, Grant KM, Stewart Steffensmeier KR, et al. Veterans' preferences for tobacco treatment in primary care: A discrete choice experiment. *Patient Education and Counseling*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31629558>

Hicks TA, Thompson AC, Wilson SM, Travis EA, Beckham JC, et al. Knowledge gaps around smoking and nicotine among u.S. Military veterans who smoke and implications for practice. *Mil Behav Health*, 2019; 7(1):40-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31372310>

Herbst E, McCaslin SE, Daryani SH, Laird KT, Hopkins LB, et al. A qualitative examination of stay quit coach, a mobile application for veteran smokers with posttraumatic stress disorder. *Nicotine & Tobacco Research*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30874289>

Hammett PJ, Nelson D, Burgess DJ, Fu SS, and Pinsker EA. Corrigendum to: Population smoking characteristics and cessation behaviors in a nationally representative cohort of hispanic veterans and hispanic non-veterans. *Military Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31665405>

Hammett PJ, Nelson D, Burgess DJ, Fu SS, and Pinsker EA. Population smoking characteristics and cessation behaviors in a nationally representative cohort of hispanic veterans and hispanic non-veterans. *Military Medicine*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31067303>

Granda-Orive JI, Granda-Beltran AM, Segrelles-Calvo G, and Lopez-Aguilar JC. In the military it is necessary to know each and every one of the aspects related to tobacco to achieve abstinence. *J R Army Med Corps*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30674558>

Golden SE, Hooker ER, Shull S, Howard M, Crothers K, et al. Validity of veterans health administration structured data to determine accurate smoking status. *Health Informatics J*, 2019;1460458219882259. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31697173>

Danan ER, Sherman SE, Clothier BA, Burgess DJ, Pinsker EA, et al. Smoking cessation among female and male veterans before and after a randomized trial of proactive outreach. *Womens Health Issues*, 2019; 29 Suppl 1:S15-S23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31253237>

Dailey JI and Wilson KC. Impact of smoking and smoking cessation medications in aviators. *Curr Psychiatry Rep*, 2019; 21(12):127. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31748911>

Barnett PG, Ignacio RV, Kim HM, Geraci MC, Essenmacher CA, et al. Cost-effectiveness of real world administration of tobacco pharmacotherapy in the United States veterans health administration. *Addiction*, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30924195>

Cooper M, Yaqub M, Hinds JT, and Perry CL. A longitudinal analysis of tobacco use in younger and older u.S. Veterans. Preventive Medicine Reports, 2019; 16:100990. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31890466>

Siddall A, Bilzon J, Thompson D, Tauler P, Greeves J, et al. Smoking and biochemical, performance, and muscle adaptation to military training. Med Sci Sports Exerc, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31809410>

Riviere P, Kumar A, Luterstein E, Vitzthum LK, Nalawade V, et al. Tobacco smoking and death from prostate cancer in US veterans. Prostate Cancer Prostatic Dis, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31624316>

Little M, Ebbert JO, Krukowski RA, Halbert J, Kalpinski MR, et al. Factors associated with cigarette use during airmen's first year of service in the United States air force. Military Medicine, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31287888>

Dunkle A, Kalpinski R, Ebbert J, Talcott W, Klesges R, et al. Predicting smokeless tobacco initiation and re-initiation in the United States air force. Addictive Behaviors Reports, 2019; 9:100142. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31193918>

Military factors associated with smoking in veterans: Erratum. Military Medicine, 2019. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30941428>

Kong AY, Golden SD, Myers AE, Little MA, Klesges R, et al. Availability, price and promotions for cigarettes and non-cigarette tobacco products: An observational comparison of US air force bases with nearby tobacco retailers, 2016. Tobacco Control, 2019; 28(2):189–94. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29705745>

Australian Institute of Health and Welfare. A profile of australia's veterans 2018. Canberra: AIHW, 2018. Available from: <https://www.aihw.gov.au/reports/veterans/a-profile-of-australias-veterans-2018/summary>.

Song YK, Kim JH, Choi B, Han N, Kim MG, et al. Strategic priorities to improve effectiveness of anti-smoking interventions for the Korean military: An application of the analytic hierarchy process. Military Medicine, 2018; 183(7-8):e223-e30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29961837>

Smith EA, Poston WSC, Haddock CK, Jahnke SA, and Malone RE. Veterans' views on military tobacco use and tobacco control policy. Mil Behav Health, 2018; 6(1):102-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29545975>

Singaraju RC, Myers JN, Owczarzak JT, and Gielen AC. Combat readiness, harm aversion, and promotion eligibility: A qualitative study of u.S. Servicemembers views on tobacco use and control in the military. Military Medicine, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30085226>

Silva MA, Belanger HG, Dams-O'Connor K, Tang X, McKenzie-Hartman T, et al. Prevalence and predictors of tobacco smoking in veterans and service members following traumatic brain injury

rehabilitation: A va tbims study. *Brain Inj*, 2018;1-6. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29708447>

Shahani S, Korenblit P, Thomas P, Passannante MR, Carr R, et al. Targeted secure messages to facilitate access to tobacco treatment counseling for veterans: Feasibility study. *JMIR Ment Health*, 2018; 5(1):e18. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29506969>

Melzer AC, Pinsker EA, Clothier B, Noorbaloochi S, Burgess DJ, et al. Validating the use of veterans affairs tobacco health factors for assessing change in smoking status: Accuracy, availability, and approach. *BMC Med Res Methodol*, 2018; 18(1):39. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29751746>

Katz DA, Stewart KR, Paez M, Vander Weg MW, Grant KM, et al. Development of a discrete choice experiment (dce) questionnaire to understand veterans' preferences for tobacco treatment in primary care. *Patient*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29855976>

Ignacio RV, Barnett PG, Kim HM, Geraci MC, Essenmacher CA, et al. Trends and patient characteristics associated with tobacco pharmacotherapy dispensed in the veterans health administration. *Nicotine & Tobacco Research*, 2018; 20(10):1173-81. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30184237>

de Granda-Orive JI, de Granda-Beltran AM, and Lopez-Aguilar JC. It is crucial to have specific programs to stop smoking in the military. *Med J Armed Forces India*, 2018; 74(2):204-5. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29692497>

de Granda-Orive JI, de Granda-Beltran AM, and Lopez-Aguilar JC. Is there a need for specific smoking cessation programs for the military? *Occupational Medicine*, 2018; 68(2):146. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29596677>

Lynch SM, Wilson SM, DeRycke EC, Driscoll MA, Becker WC, et al. Impact of cigarette smoking status on pain intensity among veterans with and without hepatitis c. *Pain Med*, 2018; 19(suppl_1):S5-S11. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30203017>

Lopez AA, Toblin RL, Riviere LA, Lee JD, and Adler AB. Correlates of current and heavy smoking among u.s. Soldiers returning from combat. *Experimental and Clinical Psychopharmacology*, 2018; 26(3):215–22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29863380>

Brown JM, Anderson Goodell EM, Williams J, and Bray RM. Socioecological risk and protective factors for smoking among active duty US military personnel. *Military Medicine*, 2018; 183(7-8):e231–e9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29697835>

Odani S, Agaku IT, Graffunder CM, Tynan MA, and Armour BS. Tobacco product use among military veterans - United States, 2010-2015. *Morbidity and Mortality Weekly Report*, 2018; 67(1):7–12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29324732>

Vander Weg MW, Holman JE, Rahman H, Sarrazin MV, Hillis SL, et al. Implementing smoking cessation guidelines for hospitalized veterans: Cessation results from the va-best trial. *Journal of Substance Abuse Treatment*, 2017; 77:79-88. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/28476277>

Ulanday KT, Jeffery DD, Nebeling L, and Srinivasan S. Perceived deterrence of cigarette use and smoking status among active duty military personnel. *Military Medicine*, 2017; 182(5):e1733-e41. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29087918>

Travaglini LE, Li L, Brown CH, and Bennett ME. Predictors of smoking cessation group treatment engagement among veterans with serious mental illness. *Addictive Behaviors*, 2017; 75:103-7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28728038>

Sobell MB, Peterson AL, Sobell LC, Brundige A, Hunter CM, et al. Reducing alcohol consumption to minimize weight gain and facilitate smoking cessation among military beneficiaries. *Addictive Behaviors*, 2017; 75:145-51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28734154>

Santo TJ, Ellis S, Rivera LO, Vasquez LE, Francis MM, et al. A tobacco-free medical campus policy is associated with decreased secondhand smoke exposure and increased satisfaction among military medical employees: Results of a mixed-methods evaluation. *Military Medicine*, 2017; 182(5):e1724-e32. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29087917>

Peterson J, Battaglia C, Fehling KB, Williams KM, and Lambert-Kerzner A. Perspectives on a home telehealth care management program for veterans with posttraumatic stress disorder who smoke. *Journal of Addictions Nursing*, 2017; 28(3):117-23. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28863052>

Little MA, Ebbert JO, Bursac Z, Talcott GW, Talley L, et al. Enhancing the efficacy of a smoking quit line in the military: Study rationale, design and methods of the freedom quit line. *Contemporary Clinical Trials*, 2017; 59:51-6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28479219>

Chiu YL, Huang SJ, Lai CH, Huang CC, Jiang SH, et al. Validation of self-reported smoking with urinary cotinine levels and influence of second-hand smoke among conscripts. *Sci Rep*, 2017; 7(1):15462. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29133917>

Rhon DI and Magel JS. The influence of smoking on recovery from subacromial pain syndrome: A cohort from the military health system. *US Army Med Dep J*, 2017; (3-17):36-42. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29214618>

Wilson SM, Pacek LR, Dennis PA, Bastian LA, Beckham JC, et al. Veterans living with hiv: A high-risk group for cigarette smoking. *AIDS Behav*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28194586>

Trone DW, Powell TM, Bauer LM, Seelig AD, Peterson AV, et al. Smoking and drinking behaviors of military spouses: Findings from the millennium cohort family study. *Addictive Behaviors*, 2017; 77:121-30. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28992577>

Seelig AD, Rivera AC, Powell TM, Williams EC, Peterson AV, et al. Patterns of smoking and unhealthy alcohol use following sexual trauma among u.S. Service members. *J Trauma Stress*, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28906037>

Puthia A, Yadav AK, and Kotwal A. Tobacco use among serving army personnel: An epidemiological study. *Med J Armed Forces India*, 2017; 73(2):134-9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28924313>

Hicks TA, Wilson SM, Thomas SP, Dennis PA, Neal JM, et al. Low income as a multiplicative risk factor for oral pain and dental problems among u.S. Veteran smokers. *International Journal of Behavioral Medicine*, 2017. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28527104>

Poston WSC, Haddock CK, Jahnke SA, Jitnarin N, Malone RE, et al. Perspectives of US military commanders on tobacco use and tobacco control policy. *Tobacco Control*, 2017; 26(3):254–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27084960>

Basaza R, Otieno E, Musinguzi A, Mugenyi P, and Haddock CK. Factors influencing cigarette smoking among soldiers and costs of soldier smoking in the work place at kakiri barracks, uganda. *Tobacco Control*, 2017; 26(3):330-3. Available from: <http://tobaccocontrol.bmj.com/content/tobaccocontrol/26/3/330.full.pdf>

Wilson SM, Hair LP, Hertzberg JS, Kirby AC, Olsen MK, et al. Abstinence reinforcement therapy (art) for rural veterans: Methodology for an mhealth smoking cessation intervention. *Contemporary Clinical Trials*, 2016; 50:157-65. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27521811>

Vander Weg MW, Cozad AJ, Howren MB, Cretzmeyer M, Scherubel M, et al. An individually-tailored smoking cessation intervention for rural veterans: A pilot randomized trial. *BMC Public Health*, 2016; 16(1):811. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27535024>

Shahoumian TA, Phillips BR, and Backus LI. Cigarette smoking, reduction and quit attempts: Prevalence among veterans with coronary heart disease. *Preventing Chronic Disease*, 2016; 13:E41. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27010844>

Schult TM, Kelly Q, Schmunk SK, and Awosika ER. From policy to practice: Tobacco use cessation for employees in the veterans health administration. *J Occup Environ Med*, 2016; 58(5):525–31. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27158961>

Melzer AC, Feemster LC, Collins MP, and Au DH. Predictors of pharmacotherapy for tobacco use among veterans admitted for copd: The role of disparities and Tobacco Control processes. *Journal of General Internal Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26902236>

Kelly MM, Sido H, and Rosenheck R. Rates and correlates of tobacco cessation service use nationally in the veterans health administration. *Psychological Services*, 2016; 13(2):183–92. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27148953>

Calhoun PS, Datta S, Olsen M, Smith VA, Moore SD, et al. Comparative effectiveness of an internet-based smoking cessation intervention versus clinic-based specialty care for veterans. *Journal of Substance Abuse Treatment*, 2016; 69:19-27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27568506>

Berg KM, Smith SS, Cook JW, Fiore MC, and Jorenby DE. Identifying opportunities to improve smoking cessation among women veterans at a veterans hospital. *Military Medicine*, 2016; 181(10):1340-7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27753573>

Berg K. Capsule commentary on melzer et al., predictors of pharmacotherapy for tobacco use among veterans admitted for copd: The role of disparities and Tobacco Control processes. *Journal of General Internal Medicine*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26966124>

Cypel YS, Hamlett-Berry K, Barth SK, Christofferson DE, Davey VJ, et al. Cigarette smoking and sociodemographic, military, and health characteristics of operation enduring freedom and operation iraqi freedom veterans: 2009-2011 national health study for a new generation of US veterans. *Public Health Rep*, 2016; 131(5):714-27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28123213>

Lind MJ, Brown E, Farrell-Carnahan L, Brown RC, Hawn S, et al. Sleep disturbances in oef/oif/ond veterans: Associations with ptsd, personality, and coping. *J Clin Sleep Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27998375>

Teyhen DS, Rhon DI, Butler RJ, Shaffer SW, Goffar SL, et al. Association of physical inactivity, weight, smoking, and prior injury on physical performance in a military setting. *J Athl Train*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27690529>

Bastian LA, Driscoll MA, Heapy AA, Becker WC, Goulet JL, et al. Cigarette smoking status and receipt of an opioid prescription among veterans of recent wars. *Pain Med*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27659441>

Poston WS, Haddock CK, Jahnke SA, Smith E, Malone RE, et al. Cigarette prices and community price comparisons in US military retail stores. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27553357>

Jones DP, Walker DI, Uppal K, Rohrbeck P, Mallon CT, et al. Metabolic pathways and networks associated with tobacco use in military personnel. *J Occup Environ Med*, 2016; 58(8 Suppl 1):S111–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27501098>

Little MA, Bursac Z, Derefinko KJ, Ebbert JO, Talcott GW, et al. Types of dual and poly-tobacco users in the US military. *American Journal of Epidemiology*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27421292>

Smith EA, Poston WS, Haddock CK, and Malone RE. Installation tobacco control programs in the US military. *Military Medicine*, 2016; 181(6):596–601. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27244072>

Korinek K, Loebach P, and Trinh HN. Military service and smoking in a cohort of northern vietnamese older adults. *International Journal of Public Health*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27321700>

Smith EA, Jahnke SA, Poston WS, Malone RE, and Haddock CK. Tobacco pricing in military stores: Views of military policy leaders. *Nicotine & Tobacco Research*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27146639>

Bergman BP, Mackay DF, Morrison D, and Pell JP. Smoking-related cancer in military veterans: Retrospective cohort study of 57,000 veterans and 173,000 matched non-veterans. *BMC Cancer*, 2016; 16:311. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27178424>

Toblin RL, Anderson JA, Riviere LA, McGurk D, and Sipos ML. The impact of unit membership on smoking among soldiers. *Military Medicine*, 2016; 181(1):16–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26741472>

Battaglia C, Peterson J, Whitfield E, Min SJ, Benson SL, et al. Integrating motivational interviewing into a home telehealth program for veterans with posttraumatic stress disorder who smoke: A randomized controlled trial. *J Clin Psychol*, 2016. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26783736>

Bastian LA, Gray KE, DeRycke E, Mirza S, Gierisch JM, et al. Differences in active and passive smoking exposures and lung cancer incidence between veterans and non-veterans in the women's health initiative. *Gerontologist*, 2016; 56 Suppl 1:S102–11. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26768384>

McGuire A, Dobson A, Mewton L, Varker T, Forbes D, et al. Mental health service use: Comparing people who served in the military or received veterans' affairs benefits and the general population. *Australian and New Zealand Journal of Public Health*, 2015; 39(6):524–9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/26337053>

Peterson J, Prochazka AV, and Battaglia C. Smoking cessation and care management for veterans with posttraumatic stress disorder: A study protocol for a randomized controlled trial. *BMC Health Services Research*, 2015; 15(1):46. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25638351>

Klesges RC, Ebbert JO, Talcott GW, Thomas F, Richey PA, et al. Efficacy of a tobacco quitline in active duty military and tricare beneficiaries: A randomized trial. *Military Medicine*, 2015; 180(8):917–25.

Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26226536>

Daniello NJ. Af updates tobacco policy. Air Mobility Command, US 2015. Available from:

<http://www.amc.af.mil/news/story.asp?id=123444817>.

Crosby K. FDA and the department of defense: A joint force to reduce tobacco use in the military. US 2015. Available from: <http://blogs.fda.gov/fdavoices/index.php/2015/09/fda-and-the-department-of-defense-a-joint-force-to-reduce-tobacco-use-in-the-military-2/>.

Bastian LA, Fish LJ, Gierisch JM, Stechuchak KM, Grambow SC, et al. Impact of smoking cessation on subsequent pain intensity among chronically ill veterans enrolled in a smoking cessation trial. *J Pain Symptom Manage*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26210348>

Japuntich SJ, Gregor K, Pineles SL, Gradus JL, Street AE, et al. Deployment stress, tobacco use, and postdeployment posttraumatic stress disorder: Gender differences. *Psychol Trauma*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26654688>

Schmitz L and Conley D. The long-term consequences of vietnam-era conscription and genotype on smoking behavior and health. *Behavior Genetics*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26341507>

Talcott GW, Ebbert JO, Klesges RC, Linde BD, Seals RW, et al. Tobacco research in the military: Reflections on 20 years of research in the United States air force. *Military Medicine*, 2015; 180(8):848–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26226525>

Lando HA, Michaud ME, Poston WSC, Jahnke SA, Williams L, et al. Banning cigarette smoking on US navy submarines: A case study. *Tobacco Control*, 2015; 24(e3):e188–e92. Available from:

<http://tobaccocontrol.bmj.com/content/24/e3/e188.abstract>

Weinberger AH, Esan H, Hunt MG, and Hoff RA. A review of research on smoking behavior in three demographic groups of veterans: Women, racial/ethnic minorities, and sexual orientation minorities. *American Journal of Drug and Alcohol Abuse*, 2015;1–16. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/26151807>

Smith EA, Rojo R, and Malone RE. Tobacco use policy in military housing. *Military Medicine*, 2015; 180(6):612–4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26032376>

Poston WS, Haddock CK, Jahnke SA, Hyder ML, and Jitnarin N. A content analysis of military commander messages about tobacco and other health issues in military installation newspapers: What do military commanders say about tobacco? *Military Medicine*, 2015; 180(6):708–17. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26032388>

Anderson MK, Grier T, Canham-Chervak M, Bushman TT, and Jones BH. Physical training, smoking, and injury during deployment: A comparison of men and women in the US army. *US Army Med Dep J*, 2015:42–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26101905>

Volkman JE, DeRycke EC, Driscoll MA, Becker WC, Brandt CA, et al. Smoking status and pain intensity among oef/oif/ond veterans. *Pain Med*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25917639>

Boyko EJ, Trone DW, Peterson AV, Jacobson IG, Littman AJ, et al. Longitudinal investigation of smoking initiation and relapse among younger and older US military personnel. *American Journal of Public Health*, 2015; 105(6):1220–9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/25880953>

Puthuchery Z, Kordi M, Rawal J, Eleftheriou KI, Payne J, et al. The relationship between lower limb bone and muscle in military recruits, response to physical training, and influence of smoking status. *Sci Rep*, 2015; 5:9323. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25792356>

Thorley V. Free supplies and the appearance of endorsement: Distribution of tobacco to soldiers and artificial infant formula to new mothers. *J Hum Lact*, 2015. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/25612747>

Smith EA, Grundy Q, and Malone RE. "It's not a priority when we're in combat": Public health professionals and military Tobacco Control policy. *American Journal of Public Health*, 2015:e1–e5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25713938>

Chapman SL and Wu LT. Associations between cigarette smoking and pain among veterans. *Epidemiologic Reviews*, 2015; 37(1):86–102. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/25595170>

Combating tobacco use in military and veteran populations. *Military Medicine*, 2015; 180(1):1–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25562848>

Shofer S, Beyea M, Li S, Bastian LA, Wahidi MM, et al. Feasibility of using an epigenetic marker of risk for lung cancer, methylation of p16, to promote smoking cessation among US veterans. *BMJ Open Respir Res*, 2014; 1(1):e000032. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25478181>

Noonan D, Karvonen-Gutierrez CA, and Duffy SA. Differences in risk perception and quit rates among hospitalized veteran pipe smokers, cigarette smokers, and dual users. *Journal of Addictions Nursing*, 2014; 25(2):89–93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24905759>

Duffy SA, Ronis DL, Karvonen-Gutierrez CA, Ewing LA, Dalack GW, et al. Effectiveness of the tobacco tactics program in the department of veterans affairs. *Annals of Behavioral Medicine*, 2014; 48(2):265–74. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24823842>

Chen TC, Christofferson DE, Hamlett-Berry K, Kazerooni R, Bounthavong M, et al. A tobacco cessation treatment model using telehealth: A pilot evaluation in veterans. *J Telemed Telecare*, 2014; 20(3):161–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24643952>

Burgess DJ, van Ryn M, Noorbaloochi S, Clothier B, Taylor BC, et al. Smoking cessation among african american and white smokers in the veterans affairs health care system. *American Journal of Public Health*, 2014; 104 Suppl 4:S580–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25100424>

Zhang X, Martinez-Donate AP, Cook J, Piper ME, Berg K, et al. Battling tobacco use at home: An analysis of smoke-free home rules among u.s. Veterans from 2001 to 2011. *American Journal of Public Health*, 2014; 104 Suppl 4:S572–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25100423>

Smith TC, LeardMann CA, Smith B, Jacobson IG, Miller SC, et al. Longitudinal assessment of mental disorders, smoking, and hazardous drinking among a population-based cohort of US service members. *Journal of Addiction Medicine*, 2014; 8(4):271–81. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24950137>

Smith EA and Malone RE. Mediatory myths in the u.s. Military: Tobacco use as "stress relief". *American Journal of Health Promotion*, 2014; 29(2):115–22. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24359178>

Smith EA, Jahnke SA, Poston WS, Williams LN, Haddock CK, et al. Is it time for a tobacco-free military? *New England Journal of Medicine*, 2014; 371(7):589–91. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24988299>

Haddock CK, Hyder ML, Poston WS, Jahnke SA, Williams LN, et al. A longitudinal analysis of cigarette prices in military retail outlets. *American Journal of Public Health*, 2014; 104(4):e82–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24524503>

Harte CB, Proctor SP, and Vasterling JJ. Prospective examination of cigarette smoking among iraq-deployed and nondeployed soldiers: Prevalence and predictive characteristics. *Annals of Behavioral Medicine*, 2014; 48(1):38–49. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24474618>

Grundy Q, Smith EA, and Malone RE. "Throwing a rock at their armored tank": Civilian authority and military tobacco control. *BMC Public Health*, 2014; 14:1292. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25518726>

Ebert L, Malte C, Hamlett-Berry K, Beckham J, McFall M, et al. Use of a learning collaborative to support implementation of integrated care for smoking cessation for veterans with posttraumatic

stress disorder. American Journal of Public Health, 2014; 104(10):1935–42. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25208004>

Barnett PG, Hamlett-Berry K, Sung HY, and Max W. Health care expenditures attributable to smoking in military veterans. Nicotine & Tobacco Research, 2014. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25239960>

Dobson A, Treloar SA, Zheng WY, Anderson RE, Bredhauer K, et al. The middle east area of operations (meao) health study: Census study report. The University of Queensland 2013. Available from: <http://www.defence.gov.au/Health/home/milhop.asp#documents>.

McClernon F, Calhoun P, Hertzberg J, Dedert E, Beckham J, et al. Associations between smoking and psychiatric comorbidity in US iraq- and afghanistan-era veterans. Psychology of Addictive Behaviors, 2013; [Epub ahead of print]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23713569>

Bray I, Richardson P, and Harrison K. Smoking prevalence amongst UK armed forces recruits: Changes in behaviour after 3 years follow-up and factors affecting smoking behaviour. Journal of the Royal Army Medical Corps, 2013; 159(1):44–50. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/23720560>

<http://jramc.bmj.com/content/159/1/44>

Hoerster K, Lehavot K, Simpson T, McFall M, Reiber G, et al. Health and health behavior differences: US military, veteran, and civilian men. American Journal of Preventive Medicine, 2012; 43(5):483–9 Available from: <http://www.ajpmonline.org/article/S0749-3797%2812%2900534-X/fulltext>

<http://www.ncbi.nlm.nih.gov/pubmed/23079170>

Carmody T, McFall M, Saxon A, Malte C, Chow B, et al. Smoking outcome expectancies in military veteran smokers with posttraumatic stress disorder. Nicotine & Tobacco Research, 2012; [Epub ahead of print]. Available from:
<http://ntr.oxfordjournals.org/content/early/2012/01/22/ntr.ntr304.full>

Widome R, Joseph A, Polusny M, Chlebeck B, Brock B, et al. Talking to iraq and afghanistan war veterans about tobacco use. Nicotine & Tobacco Research, 2011; [Epub ahead of print]. Available from: <http://ntr.oxfordjournals.org/content/early/2011/03/24/ntr.ntr028.full>

Tai Z, Tao S, and Hung Y. Peer influence and smoking relapse among active-duty military personnel in taiwan. Tobacco Control, 2011; 20(6):444–5. Available from:
<http://tobaccocontrol.bmj.com/content/early/2011/08/11/tobaccocontrol-2011-050014.full>

Reisen C, Bianchi F, Cohen-Blair H, Liappis A, Poppen P, et al. Present and past influences on current smoking among hiv-positive male veterans. Nicotine & Tobacco Research, 2011; [Epub ahead of print]. Available from:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=21436293

DiNicola A, Sarrett D, Parra L, Nissen K, and Wilkens S. Re: Tobacco product usage in afghanistan: Deployed military personnel versus deployed civilian contractors. *Military Medicine*, 2011; 176(5):iii. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21634287>

Chwastiak L, Rosenheck R, and Kazis L. Association of psychiatric illness and obesity, physical inactivity, and smoking among a national sample of veterans. *Psychosomatics*, 2011; 52(3):230–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21565594>

Zillich A, Hudmon K, and Damush T. Tobacco use and cessation among veterans recovering from stroke or tia: A qualitative assessment and implications for rehabilitation. *Topics in Stroke Rehabilitation*, 2010; 17(2):140–50. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20542856>

Duffy S, Karvonen-Gutierrez C, Ewing L, and Smith P. Implementation of the tobacco tactics program in the department of veterans affairs. *Journal of General Internal Medicine*, 2010; 25(suppl. 1):S3–S10. Available from: <https://commerce.metapress.com/content/f4345666563635m6/resource-secured/?target=fulltext.html&sid=11k4apm0tyirvy45o0xald45&sh=www.springerlink.com>

Campbell A and Anderson K. Mental health stability in veterans with posttraumatic stress disorder receiving varenicline. *American Journal of Health System Pharmacy*, 2010; 67(21):1832–7. Available from: <http://www.ajhp.org/cgi/content/full/67/21/1832>

Barlow T. Re: Tobacco promotion to military personnel: The plums are here to be plucked, published in [*mil med* 2009; 174(8): 797-806]. *Military Medicine*, 2010; 175(9):xvii. Available from: http://findarticles.com/p/articles/mi_qa3912/is_201009/ai_n55486141/?tag=content;col1

Barton CA, McGuire A, Waller M, Treloar SA, McClintock C, et al. Smoking prevalence, its determinants and short-term health implications in the Australian defence force. *Military Medicine*, 2010; 175(4):267–72. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20446502>

O'Toole BI, Catts SV, Outram S, Pierse KR, and Cockburn J. Factors associated with civilian mortality in Australian vietnam veterans three decades after the war. *Military Medicine*, 2010; 175(2):88–95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/20180477>

Marimoutou C, Queyriaux B, Michel R, Verret C, Haus-Cheymol R, et al. Survey of alcohol, tobacco, and cannabis use in the french army. *Journal of Addictive Diseases*, 2010; 29(1):98–106. Available from: <http://www.informaworld.com/smpp/ftinterface~content=a918578645~fulltext=713240930>

Jahnke S, Haddock C, Poston W, Hoffman K, Hughey J, et al. A qualitative analysis of the tobacco control climate in the u.s. Military. *Nicotine & Tobacco Research*, 2010; 12(2):88–95. Available from: <http://ntr.oxfordjournals.org/cgi/content/full/12/2/88>

Fear N, Horn O, Hull L, Murphy D, Jones M, et al. Smoking among males in the UK armed forces: Changes over a seven year period. *Preventive Medicine*, 2010; 50((5–6)):282–4. Available from: www.ncbi.nlm.nih.gov/pubmed/20230851

Duffy S, Scholten R, and Karvonen-Gutierrez C. The relation of tobacco use during hospitalization to post-discharge smoking cessation among US veterans. *Preventive Medicine*, 2010; 50 ((5–6)):285–7. Available from: www.ncbi.nlm.nih.gov/pubmed/20122956

Dedert E, Wilson S, Calhoun P, Moore S, Hamlett-Berry K, et al. Public health clinical demonstration project for smoking cessation in veterans with posttraumatic stress disorder. *Addictive Behaviors*, 2010; 35(1):19–22. Available from:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=19737675

Brown DW. Smoking prevalence among US veterans. *Journal of General Internal Medicine*, 2010; 25(2):147–9. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19894079>

Bastian LA and Sherman SE. Effects of the wars on smoking among veterans. *Journal of General Internal Medicine*, 2010; 25(2):102–3. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/20077050>

Purvis T, Mambourg S, Balvanz T, Magallon H, and Pham R. Safety and effectiveness of varenicline in a veteran population with a high prevalence of mental illness. *The Annals of Pharmacotherapy*, 2009; 43(5):862–7. Available from: <http://www.theannals.com/cgi/content/full/43/5/862>

Katzburg J, Yano E, Washington D, Farmer M, Yee E, et al. Combining women's preferences and expert advice to design a tailored smoking cessation program. *Substance Use & Misuse*, 2009; 44(14):2114–37. Available from:

<http://informahealthcare.com/doi/full/10.3109/10826080902858433>

Smith EA and Malone RE. "Everywhere the soldier will be": Wartime tobacco promotion in the US military. *American Journal of Public Health*, 2009; 99(9):1595–602. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/19608945>

Smith EA and Malone RE. Tobacco promotion to military personnel: "The plums are here to be plucked". *Military Medicine*, 2009; 174(8):797–806. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/19743733>

Nelson JP, Pederson LL, and Lewis J. Tobacco use in the army: Illuminating patterns, practices, and options for treatment. *Military Medicine*, 2009; 174(2):162–9. Available from:

<http://www.dtic.mil/cgi-bin/GetTRDoc?AD=ADA521868>

Hamlett-Berry K, Davison J, Kivlahan D, Matthews M, Hendrickson J, et al. Evidence-based national initiatives to address tobacco use as a public health priority in the veterans health administration. *Military Medicine*, 2009; 174(1):29–34. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/19216295>

Cook J, Jakupcak M, Rosenheck R, Fontana A, and McFall M. Influence of PTSD symptom clusters on smoking status among help-seeking Iraq and Afghanistan veterans. *Nicotine & Tobacco Research*, 2009; 11(10):1189–95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/19648174>

Bridger R, Munnoch K, Dew A, and Brasher K. Smoking, BMI and psychological strain and fitness in the naval service. *Occupational Medicine*, 2009; 59(3):195–6. Available from:

<http://occmed.oxfordjournals.org/content/59/3/195.full>

Smith B, Ryan MA, Wingard DL, Patterson TL, Slymen DJ, et al. Cigarette smoking and military deployment: A prospective evaluation. *American Journal of Preventive Medicine*, 2008; 35(6):539–46. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/18842388>

Poston WSC, Taylor JE, Hoffman KM, Peterson AL, Lando HA, et al. Smoking and deployment: Perspectives of junior-enlisted US air force and US army personnel and their supervisors. *Military Medicine*, 2008; 173(5):441–7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18543564>

Owers R and Ballard K. "What else is there to do?"--a qualitative study of the barriers to soldiers stopping smoking. *Journal of the Royal Army Medical Corps*, 2008; 154(3):152–5. Available from: http://www.unboundmedicine.com/medline/ebm/record/19202818/full_citation/%22What_else_is_there_to_do%22_A_qualitative_study_of_the_barriers_to_soldiers_stopping_smoking

Nelson J and Pederson L. Military tobacco use: A synthesis of the literature on prevalence, factors related to use, and cessation interventions. *Nicotine & Tobacco Research*, 2008; 10(5):775–90. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18569751>

Kirby A, Hertzberg B, Collie C, Yeatts B, Dennis M, et al. Smoking in help-seeking veterans with PTSD returning from Afghanistan and Iraq. *Addictive Behaviors*, 2008; 33(11):1448–53. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18571871>

Green K, Hunter C, Bray R, Pemberton M, and Williams J. Peer and role model influences for cigarette smoking in a young adult military population. *Nicotine & Tobacco Research*, 2008; 10(10):1533–41. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200802398763>

Haddock C, Pyle S, Poston W, Bray R, and Stein R. Smoking and body weight as markers of fitness for duty among U.S. military personnel. *Military Medicine*, 2007; 172(5):527–32. Available from: <http://www.ingentaconnect.com/content/amsus/zmm/2007/00000172/00000005/art00023>

Centre for Military and Veterans' Health. Research into veterans' quality of life, health care utilisation and personal attributes. Canberra: University of Queensland, 2005. Available from: <http://www.uq.edu.au/cmvh/index.html?page=21146>.

Australian Institute of Health and Welfare. Cancer incidence study 2003: Australian veterans of the Korean war. AIHW cat. no. PHE 48. Canberra: AIHW, 2003. Available from: <https://www.aihw.gov.au/reports/veterans/cancer-incidence-study-2003-korean-war-veterans/contents/table-of-contents>.

Klesges RC, Haddock CK, Chang CF, Talcott GW, and Lando HA. The association of smoking and the cost of military training. *Tobacco Control*, 2001; 10(1):43–7. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/11226360>

Altarac M, Gardner JW, Popovich RM, Potter R, Knapik JJ, et al. Cigarette smoking and exercise-related injuries among young men and women. *American Journal of Preventive Medicine*, 2000; 18(3 Suppl):96–102. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/10736545>

Macklin J and Scott B. Australian defence force: Smoking policy. 2000. Available from: <https://parlinfo.aph.gov.au/parlInfo/search/display/display.w3p;query=Id:%22chamber/hansardr/20>

[00-06-](#)

[05/0159%22#:~:text=\(i\)%20Smoking%20in%20all%20Defence,apply%20to%20contractors%20and%20visitors.](#)

Klesges RC, Haddock CK, Lando HA, and Talcott GW. Efficacy of forced smoking cessation and an adjunctive behavioral treatment on long-term smoking rates. *Journal of Consulting and Clinical Psychology*, 1999; 67(6):952–8. Available from: <http://psycnet.apa.org/index.cfm?fa=main.landing>

9A.7.1 Trends in the prevalence of smoking

Almesmari, S, AlAmeri, F, Al Shanqaiti, H, Al Mansoori, L, & Heena, H. (2024). Prevalence of smoking among national military service recruits in UAE. *Front Public Health*, 12, 1335545. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38947351>

Patrick, S, Boyle, C, LaMorte, D, & Dore, M. (2024). Tobacco use Prevalence in the Military Health System: A Retrospective Study. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38743582>

Mancuso, JD, Ahmed, AE, & Rossi, KR. (2024). Tobacco and nicotine use among active component U.S. military service members: a comparison of 2018 estimates from the Health Related Behaviors Survey and the Periodic Health Assessment. *MSMR*, 31(3), 2-12. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38621256>

Erdogan, MM., & Kocatas, S. (2023). The prevalence of smoking among soldiers of the gendarmerie in a provincial center and affecting factors: A cross-sectional study from Turkey(). *Arch Environ Occup Health*, 78(6), 347-356. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37788125>

Sun, D, Basi, J, Kreinbrook, J, Mhaskar, R, & Leonelli, F. (2023). Reliability of Electronic Health Records in Recording Veterans' Tobacco Use Status. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37506175>

McDaniel, JT, McDermott, RJ, Henson, H, Brown, D, Albright, DL, Kreckman, V et al. (2022). Cigarette Use among Parents with Children in the Home: A Comparison of Civilian Parents and Parents with a Military Connection. [MS Top Pick]. *Environ Health Insights*, 16, 11786302221137220. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36389655>

Gill, AA, Alford, B, Balmer, J, Lutz, EA, Glogower, FD, & Palm, CK. (2022). Use of electronic cigarettes among U.S. Military service members - prevalence and associated risk factors. *Subst Abus*, 43(1), 1300-1307. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35876783>

Horn, TL, Porter, KJ, Pebley, KN, Krukowski, RA, & Little, MA. (2022). "It Depends on Where You Are and What Job You Do": Differences in Tobacco Use across Career Fields in the United States Air Force. *Int J Environ Res Public Health*, 19(14). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35886449>

9A.7.2 Contribution of smoking to health outcomes and social inequality

Briggs, ES, Thomas, RM, Frost, MC, Fletcher, OV, Crothers, K, Chalal, CK et al. (2024). "I Thought Cancer was a Tobacco Issue": Perspectives of Veterans with and without HIV on Cancer and Other Health Risks Associated with Alcohol and Tobacco/Nicotine Use. *AIDS Behav*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38869757>

Maccarone, JR, Sterns, OR, Timmons, A, Korpak, AM, Smith, NL, Nakayama, KS et al. (2024). Deployment-related Cigarette Smoking Behaviors and Pulmonary Function Among U.S. Veterans. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38536226>

Swann, AC, Graham, DP, Wilkinson, AV, & Kosten, TR. (2022). Suicide Risk in a National VA Sample: Roles of Psychiatric Diagnosis, Behavior Regulation, Substance Use, and Smoking. *J Clin Psychiatry*, 83(3). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35687859>

9A.7.3 Explanations for higher smoking prevalence

Elliott, AM, Kong, AY, McGuirt, J, Prentice-Dunn, H, Gougler-Reeves, KM, Little, MA, & Ribisl, KM. (2024). Comparison of Tobacco Product Prices at Fort Liberty Army Installation and Surrounding Community Areas, 2021. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38747193>

Skelly, SK, Ee, JS, Dogbey, GY, & Agnello, RN. (2023). Association of Chronic Pain With Alcohol Consumption and Tobacco Use in Active Duty Soldiers. *Mil Med*, 188(Suppl 6), 488-493. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37948202>

Ruiz, RA, Lehavot, K, Heffner, JL, Kava, CM, & Ornelas, JJ. (2023). Associations of Sexual Orientation-Related Minority and Military Stressors with Past-Year Cigarette Use among Lesbian, Gay, and Bisexual (LGB) Veterans. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37878537>

Lang, AE, Porter, K, Krukowski, RA, Wester, AG, Pilehvari, A, & Little, MA. (2023). U.S. Military Tobacco and Nicotine Policy Lagging Behind the Times. *Am J Prev Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37813172>

Hashim, MAB, Ismail, IHB, & Md Sabri, BAB. (2023). "We're tough, but so is quitting." Barriers to Smoking Cessation: The Royal Malaysian Navy Perspective. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37525946>

Pebley, K, Pilehvari, A, Krukowski, RA, Morris, JD, & Little, MA. (2023). Motives of Tobacco Use Among Young Adults in the United States Air Force. *Am J Health Promot*, 8901171231156527. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36749676>

Kalkanis, A, Diamantidou, V, Papadopoulos, D, Eleftheriou, M, Testelmans, D, & Buyse, B. (2022). Smoking cessation in the Greek Air Force: associations with shift work and flight status. *BMJ Mil Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35654471>

Lang, AE, Yakhkind, A, & Prom-Wormley, E. (2022). Tobacco and Nicotine Use in the United States Army Trainee Soldier's Environment. *Lung*, 200(3), 419-421. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35635614>

Lee, M, Bastian, LA, LaRowe, L, DeRycke, EC, Relyea, M, Becker, WC, & Ditre, JW. (2022). Perceived pain and smoking interrelations among veterans with chronic pain enrolled in a smoking cessation trial. *Pain Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35639969>

9A.7.4 Interventions for reducing smoking

Nguyen, N, Leonard, S, Cohen, BE, Herbst, ED, Hoggatt, KJ, & Keyhani, S. (2024). Receipt of Smoking Cessation Medications and Smoking Abstinence Among Veterans Prescribed Opioid Analgesics With and Without Cannabis Use. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39528724>

Young, JR, Polick, CS, Michael, AM, Dannhauer, M, Galla, JT, Evans, MK et al. (2024). Multimodal smoking cessation treatment combining repetitive transcranial magnetic stimulation, cognitive behavioral therapy, and nicotine replacement in veterans with posttraumatic stress disorder: A feasibility randomized controlled trial protocol. *PLoS One*, 19(9), e0291562. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39240791>

Muller, RD, Driscoll, MA, DeRycke, EC, Edmond, SN, Becker, WC, & Bastian, LA. (2024). Factors associated with participation in a walking intervention for veterans who smoke and have chronic pain. *J Behav Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39143444>

Dawson, DB, Johnson, B, Baig, MU, Breland, JY, Chen, P, & Fletcher, TL. (2024). African American patient perspectives on barriers and facilitators to tobacco-cessation treatment. *Psychol Serv*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/39172399>

McDaniel, JT, Redner, R, Haun, JN, McCowen, P, & Higgins, ST. (2024). Moral injury among women military veterans and demand for cigarettes: A behavioral economic investigation using a hypothetical purchase task. *Prev Med*, 108036. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38852890>

Polick, CS, Dennis, P, Calhoun, PS, Braley, TJ, Lee, E, & Wilson, S. (2024). Investigating disparities in smoking cessation treatment for veterans with multiple sclerosis: A national analysis. *Brain Behav*, 14(5), e3513. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38698620>

Hashim, MAB, Bin Seabri, KF, Bin Mohd Hanim, MF, Binti Anwar, DS, Binti Mohd Radzi, NA, Bin Ahmad Fuad, AF, & Md Sabri, BAB. (2024). The Impact of Military Tobacco Control Policy: A Systematic Review. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38330180>

Brady, DJ, Phalen, PL, Roche, DJO, Cowan, T, & Bennett, ME. (2024). A reduction in cigarette smoking improves health-related quality of life and does not worsen psychiatric symptoms in individuals with serious mental illness. *Addict Behav*, 151, 107949. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38176326>

Vander Weg, MW, Howren, MB, Grant, KM, Prochazka, AV, Duffy, S, Burke, R et al. (2023). A smoking cessation intervention for rural veterans tailored to individual risk factors: A multicenter randomized

clinical trial. *J Subst Use Addict Treat*, 209191. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/37866436>

Herbst, E, Hoggatt, KJ, Leonard, S, Purcell, N, Rossi, N, & Bialous, S. (2023). Tobacco Cessation Prescription Utilization Rates Among Veterans with Cancer Who Smoke. *J Gen Intern Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37715093>

Swong, S, Nicholson, A, Smelson, D, Rogers, ES, El-Shahawy, O, & Sherman, SE. (2023). The Effectiveness of a Telephone Smoking Cessation Program in Mental Health Clinic Patients by Level of Mental Well-Being and Functioning: A Secondary Data Analysis of a Randomized Clinical Trial. *Res Sq*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37674733>

Hashim, MAB, Ismail, IHB, & Md Sabri, BAB. (2023). "We're tough, but so is quitting." Barriers to Smoking Cessation: The Royal Malaysian Navy Perspective. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37525946>

Herbst, E, Hoggatt, KJ, & McCaslin, S. (2023). Cigarette Smoking Among Veterans at High Risk for Suicide: Challenges and Opportunities for Intervention. *Mil Med*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37525945>

Klesges, RC, Talcott, GW, Little, MA, Mallawaarachchi, IV, Wang, XQ, Aycok, CA et al. (2023). Reengagement for Long-Term Smoking-Cessation In Military Personnel, Retirees, Family Members (TRICARE): A Randomized Trial. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37280113>

Heffner, JL, Kelly, MM, Reilly, ED, Reece, SG, Claudio, T, Serfozo, E et al. (2023). An Avatar-Led Web-Based and SMS Text Message Smoking Cessation Program for Socioeconomically Disadvantaged Veterans: Pilot Randomized Controlled Trial. *JMIR Form Res*, 7, e44503. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37058346>

Patel, KA, Noormohammadi, A, & Attia, EM. (2023). Evaluation of Tobacco Cessation Rates Among Veterans in a Pharmacist-Run Smoking Cessation Clinic. *Prim Care Companion CNS Disord*, 25(1). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36821765>

Guthrie, AR, Patel, MA, & Sweet, CJ. (2022). Pharmacist-Assisted Varenicline Tobacco Cessation Treatment for Veterans. [MS Top Pick]. *Fed Pract*, 39(7), 304-309. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36425350>

Liu, YC, Chiang, SH, Lai, CY, Yen, LC, Liaw, FY, Lin, MH et al. (2022). Factors influencing smoking cessation counselors' intention to stay: An application of a conceptual model of intention to stay verified with path analysis. *Front Public Health*, 10, 932213. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/36203706>

Wells, SY, LoSavio, ST, Patel, TA, Evans, MK, Beckham, JC, Calhoun, P, & Dedert, EA. (2022). Contingency management and cognitive behavior therapy for smoking cessation among veterans with posttraumatic stress disorder: Design and methodology of a randomized clinical trial. *Contemp Clin Trials*, 106839. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35760338>

Salas J, Gebauer S, Gillis A, van den Berk-Clark C, Schneider FD, et al. Increased smoking cessation among veterans with large decreases in posttraumatic stress disorder severity. *Nicotine & Tobacco Research*, 2022; 24(2):178–85. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34477205>

Heffner JL, Coggeshall S, Wheat CL, Krebs P, Feemster LC, et al. Receipt of tobacco treatment and one-year smoking cessation rates following lung cancer screening in the veterans health administration. *Journal of General Internal Medicine*, 2022; 37(7):1704–12. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34282533>

Christofferson DE, Blalock DV, Knoeppel J, Beckham JC, Hamlett-Berry K, et al. A real-world evaluation of a smokeless tobacco cessation text message program for veterans: Outcomes and comparison to cigarette smokers. *Nicotine & Tobacco Research*, 2022; 24(2):186–95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34545940>

Little MA, Wang XQ, Fahey MC, Wiseman KP, Pebley K, et al. Efficacy of a group-based brief tobacco intervention among young adults aged 18-20 years in the US air force. *Tobacco Induced Diseases*, 2021; 19:95. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34963775>

Fahey MC, Little MA, Klesges RC, Talcott GW, Richey PA, et al. Use of tobacco for weight control across products among young adults in the US military. *Substance Use and Misuse*, 2021; 56(1):153–61. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/33183122>

Christofferson DE, Dennis PA, Hertzberg JS, Beckham JC, Knoeppel J, et al. Real-world utilization and outcomes of the veterans health administration's smoking cessation text message program. *Nicotine & Tobacco Research*, 2021; 23(6):931–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32945887>

Blok AC, Ignacio RV, Geraci MC, Kim HM, Barnett PG, et al. Provider and clinical setting characteristics associated with tobacco pharmacotherapy dispensed in the veterans health administration. *Tobacco Induced Diseases*, 2021; 19:65. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/34429727>

Williams JF, Fuller M, and Smith MB. Smoking habits of UK military personnel on deployment: Exercise saif sareea 3. *BMJ Mil Health*, 2020; 166(6):396–400. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32467288>

Su FY, Wang SH, Lu HH, and Lin GM. Association of tobacco smoking with physical fitness of military males in taiwan: The chief study. *Can Respir J*, 2020; 2020:5968189. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31998426>

Fahey MC, Talcott GW, McMurry TL, Klesges RC, Tubman D, et al. When, how, & where tobacco initiation and relapse occur during US air force technical training. *Military Medicine*, 2020; 185(5-6):e609–e15. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32060547>

Boe R and Ridner SL. Connecting veterans with smoking cessation services in less than 3 minutes. *J Am Assoc Nurse Pract*, 2020; 33(8):586–90. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32590445>

Mineyama Y, Hyder Ferry L, Arechiga A, Dos Santos H, and Berk L. The effect of a tobacco dependence treatment program with stress management through mindfulness technique training in US veterans. *Adv Mind Body Med*, 2019; 33(2):12–7. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31476134>

Lin J, Zhu K, Solivan-Ortiz AM, Larsen SL, Schneid TR, et al. Deployment and smokeless tobacco use among active duty service members in the US military. *Military Medicine*, 2019; 184(3-4):e183–e90.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30085231>

Hemmy Asamsama O, Miller SC, Silvestri MM, Bonanno C, and Krondilou K. Impact of implementing a tobacco and recreational nicotine-free policy and enhanced treatments on programmatic and patient-level outcomes within a residential substance use disorder treatment program. *Journal of Substance Abuse Treatment*, 2019; 107:44–9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/31757264>

Duffy SA, Ignacio RV, Kim HM, Geraci MC, Essenmacher CA, et al. Effectiveness of tobacco cessation pharmacotherapy in the veterans health administration. *Tobacco Control*, 2019; 28(5):540–7.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30181383>

Coughlin LN, Wilson SM, Erwin MC, Beckham JC, Workgroup VAM-AM, et al. Cigarette smoking rates among veterans: Association with rurality and psychiatric disorders. *Addictive Behaviors*, 2019; 90:119–23. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/30388505>

Bary-Weisberg D, Meltser M, Oberman M, Pato Benari A, Bar-Zeev Y, et al. Feasibility of a text-messaging smoking cessation program for soldiers in israel. *BMC Public Health*, 2019; 19(1):715.

Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31238914>

Rogers ES, Fu SS, Krebs P, Noorbaloochi S, Nugent SM, et al. Proactive tobacco treatment for smokers using veterans administration mental health clinics. *American Journal of Preventive Medicine*, 2018; 54(5):620–9. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29551324>

O'Toole BI, Kirk R, Bittoun R, and Catts SV. Combat, posttraumatic stress disorder, and smoking trajectory in a cohort of male Australian army vietnam veterans. *Nicotine & Tobacco Research*, 2018; 20(10):1198–205. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29161451>

Lin J, Zhu K, Solivan-Ortiz AM, Larsen SL, Schneid TR, et al. Smokeless tobacco use and related factors: A study in the US military population. *American Journal of Health Behavior*, 2018; 42(4):102–17. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29973315>

Herbst E, Pennington D, Kuhn E, McCaslin SE, Delucchi K, et al. Mobile technology for treatment augmentation in veteran smokers with posttraumatic stress disorder. *American Journal of Preventive Medicine*, 2018; 54(1):124–8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29074319>

Golden SE, Thakurta S, Slatore CG, Woo H, and Sullivan DR. Military factors associated with smoking in veterans. *Military Medicine*, 2018; 183(11-12):e402–e8. Available from:

<https://www.ncbi.nlm.nih.gov/pubmed/29788494>

Driscoll MA, Perez E, Edmond SN, Becker WC, DeRycke EC, et al. A brief, integrated, telephone-based intervention for veterans who smoke and have chronic pain: A feasibility study. *Pain Med*, 2018; 19(suppl_1):S84–S92. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30203011>

Krebs P, Rogers E, Smelson D, Fu S, Wang B, et al. Relationship between tobacco cessation and mental health outcomes in a tobacco cessation trial. *Journal of Health Psychology*, 2018; 23(8):1119–28. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27151069>

Thandi G and Fear NT. Factors associated with smoking behaviour change in UK military personnel. *Occupational Medicine*, 2017; 67(9):712–4. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29040747>

Lando-King EA, Malone RE, Haddock CK, Poston WSC, Lando HA, et al. Consequences of inconsistency in air force tobacco control policy. *Tob Regul Sci*, 2017; 3(2):232–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29226195>

Christofferson DE, Hertzberg JS, Beckham JC, Dennis PA, and Hamlett-Berry K. Engagement and abstinence among users of a smoking cessation text message program for veterans. *Addictive Behaviors*, 2016; 62:47–53. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/27318948>

Gifford E, Tavakoli S, Wisdom J, and Hamlett-Berry K. Implementation of smoking cessation treatment in vha substance use disorder residential treatment programs. *Psychiatric Services*, 2015; 66(3):295–302. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25727118>

Duffy SA, Noonan D, Karvonen-Gutierrez CA, Ronis DL, Ewing LA, et al. Effectiveness of the tobacco tactics program for psychiatric inpatient veterans: An implementation study. *Archives of Psychiatric Nursing*, 2015; 29(2):120–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25858205>

Vest BH, Kane C, DeMarce J, Barbero E, Harmon R, et al. Outcomes following treatment of veterans for substance and tobacco addiction. *Archives of Psychiatric Nursing*, 2014; 28(5):333–8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25439975>

Van Voorhees EE, Hamlett-Berry K, Christofferson DE, Beckham JC, and Nieuwsma JA. No wrong door to smoking cessation care: A veterans affairs chaplain survey. *Military Medicine*, 2014; 179(5):472–6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24806490>

Chen T, Kazerooni R, Vannort EM, Nguyen K, Nguyen S, et al. Comparison of an intensive pharmacist-managed telephone clinic with standard of care for tobacco cessation in a veteran population. *Health Promotion Practice*, 2014; 15(4):512–20. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/24231631>

Lang AE, Yakhkind A, Schonfeld AJ, and Leone FT. Soldier's beliefs in abstinence before and after the implementation of a novel army nicotine-free policy. *European Journal of Preventive Cardiology*, 2022. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/35512443>

News:

9A.7 Military personnel and veterans

Shane III L. Troops younger than 21 could again buy, use tobacco products under proposed change. Military Times, 2021. Available from: <https://www.militarytimes.com/news/pentagon-congress/2021/07/21/troops-younger-than-21-could-again-buy-use-tobacco-products-under-proposed-change/>

British army to extinguish smoking in 2022 2021. Available from: <https://www.army.mod.uk/news-and-events/news/2021/10/british-army-to-extinguish-smoking-in-2022/>

Truth Initiative. Tobacco use in the military. 2018. Available from: <https://truthinitiative.org/news/tobacco-use-military>

Dehm E. 2018 is the year you quit smoking with free help from becomeanex.Org. Connecting Vets, 2018. Available from: <http://connectingvets.com/2017/12/27/2018-is-the-year-you-quit-smoking-with-free-help-from-becomeanex-org/>

No authors listed. Smoking prevalence increases substantially during compulsory military service, israeli research shows. Alpha Galileo, 2017. Available from: <http://www.alphagalileo.org/ViewItem.aspx?ItemId=171854&CultureCode=en>

No authors listed. Tobacco is a social justice issue: The military. Truth Initiative 2017. Available from: <https://truthinitiative.org/news/tobacco-social-justice-issue-military>

Wan W. New ads accuse big tobacco of targeting soldiers and people with mental illness. The Washington Post, 2017. Available from: https://www.washingtonpost.com/national/health-science/new-ads-accuse-big-tobacco-of-targeting-soldiers-and-people-with-mental-illness/2017/08/23/02bff930-8843-11e7-a50f-e0d4e6ec070a_story.html?utm_term=.10b8f0c62060

Hoyt A. Why smoking rates in the military are so high. HowStuffWorks, 2017. Available from: <http://science.howstuffworks.com/why-smoking-rates-in-military-are-so-high.htm#mkcpgn=rssnws1>

No authors listed. One big way to improve the wellbeing of military veterans and caregivers. Truth Initiative (American Legacy Foundation), 2017. Available from: <https://truthinitiative.org/news/one-big-way-improve-wellbeing-military-veterans-and-caregivers>

No authors listed. Former navy secretary ray mabus on the culture of smoking in the military. Truth Initiative, 2017. Available from: https://truthinitiative.org/news/former-navy-secretary-ray-mabus-culture-smoking-military?utm_source=Truth+Initiative+Mailing+List&utm_campaign=2d95057a13-Newsletter_081_2017_12_21&utm_medium=email&utm_term=0_c91fd8a5c5-2d95057a13-86454907

Shane L. Lawmakers take aim at tobacco use among troops, veterans, in Military Times 2017: US. Available from: <http://www.militarytimes.com/articles/troops-vets-tobacco-use-congress-limits>.

Back A. Army did not cause soldier's smoking-related diseases, tribunal finds. The Age, 2016. Available from: <http://www.theage.com.au/act-news/army-did-not-cause-soldiers-smoking-related-diseases-tribunal-finds-20160421-goc68n>

Mincer J and Stewart P. Pentagon aims to curb tobacco use by military: Memo. Reuters, 2016.
Available from: <http://www.reuters.com/article/us-usa-military-tobacco-idUSKCN0XN2VP>

9A.7.1 Trends in the prevalence of smoking

9A.7.2 Contribution of smoking to health outcomes and social inequality

9A.7.3 Explanations for higher smoking prevalence

9A.7.4 Interventions for reducing smoking

Hefler M. New Zealand to have world's first smoke-free military by 2020. Tobacco Control Journal blogs, 2017. Available from: <http://blogs.bmj.com/tc/2017/05/31/new-zealand-to-have-worlds-first-smoke-free-military-by-2020/>